

CONTENTS

| | | <u>Page No.</u> |
|--|-----|-----------------|
| <u>CHAPTER I</u> | | |
| General introduction | ... | 1-25 |
| 1.1 What is liquid crystal | ... | 2 |
| 1.2 Classification of liquid crystals... | | 3 |
| Molecular structure of thermotropic mesogens | ... | 4 |
| New liquid crystalline phases | ... | 14 |
| Objective and scope of the work | ... | 17 |
| References | ... | 19 |
| <u>CHAPTER II</u> | | |
| Theoretical backgrounds for X-ray diffraction, magnetic anisotropy and optical birefringence studies | ... | 26-70 |
| 2.1 Theoretical background for X-ray diffraction studies | ... | 27-47 |
| 2.1.1 Orientational distribution functions and order parameters | ... | 28 |
| 2.1.2 Pseudopotential | ... | 33 |
| 2.1.3 Molecular parameters | ... | 35 |
| 2.1.4 Experimental technique and data analysis | ... | 36 |
| 2.1.5 Conversion of optical density to X-ray intensity | ... | 39 |

| | <u>Page No.</u> |
|---|-----------------|
| 2.1.6 Linear scanning and location of peak positions ... | 41 |
| 2.1.7 Circular scanning and to plot of $I(\psi)$ versus ψ curves ... | 45 |
| 2.2 Magnetic susceptibility measurements ... | 47-60 |
| 2.2.1 Introduction ... | 47 |
| 2.2.2 Relation between order parameters and magnetic anisotropy ... | 49 |
| 2.2.3 Determination of $\Delta\chi$... | 53 |
| 2.2.4 Description of the experimental set-up ... | 56 |
| 2.3 Refractive index measurements ... | 60-64 |
| 2.3.1 Introduction ... | 60 |
| 2.3.2 Experimental procedure ... | 63 |
| References ... | 65 |

CHAPTER III

| | |
|---|--------|
| Experimental results of four nematic liquid crystals of a homologous series ... | 71-143 |
| 3.1 Introduction ... | 72 |
| 3.2 Experimental study ... | 73 |
| 3.2.1 X-ray study ... | 73 |

| | | <u>Page No.</u> |
|-----------------------|--|-----------------|
| 3.3 | Results and discussions | 74-110 |
| | Textures and transition temperatures | 74 |
| | Intermolecular distance and apparent molecular length | 77 |
| | Normalised orientational distribution function $f(\beta)$ and order parameters $\langle P_2 \rangle$ | 86 |
| | Pseudopotential | 104 |
| 3.2.2 | Magnetic anisotropy results | 110 |
| 3.2.3 | Optical birefringence results | 114 |
| | Comparison of $\langle P_2 \rangle$ values determined from three different techniques | 134 |
| | References | 141 |
| <u>CHAPTER IV</u> | | |
| | Optical birefringence studies on BBBA, PBBA and APAPA | 144-167 |
| 4.1 | Introduction | 145 |
| 4.2 | Experimental methods | 146 |
| 4.3 | Results and discussions | 147 |
| | References | 165 |

CHAPTER V

| | | |
|-----------------------------------|-----|---------|
| X-ray diffraction studies on MBAC | ... | 168-181 |
| 5.1 Introduction | ... | 169 |
| 5.2 Experimental methods | ... | 170 |
| 5.3 Results and discussions | ... | 172 |
| References | ... | 181 |

CHAPTER VI

| | | |
|------------------------|-----|---------|
| Summary and conclusion | ... | 182-189 |
| References | ... | 189 |
| List of publications | ... | 190-193 |