

LIST OF FIGURES AND TABLES

- Fig.2.0 The s-plane
- Fig.4.0 Interlocked principal lines of Al and Mg
- Fig.4.1.a The residual intensities for a doublet with interlocking for case I, II and III (form (1))
- Fig.4.1.b The residual intensities for a doublet with interlocking for case IV, V and VI (form (1))
- Fig.4.2.a The residual intensities for a doublet with interlocking for case I, II and III (form (2))
- Fig.4.2.b The residual intensities for a doublet with interlocking for case IV, V and VI (form (2))
- Fig.4.3.a The residual intensities for a doublet with interlocking for case I, II and III (form (3))
- Fig.4.3.b The residual intensities for a doublet with interlocking for case IV, V and VI (form (3))
- Fig.4.4.a The residual intensities for a doublet with interlocking for case I, II and III (form (4))
- Fig.4.4.b The residual intensities for a doublet with interlocking for case IV, V and VI (form (4))
- Fig.4.5.a The residual intensities for a triplet with interlocking for case I (form (1))
- Fig.4.5.b The residual intensities for a triplet with interlocking for case II (form (1))

- Fig.4.5.c The residual intensities for a triplet with interlocking for case III (form (1))
- Fig.4.6.a The residual intensities for a triplet with interlocking for case I (form (2))
- Fig.4.6.b The residual intensities for a triplet with interlocking for case II (form (2))
- Fig.4.6.c The residual intensities for a triplet with interlocking for case III (form (2))
- Fig.4.7.a The residual intensities for a triplet with interlocking for case I (form (3))
- Fig.4.7.b The residual intensities for a triplet with interlocking for case II (form (3))
- Fig.4.7.c The residual intensities for a triplet with interlocking for case III (form (3))
- Fig.4.8.a The residual intensities for a triplet with interlocking for case I (form (4))
- Fig.4.8.b The residual intensities for a triplet with interlocking for case II (form (4))
- Fig.4.8.c The residual intensities for a triplet with interlocking for case III (form (4))
- Fig.4.9 Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$ for a doublet for case I-VI (form (1))
- Fig.4.10 Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$ for a doublet for case I-VI (form (2))

- Fig.4.11 Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$ for a doublet for case I-VI (form (3))
- Fig.4.12 Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$ for a doublet for case I-VI (form (4))
- Fig.4.13.a Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$, $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$ for a triplet for case I (form (1))
- Fig.4.13.b Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$, $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$ for a triplet for case II (form (1))
- Fig.4.13.c Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$, $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$ for a triplet for case III (form (1))
- Fig.4.14.a Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$, $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$ for a triplet for case I (form (2))
- Fig.4.14.b Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$, $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$ for a triplet for case II (form (2))
- Fig.4.14.c Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$, $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$ for a triplet for case III (form (2))
- Fig.4.15.a Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$, $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$ for a triplet for case I (form (3))
- Fig.4.15.b Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$, $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$

for a triplet for case II (form (3))

Fig.4.15.a Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$,
 $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$
 for a triplet for case III (form (3))

Fig.4.16.a Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$,
 $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$
 for a triplet for case I (form (4))

Fig.4.16.b Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$,
 $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$
 for a triplet for case II (form (4))

Fig.4.16.c Variation of $d(\mu) = r_2(\mu) - r_1(\mu)$,
 $d(\mu) = r_3(\mu) - r_2(\mu)$ and $d(\mu) = r_3(\mu) - r_1(\mu)$
 for a triplet for case III (form (4))