

A C K N O W L E D G E M E N T

The present thesis embodies the results of research carried out by the author at the Department of Chemistry, University of North Bengal, Dist. Darjeeling, West Bengal, starting from the early part of 1974 to 1977.

I am deeply indebted and grateful to Dr. A.K.Ghosh, M.Sc., D.Phil., Reader in Chemistry, University of North Bengal, for his continuous interest and active guidance throughout the work.

Thanks are due to Professor H.J.Khastgir, Department of Chemistry, University of North Bengal, for his kind interest in my work. Thanks are also due to Mr. S.L.Datta, Scientific Officer, Department of Chemistry, North Bengal University, for IR spectra recorded in this thesis. The NMR spectrum and molecular weights recorded here are due to Dr. A.Roy, Department of Chemistry, Trinity College, Dublin, U.K. and thanks are also due to him for his occasional help during the early part of my research work.

I wish to thank all the research scholars of the North Bengal University particularly those of the Chemistry Department for helping me in various ways during the period of my research work.

Thanks are due to Dr. A.Bernhardt, West Germany and Director, C.D.R.I., Lucknow, India, for micro analysis of the compounds.

I am thankful to the authorities of the North Bengal University for the award of a University Research Fellow^{^SRIP} and extending full

(ii)

laboratory facilities.

Finally, I wish to express my gratitude and indebtedness to my brothers for their inspirations.

Department of Chemistry,
University of North Bengal,
Dist. Darjeeling, West Bengal,

Bibekazanda Pradhan

May, 1977.