

Contents

1.	Introduction	1-5
2.	Review of Literature	6 - 38
3.	Materials and Methods	39-66
	3.1. Plant material	39
	3.1.1. Collection	39
	3.1.2. Propagation by cuttings	39
	3.1.3. Maintenance of tea sleeves in nursery	40
	3.1.4. Plantation	40
	3.1.5. Maintenance of mature plants	42
	3.2. Fungal culture	42
	3.2.1. Source of cultures	42
	3.2.2. Assessment of mycelial growth	43
	3.2.2.1 Solid media	43
	3.2.2.2. Liquid media	44
	3.3. Inoculation technique	45
	3.3.1. Preparation of inoculum	45
	3.3.1.1. Pathogen	45
	3.3.1.2. Biocontrol agents	45
	3.3.2. Inoculation of healthy tea plants	46
	3.3.2.1. Pot grown plants	46
	3.3.2.2. Field grown plants	46
	3.4. Disease assessment	46
	3.5. Soluble protein	47
	3.5.1. Extraction	47
	3.5.1.1. Mycelia	47
	3.5.1.2. Root	47
	3.5.2 Estimation	48
	3.6. SDS-PAGE analysis of total soluble protein	49
	3.6.1. Preparation of stock solution	49

3.6.2. Preparation of gel.....	50
3.6.3. Sample preparation.....	51
3.6.4. Electrophoresis.....	51
3.6.5. Fixing and Staining.....	52
3.7 Preparation of antigens.....	52
3.7.1. Fungal antigen.....	52
3.7.1.1. Mycelia.....	52
3.7.1.2. Cell wall.....	52
3.7.2. Root antigen.....	53
3.7.3. Soil antigen.....	53
3.8. Binding of FITC labeled concanavalin-A.....	53
3.9. Serology.....	53
3.9.1. Rabbits and their maintenance.....	53
3.9.2. Immunization.....	54
3.9.3. Bleeding.....	54
3.9.4. Purification of IgG.....	55
3.9.4.1. Precipitation.....	55
3.9.4.2. Column preparation.....	55
3.9.4.3. Fraction collection.....	55
3.9.4.4. Estimation of IgG concentration.....	56
3.10. Immunodiffusion.....	56
3.10.1. Preparation of agarose slides.....	56
3.10.2. Diffusion.....	56
3.10.3. Wasing, staining and drying.....	57
3.11. Enzyme linked immunosorbent assay ELISA).....	57
3.11.1. Direct antigen coated (DAC) ELISA.....	58
3.11.2. Double antibody sandwich (DAS)ELISA.....	59
3.11.3. Competition ELISA.....	60
3.12. Immunoblotting.....	61
3.12.1. Dot-blot.....	61
3.12.2. Western blotting.....	62
3.12.2.1. SDS-PAGE.....	63

3.12.2.2. Transfer process.....	63
3.12.2.3. Immunoprobng.....	64
3.13. Fluorescence antibody staining and microscopy.....	64
3.13.1. Fungal mycelia.....	64
3.13.2. Cross section of tea root.....	65
3.13.3 Soil.....	65
3.14. Immunocytochemical staining.....	65
4. Experimental.....	67-152
4.1. Brown root rot incidence.....	67
4.2. Cultural conditions affecting growth of <i>F. lamaoensis</i>	67
4.2.1. Media.....	67
4.2.2. Incubation period.....	69
4.2.3. pH.....	69
4.2.4. Carbon source.....	70
4.2.5. Nitrogen source.....	71
4.3. Pathogenicity test of <i>F.lamaoensis</i> on different tea varieties ..	72
4.4. Agar gel double diffusion tests.....	78
4.5. Analysis of proteins in mycelia and tea roots.....	83
4.5.1. Protein content.....	83
4.5.2. Protein pattern.....	83
4.5.2.1. Mycelial soluble protein of <i>F. lamaoensis</i>	83
4.5.2.2. Cell wall protein of <i>F. lamaoensis</i>	86
4.5.2.3. Tea root protein.....	86
4.5.3. Con A-FITC binding.....	86
4.6. Optimization of PAb and antigen concentrations by direct antigen coated enzyme linked immunosorbent assay (DAC ELISA).....	88
4.6.1. PAb raised against mycelia of <i>F. lamaoensis</i>	88
4.6.1.1. IgG concentration.....	88
4.6.1.2. Antigen concentration.....	89
4.6.2. PAb raised against cell wall of <i>F. lamaoensis</i>	89
4.6.2.1. IgG concentration.....	90

4.6.2.2. Antigen concentration	90
4.6.3. PAb raised against tea root	92
4.6.3.1. IgG concentration	92
4.6.3.2. Antigen concentration	92
4.7. Detection of cross reactive antigens between <i>F. lamaroensis</i> and tea roots	96
4.7.1. Indirect ELISA	96
4.7.1.1. PAb of <i>F. lamaroensis</i>	96
4.7.1.1.1. Mycelia	96
4.7.1.1.2. Cell wall	98
4.7.1.2. PAb of tea root	98
4.7.2. Western Blot	98
4.8. Detction of <i>F. lamaroensis</i> in infected tea root tissues	103
4.8.1 ELISA	104
4.8.1.1. DAC ELISA	104
4.8.1.1.1. PAb of mycelia	104
4.8.1.1.1.1. Artificially infected root tissues	104
4.8.1.1.1.2. Naturally infected root tissues	111
4.8.1.1.2. PAb of cell wall	113
4.8.1.2. DAS-ELISA with PAb of mycelia	113
4.8.2. Dot blot	116
4.8.3. Western blot	120
4.9. Detection of <i>F. lamaroensis</i> in soil	120
4.9.1. DAC-ELISA	120
4.9.2. Dot blot	124
4.10. Determiation of cross reactivity of <i>F. lamaroensis</i> PAb	124
4.10.1. ELISA	124
4.10.1.1. Fungal mycelial antigens of different soil fungi	124
4.10.1.2. Fungi in tea root infected with other root pathogens	126
4.10.2. Dot blot	127

4.11. Purification of antigen by ammonium sulphate precipitation.....	127
4.12. Evaluation of PAb raised against purified mycelial antigen.....	129
4.12.1. Immunodiffusion	129
4.12.2. Cross reactive antigens	129
4.12.3. Detection of <i>F. lamaoensis</i> in tea root tissues.....	129
4.12.3.1. ELISA.....	129
4.12.3.2. Dot-blot.....	129
4.12.3.3. Western blot	133
4.13. Immunofluorescence.....	133
4.13.1. Mycelia	133
4.13.2. Root tissue.....	133
4.13.3. Soil sample	134
4.14. Immunocytochemical staining.....	134
4.15. Biological control of brown root rot disease with.	
<i>Trichoderma</i> sp.....	137
4.15.1. <i>In vitro</i> test.....	137
4.15.2. <i>In vivo</i> test.....	137
4.15.2.1. Potted plants.....	141
4.15.2.2. Field grown plants.....	145
4.16. Detection of <i>F. lamaoensis</i> in tea root and soil following	
treatment with biocontrol agents.....	145
4.16.1. ELISA.....	145
4.16.1.1. Root tissue.....	145
4.16.1.2. Soil.....	146
4.16.2. Dot-blot.....	150
4.16.3. Western blot	150
5. Discussion.....	153 - 167
6. Summary.....	168 - 170
7. References	171 -186