

CONTENTS

1. Introduction	1
2. Review of literature	10
2.1. Fermented legumes	10
2.1.1. Kinema	10
2.1.2. Natto	16
2.1.3. Thua-nao	20
2.1.4. Tou-shi	21
2.1.5. Tempe	22
2.1.6. Daddawa	29
2.1.7. Wari	31
2.2. Fermented vegetables	33
2.2.1. Gundruk	33
2.2.2. Sauerkraut	35
2.2.3. Kimchi	37
2.2.4. Naw-mai-dong	39
2.3. Fermented cereal preparation	39
2.3.1. Jalebi	39
2.4. Fermented dairy products	41
2.4.1. Dahi	41
2.4.2. Yoghurt	43
2.4.3. Chu-ra	44
2.5. Starter cultures	44
2.5.1. Murcha	44
2.5.2. Ragi, Chinese yeast, bubod and loogpang	45

2.6. Fermented beverages	48
2.6.1. Millet beverage	48
2.6.2. Rice beverage	48
2.6.3. Barley beverage	48
3. Materials and Methods	50
3.1. Culture media used	50
3.2. Reagents used	59
3.3. Experimental	60
3.3.1. Survey on traditional fermented foods	60
3.3.2. Collection of sample	60
3.3.3. Biochemical analysis	62
3.3.3.1. Moisture	62
3.3.3.2. Ash	62
3.3.3.3. pH	63
3.3.3.4. Titratable acidity	63
3.3.3.5. Total nitrogen	63
3.3.3.6. Protein and non-protein nitrogen	64
3.3.3.7. Soluble nitrogen	64
3.3.3.8. Protein	65
3.3.3.9. Fat (crude)	65
3.3.3.10. Free fatty acidity	65
3.3.3.11. Carbohydrate	66
3.3.3.12. Energy value	66
3.3.4. Microbial analysis	66
3.3.4.1. Isolation and maintenance	66
3.3.4.2. Taxonomic studies on bacterial isolates	67
3.3.4.2.1. Gram staining	67

- 3.3.4.2.2. General morphology 68
- 3.3.4.2.3. Motility 68
- 3.3.4.2.4. Production of catalase 68
- 3.3.4.2.5. Growth in sodium chloride 68
- 3.3.4.2.6. Acid and gas from carbohydrates 68
- 3.3.4.2.7. Production of indole 69
- 3.3.4.2.8. Voges-Proskauer reaction 69
- 3.3.4.2.9. Hydrolysis of gelatin 69
- 3.3.4.2.10. Hydrolysis of arginine 70
- 3.3.4.2.11. Reduction of nitrate 70
- 3.3.4.2.12. Hydrolysis of fat 71
- 3.3.4.2.13. Anaerobic growth 71
- 3.3.4.2.14. Decomposition of casein 71
- 3.3.4.2.15. Hydrolysis of esculin 72
- 3.3.4.2.16. Growth at different pH 72
- 3.3.4.2.17. Growth in 0.1% methylene blue milk 72
- 3.3.4.2.18. Growth at different temperatures 72
- 3.3.4.2.19. Haemolysis 73
- 3.3.4.2.20. Requirement of growth factors 73
- 3.3.4.2.21. API tests 73
- 3.3.4.3. Taxonomic studies on yeast isolates 74
 - 3.3.4.3.1. General morphology 74
 - 3.3.4.3.2. Formation of pseudomycelium and true mycelium 75
 - 3.3.4.3.3. Characteristics of asci and ascospores 75
 - 3.3.4.3.4. Reduction of nitrate 76
 - 3.3.4.3.5. Hydrolysis of urea 76
 - 3.3.4.3.6. Hydrolysis of fat 76

- 3.3.4.3.7. Growth at 37°C 76
- 3.3.4.3.8. API tests 76
- 3.3.4.3.9. Fermentation of sugars 77
- 3.3.4.4. Taxonomic studies on mould isolates 77
 - 3.3.4.4.1. General morphology 77
 - 3.3.4.4.2. Hydrolysis of starch 77
- 3.3.4.5. Identification of the isolates 77
- 3.3.5. Optimization of traditional process parameters 78
- 3.3.6. Microbial and biochemical changes accompanying fermentation 78
- 3.3.7. Testing each of the isolates or combinations thereof for producing kinema 78
- 3.3.8. Growth of *Bacillus* isolate at different oxygen levels 82
- 3.3.9. Pure culture fermentation for kinema production 82
- 3.3.10. Microbial and biochemical changes during fermentation of sterilized soya beans inoculated with *Bacillus subtilis* DK-W1 83
- 3.3.11. Statistical analysis 83

4. Results 84

- 4.1. Traditional methods of preparation, mode of consumption and ethnic value of the fermented foods under survey 84
 - 4.1.1. Fermented legumes 84
 - 4.1.1.1. Kinema 84
 - 4.1.1.2. Masayura 88
 - 4.1.2. Fermented vegetables 89
 - 4.1.2.1. Gundruk 89
 - 4.1.2.2. Sinki 90
 - 4.1.2.3. Mesu 91
 - 4.1.2.4. Khalpi 92

4.1.3.	Fermented cereal preparation	93
4.1.3.1.	Shel roti	93
4.1.4.	Fermented dairy products	94
4.1.4.1.	Dahi	94
4.1.4.2.	Kachcha churpi	94
4.1.4.3.	Churpi	95
4.1.4.4.	Dudh churpi	95
4.1.5.	Fermented meat	96
4.1.5.1.	Sukako masu	96
4.1.6.	Starter culture	96
4.1.6.1.	Murcha	96
4.1.7.	Fermented beverages	98
4.1.7.1.	Jnard	98
4.1.7.2.	Raksi	99
4.1.8.	Distribution of traditional fermented foods	100
4.2.	Kinema	100
4.2.1.	Proximate composition	100
4.2.2.	Microbial analysis	102
4.2.2.1.	Isolation of microorganisms from market and laboratory-made samples	102
4.2.2.2.	Taxonomical studies	102
4.2.2.2.1.	Bacteria	102
4.2.2.2.2.	Yeasts	105
4.2.2.3.	Microbial load in substrate and products	113
4.2.3.	Optimization of traditional process parameters	120

- 4.2.4. Successional studies on soya beans during kinema production 129
 - 4.2.4.1. Microbial changes 129
 - 4.2.4.2. Biochemical changes 131
- 4.2.5. Testing of the isolates for producing kinema 134
- 4.2.6. Growth of *Bacillus subtilis* DK-W1 at different oxygen levels 134
- 4.2.7. Improvement of the production of kinema by pure culture fermentation 136
- 4.2.8. Successional studies on soya beans during monoculture fermentation 136
 - 4.2.8.1. Microbial changes 138
 - 4.2.8.2. Biochemical changes 138
- 4.3. Sinki 138
 - 4.3.1. Proximate composition 138
 - 4.3.2. Microbial analysis 143
 - 4.3.2.1. Isolation of microorganisms from market and laboratory-made samples 143
 - 4.3.2.2. Taxonomical studies 143
 - 4.3.2.3. Microbial load in substrate and products 145
 - 4.3.3. Optimization of traditional process parameters 151
 - 4.3.4. Successional studies on radish tap root during sinki production 151
 - 4.3.4.1. Microbial changes 155
 - 4.3.4.2. Biochemical changes 155
- 4.4. Mesu 158
 - 4.4.1. Proximate composition 158
 - 4.4.2. Microbial analysis 158
 - 4.4.2.1. Isolation of microorganisms from market and laboratory-made samples 158

4.4.2.2.	Taxonomical studies	161
4.4.2.3.	Microbial load in substrate and products	161
4.4.3.	Optimization of traditional process parameters for mesu production	169
4.4.4.	Successional studies on bamboo shoot during mesu production	169
4.4.4.1.	Microbial changes	173
4.4.4.2.	Biochemical changes	173
4.5.	Murcha	176
4.5.1.	Proximate composition of market samples	176
4.5.2.	Microbial analysis	176
4.5.2.1.	Isolation of microorganisms from market samples	176
4.5.2.2.	Taxonomical studies	176
4.5.2.2.1.	Bacteria	176
4.5.2.2.2.	Yeasts	181
4.5.2.2.3.	Moulds	186
4.5.2.3.	Microbial load of market samples	186
5.	Discussion	189
5.1.	Kinema	191
5.2.	Sinki	204
5.3.	Mesu	208
5.4.	Murcha	211
6.	Summary	214
7.	Bibliography	220