

References

REFERENCES

- Abel P.P, R.S. Nelson, B. DE, N. Hoffmann, S.G. Rogers, R.T. Fraley and R.N. Beachy. 1986. *Science*. 232:738-743.
- Ackerman W.L. 1971. Genetic and cytological studies with *Camellia* and related genera. Technical Bull. No.1427, USDA, U.S.Govt Print Office, Washington, D.C. p. 115.
- Adu-Ampomah Y., F.J. Novak, R. Afza, M. Van Duren, M. Perea-Dallos. 1988. Initiation and growth of somatic embryos of cocoa (*Theobroma cacao* L). *Café Cacao*. 32:187-200.
- Akkaya M.S., A.A. Bhagwat and P.B. Cregan. 1992. Length polymorphism of simple sequence repeat DNA in soybean *Genetics*. 132:1131-1139.
- Akula A and C. Akula. 1999. In: Jain SM, Gupta PK, & Newton RJ (eds.), *Somatic embryogenesis in Woody plants*. Kluwer Academic Publishers: The Netherlands. 5: 239-259.
- Aliev K.A, O.J. Lifanova, Z.N. Fankhadi, S.B. Salimora. 1988. Induction of crown gall tumors in cotton plants. In: Butenko RG (ed) *Biologiya kul tiviruemykh I biotekhnologiya*. Novosibirsk, p-197.
- Alt-Moerbe J., P. Neddemann, J. Von Lintig, E.W. Weiler, J. Schroder. 1988. Temperature sensitive step in Ti plasmid vir region induction and correlation with cytokinin secretion by *Agrobacterium*. *Mol Gen Genet*. 213:1-8.
- An G., B.D. Watson and C.C. Chang. 1986. *Plant Physiol*. 81:301-305.
- An G., B.D. Watson and C.C. Chang. 1988. In *Plant Mol. Biol. Manual* (SB Selvin & RA Schilperoort eds.) Kluwer Academic Publishers, London. 43:1-19.
- Anderson S. 1994. Isozyme analysis to differentiate between tea clones. *Inligtingsbulletin Institut vir Tropiese en Subtropiese Gewasse*. 266:15.
- Ankenbauer R.G. and E.W. Nester. 1990. Sugar-mediated induction of *Agrobacterium tumefaciens* virulence genes: structural specificity and activities of monosaccharides. *Journal of Bacteriology*. 172:6442-6446.
- Aoyagi K, C. Kuhlemeier and N.H. Chua. 1988. *Mol. Gen. Genet*. 213:179-185.
- Archilleti T., P. Lauri, C. Damiano. 1995. *Agrobacterium*-mediated transformation of almond leaf pieces. *Plant Cell Rep*. 14:267-272.
- Arfin M.S. and H.H. Seemangun. 1999. Tea industry in Indonesia. In: *Global Advances in Tea Science* (Ed.) Jain, N.K., Aravali Book International (P) Ltd., New Delhi, India, pp. 65-82.
- Arulpragasam P.V. and H.H. Seemangun. 1986. Studies on the tissue culture of tea (*Camellia sinensis* (L.) O. Kuntze. *Tea*. 55:44-47
- Bagratisvili D.G., M.N. Zaprometov and R.G. Butenko 1979. Obtaining a cell suspension culture from the tea plant. *Fiziol. Rast*. 26:449-451
- Balasubramanian S, S, Marimuthu, R. Rajkumar and V. Haridas. 2000. Somatic embryogenesis and multiple shoot induction in *Camellia sinensis* (L.) O. Kuntze. *J. Plant. Crops*. 28(1):44-49
- Banerjee B. 1986. Biotechnology-a panacea for tea. In: *Plantation Crops Vol II* (Eds.) Srivastava HC, Vatsya B and Menon KKG, Oxford & IBH Publishing Co., New Delhi, India pp. 57-61.
- Banerjee B. 1992. Selection and breeding of tea. In: *Tea: Cultivation to Consumption* (Eds.) Willson KC and Clifford MN, Chapman & Hall, London. 53-86.
- Banerjee M. and B. Agarwal. 1990. *In vitro* rooting of tea. *Camellia sinensis* (L.) O.Kuntze. *Ind. J. exp. Biol*. 28:936-939.
- Bano Z., S. Rajarathnam and B.D. Mohanty. 1991. Somatic embryogenesis in cotyledon cultures of tea. (*Thea sinensis*, (L.)). *J. Hort. Sci*. 60(1):465-470.
- Bansal K.C., J. Viret, J. Haley. 1992. Transient expression from cab-ml and rbcS-m3 promoter sequences in maize leaves. *Proc. Natl. Acad. Sci. (USA)*. 89:3654-3658.
- Baril C.P., D. Vahaegen, P.H. Vigneron, J.M. Bouvet and A. Kremer. 1997. Structure of the specific combining ability between two species of Eucalyptus. I. RAPD data. *Theor. Appl. Genet*. 94:796-803.
- Barton K.A., H.R. Whiteley and N.S. Yang. 1987. *Plant Physiol*. 85:1103-1109.
- Barua D.N and A.C. Dutta. 1959. Leaf scleroids in taxonomy of *Thea camellias* II. *Camellia sinensis* L. *Phytomorp*. 9:372-382.

REFERENCES

- Barua D.N. 1958. Leaf scleroids in the taxonomy of the *Thea camellias*. I. Wilson's and related *camellias*. *Phytomorph.* 8:257-264.
- Barua P.K. 1963. Classification of tea plant. Two and a Bud. 10:3-11
- Barua D.N. 1963. Tea Breeding in Tocklai. Two and a Bud. 10(1):7-11.
- Bassam B.J., G. Caetano-Anolles and P.M. Gresshoff. 1991. A fast and sensitive silver-staining for DNA in polyacrylamide gels. *Analytical Biochemistry*. 196:80-83.
- Bassam B.J., G. Caetano-Anolles and P.M. Gresshoff. 1992. DNA amplification fingerprinting of bacteria. *Applied Microbiology and Biotechnology*. 38:70-76.
- Baumann G., E. Rascheke, M. Bevan and F. Schoffl. 1987. *EMBO J.* 6:1161-1166.
- Beckman J.S. and J.L. Weber. 1992. Survey of human and rat microsatellites. *Genomics*. 12:627-631.
- Bedbrook J.R., J. Jones, T. Surlow and P. Dunsmuir. 1988. In: Fraley, RT, Frey NM, and Scell J (Eds.) *Genetic Improvement of Agriculturally Important Crops*. Cold Spring Harbor NY. pp. 65-68.
- Bedbrook J.R. and R. Kolodner. 1979. The structure of chloroplast DNA. *Annu. Rev. Plant Physiol.* 30: 593-620.
- Bennet W.Y. and P. Scheibert. 1982. *In vitro* generation of callus and plantlets from cotyledons of *Camellia japonica*. *Camellia J.* 37:12-15.
- Bera B. and H. Saikia. 1999. Molecular characterization of tea (*Camellia sinensis* (L.) O. Kuntze) cultivars using DNA markers. *Two and a bud.* 46(2):16-19.
- Bezbaruah H.P. 1971. Cytological investigation in the family theaceae-I. Chromosome numbers in some *Camellia* species and allied genera. *Caryologia* 24: 421-426.
- Bezbaruah H.P. 1974. Tea breeding a review. *Two and a bud.* 22(2):123-130.
- Bezbaruah H.P. 1975. Tea breeding a review. *Indian J. Genet.* 34:90-100.
- Bezbaruah H.P. 1999. Origin and history of development of tea. In: *Global Advances in Tea Science* (Ed.) Jain, N.K., Aravali Book International (P) Ltd., New Delhi, India, pp. 383-392.
- Biao X., T. Kuboi, J. Xu and B. Yongyan. 1998. Effect of polyphenol compounds on tea plant transformation. *Am. Soc. Plant Physiol. Abstr.* pp. 314.
- Binns A.N., R.D. Roger and J.E. Ward. 1992. *Agrobacterium* and plant cell transformation. *Encyclopedia of Microbiology*. 1:37-51.
- Binns A.N. and M.F. Thomashow. 1988. Cell biology of *Agrobacterium* infection and transformation of plants. *Annual Review of Microbiology*. 42:575-606.
- Bokuchava M.A., N.I. Skobeleva. 1980. The biochemistry and technology of tea manufacture. *CRC Critical Reviews in Food Science and Nutrition*. 11:304-369.
- Boriah G. 2004. Drink pennyroyal tea. *Outlook*. 14:58-59.
- Bornman C.H. 1991. Somatic embryo maturation is a critical phase in the development of a synthetic seed technology. *Rev. Cytol. Veget. Bot.* 14:289-296.
- Borthakur S., T.K. Mondal, A. Borthakur and P.C. Deka. 1995. Variation in peroxidase and esterase isoenzymes in tea leaves. *Two and a Bud.* 42:20-23.
- Boudijeniba M., G. Hunault. 1989. The potato disc bioassay. Effect of some parameters related to the inoculum and to the growth medium on the development of tumors. *Ann Sci Nat Biol Veg.* 10:34-148.
- Bray E.A., S. Naito, N.S. Pan, E. Anderson, P. Dube and R.N. Beachy. 1987. *Planta*. 172:364-370.
- Burgess P.J. and M.K.V. Carr. 1996. Response of young tea (*Camellia sinensis*) clones to drought and temperature. II. Dry matter production and partitioning. *Expl. Agric.* 32:377-394.
- Caetano-Anolles G. and P.M. Gresshoff. 1994a. DNA amplification fingerprinting using arbitrary mini-hairpin oligonucleotide primers. *Bio/Technology*. 12:619-623.
- Caetano-Anolles G. and P.M. Gresshoff. 1994b. Staining nucleic acids with silver: an alternative to radioisotopic and fluorescent labeling. *Promega Notes*. 45:13-18.
- Caetano-Anolles G., B.J. Bassam and P.M. Gresshoff. 1991. DNA amplification fingerprinting using very short arbitrary oligonucleotide primers. *Bio/Technology*. 9:553-557.

REFERENCES

- Cangelosi G.A., R.G. Ankenbauer and E.W. Nester. 1990. Sugars induce the *Agrobacterium* virulence genes through a periplasmic binding protein and a transmembrane signal protein. Proceedings of the National Academy of Sciences USA. 87:6708-6712.
- Cangelosi G.A., E.A. Best, C. Martinetti and E.W. Nester. 1991. Genetic analysis of *Agrobacterium tumefaciens*. *Methods in Enzymology*. 145:177-181.
- Cangelosi G.A., L. Hung, V. Puvanesarajah, G. Stacey, D.A. Ozga., J.A. Leigh, and E.W. Nester. 1987. Common loci for *Agrobacterium tumefaciens* and *Rhizobium meliloti* exopolysaccharide synthesis and their role in plant interaction. *Journal of Bacteriology* 169:2086-2091.
- Cangelosi, G.A., J.A. Martinetti, C.C. Leigh Lee, C. Theines and W. Nester. 1989. Role of *Agrobacterium tumefaciens* chvA protein in export of b-1, 2 glucan. *Journal of Bacteriology*. 171:1609-1615.
- Cardarelli M., D. Mariotti, M. Pomponi, L. Spano, I. Capone and P. Costantino 1987. *Mol. Gene. Genet.* 209:475-480.
- Carlisi J.C. and K.C. Torres. 1986. *In vitro* shoot proliferation of *Camellia purple Dawn*. *Hort Sci.* 21:314.
- Carlson J.E., L.K. Tulsieram, J.C. Glaubitz, V.W.K. Luk, C. Kauffeldt, R. Rutledge. 1991. Segregation of random amplified DNA markers in F1 progeny of conifers. Theoretical and Applied Genetics. 83:194-200.
- Carr M.K.V. 1972. The climatic requirement of the tea plant. *A review. Expl. Agric.* 8(1):1-14.
- Carr M.K.V., William Stephens and T.C.E. Congdon. 1988. Tea in Tanzania. *Outlook on Agriculture*. 17(1):18-22.
- Catlin D., O. Ochoa, S. McCormoick and C.F. Quiros. 1988. *Plant Cell Rep.* 7:100-103.
- Charest P.J., L.A. Holbrook, J. Gabard, V.N. Iyer and B.L. Miki. 1988. *Theor. Appl. Genet.* 75:438-445.
- Charters Y.M., A. Robertson, M.J. Wilkinson and G. Ramsay. 1996. PCR analysis of oil seed rape cultivars (*Brassica oleracea* L. ssp. *Oleifera*) using 5'-anchored simple sequence repeat (SSR) primers. *Theor Appl Genet.* 92:442-447.
- Chen L. and S. Yamaguchi. 2005. RAPD markers for discriminating tea germplasms at the inter-specific level in China. *Plant Breeding* 124:404-409.
- Chen L. and S. Yamaguchi. 2002. Genetic diversity and phylogeny of tea plant (*Camellia sinensis*) and its related species and varieties in the section *Thea* genus *Camellia* determined by randomly amplified polymorphic DNA analysis. *J. Hort. Sci.* 126:474-480.
- Chen C. 1996. Analysis on the isozymes of tea plants F1 hybrids. *J. Tea. Sci.* 16: 31-3
- Chen Z. 1999. Pharmacological functions of tea. In: Jain NK (ed) *Global Advances in Tea Science*. Aravali Books International (P) Ltd. India. pp. 333-358
- Chen Z., H. Liao. 1983. A success in bringing out tea tea plants from the anthers. *China Tea.* 5:6-7.
- Chengyin L., L. Weihua and R. Mingjun. 1992. Relationship between the evolutionary relatives and the variation of esterase isozymes in tea plant. *J. Tea Sci.* 12:15-20.
- Chopra D. and S. David. 2000. *The chopra centre Herbal Handbook*. Three Rivers Press, USA.
- Christou P. 1996. Particle Bombardment for genetic Engineering of plants. Academic press, UK.
- Comai L., D. Facciotti, W.R. Hiatt, G. Thompson, R.E. Rose and D.M. Stalker. 1985. *Nature.* 317:741-744.
- Confalonieri M., A. Balestrazzi, R. Cella. 1997. Genetic transformation of *Populus deltoides* and *Populus X euramericana* clones using *Agrobacterium tumefaciens*. *Plant Cell Tissue Organ Cult.* 48:53-61.
- Conner P.J. and B.W. Wood 2001. Identification of pecan cultivars and their genetic relatedness as determined by randomly amplified polymorphic DNA analysis. *J. Am. Soc. Hort. Sci.* 126:474-480.
- Creze J. 1980. *Camellia* cultivation *in vitro*. *Int. Camellia J.* 12:31-34.
- Cruzan M.B. 1998. Genetic markers in plant evolutionary ecology. *Ecology.* 79:400-412.
- Cuozzo M., K.M. O'Connell, W. Kaniewski, R.X. Fang, N.H. Chua and N.E. Tumer. 1988. *Biotechnology.* 6:549-557.

REFERENCES

- Damasco O.P., I.D. Godwin, M.K. Smith and S.W. Adkins. 1996. Gibberellic acid detection of dwarf off-types in micropropagated Cavendish bananas. *Aus. J. Expt. Agric.* 36: 237-241.
- Das A., S.S. Gosal, J.S. Sidhu and H.S. Dhaliwal. 2002. Biochemical characterization of induced variants of potato (*Solanum tuberosum* L.). *Indian J. Genet.* 62(2):146-148.
- Das S.C., T.S. Barman and R. Singh 1990. Tissue culture of tea: Plant regeneration and establishment in the nursery. *Proc. Intl. Conf. Tea Research: Global Perspective*, January 11-12, 1990. Calcutta. pp. 19-22.
- Dawson K., K.J. Chalmers, R. Waugh and W. Powell. 1993. Detection and analysis of genetic variation in *Hordeum spontaneum* populations from Israel using RAPD markers. *Mol. Ecol.* 2:151-159.
- De Block M., J. Botterman, M. J. Vandewiele Dockx, C. Thoen, V. Gossele, N.R. Movva, C. Thompson, M. Van Montagu and J. Leemans. 1987. *EMBO J.* 6:2513-2518.
- De Block M. 1988. *Thor. Appl. Genet.* 76:767-774.
- De Kathen A., H.J. Jacobsen. 1990. *Agrobacterium tumefaciens*-mediated transformation of *Pisum sativum* L. using binary and cointegrate vectors. *Plant Cell Rep.* 9:276-279.
- Deak M., G.B. Kiss, C. Koncz and D. Dudits. 1986. *Plant Cell Rep.* 5:97-100.
- Deblaere, R., B. Bytebier, H. De Greve, F. Deboeck, J. Schell, M. Van Montagu and J. Leemans. 1985. Efficient octopine Ti plasmid-derived vectors for *Agrobacterium*-mediated gene transfer to plants. *Nucleic Acid Research* 13: 4777-4788.
- Dellaporta S.L., J. Wood and J.B. Hicks. 1983. A plant DNA miniprep: Version II. *Plant Molecular Biology Reporter* 1:19-21.
- Demesure B., N. Sodzi and R.J. Petit. 1995. A set of universal primers for amplification of polymorphic non-coding regions of mitochondrial and chloroplast DNA in plants. *Mol Ecol.* 4:129-131.
- Deom C.M., M.J. Oliver and R.N. Beachy. 1987. *Science.* 237:389-394.
- Doi Y. 1980. Suitable cultural conditions for callus induction from stem segments of tea and their application to anther culture. *Stud Tea.* 58:1-9.
- Doi Y. 1981. Frequency of root differentiation in anther culture of tea. *Stud Tea.* 60:1-3.
- Dong J.Z., A. McHughen. 1993. An improved procedure for production of transgenic flax plants using *Agrobacterium tumefaciens*. *Plant Sci.* 88:61-71.
- Dos Santos J.B., J. Nienhuis, P. Skroch, J. Tivang and M.K. Slocum. 1994. Comparison of RAPD and RFLP genetic markers in determining genetic similarity among *Brassica oleracea* L. genotypes. *Theor. Appl. Genet.* 87:909-915.
- Doyle J.J., J.L. Doyle. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochem bull.* 19:11-15.
- Draper J. and R. Scott. 1991. Gene transfers to plants. In: Grierson D (ed) *plant Genetic Engineering*. Blackie, Glasgow. 1:39-81.
- Ducrocq C., S.R. Sangwan, S.B. Sangwan-Norrel. 1994. Production of *Agrobacterium*-mediated transgenic fertile plants by direct somatic embryogenesis from immature zygotic embryos of *Datura innoxia*. *Plant Mol Biol.* 25:995-1009.
- Durham R.E. and S.S. Korban. 1994. Evidence of gene introgression in apple using RAPD markers. *Euphy* 79:109-114.
- Dweikat I., H. Ohm, F. Patterson and S. Cambron. 1997. Identification of RAPD markers for 11 Hessian fly resistance genes in wheat. *Theor. Appl. Genet.* 94:419-423.
- Eden T. 1958. The development of tea culture. In: Eden T (ed) *Tea*. Longman, London, pp. 1-4.
- Eden T. 1976. *Tea*, Third edition, Longman Group Limited, London, pp.236.
- Erlich H.A. 1989. *PCR Technology* Stockton Press New York.
- FAO (ed). 1984. *Production yearbook*. FAO Rome. vol. 38.
- Felsenstein J. 1989. PHYLIP-Phylogeny inference package (version 3.2) *Cladistics.* 5:164-166.
- Feraud-Keller C., H. Espagnac. 1989. Conditions d'apparition d'une embryogenese somatique sur des cals issus de la culture de tissu foliaires du chene vert (*Quercus ilex*), *Can. J. Bot.* 67:1066-1070.

REFERENCES

- Ferguson J.M. and D.F. Grabe. 1986. Identification of cultivars of perennial rye grass by SDS-PAGE of seed proteins. *Crop. Sci.* 26:170-176
- Fernandez-Guijjaró B., C. Celestino, M. Toribio. 1995. Influence of external factors on secondary embryogenesis and germination in somatic embryos from leaves of *Quercus suber*. *Plant Cell Tiss. And Org. Cult.* 41:99-106.
- Finer John J. and N. Trick Harold. 1997. Method for transforming plant tissue by Sonication. The Ohio State University. US Patent#5,693,512
- Friesen N., R. Fritsch and K. Bachmann. 1997. Hybrid origin of some ornamentals of *Alilium* subgenus *Melanocrommyum* verified with GISH and RAPD. *Theor. Appl. Genet.* 95:1229-1238.
- Fukushima E., S. Iwasa, N. Endo and T. Yoshinari. 1966. Cytogenetics studies in *Camellia*. I. Chromosome survey in some *Camellia* species. *Jap J Hort.* 35:413-421.
- Funke R., A. Kolchinsky and P.M. Gresshoff. 1993. Physical mapping of a region in the soybean (*Glycine max*) genome containing duplicated sequences. *Plant Mol. Biol.* 22:437-446.
- Ghosh Hajra N and R. Kumar. 1999. Seasonal variation in photosynthesis and productivity of young tea. *Expl. Agric.* 35:71-85.
- Ghosh-Hazra N. 2001. Advances in selection and breeding of tea-a review. *J. Plant Crop.* 29(3):1-17.
- Gingas V.M., R.D. Lineberger. 1988. Asexual embryogenesis and plant regeneration in *Quercus*. *Plant Cell Tiss. Org. Cult.* 17:191-203.
- Grattapaglia D. and R. Sedroff. 1994. Genetic linkage maps of *Eucalyptus grandis* and *Eucalyptus urophylla* using a Pseudo-test-cross mapping strategy and RAPD markers. *Genetics* 137:1121-1137.
- Green M.J. 1971. An evaluation of some criteria used in selecting large yielding tea clones. *Agric Sci.* 76:43-156.
- Greenway P.J. 1945. Origin of some East African food plants. Part V.E.A. *Agric. J.* 11:58-59.
- Gresshoff Peter M., F. Ghassemi, Rita A. Brewer and Elizabeth G.O'Neill. 1997. DNA amplification fingerprinting of mycorrhizal fungi and associated plant materials using arbitrary primers. In: *Mycorrhizae Manual: Structure, function and molecular biology*, 2nd edition Springer Verlag, Barlin, Germany, eds. Varma and Hock. Pp. 1-15.
- Hackett C.A., F.N. Wachira, S. Paul, W. Powell and R. Waugh. 2000. Construction of a genetic linkage map for *Camellia sinensis* (tea). *Heredity* 85(4):346-355.
- Hadfield W. 1974. Shade in north East tea plantations II Foliar illumination and canopy characteristics. *J. Appl. Ecol.* 11:179-199.
- Hairong X., T. Qiqing and Z. Wanfanz. 1987. Studies on the genetic tendency of tea plant hybrid generation using isozyme technique. In: *Proc. Inter. Symp. on Tea Quality and Human Health, China*, November 4-9 (pp. 21-25).
- Hamada H., M. Petrino and T. Kakunaga. 1982. A novel repeated element with Z-DNA forming potential is widely found in evolutionary diverse eukaryotic genomes. *Proc Natl Acad Sci USA.* 79:6465-6469.
- Hamaya E. 1981. Diseases of tea plants in Japan and their control. *Plant protect Res.* 14:96-111.
- Hamaya E. 1982. tricome infection of the tea anthracnose fungus *Gloeosporium theae-sinensis*. *JARQ* 16:114-118.
- Hamilton C.M. 1997. A binary-BAC system for plant transformation with high-molecular-weight DNA. *Gene.* 200:107-116.
- Harler C.R. 1963. The culture and Marketing of Tea. Third Edition Oxford Univ. Press, London, pp.389.
- Hazarika M. and P.K. Mahanta. 1984. Composition changes in chlorophylls and carotenoids during the four flushes of tea in north-east India. *J. Sci. Food Agric.* 35:298-303.
- Hirai M. and I. Kozaki. 1986. Isozymes of citrus leaves. In: Kitaura K, Akihama T, Kukimura H, Nakajima H, Horie M & Kozaki I (eds) *Development of New Technology for Identification and Classification of Tree Crops and Ornamentals* (pp. 73-76). Fruit Tree Research Station, Ministry of Agriculture, Forestry and Fisheries, Japan Ikeda N, Kawada M & Takeda Y

REFERENCES

- (1991) Isozymic analysis of *Camellia sinensis* and its interspecific hybrids In: Proc. Inter. Symp. of Tea Science, Shizuoka, Japan, Aug. 26–28. pp. 98.
- Hooykaas, P.J.J. and R.A. Shilperoort. 1992. *Agrobacterium* and plant genetic engineering. *Plant Molecular Biology*. 19:15-38.
- Howe G.T., B. Goldfarb, F. Strauss 1994. *Agrobacterium*-mediated transformation of hybrid poplar suspension cultures and regeneration of transformed plants. *Plant Cell Tissue Organ Cult.* 36:59-71.
- Hu J. and C.F. Quiros. 1991. Identification of broccoli and cauliflower cultivars with RAPD markers. *Plant Cell Reports*, 10:505-511.
- Huff D.R., R. Peakall and P.E. Smouse. 1993. RAPD variation within and among natural populations of outcrossing buffalograss [*Buchloe dactyloides* (Nutt.) Engelm.]. *Theor. Appl. Genet.* 86:927-934.
- Ikeda N., M. Kawada and Y. Takeda. 1991. Isozymic analysis of *Camellia sinensis* and its interspecific hybrids In: Proc. Inter. Symp. of Tea Science, Shizuoka, Japan, Aug. 26–28. pp. 98.
- Isabel N.L., M.M. Tremblay., F.M. Tremblay and J. Bousquet. 1993. RAPD as an aid to evaluate the genetic integrity of somatic embryogenesis derived population of *Picea mariana* (Mill) B.S.P. *Theor. Appl. Genet.* 86:81–87.
- Jain N.K. and M.B. Tamang. 1988. Physiological basis of tea management practices. Proc. Intl. Cong. Pl. Physiol. Vol1 New Delhi India 467-479. Jain SM, Das S.C. and T.S. Barman. 1990. Root induction from regenerated shoots of tea (*Camellia sinensis* L.). In: *Biotech India 90*, New Delhi. pp. 1-12.
- Jain S.M., S.C. Das and T.S. Barman. 1990. Root induction from regenerated shoots of tea (*Camellia sinensis* L.) In: *Biotech India 90*, New Delhi. pp.1-12.
- Jayarao B.M., B.J. Bassam, G. Caetano-Anolles, P.M. Gresshoff and S.P. Oliver 1992. Subtyping of *Streptococcus uberis* by DNA amplification fingerprinting. *J. Clinical Microbiology*. 30:1347-1350.
- Jeon G.A., J.S. Eum and W.S. Sim. 1998. The role of inverted repeat (IR) sequence of the *virE* gene expression in *Agrobacterium tumefaciens* pTiA6. *Molecules and Cells* 8:49-53.
- Jha T. and S.K. Sen. 1991. Darjeeling tea: Improvement through *in vitro* techniques. Proc. Intl. Symp. Tea Science, Shizuoka Japan. pp. 390-394.
- Jha T.B., S. Jha and S.K. Sen. 1992. Somatic embryogenesis from immature cotyledon of an elite Darjeeling tea clone. *Plant Sci.* 84:209–213.
- Jia J.H., P. Wang, D.M. Jia, X.P. Qu, Q. Wang, C.Y. Li, M.L. Weng and B. Wang. 2000. The application of RAPD markers in diversity detection and variety identification of *Porphyra*. *Acta Botanica Sinica*. 42:403-407.
- Jorgensen J. 1993. Embryogenesis in *Quercus petraea* Ann. Sci. Forest 50 Suppl. 344s-350s.
- Jorgensen R.A. and P.D. Cluster. 1989. Modes and tempos in the evolution of nuclear ribosomal DNA: new character for evolutionary studies and new markers for genetic and population studies. *Ann. Mo. Bot. Gard.* 75:1238–1247.
- Kantely R.V., X. Zeng, J.L. Bennetzen and B. Zehr. 1995. Assessment of genetic diversity in dent and popcorn (*Zea mays* L.) inbred lines using inter-simple sequence repeat (ISSR) amplification. *Mol. Breed* 1:365-373.
- Kato M. 1986b. Micropropagation through cotyledon culture in *Camellia sasanqua*. *Jpn. J. Breed.* 36:82–83.
- Kato M. 1982. Results of organ culture on *Camellia japonica* and *C. sinensis*. *Jpn. J. Breed.* 32:267–277.
- Kato M. 1986c. Regeneration of plantlets from precultured tee stem callus. *Jpn J Breed* 36 (Suppl 2):278-279.
- Kato M. 1989. *Camellia sinensis* L. (Tea): *In Vitro* Regeneration, *Biotechnology in Agriculture and Forestry*, Vol. 7, Medical and Aromatic Plants II (ed. By Y.P.S. Bajaj), Springer-Verlag Berlin Heidelberg. pp. 82-98.
- Kato M. 2001. Analysis of differentiation of tea using DNA markers in evergreens forest. *Int Conf. on O-Cha (tea) Culture and Science*. Shizuoka, Japan. p. 18.

REFERENCES

- Kato M. 1985. Regeneration of plantlets from tea stem callus. *Jap. J. Breed.* 35:317-322.
- Kato M. 1986. Micropropagation through cotyledon culture in *Camellia japonica* L. and *C. sinensis* L. *Jap. J. Breed.* 36:31-35.
- Kato M. 1986a. Micropropagation through cotyledon culture in *Camellia japonica* L. and *C. sinensis* L. *Jpn J Breed.* 36:31-38.
- Kaundan Shiv S. and Satoru Matsumoto. 2003. Identification of Processed Japanese Green Tea Based on polymorphisms generated by STS-RFLP Analysis. *J. Agri. Food Chem.* 51:1765-1770.
- Kaundan S.S. and Y.G. Park 2002. Genetic Structure of Six Korean Tea Populations as Revealed by RAPD-PCR Markers *Crop Sci.* 42:594-601.
- Kaundan S.S., A. Zhyvoloup and Y.G. Park 2000. Evaluation of the genetic diversity among elite tea (*Camellia sinensis* var. *sinensis*) genotypes using RAPD markers. *Euphytica.* 115:7-16.
- Keim P., B.W. Diers, T.C. Olson and R.C. Shoemaker. 1990. RFLP mapping in soybean: association between marker loci and variation in quantitative traits. *Genetics.* 126:735-742.
- Khasa P.D. and B.P. Dancik. 1996. Rapid identification of white-Engelmann spruce species by RAPD markers. *Theor. Appl. Genet.* 92:46-52.
- Kihlman B.A. 1977. Caffeine containing beverages In: Kihlman BA (ed) *Caffeine and chromosomes.* Elsevier Amsterdam. 33-51.
- Kingdon -Ward F. 1950. Does wild tea exist? *Nature, (Lond.).* 165:297-299.
- Klee H.J., R. Horsch and S. Rogers. 1987. *Agrobacterium*-mediated plant transformation and its further application to plant biology. *Ann. Rev. Plant Physiol.* 38:467-486.
- Kolchinsky A. and P.M. Gresshoff. 1994. Plant telomeres as molecular markers In: *Plant Genome Analysis.* Ed. P.M. Gresshoff. CRC press, Boca Raton, Fl. pp. 113-124.
- Kondo K. and C.R. Parks. 1979. Giemsa C-banding and karyotype of *Camellia* (C-banded karyotypes can tell more detail on inter and intra-specific relationships in *Camellia*). *Am. Camellia Yb.* 34:40-47.
- Kondo K. and C.R. Parks. 1980. Giemsa C-banding and karyotype of *Camellia*. *Proc. Inter. Camellia Congress.* Kyoto. pp. 55-57.
- Kondo K. and C.R. Parks. 1981. Cytological studies in cultivated species of *Camellia*. VI. Giemsa C-banded karyotypes of seven accessions of *Camellia japonica* L. *sensu lato*. *Jap. J Breed.* 31 (1): 25-34.
- Kondo K. 1975. Cytological studies in cultivated species of *Camellia*. PhD thesis. Univ. N.C. Chapel Hill. pp. 260..
- Kondo K. 1977. Chromosome numbers in the genus *Camellia*. *Biotropica* 9:86-94.
- Kondo K. 1978a. Cytological studies in cultivated species of *Camellia* In: *Encyclopedia of Camellia* (Ed.) Japan. *Camellia Soc.* Vol. 2, Kodansha Publ. Co., Tokyo. pp. 456.
- Kondo K. 1978b. Cytological studies in cultivated species of *Camellia*. *Shi-Kaki* 99:41-53.
- Kondo K. 1979. Cytological studies in cultivated species of *Camellia*. V. Intraspecific variation of karyotypes in two species of sect. *Thea*. *Jap J. Breed.* 29:205-210
- Konwar B.K., S.C. Das, B.J. Bordoloi and R.K. Dutta. 1998. Hairy root development in tea through *Agrobacterium rhizogenes*-mediated genetic transformation. *Two and a Bud.* 45:19-20.
- Koretskaya T.F. and M.N. Zaprometov. 1975. The tissue culture of tea plant (*Camellia sinensis*) as a model for studying conditions of phenolic compound formation (Russian). *Fiziologia Restenii.* 22:282-288.
- Kravotsov I.A., M.T. Tuov and V.V. Vorontsov. 1999. Tea growing in Russian subtropics. In: *Global Advances in Tea Science* (ED) Jain, N.K., Aravali Book International (P) Ltd., New Delhi, India. pp.197-208.
- Kuhlemeiere C., P.J. Green and N.H. Chua. 1987. Regulation of gene expression in higher plants. *Ann. Rev. Plant Physiol.* 38:221-257.
- Kulasegaram S. 1980. Technical developments in tea production. *Tea Q.* 49:157-183.
- Kulasegaram. S. 1978. Progress in tea breeding. *Proc. Symp. Methods of crop Breeding.* Oct., 1977, Tokyo, Japan, *Trop. Agric. Res. Service*, No. 11: 151-160.
- Kung S.D. 1977. The expression of chloroplast genomes in higher plants. *Ann. Rev. Plant*

REFERENCES

- Physiol. 28:401-437.
- Lanaud C. 1999. Use of molecular markers to increase understanding of plant domestication and to improve the management of genetic resources. *Plant genetic resources newsletter*. 119 (Suppl.):16-31.
- Lark K.G., J.M. Weisemann, B.F. Mathews, R. Palmer, K. Chase and T. Macalma. 1993. A genetic map of soybean (*Glycine max* L.) using an interspecific cross of two cultivars 'Minsoy' and 'Noir 1'. *Theor. Applied Genetics*. 86:901-906.
- Lerceteau E., T. Robert, V. Petiard and D. Cruzillat. 1997. Evaluation of the extent of genetic variability among *Theobroma cacao* accessions using RAPD and RFLP markers. *Theor. Appl. Genet.* 95:10-19.
- Liang P. and A.B. Pardee. 1992. Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction. *Science* 257:967-971.
- Liang Y.R., J.C. Tanaka and Y.Y. Takeda. 2000. Study on diversity of tea germplasm by RAPD method. *Ji Zhejiang Forestry College*. 17(2):215-218.
- Liu Z. and G.R. Furnier 1993. Comparison of allozyme, RFLP, and RAPD markers for revealing genetic variation within and between trembling aspen and bigtooth aspen. *Theor. Appl. Genet.* 87:97-105.
- Luo Y.Y. and Liang Y.R. 2000. Studies on the construction of Bt gene expression vector and its transformation in tea plant. *J. Tea Sci.* 20(2):141-147.
- Magambo M.J.S and M.G.R. Cannell 1981. Dry matter production and partition in relation to yield of tea. *Expl. Agric.* 17:33-38.
- Magoma G.N., F.N. Wachira, M. Obanda, M. Imbuga & S.G. Agong. 2000. The use of catechins as biochemical markers in diversity studies of tea (*Camellia sinensis*). *Gene Resource Crop Evalu.* 47: 107-114.
- Manders G., W.C. Otoni, F.B. d'Utra Vaz, N.W. Blackhall, J.B. Power, M.R. Davey. 1994. Transformation of passionfruit (*Passiflora edulis* fv. Flapicarpa Degener.) using *Agrobacterium tumefaciens*. *Plant Cell Rep.* 13:697-702.
- Mannie S., P.H. Morgens, R. Scorza, J.M. Cordts, A.M. Callahan. 1991. *Agrobacterium*-mediated transformation of plum (*Prunus domestica* L.) hypocotyl slices and regeneration of transgenic plant. *Biotechnology*. 9:853-857.
- Matsumoto S. and M. Fukui. 1998. *Agrobacterium tumefaciens* mediated gene transfer in tea plant (*Camellia sinensis*) cells. *Jpn Agri. Res. Quart.* 32:287-291.
- Matsumoto S. and M. Fukui. 1999. Effect of Acetosyringone application on *Agrobacterium*-mediated transfer in tea plant (*Camellia sinensis*). *Bull Natl Res Ins Veg Orn. of Tea, Shizuoka, Japan.* 14:9-15.
- Matthysse A.G. 1983. Role of bacterial cellulose fibrils in *Agrobacterium tumefaciens* infection. *J. Bacteriol.* 154:906-15.
- Matthysse A.G. 1987. Characterization of nonattaching mutants of *Agrobacterium tumefaciens*. *Journal of Bacteriology* 169:313-323.
- Michaux-Ferriere H., H. Grout, M.P. Carron. 1992. Origin and ontogenesis of somatic embryos in *Hevea brasiliensis* (Euphorbiaceae). *Amer. J. Bot.* 79:174-180.
- Michaux-Ferriere N., J. Schwendiman 1993. Modalites d'initiation des cellules a l'origine des embryons somatiques. *Acta Bot. Gallica* 140:603-613.
- Mondal T.K. 2002. Assessment of genetic diversity of tea (*Camellia sinensis* (L.) O. Kuntze) by inter-simple sequence repeat polymerase chain reaction. *Euphytica* 128:307-315.
- Mondal T.K. 2000. Studies on RAPD marker for detection of genetic diversity, *in vitro* regeneration and *Agrobacterium*-mediated genetic transformation of tea (*Camellia sinensis*). Ph.D thesis. Utkal University, India.
- Mondal T.K. 2002a. *Camellia* biotechnology: A bibliographic search. *Inter. J. Tea Sci.* 1 (2&3):28-37.
- Mondal T.K. 2004. *Plant Cell Tissue Org Cult, Netherlands* 76:195-254.
- Mondal T.K., A. Bhattacharya and P.S. Ahuja. 2001. Transgenic tea [*Camellia sinensis* (L.) O. Kuntze cv. Kangra Jat] plants obtained by *Agrobacterium* mediated transformation of somatic embryos. *Plant cell rep.* 20:712-720.

REFERENCES

- Mondal T.K., A. Bhattacharya and P.S Ahuja. 2001b. Development of a selection system for *Agrobacterium*-mediated genetic transformation of tea (*Camellia sinensis*). J. Plant. Crops. 29(2):45-48.
- Mondal T.K., A. Bhattacharya, P.S. Ahuja and P.K. Chand. 2001c. Factor effecting *Agrobacterium tumefaciens* mediated transformation of tea (*Camellia sinensis* (L.) O.Kuntze). Plant Cell Rep. 20:712-720.
- Mondal T.K., A. Bhattacharya, A. Sood and P.S. Ahuja. 2000. Tea. 21:92-100.
- Mondal T.K., A. Bhattacharya, A. Sood and P.S. Ahuja. 1999. An efficient protocol for somatic embryogenesis and its use in developing transgenic tea (*Camellia sinensis* (L.) O. Kuntze) for field transfer. In: Altman A, Ziv M & Izhar S (eds) Plant Biotechnology and *In Vitro* Biology in 21st Century. Kluwer Academic Publishers, Dordrecht, The Netherlands. pp. 101-104.
- Mondal T.K., H.P. Singh & P.S. Ahuja. 2000a. Isolation of genomic DNA from tea and other phenolic rich plants. J. Planta Crops. 28 (1):30-34.
- Muralidharan. N. 1991. Pest Management in Tea. UPASI Tea Research Institute, Valparai, Coimbatore, India. pp. 130 .
- Murty R.S. and V.S. Sharma. 1986. Canopy architecture in tea (*Camellia* spp.). J. Plant. Crops. 14:119-125.
- Nei M. and W. H. Li. 1979. Mathematical modeling for studying genetic variation in terms of restriction endonucleases. Proc Natl Acad Sci USA., 74: 5267
- Nei M. 1973. Analysis of gene diversity in subdivided populations. Proc Natl Acad Sci USA. 70:3321-3323.
- Nei M. 1972. Genetic distance between populations. Am. Nat. 106:283-292.
- Nelson N., H. Melson and G. Schatz. 1980. Biosynthesis and assembly of the protein-translocating adenosine triphosphate complex from chloroplasts. Natl. Acad. Sci. 77: 361-1364.
- Nesbitt K.A., B.M. Potts, R.E. Vaillancourt, A.K. West and J.B. Reid. 1995. Partitioning and distribution of RAPD variation in a forest tree species, *Eucalyptus globules* (Myrtaceae). Heredity. 74:628-637.
- Nester E.W., M.P Gordon, R.M. Amasino and M.F. Yanofsky. 1984. Crown gall: a molecular and physiological analysis. Annual Review of Plant Physiology 35: 387-413.
- Njuguna C.K. 1984. Advances in tea breeding in some of the major tea producing countries- a review. Tea. 5(2):18-27.
- Ody P. 1993. The Herb Society's Complete Medicinal Herbal. Dorling Kindersley Ltd., London.
- Ogutuga D.B.A., D.H. Northcote 1970a. Caffeine formation in tea tissue. J. Exp Bot 21:258-273.
- Ogutuga D.B.A., D.H. Northcote. 1970b. Biosynthesis of caffeine in tea callus tissue. Biochem J. 117:715-720.
- Olmstead R.G. and J.D. Palmer. 1994. Chloroplast DNA and systematic—a review of methods and data analysis. Am. J. Bot. 81:1205-1224.
- Owuor P.O. 1989. Differentiation of teas by the variations of linalools and geraniols contents. Bull. Chem. Soc Ethip. 3:31-35.
- Owuor P.O, S.G. Reeves and J.K. Wanyoko. 1986. Co-relation of flavins content and valuation of Kenyan black teas. J. Sci. Food Agric. 37:507-513.
- Sood A., S. Dwivedi and D.N. Chakraborty. 1991. *In vitro* propagation of tea (*Camellia sinensis* (L.) O. Kuntze) - a preliminary study J. Plant. Crops (Suppl.), 18:132-134.
- Palni L.M.S., A. Sood, G. Chand, M. Sharma, D.V. Rao and N.K. Jain. 1991. Tissue culture studies in tea (*Camellia sinensis* (L.) O. Kuntze). Proc. Intl. Symp. Tea Science, Shizuoka, Japan. pp. 395-399.
- Paterson. B. 1995. Letter from South Africa. Tea International. 3(8):2-8.
- Pattanayak D., S. K. Chakrabarti and P.S. Naik. 2002. Genetic Diversity of late blight resistant and susceptible Indian potato cultivars revealed by RAPD markers. Euphytica. 128:183.
- Paul S., F.N. Wachira, W. Powell and R. Waugh. 1997. Diversity and genetic differentiation among populations of Indian and Kenyan tree (*C. sinensis* (L.) O. Kuntze) revealed by AFLP markers. Theor. Appl. Gent. 94:255-263.
- Pena L, M. Cervera, J. Juarez, C. Ortega, J.A.

REFERENCES

- Pina, N. Duran-Vila, L. Navarro 1995. High efficiency of *Agrobacterium*-mediated transformation and regeneration of Citrus. *Plant Sci.* 104:183-191.
- Phukan M.K. and G.C. Mitra. 1984. Regeneration of tea shoots from nodal explants in tissue culture. *Curr. Sci.* 53(16):874-876.
- Powell W., C. Orozco, K.J. Chalmers and R. Waugh. 1995. PCR based assay for characterization of plant genetic resources. *Electrophoresis.* 16:1726-1730.
- Prabhu R.R. and P.M. Gresshoff. 1994. Inheritance of polymorphic markers generated by DNA amplification fingerprinting and their use as genetic markers in soybean. *Plant Molecular Biology* 26:105-116.
- Prakash O., A. Sood, M. Sharma and P.S. Ahuja. 1999. Grafting micropropagated tea (*Camellia sinensis* (L.) O. Kuntze) shoots on tea seedling- a new approach to tea propagation. *Plant Cell Rep.* 18:137-142.
- Prenner G.A., A. Bush, R. Wise, W. Kim, L. Dommier, K. Kasha, A. Laroche, G. Scoles, S.J. Molner and G. Fedak. 1993. Reproducibility of random amplified polymorphic DNA (RAPD) analysis among laboratories. *PCR methods Applic.* 2:341-345.
- Prince L.M. and C.R. Parks. 1997. Evolutionary relationships in the tea subfamily Theoideae based on DNA sequence Data. *Int Camellia J.* 29:135-144.
- Prince L.M. and C.R. Parks. 2000. Estimation on Relationships of Theoideae (Theaceae) inferred from DNA Data. *Int. Camellia J.* 32:79-84.
- Provan J., W. Powell and R. Waugh. 1996. Analysis of cultivated potato (*Solanum tuberosum*) using inter-microsatellite amplification. *Genome.* 39:767-769.
- Purseglove J.W. 1974. Theaceae. In: Purseglove JW (ed) *Tropical crops. Dicotyledons.* Longman, London. pp. 599-612.
- Raina S.K. and R.D. Iyer 1983. Multicelled pollen embryoids and callus formation in tea anther cultures. *J. Plant. Crops (Suppl.).* 2:63-67.
- Rajasekaran P. 1996. An *in vitro* and *ex vitro* rooting of micropropagated shoots of tea (*Camellia* spp.). *Sri Lanka J. Tea Sci.* 64(1-2):12-20.
- Rajasekaran P. and Mohan Kumar P. 1992. Micropropagation of *Camellia* spp.. *J. Plant. Crops (Suppl.).* 20:248-251.
- Rajkumar R. and P. Ayyappan. 1992. Micropropagation of *Camellia sinensis* (L.) O.Kuntze. *J. Plant. Crops (Suppl.).* 20:252-256.
- Rajora O.P. and M.H. Rahman. 2003. Microsatellite DNA and RAPD fingerprinting, identification and genetic relationships of hybrid poplar (*populus* × *canadensis*) cultivars. *Theor. Appl. Genet.* 106:470-477.
- Rani V., P. Ajay and S.N. Raina. 1995. Random amplified polymorphic DNA (RAPD) markers for genetic analysis in micropropagated plants of *Populus deltoides* Marsh. *Plant Cell Rep.* 14:459-462.
- Redouane Zegzouti, Marie-France Arnould and Jean-Michel Favre. 2001. *Ann. For. Sci.* 58:681-690.
- Richards A.V. 1966. The breeding, propagation and selection of tea. *Tea Q.* 37: 154-160.
- Roberts E.A.H., W. Wight and D.J. Wood. 1958. Paper chromatography as an aid to the identification of *Thea camellias*. *New Phytol.* 57:211-225.
- Roberts C. 1997. A comprehensive set of modular vectors for advanced manipulations and efficient transformation of plants by both *Agrobacterium* and direct DNA uptake methods. pCAMBIA vector release manual, version 3.05 CAMBIA, Canberra, Australia. pp.1-6.
- Rohlf F.J., 1998. NTSYS-pc. Numerical Taxonomy and multivariate Analysis System, Version 2.0 (Exeter Software, New York).
- Samartin A., A.M. Vieitez, E. Vieitez 1984. *In vitro* propagation of *Camellia japonica* seedlings. *Hort Sci.* 19:225-226.
- Samartin A., A.M. Vieitez, E. Vieitez. 1986. Rooting of tissue cultured camellias. *J. Hortic. Sci.* 61:113-120.
- Sanderson G.W. 1964. The chemical composition of fresh tea flush as affected by clone and climate. *Tea Quarterly.* 35:101-109.
- Santra S.C., T.P. Chatterjee and A.P. Das. 1989. *College Botany Practical (Volume-I).* pp 187.
- Satyanarayana N. and V.S. Sharma. 1986. Tea (*Camellia* L. spp.) germplasm in South

REFERENCES

- India. In: Plantation Crops: Opportunities and constraints (Eds.) Srivastava H.C, B. Vatsya and K.K.G Menon, Oxford IBH Publishing Co., New Delhi, India 173-179.
- Schwendiman J., C. Pannetier, N. Michaux-Ferriere. 1988. Histology of somatic embryogenesis from leaf explants of oil palm *Elaeis guineensis* Ann Bot. 62:43-52.
- Scotter C., B. Amos and D. Tautz. 1991. Conservation of polymorphic simple sequence loci in cetacean species. Nature 354:63-65.
- Sealy J.R. 1958. A revision of the genus *Camellia*. R. Hort. Soc. London.
- Sedra M.H., P. Lasherms, P. Trouslot, M. Combes and S. Hamon. 1998. Identification and genetic diversity analysis of date palm (*Phoenix dactylifera* L.) varieties from Morocco using RAPD markers. Euphytica 103:75-82.
- Sen P., U. Bora, B.K. Roy and P.C. Deka. 2000. Isozyme characterization in *Camellia* spp. Crop Res. 19(3):519-524.
- Seurei P. 1996. Tea improvement in Kenya: A review. Tea. 17:76-81.
- Sharma V.S. and K.S. Venkataramani 1974. The tea complex. I. Taxonomy of tea clones. Proc. Ind. Aca. Sci. 53:178-187.
- Sharp W.R., M.R. Sondahl, L.S. Caldas, S.B. Maraffa. 1980. The physiology of *in vitro* asexual embryogenesis, Hort. Rev. 2:268-310.
- Shimokado T.T., Murata and Y. Miyaji. 1986. Formation of embryoid by anther culture of tea. Jpn. J. Breed. 36:282-283.
- Singh H.P. and S.D. Ravindranath 1994. Occurrence and distribution of PPO Activity in floral organs of some standard and local cultivars of tea. J. Sci. Food. Agric. 64:117-120.
- Singh I.D. 1979. Indian tea germplasm and its contribution to the world tea industry. Two and a bud 26(1):23-26.
- Singh I.D. 1980. Non conventional approaches to the breeding of tea in north-east India. Two and a Bud. 27:3-6.
- Singh I.D. 1999. Plant Improvement, In: Jain NK (ed) Global Advances in Tea (pp. 427-448). Aravali Book International (P) Ltd., India Singh ID 1978 Application of plant cell, tissue and organ cultures in tea research and development. Two and a Bud 26:65-69.
- Singh M., Bandana and P.S Ahuja 1999. Isolation and PCR amplification of genomic DNA from market samples of dry tea. Plant Mol. Biol. Rep. 17:171-178.
- Siswanto S.D. and T. Chaidamsari. 1999. Transient GUS expression and callus development of cocoa, coffee and tea following *Agrobacterium*-mediated transformation. 5th Asian S & T Week, Hanoi, Vietnam, 12-15 Oct, 62(2):8-16.
- Smith R.H. and Hood E.E. 1995. *Agrobacterium tumefaciens* transformation of monocots. Crop Sci. 35:301-309.
- Smith E.F. and Townsend C.O. 1907. A plant tumor of bacterial origin. Science 25: 671-673.
- Smulders M.J.M, G. Bredemeijer, W. Ruskortekass, P. Arens and B. Vosman 1997. Use of short microsatellites from data base sequences to generate polymorphisms among *Lycopersicon esculentum* cultivars and accessions of other *Lycopersicon* species. Theor. Appl. Genet. 97:264-272.
- Sood A, S. Dwivedi and D.N. Chakrabarty. 1991. *In vitro* propagation of tea (*Camellia sinensis* (L.) O. Kuntze)-a preliminary study. J. Plant. Crops (Supp.), 18:132-134.
- Spoth H.J., N. Yoshikawa and C.R. Parks. 1999. Middle Mist Red: Evidence for the genetic identity of old cultivars. Int. Camellia J. 22-26.
- Stachel S.E., E.W. Nester, P.C. Zambryski. 1986. A plant cell factor induces *Agrobacterium tumefaciens* vir gene expression. Proc Natl Acad Sci USA 83:379-383.
- Staub J.E., L.J. Kuhns, B. May and P. Grun. 1982. Stability of potato tuber isozymes under different storage regimes. J. Am. Soc. Hort. Sci. 107:405-408.
- Sun G.L., B. Salomon and R. V. Bothermer. 1998. Characterisation and analysis of microsatellite loci in *Elymus caninus* (Triticeae: Poaceae) Theor. Appl. Genet. 96:676-682.
- Svab Z. and P. Maliga. 1993. High frequency plastid transformation in tobacco by a chimeric *aadA* gene. Proc. Natl. Acad. Sci (USA) 90:913-917.

REFERENCES

- Taberlet P., L. Gielly, G. Pautou, and J. Bouvet. 1991. *Plant Mol. Biol.* 17(5): 1105-1109.
- Takeda Y. 1994. Differences in caffeine and tannin contents between tea cultivars and application to tea breeding. *Jap Agric Res. Quart.* 28:117-123.
- Takeo T. 1981. Variations in amounts of linalool and geraniol produced in tea shoots by mechanical injury. *Phytochemistry* 30:2149-2151.
- Takeo T. 1983. Effects of clonal specificity of the monoterpenic alcohol composition of tea shoots on black tea aroma profile. *Japan. Agric. Res. Quart.* 17:120-124.
- Tanaka J., N. Yamaguchi and Y. Nakamura. 2001. Pollen parent of tea cultivar 'Sayamakaori' with insect and cold resistance may not exist. *Breeding Reser.* 3: 43-48.
- Tanaka J.I. and S. Yamaguchi. 1996. Use of RAPD markers for the identification of parentage of tea cultivars. *Bull. Nat. Res. Inst. Veg. Orna. Plant Tea.* 9: 31-36.
- Tanaka J.I., Y. Sawai and S. Yamaguchi. 1995. Genetic analysis of RAPD markers in tea. *J. Jpn. Breed.* 45(2):198-199.
- Tautz D. and M. Renz. 1984. Simple sequences are ubiquitous repetitive components of eukaryotic genomes. *Nucl. Acid Res.* 12:4127-4138.
- Tavartkiladze O.K., V.V. Kutubidze, 1984. *In vitro* culture of lateral buds of *Thea sinensis*. Abstr Int Symp Plant tissue and cell culture application to crop improvement. Olomouc, Czech, pp-189.
- Thakor B.H. 1997. A re-examination of the phylogenetic relationships within the genus *Camellia*. *Int Camellia J.* 29:130-134.
- Thompson J.D., Higgins D.G., Gibson T.J. 1994. CLUSTAL W: Improving the sensitivity of progressive multiple alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res* 22:4673-4680.
- Thorpe T.A. 1988. ISI Atlas of Science: Animal and Plant science, vol.1 pp. 81088.
- Tien D.M. 1993. Tea industry in Vietnam. Proc. Intl. Symp. Tea Sci. Human Health. January 11-14, 1993, Calcutta, Tea Research Association, India, pp.103-106.
- Tisserat B., E.B. Esan, T. Murashige. 1979. Somatic embryogenesis in angiosperms *Hort. Rev.* 1:1-78.
- Torisky R.S., L. Kovacs, S. Avdiushko, J.D. Newman, A.G. Hunt and G.B. Collins. 1997. Development of a binary vector system for plant transformation based on supervirulent *Agrobacterium tumefaciens* strain Chry5. *Plant Cell Reports* 17:102-108.
- Tosca A., R. Pondolfi and S. Vasconi. 1996. Organogenesis in *Camellia x williamsii*: cytokinin requirement and susceptibility to antibiotics. *Plant Cell. Rep.* 15:541-544.
- Tsumura Y., K. Ohba and S.H. Strauss. 1996. Diversity and inheritance of inter sequence repeat polymorphism in Douglas fir (*Pseudotsuga menziesii*) and sugi (*Cryptomeria japonica*). *Theor Appl Genet.* 92:40-45.
- Uchimaya H., T. Handa, D.S. Brar. 1989. *Journal of Biotechnology.* 12:1-20.
- Ueno S., H. Yoshimaru, N. Tomaru and S. Yamamoto. 1999. Development and characterization of microsatellite markers in *Camellia japonica* L. *Molecular Ecology* 8:335-346.
- Ukers W.H. 1935. All about Tea, The Tea and Coffee Trade Journal Co.
- Vanli H. 1991. Tea production and consumption in Turkey. Proc. Intl. Symp. Tea Science, Shizuoka, Aug. 26-29, 1991, Japan. 97-104.
- Vasil I.K. 1985. Tissue Culture in forestry and Agriculture (eds Randol RH et al., Plenum Press, New York vol.32, pp. 41-47.
- Visser T. 1969. Tea *Camellia sinensis* (L.) O. Kuntze. In: Ferwerdu EP & Wit F (eds) *Outlines of Perennial Crop Breeding in the Tropics* (Veenaran and Zonen, Wageningen, The Netherlands. pp. 459-493.
- Vos P., R. Hogers, M. Bleekers, M. Reijmans, T. Vande Lee, M. Hornes, A. Frijters, J. Pot, J. Peleman, M. Kuiper and M. Zabeau. 1995. AFLP: a new technique for DNA fingerprinting. *Nucleic Acid Research* 23:4407-4414.
- Vuytsteke D., R. Swennen, G.F. Wilson and E.D. Langhe. 1988. Phenotypic variation among *in vitro* propagated plantain (*Musa* sp. Cultivar 'AAB') *Sci. Hort.* 36:79-80.

REFERENCES

- Wachira F.N., R. Waugh, C.A. Hackett and W. Powell. 1995. Detection of genetic diversity in tea (*Camellia sinensis*) using RAPD markers. *Genome*. 38:201-210.
- Wachira F.N. 1990. Desirable tea plants: an overview of a search for markers. *Tea* 11:42-48.
- Wachira F.N. 1994. Triploidy in tea (*Camellia sinensis*): Effect on yield attributes. *J. Hort. Sci.* 69:53-60.
- Wachira F.N. 1997. Characterisation and estimation of genetic relatedness among heterogeneous populations of commercial tea clones by random amplification of genomic DNA samples. *Tea* 18:11-20.
- Wachira F.N., W. Powell and R. Waugh. 1997. An assessment of genetic diversity among *Camellia sinensis* L. (cultivated tea) and its wild relatives based on randomly amplified polymorphic DNA and organelle specific STS. *Heredity* 78(6): 603-611.
- Wang Z., J.L. Weber, G. Zhong and S.D. Tanksley. 1994. Survey of plant short tandem DNA repeats. *Theor Appl Genet.* 88:1-6.
- Wann S.R. 1988. Somatic Embryogenesis in Woody Species *Hort. Rev.* 10:153-181.
- Waugh R., W.T.G. Vande Ven, M.S. Phillips and W. Powell. 1990. Chloroplasts DNA diversity in the genus *Rubus* (Rosaceae) revealed by southern hybridization. *Plant Syst. Evol.* 172:65-75.
- Wealth of India 1950 A directory of Indian raw materials and industrial products. Vol. II. S.S. Bhatnagar. Chairman, Editorial Committee (pp. 26-51). Council of Scientific and Industrial Res., New Delhi, India Weatherhead PJ and Montgomerie RD (1991) Good news and bad news about DNA fingerprinting. *Trends in Ecology and Evolution* 6:173-174.
- Weaver K., G. Caetano-Anolles, P.M. Gresshoff and L.M. Callahan. 1994. Isolation and cloning of DNA amplification products from silver stained polyacrylamide gels. *Biotechniques*. 16:226-227.
- Weber J.L. and P.E. May. 1989. Abundant class of human DNA polymorphisms which can be typed using the polymerase chain reaction. *Am. J. Hum. Genet.* 44:338-396.
- Welsh J. and M. McClelland. 1990. Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Research*. 18:7213-7218.
- Welsh J., R.J. Honeycutt, McClelland, B.W.S. Sobral. 1991b. Parentage determination in maize hybrids using the arbitrarily primed polymerase chain reaction (AP-PCR). *Theoretical and Applied Genetics*. 82:473-476.
- Welsh J., C. Petersen, M. McClelland. 1991. Polymorphisms generated by arbitrarily primed PCR in the mouse application to strain identification and genetic mapping. *Nucleic Acids Research*. 20:303-306.
- Wendel J.F. and C.R. Parks 1982. Genetic control of isozyme variation in *Camellia japonica* L. *J. Heredity* 73:197-204.
- Wendel J.F. and C.R. Parks. 1983. Cultivar identification in *Camellia japonica* L. using allozyme polymorphisms. *J. Am. Soc. Hort. Sci.* 108:290-295.
- Wendel J.F. and C.R. Parks. 1984. Distorted segregation and linkage of alcohol dehydrogenase genes in *Camellia japonica* L. (Theaceae). *Biochem. Genetics* 22(7/8):739-748.
- Wendel J.F. and C.R. Parks. 1985. Genetic diversity and population structure in *Camellia japonica* L. (Theaceae). *Am. J. Bot.* 72(1):52-65.
- Whittle A.H. 1999. Tea industry in central and South Africa. In: *Global Advances in Tea Science* (Ed.) Jain, N.K., Aravali Book International (P) Ltd., New Delhi, India, pp. 149-170.
- Wickramaratne M.R.T. 1981. Genotype environment interactions in tea (*Camellia sinensis* L.) and their implications in tea breeding and selection. *J. Agric. Sci. (Camb.)* 96:471-478.
- Wight W. and P.K. Barua. 1957. What is tea? *Nature (Lond.)*, 179:506-507.
- Wight W. & Barua D.N. 1954. Morphological basis of quality in tea. *Nature* 173: 630-631.
- Wight W. 1962. Tea classification revised. *Curr Sci.* 31: 298-299.
- Wight W, 1959. Nomenclature and classification of the tea plant. *Nature (Lond.)* 183B:1726-1728.
- Wight W. 1958. The agrotopy concept in tea

REFERENCES

- taxonomy. *Nature* 181:893-895.
- Wilkremaratne M.R. 1981. Variation in some leaf characteristics in tea (*Camellia sinensis*) and their use in identification of clones. *Tea Quart.* 50:183-189.
- Williams E.G., G. Maheswaran. 1986. Somatic embryogenesis: Factors influencing coordinated behaviour of cell as an embryogenic group *Ann. Bot.* 57:443-462.
- Wu C.T. 1981. Tea industry in Taiwan. *Industries Monthly, Taiwan.* 13(5):18-19.
- Wu K.S., R. Jones, L. Danneberger and P.A. Scolink. 1994. Detection of microsatellite polymorphism without cloning. *Nucl acids Res* 22:3257-3258.
- Xu H., Q. Ton, and W. Zhuang. 1987. Studies on genetic tendency of tea plant hybrid generation using isozyme technique. In: *Proc. Inter. Tea. Quality and Health Symp.* pp. 21-25.
- Xu R.O., N. Tomooka and D.A. Vaughan. 2000. AFLP markers for characterizing the Azuki bean complex. *Crop Sci.* 40:808-815.
- Yang X. and C.F. Quiros. 1993. Identification and classification of celery cultivars with RAPD markers. *Theor. Appl. Genet.* 86:205-212.
- Yang Y. and T. Sun 1994. Study on the esterase isoenzyme in tea mutagenic breeding. *China Tea.* 16:4-9.
- Yeh F.C., R.C. Young, B. Timothy, T.B.J. Boyle, Z.H. Ye and J.X. Mao. 1997. POPGENE, the user friendly shareware for population genetics analysis. *Molecular Biology and Biotechnology Center, University of Alberta, Canada.* (verified September 27, 2001).
- Zehra M., S. Banerjee, A.K. Mathur and A.K. Kukreja. 1996. Induction of hairy roots in tea (*Camellia sinensis* (L.) using *Agrobacterium rhizogenes*. *Curr Sci.* 70:84-86.
- Zhan Z., N. Ke and B. Chen. 1987. The cytology of tea clonal cultivars fujian shuixian and their infertile mechanism. *Proc. of Inter. Tea quality. Human Health Symp. China.* pp. 46.
- Zhang Q., Saghai Maroof, T.Y. Lu and B.Z. Shen. 1992. Genetic diversity and differentiation of *indica* and *japonica* rice detected by RFLP analysis. *Theor Appl. Genet.* 83:495-499.
- Zhuang C. and H. Liang. 1985a. *In vitro* embryoid formation of *Camellia reticulata* L. *Acta Biol. Exp. Sin.* 18:275-281.
- Zhuang C. and H. Liang. 1985b. Somatic embryogenesis and plantlet formation in cotyledon culture of *Camellia chrysantha*. *Acta Bot. Yunn.* 7:446-450.
- Zietkiewicz E., A. Rafalski and D. Labuda. 1994. Genome fingerprinting by simple sequence repeat (SSR) anchored polymerase chain reaction amplification. *Genomics* 20:176-183.
- Zupan J.R. and P.C. Zambryski. 1995. Transfer of T-DNA from *Agrobacterium* to the plant cell. *Plant Physiology* 107:1041-1047.