

REFERENCES:

- Acharya, S.K.; 1968. Notes on the geology of the Eastern Himalayan foothills of Darjeeling. *Journ. Geol. Mining and Metrolo. Soc.* 40(1), 43-44.
- Ackerly, D.D. and Donoghue, M.J.; 1998. Leaf size, sapling allometry, and Corner's rules: Phylogeny and correlated evolution in maples (*Acer*). *American Naturalist*, 152(6), 767-791
- Ahn, H.C. and Lee, J.H. : 1998. Vegetation structure and dynamics of *Betula cavarica* forest in Mt. Chiri. *Journal of Korean Forest Society*, 87(3) 445-458.
- Akhil, Baruah and Subhan, C.N. ; 1997. Foliar epidermal characters in twelve species of *Cinnamomum* Schaeffer (Lauraceae) from Northeastern India. *Phytomorphology*. 47(2), 127-134
- Anderson, N.A.; 1970. Propagating *Acer palmatum* by seed. *The Plant Propagators*. 16(4):5.
- Anderson, T.; 1868. An enumeration of the palms of Sikkim. *J. Linn. Soc.* 11: 4 - 14.
- Anderson, T.; 1871. An enumeration of the palms of Sikkim - Tibet Frontier. *Kew Bull.* 297 - 315.
- Aritomi, M.; 1962, Studies on the chemical constituents in the leaves of *Acer palmatum* Thunb. *Journ. Pharm. Soc. Japan.* 82:1329-1331
- Aritomi, M.; 1963, Chemical constituents in Aceraceous plants II. Flavonoids in the leaves of *A. caprinifolium*, *A. diabolicum*, *A. marmoratum* and *A. negundo*. *Journ. Pharm. Soc. Japan* 84:360-362.
- Aritomi, M.; 1963, Chemical constituents in Aceraceous plants. I. Flavonoids in the leaves of *A. palmatum* Thunb. *Journ. Pharm. Soc. Japan.* 83:737-740.
- Auden, J.B.; 1935. Traverses in the Himalaya. *Rec. G.S.I.* 76(1), 74-78.
- Bandhyopadhyay, S. and Singh, T.P.; Climatology with respect to Sikkim in (Sharma, E. et al eds) *Sikkim Perspectives for Planning and Development*. Sikkim Sci. Soc. 49-60.
- Banerjee, A.K. (ed); 1980. *West Bengal District Gazetteer*. Darjeeling, Govt. of West Bengal. India.
- Banerji, M.L. & Das, S.; 1971. *Acers of Nepal*. *Indian Forester*, 97(5):243-250. Dehra Dun.
- Barnes, L.R.; 1959. Formation of allatoin and allatonic acid from adenine in leaves of *Acer saccharinum* L. *Nature*. 184:1944.
- Barrett, J.W (ed); 1980. *Regional Sylviculture of the United States*. Wiley New York .
- Bartram, J. & Harper, F.; 1977. Astringent tannins of *Acer* species. *Phytochemistry*. 16:1421-1426

- Bartram, J. & Harper, F.: 1978. Systematic aspects of astringent tannins of *Acer* species. *Phytochemistry*. 17 : 1945-1948
- Bedi, R.; 1974. *Sikkim*. Brijbasi Printers Pvt. Ltd. New Delhi.
- Bennet, S. S. R. 1987. *Name Changes of Flowering Plants of India and Adjacent Region*. Triseas Publishers, Dehradun.
- Bentham, G. & Hooker, J. D. 1862-83. *Genera Plantarum*, 3 vols. Reeve & Co., London.
- Bhoojh, R. & Ramakrishnan, P.S.; 1982. Growth strategy of trees related to successional status. I. Architecture and extension growth. *For. Ecol. Management*. :359-374.
- Bhujel, R.B. & Das, A.P. 1996. *Achimenes longiflora* (Gesneriaceae): a new record of naturalisation in India. *J. Hill Res.* 9(1): 109 - 111.
- Bhujel, R.B. & Das, A.P. 1998: Threatened but valuable Angiosperms in the flora of Darjeeling Himalaya. *Abstr. Nat. Sem. Biodv. Cons. Taxo. Trop. Flr. Pl.*, Calicut.
- Bhujel, R.B. & Das, A.P. 2000. Endemic status of the dicotyledonous flora of Darjeeling District. *Nat. Sem. Pl. Biod. Syst. Consv. Ethnb.*, Siliguri. P-38.
- Bhujel, R.B. & Das, A.P. 2002. Endemic status of the dicotyledonous flora of Darjeeling district. In *Perspectives of Plant Biodiversity*. Ed. A.P. Das. Bishen Singh Mahendrapal Singh, Dehradun.
- Bhujel, R.B.; 1996. Studies on the Dicotyledonous Flora of Darjeeling District Ph.D. Thesis, University of North Bengal.
- Biswas, K. 1956. Observation on the vegetation of Eastern Sikkim. *Year Bk. Asiat. Soc. Beng.* 18:146
- Biswas, K.; 1959. *Plants of Darjeeling and Sikkim Himalayas*, Pt. I. Calcutta.
- Biswas, K.P. 1940. Plants of Lloyd Botanical Garden, Darjeeling. *Rec. Bot Surv. Ind.* 5: 369-478.
- Biswas, K.P. 1966. *Plants of Darjeeling and Sikkim Himalayas*. Govt. of West Bengal, India.
- Booj, R. and Ramakrishnan, P.S.; 1981. Phenology of trees in a subtropical evergreen montane forests in north-east India. *Geo-Eco-Trop.* 5 (8):189-209.
- Bormann, F. & Likens, G.E.; 1979. *Pattern and process in a forested ecosystem*. Springer-Verlag. New York.
- Bory, G. and Maczulajty, D.C. ; 1980. Morphology, ontogeny and cytology of trichomes of *Ailanthus altissima*. *Phytomorphology*. 67-77.
- Bose, P.N.; 1890 The Darjeeling coal between the Lish and the Ramthi rivers explored during the season 1899-1890, *G.S.I. Rec.* 23(4)213-274.

- Bose, P.N.; 1891. Notes on the geological and mineral resources of Sikkim. *G.S.I. Rec.* 24 (2), 217.
- Bruhl, P. 1926. *A guide to the orchids of Sikkim*. Calcutta and Simla Buchanan.
- Burkill, I.H. (1916). A note on the Terai forests between the Gandak and Teesta. *J. Asiat. Soc. Beng.* (n.s.) 12: 67 – 272.
- Burkill, I.H. 1907. Alpine notes from Sikkim. *Kew. Bull.*: 92- 94
- Campbell, A. (1849). A journal of a trip to Sikkim in Dec. 1848
- Campbell, A. (1852). Diary of a journey through Sikkim to the frontiers of Tibet. *J. Asiat. Soc. Beng.* 21: 407 – 428.
- Champion, H.G. 1936. A preliminary Survey of the forest types of India and Burma. *Indian For. Rec. Ser. 2, Silviculture* 1(1):1-286.
- Champion, H.G. 1936. A preliminary Survey of the forest types of India and Burma. *Indian For. Rec. Ser. 2, Silviculture* 1(1):1-286.
- Chatterjee, D. 1940. Studies on the endemic Flora of India and Burma. *J. Roy. Asiat. Soc. Beng. Sci.* 5: 19 - 67.
- Chauhan A.S. and Singh, P. 1998. An Overview of Plant Diversity of Sikkim. in (Sharma, E. *et al* eds) *Sikkim Perspectives for Planning and Development*. Sikkim Sci. Soc. 219-231.
- Chauhan, D.K., Agarwal, S. and Tiwari, S.P. ; 1995. On the cuticular structure of Pitcher leaves of *Dischidia rafflesiana* Wall. *Taxonom and Biodiversity* ed. A.K.Pandey. 187-195, CBS Publishers and Distributors, Delhi.
- Chopra, R. N. 1985. *Sikkim*. S. Chanda & Co. Ltd; New Delhi.
- Clarke, C.B. 1885. Botanical notes from Darjeeling to Tonglo and Sundukphoo. *Journ. Linn. Soc. Bot.* 21:384-391.
- Cool, J.C.; 1980. *Stability and Survival – The Himalayan Challenge*. Ford Foundation New York.
- Cowan, A.M. and Cowan, J.M. 1929. *The trees of North Bengal including shrubs, woody climbers, bamboos, palms and tree ferns*. Calcutta.
- Critchfield, W.B.; 1971. Shoot growth and heterophylly in *Acer*. *Journ. of Arnold Arboretum.* 52 : 240-266.
- Cronquist, A. 1981. *An integrated System of Classification of Flowering Plants*, Columbia University Press, New York.
- Dalgre, R. 1980. A revised system of classification of the angiosperms, *Bot. Journ. Linn. Soc.* 80:91-124.

- Das, A. P. & Chanda, S. 1990. Potential ornamentals from the flora of Darjeeling Hills, West Bengal India. *J. Econ. Tax. Bot.* 14 (3) :675 - 687, Jodhpur.
- Das, A.P. & Alam, M.U. 1998. Preliminary survey of ethnobotanical information from six forest villages in Terai of Darjeeling , West Bengal, India. *Intr. Symp. Ayurv. Med.*, Jalpaiguri.
- Das, A.P. & Bhattacharyya, U.C. 1987. The present status of floristic studies in Eastern Himalayas. *All India Sem. Adv. Bot. Res. India* (1976 - 1986), Bekaner.
- Das, A.P. & Bhujel, R.B. 1983. An enumeration of the common climbers of Darjeeling Hills.*Proc. 70th Indian Sci. Cong.* (Bot. 128), Tirupati.
- Das, A.P. & Chanda, S. 1984. Flora of Darjeeling Hills: Flowering calendar. I. Trees and climbers. *Proc. All India Aerobiol. Conf.*, Lucknow.
- Das, A.P. & Chanda, S. 1986. Notes on some naturalised exotics in Darjeeling Hills, West Bengal (India). *Indian Bot. Rep.* 5(2): 144 - 147.
- Das, A.P. & Chanda, S. 1987. Flowering calendar of the angiospermic flora of Darjeeling Hills, West Bengal (India). *Trans. Bose Res. Inst.* 51(4): 99 - 133.
- Das, A.P. 1995. Diversity of the Angiospermic flora of Darjeeling Hills. *Taxonomy and Biodiversity* (ed. A. K. Pandey), 118-127. CBS, Publishers. New Delhi.
- Dash, A.J. (ed.) 1947. *Bengal District Gazetteers*, Darjeeling, Govt. of West Bengal
- Daubenmire, R.; 1972. Phenology and other characteristics of tropical semi-deciduous forest in north-western Costa Rica. *Journ. of Ecology* 60:147-170.
- Del Moral, R. & Muller, C.H.; 1970. The allelopathic effects of *Eucalyptus camuldulensis*. *Am. Midl. Nat.* 83:154-182.
- Delendick, T.J.;1990a. A survey of foliar flavonoids in the Aceraceae. *Mem. New York Botanical Garden* 54.
- Delendick, T.J.;1990b. The chemotaxonomy of the Aceraceae.*Int. Dendr. Soc. Yrbk.* 22-41.
- Dent, F.J. 1984. Land Degradation: Present Status and Education needs in Asia and Pacific.UNEP Investigations on Environmental Education and Training in asia and Pacific. FAO Regional Office Bangkok.
- Dhamala, J.; 1970. *The History of Sikkim*. Kalimpong (India).
- Dix, N.J. 1974. Identification of water-soluble fungal inhibitor associated in leaves of *Acer platanoides*L. *Ann. Bot.* 38:505-514.
- Don, D.; 1821. *Description of several taxa from the kingdom of Nepal taken from specimens preserved in the herbarium of A.S.Lamb.*

- Dozey, E.C. ; *A Concise History of the Darjeeling District since 1835*. Pub. Jhetseum Pub. Darjeeling . rpr.1989.
- Dube, V.P. and Singh, H.B. ; 1993. Taxonomic significance of leaf epidermis in *Chorchorus* Linn. (Tiliaceae). *Phytomorphology*. 43(3&4)185-194.
- Dyhrenfurth, G.; 1931. *Himalaya, Unsere Expedition 1930*. Scherl. Berlin.
- Erdtman, G. 1944; *Pollen morphology and plant taxonomy II. Notes on some monocotyledonous pollen types*. Svensk bot. Tidskr. 38.
- Erdtman, G. 1952; *Pollen morphology and plant taxonomy Angiosperms*, Almqvist and Wiksell, Stockholm.
- Frankie, G.W., Baker, H.G. and Opler, P.A.; 1974. Comparative phenological studies of trees in tropical wet and dry forests in the low lands of Costa Rica. *Journ. of Ecology* 62:881-919.
- Gadek, P.A., Fernando, E.S., Quinn, C.J. Hoot, S.B. Terrazas, T, Sheahan M.C. and Chase M.W; 1996. Sapindales: Molecular delimitation and infraordinal groups. *Amer. J. Bot* 83:802-811.
- Gamble, J.S. 1875. The Darjeeling Forests. *Indian. For.* 1:73-99.
- Gamble, J.S.; 1896. *List of the trees, shrubs and large climbers found in the Darjeeling District, Bengal*, ed. 2, Calcutta.
- Gammie, G.A. 1894. Vegetation of temperate and Alpine Sikkim. *Gazeteer of Sikkim*, 95 - 111.
- Gammie, J.G. (1981) Vegetation in Risby's *Gazetteer of Sikkim* : 80 -94.
- Gansser, A.; 1964. *Geology of the Himalayas*, Int. Pub. London.
- Garwood, E.J.; 1903. The geological structure and physical features of Sikkim. In Freshfield, W, *Round Kanchenjunga*. 275-299. Arnold, London.
- Gelderen, D.M. van.; 1990 *Acer palmatum* in cultivation. *Int. Dendr. Soc. Yrbk.* 1990; 20-22.
- Geldren, D. M. van *et al* 1995 rpr. *Maples of the World*. Oregon, Timber Press, Portland.
- Ghose, B.N. 1951. Plants of Sikkim Himalaya. *Journ. Beng. Nat. Hist. Soc.* 25:22-36.
- Ghosh, A.K and Roy, S.K. ; 1989. Studies on leaf architectural pattern and cuticular features of some members of the tribe Eucaesalpinieae, Fabaceae. *Geophytology*, 19(1), 10-18.
- Good, R.; 1974. *The Geography of Flowering Plants*. 4th ed. Longman, London.
- Greene, D.F. and Johnson, E.A.; 1989, A model of wind dispersal of winged or plumed seeds. *Ecology*, 70:339-347.

- Greene, D.F. and Johnson, E.A.; 1990. The dispersal of winged fruits and seeds differing in autorotative behaviour. *Canadian Journal of Botany* 68:2693-2697.
- Grierson, A. J. C. & Long, D.G. (ed.) 1983, 1984, 1987. *Flora of Bhutan*. Vol. 1 parts 1 - 3, Edinburgh.
- Grierson, A.J.C. & Long, D.G., 1991, 1999, 2001. *Flora of Bhutan*, Vol. 2, Pts.1, 2 & 3. RBG, Edinburgh
- Grierson, A.J.C. and Long, D.G. 1983-1987. *Flora of Bhutan* 1 (1-3). Edinburgh
- Grodzinsky, A.M. & Gaidamak, V.M.;1971. Allelopathic influence of woody plants on herbaceous ones in the Ukrainian forest steppe region. In *Physiological biochemical basis of plant interaction in phytocenoses*. Vol.2:3-11, Noukova Dumka, Kiev.
- Hara, H. & William, L.H.J.;1979. *An enumeration of the Flowering Plants of Nepal*.vol.2. London
- Hara, H. (ed.). 1966. *Flora of Eastern Himalaya*, Tokyo Univ., Japan.
- Hara, H. (ed.). 1971. *Flora of Eastern Himalaya*. Second Report Univ. Tokyo.
- Hara, H. (ed.). Stearn, W.T. & Williams. L.H.J. ;1978. *An Enumeration of the Flowering Plants of Nepal*, vol 1. London.
- Hara, H. Chapter A.O.&Williams,L.H.J.;1982. *An Enumeration of Flowering Plants of Nepal*. vol. 3. London.
- Harper, R. 1906. A phytogeographical sketch of the Altahama grit region of the Coastal plain of Georgia. *Annals of the New York Academy of Sciences* 17:1-414.
- Hayden, H.H.; 1908. *A sketch of the geography and geology of the Himalayan Mountains and Tibet. Pt. 4. The Geology of the Himalaya*. Govt. India Press,Calcutta.
- Hooker, J.D. 1849. Notes chiefly botanical, made during an excursion from Darjeeling to Tonglo, a lofty mountain on the confines of Sikkim and Nepal, *Journ. Asiat. Soc. Beng.* 18:419-446. Calcutta.
- Hooker, J.D. 1849-51. *The Rhododendron of Sikkim- Himalaya*. London.
- Hooker, J.D. 1854. *Himalayan Journals*. 2 vols. London.
- Hooker, J.D. 1872-1897. *The Flora of British India*. 7 vols. London.
- Hooker, J.D. 1906. *A sketch of the Flora of British India*. Oxford. India.
- Ingrid, R. ; 1977. *Fruits of Angiosperms*.
- Iversen, J.D.; 1979. Autorotating flat-plate wings: the effects of the moment of inertia, geometry and Reynolds number, *J.Fluid Mec.* 92:327-348

- Jain, S.K. & Rao, R.R.; (eds). 1983. *An assessment of Threatened Plants of India*. Pvt. Ltd. New Delhi.
- Jain, S.K.; 1992. The Problem of Endangered species: Concepts, Problems and Solutions. In *Tropical Ecosystems: Ecology and Management*, (K.P.Singh & J.S.Singh, ed.) Wiley Eastern Ltd. New Delhi pp. 68-80.
- Janzen, J. 1967. Synchronization of sexual reproduction of trees within the dry season in Central America. *Evolution* 21:620-637.
- Judd,W.S., Sanders, R.W. and Donoghue, M.J.; 1994 Angiosperm family pairs: Preliminary cladistic analyses. *Horvard Pap.Bot.* No.5:1-51.
- Kanai, H.; 1963. Phytogeographical observations on the Japano - Himalayan elements. *J. Fac. Sci. Tokyo Univ.* III. (Bot.) 8(8): 305 - 339.
- Kanai, H.; 1966. IUCN, 1995. *Red Data Book. International Union for Conservation of Nature and Natural Resources (World Conservation Union)*. Gland, Switzerland.
- Kaniewski, K. & Wazynska, Z. ; 1970. Sclerenchymatous endocarp with hairs in the fruit of *Acer pseudoplatanus* L. *Bull. Acad. Polish Sc.* 2(18):413-420.
- Kanjilal, U.N.,& P.C.& DAS, A.;1935-1940. *Flora of Assam Vols.1-5*. Assam.London.
- Kaul, M.L.H. and Anjali, A. ; 1988. Studies on leaf mutants of pea. 1. Morphology, performance and somatic chromosomes. *Phytomorphology*. 38(2,3), 117-125.
- Khailov, K.M. (ed) 1974. *Biochemical Trophodynamics in Marine Costal Ecosystems*, Naukova Dumka, Kiev. (In Russian).
- Kikuzawa, K.; 1983. Leaf survival of woody plants in deciduous broad leaved forests. 1. Tall trees. *Can. Journ. Not.* 61:2133-2139.
- Kim, G.T., Choo, G.C. and Baek,G.J.: 1998 Studies on the structure of forest community in subalpine zone of Mt.Halla - *Abies koreana* forest. *Journal of Korean Fores: Society*.87(3)366-371.
- Kim, G.T.:1998. A study on the relationship between the distribution of native herb species and site factors at subalpine zone in Mt. Odae.*Journ.of Korean Forestry Society*. 87(3)459-465.
- King, G. & Pantling, R. 1898. *The orchids of the Sikkim - Himalaya*. London
- Knutson, M.G. and Klaas,E.E.: 1998.Floodplain forest loss and changes in forest community composition and structure in the Upper Mississippi River: A wildlife habitat at risk. *Natural Areas Journal*. 18(2)138-150.
- Kozlowshi . T. & Clausen, J.J.; 1966. Shoot growth characteristics of heterophyllous woody plants. *Canadian Journ. Bot.* 44:827-843.
- Kyungsik, K., Sung,S.W. and Byung,Y.S.; 1997. Micromorphology of the leaf epidermis of Korean Umbelliferous Plants.1. Preliminary study. *Phytomorphology* . 47(1),87-95.

- Lacaita, C.C.; 1915 - 1917. Plants collected in Sikkim including the Kalimpong District, April 8th to May 9th. *J. Linn. Soc. (Bot.)* **43**: 457-492.
- Lama, P.C. 1989. A preliminary report on the ethnobotanical importance of the Sukia Pokhri region of Darjeeling Himalayas. *J. Beng Nat. Hist. Soc. (n.s.)* **8**(1): 56-62.
- Leith, H. and Radford, J.S.; 1971. Phenology resource management and synagraphic computer mapping. *Biosciences* **21**:62-70.
- Leith, H.; 1970. Phenology in productivity studies. In Reichle, D.E. (Editor), *Analysis of Temperate Forest Ecosystems, Ecological studies*, vol. I, pp. 29-56. Springer-Verlag, Heidelberg.
- Leith, H.; 1974. *Phenology and seasonality modeling*. Chapman and Hall, London.
- Loczy, L.von.; 1907 Boebachtungen im ostlichen Himalaya (vom 8.) *Földr. Közlem.*, **35**(9), 1-12.
- Lodhi, M.A.K; 1975a. Alleopathic effects of hackberry in a bottomland forest community. *J. Chem. Ecol.* **2**:171-182.
- Lodhi, M.A.K; 1975b. Soil-plant phytotoxicity and its possible significance in patterning of herbaceous vegetation in a bottomland forest community. *Amer. J. Bot.* **62**:618-622.
- Lodhi, M.A.K; 1976. Role of allelopathy as expressed by dominating trees in a lowland forest in controlling the productivity pattern of herbaceous growth. *Amer. J. Bot.* **63**:1-8.
- Lodhi, M.A.K; 1977. The influence and comparison of individual forest trees on soil properties and possible inhibition of nitrification due to intact vegetation. *Amer. J. Bot.* **64**: 260-264.
- Malhotra, S.K.; 1973. Studies on the limestone vegetation of Sahasradhara near Dehra Dun-Phytosociological studies: Importance Value Index. *Indian Forester*, **99**(2):102-115.
- Mallet, F.R.; 1875. On the Geology and Mineral Resources of the Darjeeling District and the Western Duars. *Mem. GS. I*, **11**(1)1-72.(1-50)
- Manandhar, N.P.; 1980. *Medicinal Plants of Nepal Himalaya*. Kathmandu.
- Marks, P.L.; 1975. On the relation between extension growth and successional status of deciduous trees of the northeastern United States. *Bull. Torrey Bot. Club.* **102**: 412-417.
- Matthew, K.M.; 1970). A bibliography of the botany of Sikkim. *Bull. Bot. Soc. Beng.* **24** (1-2): 57-59.
- Matthew, K.M.; 1981. *An Enumeration of the Flowering Plants of Kurseong, Darjeeling District, West Bengal, India*. Bishen Singh Mahendra Pal Singh, Dehra Dun.

- Mazumdar, N.C., Krishna, B. and Biswas, M.C. 1984. Vegetation of Neora Valley and adjacent regions in Kalimpong Forest Division, West Bengal, *Journ.Econ.Tax. Bot.* **5(5):1013-1025.**
- Mehra, P. N. and Hans, A.S. 1969. IOPB chromosome number reports. *Taxon.* **18:312.**
- Mehra,P.N. and Vasudevan, K.N. 1972. IOPB chromosome number reports. *Taxon.* **21:342.**
- Metcalf, C.R. and Chalk, L. ; 1950. *Anatomy of the Dicotyledons.* vol. 1. Clarendon Press, Oxford,U.K.
- Misra,R.; 1966. *Ecology Work Book*, Benaras, India.
- Mitra K.M.; (ed) 1951. *District Census Hand book , Darjeeling*, Govt. of West Bengal
- Mukherjee, A.; 1988. *Flowering Plants of Darjeeling* , Delhi& Lucknow.
- Muller, C. H.; 1966. The role of chemical inhibition Allelopathy . in *Vegetational Composition.* Bull Torr. Bot. Club. **93:332- 351.**
- Muller, C.H.:Muller; 1970, In *Recent Advances in Phytochemistry.*(C. Stillink and W. C. Runeckles , eds) **3: 105-121.** Apleton Century Crofts: N.Y.
- Muller, C.H.; 1965. Inhibitory terpenes volatilized from *salvia* shrubs. *Bull. Toor. Bot.Club.* **92:38-45.**
- Muller, CH.; 1969. Allelopathy as a factor in Ecological Process. *Vegetatio*, **18:348-357.**
- Myers, N.; 1990. The biodiversity challenge: Expanded hot-spots analysis. *Environmentalist* **10 : 243-256.**
- Naithani, H.B.; 1990 Flowering plants of India, Nepal and Bhutan (not recordrd in Sir *J.D.Hookers Flora of British India.Dehra Dun.*
- Nakao, S.; 1964. *Living Himalayan Flowers.* Tokyo.
- Narayan, V. & Seshadri, R.; 1969. Chemical components of *Acer rubrum* wood and bark; occurrence of procyanidin dimer and trimer. *Ind. Journ. Chem.* **7:213-214.**
- Nardubu, A., Salleo, S. and Lo, G.M.A. ; 1998. Root hydraulic conductance of six forest trees. Possible significance of seasonal changes. *Plant Biosystems* **132(2),97-104.**
- Negi, S.S.; 1990. *A Hand Book of Himalaya.* Indus Pub. Co. New Delhi.
- Noltie. H.J. 1993. *Flora of Bhutan* **3(1):1-456.** Edinburgh.
- Norberg, R.A.; 1973. Autorotation, self-stability and structure of single-winged fruits and seeds(samaras) with comparative remarks on animal flight. *Biological Reviews of the Cambridge Philosophical Society.***48(4):561-596.**
- O'Malley, L.S.S.; 1907. *Darjeeling: Bengal District Gazetteers.* Logos Press. New Delhi.

- Ogata, K.; 1965. Systematic dendrological study on the Japanese Aceraceae, with special reference to the geographical distribution. *Bull. Tokyo Univ. For.* 60: 172-177.
- Ogata, K.; 1967. A systematic study of the Aceraceae. *Bull. Tokyo Univ. For.* 63:89-206.
- Ogata, K.; 1967. A systematic study of the genus *Acer*. *Bull. Tokyo Univ. For.* 63:1578-1585.
- Ohashi, H.; 1975. *Flora of Eastern Himalaya*. Third Report. Uni. Mus. Univ. Tokyo. Tokyo Bull. 8:1-458.
- Orton, E.R.; 1978. Single node cuttings: a simple method for the rapid propagation of plants of selected clones of *Acer rubrum* L. *The Plant Propagator Society Proceedings* 24:12-15.
- Otterdoom, H.J.; 1990. *Maples of the World*. Int. Dendr. Soc. Yrbk. 11-12.
- Otterdoom, H.J.; 1990. Paleobotany and evolutions of the Maples in *Int. Soc. Yrbk.* ; 12-13
- Pal, M. 1964. Chromosome numbers in some Indian Angiosperms. 1. *Proc. Indian. Acad. Sci.* 60, B. pp. 347-351.
- Phillips, E.A. 1959. *Methods of Vegetative Study*, Herry Hilt and Co. Inc. U.S.A.
- Pilar, C.D. and Gabriel, M. M.; 1998. Phenological pattern of fifteen mediterranean phanerophytes from *Quercus-Ilex* communities of North Eastern Spain. *Plant Ecology* 139(i) 103-112.
- Pilgrim, G.E.; 1906. Notes on the geology of a portion of Bhutan. *G.S.I. Rec.* 34(1), 22-30.
- Pinn, F.; *The Road to Destiny- Darjeeling Letters 1839*. Ox. Univ. Press Calcutta, 1986.
- Powde, M.B. & Saha, S.S.; 1982. Geology of the Darjeeling Himalaya, Himalayan Geology, *IB.GSI Misc. Pub.* 41(11)50-54. (1982).
- Powers, J.L. & Cataline, E.L.; 1940 Crystalline tannin from the bark of *Acer spicatum*. *Jourm. Pharma. Sc.* 29:209.
- Pradhan, H.R.; (ed); 1992. *Sikkim- A Statistical Profile (1979-80 & 1991-92)* ; Bureau of Economics and Statistics, Planning and Development Department, Govt. of Sikkim. Govt. Press Gangtok.
- Pradhan, U.C. and Rai, M. ; 1983. Summer Flora of the Singalila Mountains. *Himalayan Plant Jourm.* 1:52-54.
- Pradhan, U.C. and Rai, M. ; 1985. Summer Flora of the Singalila Mountains. *Himalayan Plant Jourm.* 3:24-25.
- Pradhan, U.C. and Rai, M.; 1984. Summer Flora of the Singalila Mountains. *Himalayan Plant Jourm.* 2:10-11. 20-22.
- Pradhan, U.C. & Rai, M.; 1983. Summer Flora of the Singalila Mountains. *Himalayan Pl. Jourm.* 1:52-54;

- Pradhan, U.C.& Rai,M.;1985.Summer Flora of the Singalila Mountains. *Himalayan Pl. Journ.* 3:24-25.
- Pradhan,U.C.&Rai,M.;1984.Summer Flora of the Singalila Mountains.*Himalayan Pl. Journ.*2:10-11.
- Puri,G.S. *et al.*; 1960. *Forest Ecology*. Second Edition. vol. I, New Delhi, India.
- Putz, F.E. ;1979. A seasonality in Malyasian tree phenology. *Malaysian Forester* 42:1-24.
- Rai, T. & Rai, L.; 1994 *Trees of the Sikkim Himalaya*. New Delhi.
- Ralhan, P.K., Khanna, R.K. Singh, S.P. and Singh, J.S. 1985a. Phenological characteristics of the tree layer of Kumaun Himalayan forests, *Vegetation* 60:9-101.
- Rao, S.R.S and Ramayya, N. ; 1977. Structure, distribution and taxonomic importance of trichomes in the Indian species of *Malvastrum*. *Phytomorphology* 41-44.
- Rao, R.S. 1964. A botanical tour in the Sikkim state, Eastern Himalayans. *Bull. Bot. Surv. Ind.* 5:165-205.
- Rehder, A.; 1905. The maples of eastern continental Asia. In *Trees and Shrubs_* by C.S.Sargent. Rpt. 2:255-256.
- Rendle, A.B.1925. *The classification of flowering plants*, Vol 2, Dicotyledons (2nd ed.), University Press, Cambridge
- Rice , E.L. & Pancholy, S.K.; 1973. Inhibition of nitrification by climax ecosystems II. Additional evidence and possible role of tannins. *Amer. J. Bot.* 6:691-702.
- Rice , E.L. & Pancholy, S.K.; 1974. Inhibition of nitrification by climax ecosystems III. Inhibitors other than tannins. *Amer. J. Bot.* 61:1095-1103.
- Rice , E.L. & Pancholy, S.K.;1972. Inhibition of nitrification by climax ecosystems. *Amer.J. Bot.* 59: 1033-1040.
- Rice, E.L.; 1974. *Allelopathy* Academic Press. New York.
- Risley, H.H. :1884. *Gazetteer of Sikkim*
- Roy, S.; 1945. Notes on the geology of a portion of the Darjeeling Himalaya. *Indian Sc. Cong. Assoc.* 32(3)57-59.
- Sahni, K.C.;1981.Panorama of the Eastern Himalaya.*The Himalaya, Aspect of change.*,32-49. Oxford Univ.
- Sakai, A.K.; 1990.Sexual reproduction of red maple(*Acer rubrum*) in northern lower Michigan. *Amer. Midl. Nat.* 123(2):309-318.

- Sakai, A.K.; 1987. Patterns of branching and extension growth of vigorous saplings of Japanese *Acer* species in relation to their regeneration strategies. *Canadian Journ. Bot.* **65**:1578-1585.
- Sakai, A.K.; 1989. The relationship between bud scale morphology and indeterminate and determinate growth patterns in *Acer* (Aceraceae). *Canadian Journ. Bot.* **68**:144-148.
- Sakai, A.K.; 1990. Sympodial and monopodial branching in *Acer* (Aceraceae): evolutionary and ecological implications. *Pl. Syst. Evol.* **171**(1-4):187-197.
- Salisbury, C.Y.; 1976. *Mountain top Kingdom Sikkim*. New York.
- Savella, L.; 1971. Top grafting of Japanese maples and dogwood. *International Plant Propagators' Society Proceed.* **21**:72.
- Seetharam, Y.N. and Kotresha, K. ; 1998. Foliar venation of some species of *Bahunia* L. and *Hardwickia binata* Roxb. (Caesalpinioideae). *Phytomorphology* **48**(1), 51-59.
- Seiwa, K. ; 1999. Changes in leaf phenology are dependent on tree height in *Acer mono*, a deciduous broad-leaved tree. *Annals of Botany, London*, **83**(4), 355-361.
- Sharma, B.D, Balakrishanan, N.P. 1933a. *Flora of India*. vol. 2, BSI. Calcutta.
- Sharma, B.D, Balakrishanan, N.P. and Rao, R.R., and Hazra, P.K. 1933. *Flora of India* Vol. 1, BSI, Calcutta.
- Sharma, B.D., and Ghosh, B. 1971. Contribution to the flora of Sikkim Himalayas, *Bull. Bot. Soc. Bengal* **24**:45-55.
- Shrestha, R.S.; 1991. *Census of Sikkim*. Govt. of Sikkim.
- Shukla, S.R. 1976. *Sikkim the Story of Integration*. S.Chand and Co, New Delhi .
- Sivaraj, N. and Krishnamurthy, K.V. 1989. Flowering Phenology in the vegetation of Shervaroys, South India. *Vegetation* **79** : 85-88. 1989.
- Steingraeber, A.A.; 1982. Heterophylly and Neoforation of Leaves in Sugar Maple (*Acer saccharum*). *Amer. Journ. Bot.* **69**(8):1277-1282.
- Strassburger, 1976. *Textbook of Botany*. Longman, London,
- Sukla, R.P. and Ramakrishnan, P.S.; 1982. Phenology of trees in a sub-tropical humid forest in north-eastern India. *Vegetation* **49**:103-109.
- Sundriyal, R.C.; 1990. Phenology of some temperate woody species of the Garwal Himalaya. *Intern. Journ. Eco. and Enviro. Sci.* **3**:107-117.
- Tamang, K.K & Yonzon, G.S.; 1982. A brief note on the vegetation from Lebong to Tiger Hill in Darjeeling. *Journ. Beng. Nat. Soc.* (n.s) **1** (1):93-95.

- Thorne, R.F. 1983.; Proposed New Realignment in the Angiosperms; *Nordic Journ. Bot.*, 3:85-117
- Smith, W.W. 1911. Some additions to the flora of the Eastern Himalaya. *Rec. Bot. Surv. Ind.* 4:261-172.(III).
- Tsujimura, M.; 1953 Chemical components of the leaves of *Acer aidzuense*. *Imp. Chem Abstr.* 47:5498.
- Tubbs, C.H; 1976. Effect of sugar maple root exudates on the seedlings of northern conifer species. *USDA Forest Service Research Notes* NC-213.
- Turner, J.A. & Rice, E.L.; 1975. Microbial decomposition of ferulic acid in soil. *J.Chem.Ecol.* 1:41-58.
- Vetrees, 1972 Observaton on the propagation of Asiatic maples. *International Plant Propagators' Society Proceed.* 22:192 .
- Wadia, D.N.; 1957. *Geology of India*, London.
- Wager, L.R.; 1934. A review of the geology and some new observations, in H. Rutledge *Everest, 1933.* 312-337. London.
- Wager, L.R.; 1939. The Lachi series of N.Sikkim and the age of the rocks forming mount Everest. *G.S.I Rec.* 74(2)171-188.
- Walker J.W., 1981. The Aerodynamics of the Samara *Scientific American* 245: 172-177.
- Webb, D.P. & Agnihotri, V.P.; 1970. Presence of fungal inhibitor in the pericarps of *Acer saccharum* fruits. *Canadian Journ. Bot.* 48:2109-2166.
- West,R.G.1964. Inter-relations between ecology and Quaternary Palaeobotany. *Journ. Ecol.* 52:47-57(Jubilee Smp. Suppl.).
- Wilson ,E.O.; 1983. *Threats to Biodiversity.* *Scientific American* 261(3):60-66.
- Wodehouse, R.P. 1935; *Pollen grains*. McGraw-Hill, New York London.
- Wodehouse, R.P. 1971; *Hay fever plants*. 2nd. ed.,Hafner Pub. Co. New York.
- Wodehouse, R.P.1928. Pollen grains in the identification of plants. I The Ambrosiaceae. *Bull. Torrey Bot.Cl.* 55.
- Wodehouse,R.P. 1935(Rep in 1956). *Pollen grains – their structure, identification and significance and medicine*. Hafner Pub. Co., New York.
- Wolfe, J.A. & Tanai, T.; 1987. Systematics, phylogeny and distribution of *Acer* (maples) in the Cenozoic of werstem North America. *Journ, Fac. Sci. Hokkaido Univ.* ser. IV Geol. Mineral. 22:1-246.
- Xu, T.Z. ; 1998. The systematic evolution and distribution of the genus *Acer*. *Acta Botanica Yunnica*, 20(4),383-393. Yunnan

REFERENCES FOR MATERIALS & METHODS CHAPTER

- Acharyya, A. 1998. *Studies on the distribution, phenology and reproductive potential of some crop field weeds of Malda District, West Bengal, India*. Ph.D. Thesis, North Bengal University.
- Bajpai, A.; Sant, H.R. and Tripathi, A. 1995. Effect of stimulated drought on germination and seedling growth of *Boerhaavia verticillata*. *Geobios* 22(1): 30 – 34.
- Bayard, H; (ed) *The Oxford Encyclopedia of Trees of the World*. Oxford Univ. Press 233.
- Banerji, M.L. & Das, S.;1971. *Acers of Nepal*. *Indian Forester*, 97(5):243-250.Dehra Dun.
- Chanda, S. 1966. On the pollen morphology of the Centrolepidaceae, Restionaceae and Flagellariaceae, with special reference to taxonomy. *Grana Palynol.* 6(3): 355 – 415.
- Curtis, J. T. and McIntosh, R. P. 1950. The interrelations of certain analytic and synthetic phytosociological characters. *Ecology* 31: 434 – 455.
- Gelderen, D. M. van, Jong, P.C. de and H. J. Oterdoom, 1994 *The Maples of the World*. Origen.
- Das, A.P. & Lahiri, A.K. 1997. Phytosociological studies of the ground covering flora in different types of vegetation in Tiger Hill, Darjeeling District, West Bengal (India). *Indian For.* 123 (12): 1176 - 1187.
- Datta, S.C. and Ghosh, K.N. 1987. Allelopathy in two species of *Chenopodium* – inhibition of germination and seedling growth in certain weeds. *Acta Societies Botanicorum Poloniae*. Vol. 56 nr 2: 257 – 270.
- Erdtman, G. 1960. The acetolysis method. A revised description. *Svensk Botanisk Tidskrift*, Bd. 54, H4: 561 – 564.
- Foster, A. S. and Gifford, E. M. 1949. *Comparative morphology of vascular plants*. W.H. Freeman, Sanfrancisco
- Foster, A.S. 1952. Foliar venation in angiosperms fom an ontogenic stand point. *Amer. Journ. Bot.* 39:752-766.
- Hickey, L. J. 1973. Classification of architecture of dicotyledonous leaves. *Amer. J. Bot.* 60: 17 – 33.
- Kisser, J. 1935. Bemerkungen Zun Einschluss in Glycerin-Gelati. *Z. Wiss Mikrs.* 51.

Lawrence, D.B. 1953. Development of vegetation and soil in south-eastern Alaska, with special reference to the accumulation of nitrogen. *Final Report ONR.160 – 183.*

Nair, P.K.K. 1970. *Pollen morphology of Angiosperms – a historical and phylogenetic study.* Vikas Pub. House, Delhi.

Ralhan, P.K.; Khanna, R.K.; Singh, S.P. and Singh J.S. 1985. Phenological characteristics of the Kumaun Himalaya Forests. *Vegetatio* 60: 91 – 101.

Saxena, A., Singh, D.V and Joshi, N.L. Allelopathy of Prati Millet as influenced by Vegetative and Reproductive Sage fo Crop Growth. *Annals of Arid Zonr.* 34(4):293-206.

Thind, S. K. and Malik, C. P. 1988. Effect of aliphatic alcohols on water uptake, seed germination and early growth responses of two wheat cultivars to different water potential treatments. *Proc.Nat.Acad.Sci*, 58(B): 611 – 619.



Yonzon, G.S.; Yonzon, D.K.N A. & Bhujel, R.B. 1996. Contribution to the ethnobotany of Darjeeling District (India). *Abstr. IV Intr. Cong. Ethnobiol.* 388 - 389. Lucknow.

Yonzon, G.S.; Yonzon, . & Tamang, K.K. 1984. Medicinal plants of Darjeeling district. *J. Econ. Tax. Bot.* 5(3): 605 - 616.