

Literature cited

LITERATURE CITED

- Adamskii, R. and Sawicka, J., 1969. Effect of temperature rise on the stability of alkaloids in tincture of ipecacuanha root. Farm. Pol. 25(5): 349-351.
- Addor, A.A., 1945. Ipecacuanha (Cephaelis ipecacuanha) of Brazil. Bol. Ministerio Agr. (Brazil) 34(5) : 1-28.
- Adir, C.R., 1968. Testing rice seedlings for cold water tolerance. Crop Sci. 8 : 264-265.
- Al-Ani Abbas, N.K. and Hay, R.K.M., 1983. The influence of growing temperature on the growth and morphology of cereal seedling root system. J. Exp. Bot. 34(149) : 1720-1730.
- Alexandrov, V. Ya., 1964. Cytophysiological and cytoecological investigations of heat resistance of plant cells towards the action of high and low temperature. Quart. Rev. Biol. 39 : 35-77.
- Alexandrov, V. Ya., 1977. Cells, Molecules and Temperature. Springer-Verlag, Berlin, New York : 202.
- Al-Khatib, K. and Paulsen, G.M., 1984. Mode of high temperature injury to wheat (Triticum aestivum) culture (Newton) during grain development. Physiol. Plant. 61(3) : 363-368.
- Allan, R.E.; Vogel, D.A. and Burleigh, J.R., 1962. Length and estimated number of coleoptile parenchyma cells of six wheat selections grown at two temperatures. Crop Sci. 2 : 522-524.
- Amin, J.V., 1969. Some aspects of respiration and respiration inhibitors in low temperature effects of cotton plant. Physiol. Plant. 22 : 1184-1191.

- Anonymous, 1971. Ipecac - three centuries of controversy. J. Amer. Pharm. Ass. NS 11(1) : 6-8.
- Anonymous, 1981. Syrup of ipecac, still number one choice. Amer. Pharm. NS 21(2) : 46.
- Arnon, D.I., 1949. Copper enzymes in isolated chloroplasts, polyphenoloxidase in Beta vulgaris. Plant Physiol. 24(1) : 1-15.
- Asana, R.D. and Williams, R.F., 1965. The effect of temperature stress on grain development in wheat. Aust. J. Agr. Res. 16(1) : 1-13.
- Baba, I., 1955. Studies on the nutrition of rice plant with special reference to nitrogen and silica. I. Translocation of absorbed silica in plant and its accumulation in the epidermal cell of leaf blade in relation to transpiration. Proc. Crop Sci. Soc. Jap. 24(1) : 29-33.
- Baker, F.S., 1929. Effect of excessively high temperature on coniferous reproduction. Jour. Forestry 27 : 945-975.
- Baker, S.B. and Jung, G.A., 1970. Effect of temperature and light on growth. Physiology of pasture and forage plants : 499-502.
- Baker, N.R.; East, T.M. and Long, S.P., 1983. Chilling damage of photosynthesis in young Zea mays cultivar LG II . 2. Photochemical function of thylakoids in vivo. J. Exp. Bot. 34(139) : 189-197.
- Bal, S.N. and Datta, S.C., 1946. Pharmacognostic studies on Indian Ipecacuanha. Indian J. Pharm. 8(2) : 76-80.
- Balagurova, N.J.; Drozdov, S.N.; Tikhova, M.A. and Sulinoval, G.N., 1983. Changes in the leaf cells of meadow fescue during cold hardiness. Tsitologiya 25(5) : 516-521.

- Banerjee, P.K., 1968. Variation of chemical content with change in chromosome number. Proc. Intern. Seminar on Chromosome, Nucleus, Calcutta (Suppl. V.) : 324-331.
- Banerjee, P.K., 1974. Phytochemical study of successive ages of ipecac. Plant Science (Lucknow) 6 : 38-40.
- Barabal'chuk, K.A. and Chernyavskaya, V.N., 1974. Effect of high temperature on stomatal movement of Tradescantia fluminensis Vell. leaves. Tsitologiya, 16 : 1481-1487.
- Barabal'chuk K.A. and Chernyavskaya, V.N., 1975. Effect of high temperature on the nuclear volume in spiderwort leaf cells. Tsitologiya 17 : 1223-1226.
- Bardhan Roy, S.K. and Biswas, S., 1980. Variation in chlorophyll content of rice seedlings under low temperature. Ind. Jour. Plant Physiol. XXIV 3 : 243-247.
- Battersby, A.R.; Lewis, N.G.; Tippett, J.M., 1978. Basic glucosides related to the biosynthesis of indole and ipecac alkaloids. Tetrahedron Lett., 48 : 4849-4852.
- Baur, H., 1972. CO₂-Gaswechsel nach Hitzestress bei Abies alba Mill. and Acer pseudoplatanus L. Photosynthetica 6 : 424-434.
- Bean, E.W., 1971. Temperature effects upon inflorescence and seed development in tall fescue (Festuca arundinacea Schreb.). Ann. Bot. 35 : 891-897.
- Belehradek, J., 1935. Temperature and living matter. Protoplasma Monogr. (Berlin) 8 : 187-189.
- Belehradek, J. and Melichar, J. 1930. L'action differente des temperatures elevees et des temperatures normales sur la survie de la cellule vegetale (Helodea canadensis Rich.) Biol. Generalis. 6 : 109-124.

- Belhanofi, A. and Collet, G.F., 1970. Modalites de l'inhibition de la croissance et de la synthese des acides nucleiques des plantules de ble par l'acide absissique. Physiol. Plant. 23 : 859-870.
- Benzeev, N. and Zamenhof, S., 1962. Effects of high temperatures on dry seeds. Plant Physiol. 37 : 696-699.
- Benzioni, A. and Itai, C., 1972. Short and long term effects of high temperature (47-49°C) on tobacco leaves. I. Photosynthesis. Physiol. Plant. 27 : 216-219.
- Benzioni, A. and Itai, C., 1973. Short and long term effects of high temperature (47-49°C) on tobacco leaves. III. Efflux and P³² incorporation into phospholipids. Physiol. Plant. 28(3) : 493-497.
- Benzioni, A. and Itai, C., 1975. Pre-conditioning of tobacco and bean leaves to heat shock by high temperature or NaCl. Physiol. Plant. 35 : 80-84.
- Berry, J.A., 1975. Adaptation of photosynthetic processes to stress. Science 188 : 644-650.
- Bharati, P. and Chatterjee, S.K., 1986. Agroecconomics of Solanum laciniatum Ait - a new medicinal plant in Darjeeling Hills. Acta Hort. 188 : 253-260.
- Bharati, P.; Panda, P.; Chatterjee, S.; Mandal, A; Sarma, P. and Chatterjee, S.K., 1986. Studies on improvement of some steroid yielding plants growing in Darjeeling Hills (India). Acta Hort. 188 : 125-134.
- Bharati, P.; Sharma, P. and Chatterjee, S.K., 1984. Leaf blight disease of Cephaelis ipecacuanha. Indian Phytopathol. 37 : 374-375.
- Biddington, N.L.; Dearman, A.S. and Thomas, T.N., 1982. Effect of temperature and drying rate during dehydration of celery (Apium graveolens cult. Lathom Blanching) seeds on germination, leakage and response to

- gibberellin and cytokinin. Physiol. Plant. 54(1) : 75-78.
- Bieble, R., 1962. Protoplasmatische Ökologie der Pflanzen Wasser und Temperatur. Protoplasmatologia 1 : 1-344.
- Bingham, G.E., 1971. The measurement of plant water status. Ph.D. Thesis, Cornell Univ. Ithaca, New York.
- Biswas, K. and Sampatkumaran, M.A., 1948. On the cultivation of ipecacuanha in India. Sci. & Cult. 14(4) : 160-161.
- Bjorkman, O., 1975. Thermal stability of the photosynthetic apparatus in intact leaves. Carnegie Inst. Washington, Yearb. 74 : 748-751.
- Bonner, J., 1957. The chemical cure of climatic lesions. Engineering and Science Magazine 20 : 28-30.
- Boroughs, H. and Hunter, J.R., 1963. Effect of temperature on the growth of Cacao seeds. Proc. Am. Soc. Hort. Sci. 82 : 222-224.
- Boussiba, S.; Rikin, A. and Richmond, A.E., 1975. The role of abscisic acid in cross adaptation of tobacco plants. Plant Physiol. 56 : 337-339.
- Boyd, E.M. and Knight, L.M., 1963. Expectorant action of cephaeline, emetine and 2-dehydroemetine. J. Pharm. Lond. 15(2) : 118-124.
- Bramlage, W.J.; Leopold, A.C. and Parrish, D.J., 1978. Chilling stress to soybeans during imbibition Plant Physiol. 61 : 525-529.
- Bramlage, W.J., 1982. Chilling injury of crops of temperate origin. HortScience 17(2) : 165-168.
- British Pharmacopoeia, 1980.
- Brossi, A.; Teitel, S. and Perry, G.V., 1971. Ipecac alkaloids. Alkaloids 13:189-212.

- Broughton, W.J.; 1969. Relation between DNA, RNA and protein synthesis and the cellular basis of the growth response in gibberellic acid-treated pea internodes. Ann. Bot. 33 : 227-243.
- Brown, R.; Lashford, A.G. and Pratt, S.B., 1979. Stereoconservative synthesis of ipecac alkaloids from secologenin. J. Chem. Soc. Chem. Commun. 8: 367-369.
- Bukharin, P.D., 1958. On the leaf temperature and heat resistance of some cultivated plants. Fiziol. Rast. 5 : 123-131.
- Byfield, J.E. and Scherbaum, O.H., 1967. Temperature effect on protein synthesis in a heat - synchronized protozoan treated with actinomycin D. Science 56 : 1504-1505.
- Cacas, I.A.; Redshaw, E.S. and Ibanez, M.L. 1965. Respiratory changes in the cacao seeds cotyledon coincident with seed (cold) death. Nature (London) 208. 1348-1349.
- Carey, R.W. and Berry, J.A., 1978. Effects of low temperature on respiration and uptake of rubidium ions by excised barley and corn roots. Plant Physiol. 61 : 858-859.
- Chakravarti, R.N., 1962. Drugs and drug intermediates from plants. Sci. & Cult. 28 (4) : 151-157.
- Chakravarti, R.N. and Das, S.N., 1966. Studies on the alkaloid content of cultivated ipecac (Cephaelis ipecacuanha or Psychotria ipecacuanha). Calcutta Sch. Trop. Med. Bull., 14(3), 91-93.
- Chandra G.R. and Varner, J.E., 1965. Gibberellic acid controlled metabolism of RNA in aleurone cells of barley. Biochim. Biophys. Acta 108 : 583-592
- Chatterjee, S.; Gupta, K.K. and Chatterjee, S.K., 1976. Uptake of radio-active phosphorus by Pistia stratiotes plants. Indian Biologist VIII No. 1 and 2.

- Chatterjee, S.K., 1977. Cultivation of quinine yielding cinchona and emetine yielding ipecac in India. Proc. IVth Symp. Pharmacog & Chem. of Nat. Products on Dev. Co-operation in the Discovery & use of Nat. Resources for Drugs in the Third World, Leyden, Netherlands : 89-97.
- Chatterjee, S.K., 1980. Cultivation of medicinal plants in India with special reference to Eastern Himalayan regions. Proc. IV Asian Symp. Med. Plants & Spices, Bangkok, Thailand : 20-29.
- Chatterjee, S.K.; Bharati, P.; Chhetri, K.B. and Ramsong, A.F., 1985a. Agrotechnology of cultivating cinchona and ipecac in Darjeeling Hills. Proc. (Spl. Issue) Vth ISHS Symp. Med. Arom. Spice Pl., Darjeeling (India): 25-37.
- Chatterjee, S.K. and Bharati, P., 1986. Quality improvement in medicinal plants cultivation. In: Said, H.M. (ed), Essays on Science, Hamdard Foundation, Pakistan: 75-89.
- Chatterjee, S.K. and Nandi, R.P., 1977. Experimental studies of some medicinal plants yielding indole alkaloids. Proc. IVth Symp. Pharmacog. Chem. of Nat. Products. on Dev., Co-operation in The Discovery & Use of Nat. Resources for Drugs in the Third World, Leyden, Netherlands : 65-71.
- Chatterjee, S.K.; Nandi, R.P.; Bharati, P.; Yonjan, B. and Yonzon, M.K., 1985b. Improvement studies on some alkaloid yielding medicinal plants. Proc. (Spl. Issue) Vth ISHS Symp. Med. Arom. Spice Pl., Darjeeling (India): 39-46.
- Chatterjee, S.K.; Nandi, R.P. and Ghosh, N.C., 1982. Cultivation and Utilization of ipecac in West Bengal. In: Atal, C.K. and Kapur, B.M.(eds), Cultivation and Utilization of Medicinal Plants, RRL, Jammu, India: 295-301.
- Chatterjee, S.K.; Nandi, R.P., Sarma, P. and Panda, P.K., 1983. Studies on developmental physiology of medicinally important steroid yielding plants growing in India. Acta Hort. 132 : 85 - 100.
- Chatterjee, S.K.; Yonjan, B. and Nandi, R.P. 1987. Effect of hardening of seedlings of cinchona and ipecac on growth performance, biomass production and alkaloid yield. Acta Hort. 208 : 131 - 139 .

- Chel'teova, L.P., 1985. The change in mitochondria content in wheat tissues under conditions of decreased temperature. Izv. Akad. Nauk. SSSR. SER. Biol.(1) : 81-89.
- Chen, P.M. and Li, P.H., 1977. Induction of frost hardiness in stem cortical tissue of Cornus stolonifera Mich. by water stress. II-Biochemical changes. Plant Physiol. 59 : 240-243.
- Cherry, J.H., 1962. Nucleic acid determination in storage tissue of higher plants. Plant Physiol. 37 : 670-678.
- Chetia, M.; Baruah, H.K., 1963. Fusarium wilt of ipecac. Sci. & Cult. 29(7) : 366-367.
- Chkuaseli, T.A. and Kotaeva, D.V., 1964. Influence of internal factors on the pigment content in root system of grapevine. Soobshch. Akad. Nauk. Gruz. SSR 36 : 437-442.
- Chopra, R.N.; Kapoor, L.D.; Handa, K.L.; Chopra, I.C. and Nayer, S.L. 1948. Scope for the cultivation of medicinal plants in India. J. Sci. Industr. Res., 7(12) : 527-534.
- Choudhury, R.N.; Chakravarti, R.N.; Bhattacharya, A. and Basu, S.P., 1957. Preparation of Bismuth-iodide complex of total alkaloids of Cephaelis ipecacuanha cultivated in West Bengal and its clinical trial in intestinal amoebiasis-A preliminary report. Bull. Calcutta Sch. Trop. Med. 5(2) : 53-54.
- Choudhury, M.A. and Gupta, K.K., 1976. Practical Plant Physiology : 55.
- Chrispeels, M.J. and Greenwood, J.S., 1987. Heat stress enhances phytohemagglutinin synthesis but inhibits its transport out of endoplasmic reticulum. Plant Physiol. (Bethesda) 83(4) : 778-784.
- Christiansen, M.N. (1963). Influence of chilling upon seedling development of cotton. Plant Physiol. 38 : 520-522.

- Christiansen, M.N.; Carns, H.R. and Slyter, D.J., 1970. Stimulation of solute loss from radicles of Gossypium hirsutum L. by chilling anaerobiosis and low pH. Plant Physiol. 46 : 53-56.
- Chu-Yung, L.; Robert, J.K. and Key, J.L., 1984. Acquisition of thermotolerance in soybean (Glycine max cultivars Wayne) seedlings. Synthesis and accumulation of heat shock proteins and their cellular localization. Plant Physiol. (Bethesda) 74(1) : 152-160.
- Cole, F.D. and Steponkus, P.L., 1968. Some effects of high temperature on plant growth (Abstract). Plant Physiol. 43 : s-32.
- Combus, I.P. and Nye, P.H., 1982. Root zone temperature effects on growth and nitrate absorption in rape Brassica napus cultivar Emerald. J. Exp. Bot. 33(37) : 1138-1146.
- Cooney, D.O., 1978. In vitro evidence for ipecac inactivation by activated charcoal. J. Pharm. Sci., 67(3) : 426-427.
- Cooper, P. and Twan Hua, D.H.O., 1983. Heat shock proteins in maize (Zea mays cultivars A 632 X C 1042). Plant Physiol. (Bethesda) 71(2) : 215-222.
- Craig, C.F., 1934. Amoebiasis and Amoebic Dysentery. Bailliere, Tindall & Cox, London : 269.
- Crawford, R.M.M. and Huxter, T.J., 1977. Root growth and carbohydrate metabolism at low temperatures. J. Exp. Bot. 28 : 917-925.
- Crevecoeur, M. and Ledent, J.F., 1984. Effect of low temperature (0-10 celsius) on juvenile growth of maize (Zea mays) : Some aspects of fundamental research. Bull. Soc. R. Bot. Belg. 117(2) : 382-418.
- Dabtskaya, I.A.; Egorova, L.I. and Semikatova, O.A., 1972. Effect of temperature on phosphorus compounds in pea leaves. Fiziol. Biokhim Kul't Rast. 4(4) : 363-367.

- Dalianus, C.D., 1980. Effect of temperature and seed size on speed of germination, seedling elongation and emergence of berseem and Persian clovers (Trifolium alexandrinum and T. resupinatum). Seed Sci. Technol. 8(3) : 323-332.
- Daniell, J.W.; Chappel, W.E. and Couch, H.B., 1969. Effect of sublethal and lethal temperatures on plant cells. Plant Physiol. 44 : 1684-1689.
- Das, P.K., 1973. Developmental stability and thermosensitivity of different varieties of wheat. Nucleus 16 : 175-179.
- Das Gupta, S.J., 1952. Chemotherapy of amoebiasis. Sci. & Cult. 17(10) : 421.
- Datta, S.C. and Mukherjee, B., 1951. Cultivation of Medicinal plants in the plains of Bengal and Bihar. Immunity Bull - Symposium on Indian Medicinal Plants : 42.
- David, R., 1940. Sur la resistance des senencesaux hautes temperatures. Revue Scient.(Paris) 78 : 168-172.
- Davis, N.L. and Wilson, J.M., 1984. Ultrastructural study of chilling injury in roots of Episcia reptans. Planta(Berl.) 160(2) : 185-189.
- Deesbach, J. and Schipper, A., 1981. Protein composition in sprouting shoots and roots of barley and maize. Angein. Bot. 55(5/6) : 477-484.
- Del Rivero, J.M., 1966. Importance of the macro and micro-elements in the citrus tolerance to and recovery from cold weather. Bol. Patol. Veg. Entomol. Agr. 29 : 405-411.
- Derek, E., 1986. The responses of leaf water potential and leaf diffusive resistance to abscisic acid, water stress and low temperature in Hibiscus esculentus : The effect of water stress and ABA pre-treatments. J. Exp. Bot. 37(185) : 1854-1862.

- Dereuddre, J., 1981. Effects of a treatment of 5 celsius on the endoplasmic reticulum organisation in buds of Pyrus malus. Bull. Soc. Bot. Fr. Act. Bot. 128(2) : 83-90.
- Deshaias, R. J.; Koch, B. D.; Werner, W. M.; Craig, E. A. and Schekman, R., 1988. A subfamily of stress proteins facilitates translocation of secretory and mitochondrial precursor polypeptides. Nature 332(6167) : 800-805.
- Devay, M. and Paldi, E., 1977. Cold induced t-RNA synthesis in wheat cultivars during the hardening period. Plant Sci. Lett. 8 : 191-195.
- Dinar, M.; Rudich, J. and Zamski, E., 1983. Effects of heat stress on carbon transport from tomato (Lycopersicon esculentum) leaves. Ann. Bot. (Lond.), 51(1) : 97-104.
- Donovan, G. R.; Lee J. W.; Longhurst, T. J. and Martin, P., 1983. Effect of temperature on grain growth and protein accumulation in cultured wheat Triticum aestivum ears. Aus. J. Plant Physiol. 10(4/5) : 445-450.
- Downes, R. W., 1972. Effect of temperature on the phenology and grain yield of Sorghum bicolor. Aust. J. Agr. Res. 23(4) : 585-594.
- Drew, M. C. and Biddulph, V., 1971. Effect of metabolic inhibitors and temperature on uptake and translocation of ^{45}Ca and ^{42}K by intact bean plants. Plant Physiol. 48 : 426-32.
- Eaks, I. L. and Morris, L. L., 1956. Respiration of cucumber fruits associated with physiological injury at chilling temperatures. Plant Physiol. 31 : 308-314.
- Eamus, D.; Fenton, R. and Wilson, J. M., 1983. Stomatal behaviour and water relations of chilled Phaseolus vulgaris cultivars Masterpiece and Pisum sativum. J. Exp. Bot. 34(141) : 434-441.

- Egorova, L.I., 1976. The kinetics of photosynthesis after high temperature treatment. Bot. Zh. 61 : 945-950.
- Eichholtz, D.A.; Henry, A.R. and Herrman, M.K., 1983. Protein changes during the stratification of Malus domestica (cultivar Golden Delicious) seed. Plant Physiol. (Bethesda) 72(3) : 750-753.
- Elsayed, A.H., 1978. Spectrophotometric determination of emetine and lobeline by charge transfer complexation. Planta Med., 34(4) : 430-436.
- Engelbrecht, L. and Mothes, K., 1964. Weitere Untersuchungen zur experimentelle Beeinflussung der flitzewirkung bei Blättern von Nicotiana rustica. Flora (Jena), 154 : 279-298.
- Erzsebet, P. and Szabo, L., 1979. The germination temperature of soybeans. Bot. Koze. 66(2-4) : 263-267.
- Feirabend, J., 1977. Capacity for chlorophyll synthesis in heatbleached 70s ribosome deficient rye leaves. Planta 135 : 83-88.
- Feirabend, J. and Mikus, M., 1977. Occurrence of a high temperature sensitivity of chloroplast ribosome formation in several higher plants. Plant Physiol. 59 : 863-867.
- Feldman, N.L., 1962. The influence of sugars on the cell stability of some higher plants to heating and high hydrostatic pressure. Tsitologiya 4 : 633-643.
- Fisher, H.H., 1973. Origin and uses of ipecac. Econ. Bot. 27(2) : 231-234.
- Fisher, R.A., and Yates, F., 1963. Statistical Tables for Biological, Agricultural and Medical Research Oliver and Boyd, London.
- Friend, D. J.C.; Nelson, V.A. and Fisher, J.E., 1962. The rate of dry weight accumulation in Marquis wheat as affected by temperature and light intensity. Canad. J. Bot. 40 : 939-955.

- Frischnecht, P.M. and Baumann, T.W., 1985. Stress induced formation of purine alkaloids in plant tissue culture of Coffea arabica. Phytochem. 24(10) : 2255-2257.
- Galston, A.W., 1959. Adenine and plant growth. Science 129 : 57
- Galston, A.W. and Hand, M.E., 1949. Adenine as growth factor for etiolated peas and its relation to the thermal inactivation of growth. Arch. Biochem. 22 : 434-443.
- Garber, M.P., 1977. Effect of light and chilling temperatures on chilling sensitive and chilling resistant plants : Pre-treatment of cucumber and spinach thylakoids in vivo and in vitro. Plant Physiol. 59 : 981-985.
- Gehrke, P.W., Nell, T.A. and Barrett, J.E., 1986. High temperature effects on growth and flowering of Kalanchoe blossfeldiana Poelin. HortScience 21(3) : 225.
- Geiger, D.R., 1969. Chilling and translocation inhibition. Ohio J. Sci. 69 : 356-366.
- Ghosh, B., 1978. Studies on high temperature stress in different varieties of Oryza sativa L. Ph.D.thesis. University of Burdwan.
- Ghosh, B. and Chatterjee S.K., 1974. High temperature injury of rice (Oryza sativa L.) seedlings of different varieties with special reference to their P^{32} uptake capacities. Bull. Bot. Soc. Beng. 28 : 85-90.
- Ghosh, B. and Chatterjee, S.K., 1975. Repairing of low-temperature induced injury in rice seedlings by thiourea, cystine and potassium thiocyanate. Geobios (Jodhpur) 2 : 31-32.
- Ghosh, M.L., 1979. Studies on growth, development and senescence of essential oil yielding plants with special reference to their oil contents. Ph.D. Thesis, University of Burdwan.

- Gorban,I.S.,1962. On the correlation between the growth and thermostability of plant cells. Tsitologiya 4 : 182-192.
- Gorban,I.S.,1968. Effect of beta-indoleacetic acid and maleic hydrazide on the elongation and thermostability of wheat coleoptile. Tsitologiya 10 : 76-87.
- Goswami,T., 1963. Prospects of ipecac cultivation in Assam. Indian For. 89(3) : 200-206.
- Gottschalk,W.,1985. Phytotron experiments on Pisum. 1. Influence of temperature on the flowering behaviour of different genotypes. Theor. Appl. Genet. 70(20) : 207-212.
- Graf,E. and Roensberg, W.,1970. New determination method for total alkaloids and cephaeline in ipecacuanha. Arch. Pharm.(Weinheim) 303(3) : 209-217.
- Griffenhagen,G.B.,1971. Ipecac - boon or bane ? J. Amer. Pharm. Ass. NS 11(1) : 5.
- Grzesiak,S.;Rood,S.B.; Freyman,S. and Major,D.J.,1981. Growth of corn seedlings : Effects of night temperature under optimum soil moisture or under drought conditions. Can. J. Plant Sci. 61(4) : 871-878.
- Guha,R.C. and Mukherjee,B.,1945. Essay of Indian Ipecacuanha. Sci. & Cult. 11(4) : 204-205.
- Guinn,G.,1971. Changes in sugars, starch, RNA, protein and lipid soluble phosphate in leaves of cotton plants at low temperatures. Crop. Sci. 11 : 262-265.
- Gupta,K.K.,1970. Investigation on germination, growth and development of Xanthium strumarium and Nicotiana plumbaginifolia. Ph.D. Thesis, Burdwan University.

- Gupta, M., 1952. Ipecacuanha (Cephaelis ipecacuanha) - its cultivation in India in the last decade. Sci. & Cult. 18(13) : 137-141.
- Gupta, R., 1971. Ipecac - a promising subsidiary crop for north eastern plantation regions. Indian Fmg. 21(4) : 19-21.
- Gur, A.; Bravdo, B. and Mizrahi, Y., 1972. Physiological responses of apple trees to supraoptimal root temperature. Physiol. Plant. 27 : 130-138.
- Habib, M.S., 1975. Estimation of ipecacuanha alkaloids by quantitative TLC and spectrophotometry. Planta Med. 27(3) : 294-297.
- Habib, M.S. and Harkiss, K.J., 1969. Quantitative determination of emetine and cephaeline in ipecacuanha root. J. Pharm. Pharmacol. 21(Suppl.) : 57-59.
- Hagihara, B.; Nakayama, T.; Matsubara, H. and Okunuki, K., 1956. Denaturation and inactivation of enzyme proteins. II. Denaturation and inactivation of bacterial amylase. J. Biochem. (Tokyo) 43 : 469-481.
- Hartt, C.E., 1965. The effect of temperature upon translocation of ^{14}C in sugarcane. Plant Physiol. 40 : 746-755.
- Hatfield, G.M.; Arteaga, L.; Dwyer, J.D.; Arias, T.D. and Gupta, M.P., 1981. Investigation of Panamanian Ipecac. Botanical source and alkaloid analysis. J. Nat. Prod. 44(4) : 452-456.
- Hatfield, J.L. and Egli, D.B., 1974. Effect of temperature on the rate of soybean hypocotyl elongation and field emergence. Crop Sci. 14 : 423-426.
- Heilbrunn, L.Y., 1924. The colloid chemistry of protoplasm. III. The viscosity of protoplasm at various temperatures. Amer. Jour. Physiol. 68 : 645-648.

- Henckel, P.A., 1964. Physiology of plants under drought. Ann. Rev. Plant Physiol. 15 : 363-386.
- Hendricks, S.B. and Taylorson, R.B., 1976. Variation in germination and amino acid leakage of seeds with temperature related to membrane phase change. Plant Physiol. 58 : 7-11.
- Herrero, M.P. and Johnson, R.R., 1980. High temperature stress and pollen viability of maize (Zea mays). Crop Sci. 20(6) : 796-800.
- Higbee, E.C. and Kelly, J.W., 1950. Possibility of improving Nicaraguan ipecac root by selection. Amer. J. Pharm. 122(5) : 184-188.
- Hilliard, J.H. and West, S.H., 1970. Starch accumulation associated with growth reduction at low temperatures in a tropical plant. Science 168 : 494-496.
- Hockstra, F.A., 1984. Inbibitional chilling injury in pollen : Involvement of the respiratory chain. Plant Physiol. (Bethesda) 74(4) : 815-821.
- Hunt, W.F. and Thomas, V.J., 1985. Growth and developmental responses of perennial rye grass (Lolium perenne cultivar Grasslands Ruani) grown at constant temperature. 2. Influence of light and temperature on leaf, tiller and root appearance. Aust. J. Plant. Physiol. 12(1) : 69-76.
- Hurewitz, J. and Harry, W.J., 1983. Effect of altering the root zone temperature on growth, translocation, carbon exchange rate and leaf starch accumulation in tomato (Lycopersicon esculentum cultivar Vendor). Plant Physiol. 73(1) : 46-50.
- Ibanez, M.L., 1964. Role of cotyledon in sensitivity to cold of cacao seed. Nature (London) 201 : 414-415.
- Imaki, T.; Kazuyoshi, J and Yamada, I., 1983. Sterility caused by high temperature at flowering in rice plants. Bull. Fac. Agric. Shimane Univ. O(17) : 1-7.

- Irving, R.M. and Lanphear, F.O., 1968. Regulation of cold hardiness in Acer. negundo. Plant Physiol. 43 : 9-13.
- Itai, C. and Benzioni, A., 1973. Short and long term effects of high temperature (47-49^oC) on tobacco leaves. II. O₂ uptake and amylolytic activity. Physiol. Plant. 28 : 490-492.
- Itai, C.; Benzioni, A. and Munz, S., 1978. Heat stress : Effects of abscisic acid and kinetin on response and recovery of tobacco leaves. Plant Cell Physiol. 19 : 453-459.
- Iwahori, S., 1967. Auxin of tomato fruit at different stages of its development with special reference to high temperature injury. Plant & Cell Physiol. 8:15-22.
- Janot, M., 1960. The Alkaloids - Chemistry and Physiology Vol. III. Manske, R.H.E. and Holmes, H.L. (eds) Academic Press, New York : 419.
- Jensen, R.D. and Taylor, S.A., 1961. Effect of temperature on water transport through plants. Plant Physiol. 36 : 639-642.
- Jin-Sung, K. and Sung, M.W., 1986. Effects of abscisic acid on some physiological responses of the leaves in Nicotiana tabacum L. Korean J. Bot. 29 (1): 41-52.
- Joachim, W.H., 1983. The effect of high temperature on leaf cells of Valerianella locusta : Relative heat stability of the tonoplast membrane of mesophyll vacuoles. Planta (Berl.) 159(5) : 398-403.
- Johansson, N.O.; Albertson, C.E. and Mansson, T., 1955. Undersökningar över hostetets hardning och avharidning. Sver. Utseædesfoeren, Tidsk : 82-96.
- Johansen, D.A., 1940. Plant Microtechnique. McGraw-Hills, New York.

- Johry, M.M. and Varner, J.E., 1968. Enhancement of RNA synthesis in isolated pea nuclei by gibberellic acid. Proc. Natl. Acad. Sci. (U.S.) 59 : 269-276.
- Jones, W.W., 1942. Respiration and chemical changes of the papaya fruit in relation to temperature. Plant Physiol. 17 : 481-486.
- Jones, R.L. and Lang, A., 1968. Extractable and diffusible gibberellins from light and dark grown pea seedlings. Plant Physiol. 43 : 629-634.
- Joshua, A. and Heydecker, W., 1971. Making lettuce germinate at high temperature Comml. Grow. Oct. 15 : 524-526.
- Just, L., 1877. Ueber die Einwirkung hoher temperaturen auf die Erhaltung der Keimfahigkeit der Samen. Beitr. Biol. Pflanz. 2 : 311-348.
- Kacperska-Palacz, A.; Debska, Z. and Takubowska, A., 1975. The phytochrome involvement in the frost hardening process of rape seedlings. Bot. Gaz. 136 : 137-140.
- Kalyansundaram, S., 1969. Effect of boron and indole-butyric acid on rooting of ipëcac root cuttings. Madras Agric. J. 56(12) : 818-820.
- Kanabus, J.; Craig, S.P. and Cherry T., H., 1984. Heat shock proteins in tobacco (Nicotiana tabacum cultivar Wisconsin 38) cell suspension during growth cycle. Plant Physiol. (Bethesda) 75(3) : 639-644.
- Karunen, P. and Liejenberg, C., 1981. Temperature induced changes of the ultra-structure and lipid composition in green and senescent leaves of Dicranum elongatum. Physiol. Plant 53(1) : 48-54.
- Katz, S. and Reinhold, L., 1965. Changes in the electrical conductivity of Coleus tissue as a response to chilling temperatures. Isr. J. Bot. 13 : 105-114.

- Kaufmann, M.R., 1975. Leaf water stress in Engelmann spruce. Influence of the root and shoot environments. Plant Physiol. 56 : 841-844.
- Ketellapper, H.J., 1963. Temperature-induced chemical defects in higher plants. Plant Physiol. 38: 175-179.
- Key, J.L.; Lin, C.Y. and Chen, Y.M., 1981. Heat shock proteins of higher plants. Proc. Natl. Acad. Sci. USA 78(6): 3526-3530.
- Khan, A.A. and Anóju, C.C., 1970. Abscisic acid induced changes in nucleotide composition of rapidly labelled RNA species of pear embryos. Biochim. Biophys. Res. Comm. 38 : 1069-1075.
- Kishore, R. and Upadhyaya, K.C., 1988. Heat shock proteins of pigeon pea (Cajanus cajan). Plant Cell Physiol., 29(3) : 517-521.
- Klein, J.D. and Ferguson, I.B., 1986. High temperature effects on Ca^{2+} uptake and ethylene synthesis by pear cells and protoplasts in suspension culture. HortScience 21(3) : 202.
- Kofka, K.; Formanck, Z. and Tryzna, P., 1982. Distribution of ^{14}C in hop plants (Humulus lupulus). Rostlinna Vyroba 27(1) : 11-18.
- Korovin, A.I. and Frolov, I.N., 1968. The effects of potassium and calcium on the resistance of buckwheat to low soil temperatures and freezing during the initiation of vegetation. Izv. Sib. Otd. Akad. Nauk. SSSR Ser. Biol. Med. Nauk., 3 : 48-53.
- Koshiba, T.; Suzuki, Y. and Minamikawa, T., 1983. Effects of temperature on growth, protein and RNA synthesis of excised Vigna mungo embryonic axis. Plant Cell Physiol. 24(7) : 1281-1296.
- Kramer, P., 1942. Species differences with respect to water absorption at low soil temperatures. Am. J. Bot., 29 : 828-832.

- Kuijper, J., 1910. Über den Einfluss der Temperatur auf die Atmung höherer Pflanzen. Recl. Trav. Bot. Neerl. 7 : 131-240.
- Kuraishi, S. and Muir, R.M., 1964. The relationship of gibberellin and auxin in plant growth. Plant Cell Physiol. 5 : 61-69.
- Kuraishi, S.; Tezoka, T.; Ushijima, T. and Tazaki, T., 1966. Effect of cytokinins on frost hardiness. Plant Cell Physiol. 7 : 705-706.
- Lahiri, A.N.; Singh, S. and Kacker, N.L., 1973. Studies on plant-water relationships. VI. Influence of nitrogen level on the performance and nitrogen content of plants under drought. Proc. Ind. Nat. Sci. Acad. Ser. B39 : 77-90.
- Lahiri, A.N. and Singh, S., 1969. Effect of hyperthermia on the nitrogen metabolism of Pennisetum typhoides. Proc. Nat. Inst. Sci. India. Part-B, 35 : 131-138.
- Landi, P. and Crossbie, T.M., 1982. Response of maize (Zea mays) to cold stress during vegetative growth. Agron. J. 74(4) : 765-768.
- Lange, O.L., 1965. Der CO_2 -Gaswechsel von Flechten bei tiefen Temperaturen. Planta 64 : 1-19.
- Lange, O.L. and Lange, R., 1963. Untersuchungen über Blattemperaturen. Transpiration und Hitzeresistenz an Pflanzen mediterraner Standorte (Costa Brava, Spanien) Flora 153 : 387-425.
- Langridge, J., 1963. Biochemical aspects of temperature response. A. Rev. Pl. Physiol. 14 : 441-462.
- Langridge, J. and Griffing, B., 1959. A study of high temperature lesions in Arabidopsis thaliana. Austral. J. Biol. Sci. 12 : 117-135.
- Laude, H.M.; Shrum, J.E. and Bichler, L.E., 1952. The effects of high soil temperatures on the seedling emergence of perennial grasses. Agron. J. 44 : 110-112.

- Leddert, C. and Geneves, L., 1982. Effects of low temperature (plus 6 celsius and plus 2 celsius) on the fine structure of mitochondria and chloroplasts in Ephedra vulgaris tissues cultivated in vitro. Ann. Sci. Nat. Bot. Biol. Veg. 4(1) : 27-49.
- Lee, S.S. and Estes, G.O., 1982. Corn (Zea mays) physiology in short season and low temperature environments. Agron. J. 74(2) : 325-331.
- Leopold, A.C., 1971. Antagonism of some gibberellin actions by a substituted pyrimidine. Plant Physiol. 48 : 537-540.
- Lepeschkin, W.W., 1935. Zur kenntnis des Hitzetodes des Protoplasmas. Protoplasma 23 : 349-366.
- Le Saint, A.M., 1966. Observations physiologiques sur le gel et l'endurcissement au get chez chou de Milan. Thesis presente a la faculte des sciences de l'universite de Paris : 93.
- Leshem, Y. and Schwarz, L., 1972. The selective effect of abscisic acid on ribonucleic acid components. Physiol. Plant. 26 : 328-331.
- Levitt, J., 1980. Response of plants to environmental stresses. Academic Press, New York.
- Lewis, D.A., 1956. Protoplasmic streaming in plants sensitive and insensitive to chilling temperatures. Science 124 : 75-76.
- Lewis, D.A., and Morris, L.L., 1956. Effects of chilling storage on respiration and deterioration of several sweet potato varieties. Proc. Amer. Soc. Hort. Sci. 68 : 421-428.
- Lewis, T.L. and Workman, M., 1964. The effect of low temperature on phosphate esterification and cell membrane permeability in tomato fruit and cabbage leaf tissue. Aust. J. Bio. Sci. 17 : 147-152.

- Li, P.H. and Weiser, C.J., 1967. Evaluation of extraction and assay methods for nucleic acids from red osier dogwood and RNA, DNA and protein changes during cold acclimation. Proc. Amer. Soc. Hort. Sci. 91 : 716-727.
- Lieberman, M.; Craft, C.C.; Audia, W.V. and Wilcox, M.S. 1958. Biochemical studies of chilling injury in sweet potatoes. Plant Physiol. 33 : 307-311.
- Lin, A., 1981. Effect of air temperature and light intensity on translocation and distribution of carbon¹⁴ labelled assimilates in rice plants. Natl. Sci. Counc. 9(11) : 965-974.
- Lingle, J.C. and Davis, R.M., 1959. The influence of soil temperature and phosphorus fertilization on the growth and mineral absorption of tomato seedlings. Proc. Amer. Soc. Hort. Sci. 73 : 312-322.
- Loomis, W.F. and Whuler, S., 1980. Heat shock response of Dictyostelium discoideum. Dev. Biol. 79(2) : 399-408.
- Lorenz, R.W., 1939. High temperature tolerance of forest trees. Minn. Agric. Exp. Stn. Tech. Bull. 141 : 1-25.
- Lyons, J.M., 1973. Chilling injury in plants. Annu. Rev. Plant Physiol. 24 : 445-466.
- Mackay, A.D. and Barber, S.A., 1984. Soil temperature effects on root growth and phosphorus uptake by corn (Zea mays) Soil Sci. An. J. 48(4) : 818-823.
- Makauskas, I.; Gonzalez, R.; Soler, B. and Fernandez, L., 1976. Study of galemic preparations. I: Ipecac (liquid extract). Rev. Cubana Farm. 10(3) : 243-247.
- Mann, J.D.; Edge, E.A.; Lancaster, J. and Blyth, K., 1980. Growth and solasodine production by Solanum aviculare and Solanum laciniatum under moisture stress at different temperatures. N. Z. J. Agric. Res. 23 : 361-366.

- Markham, R., 1955. Nucleic acids, their components and related compounds. In : Paech, K. and Tracey, M.V. (eds) Modern Methods of Plant Analysis. Springer-Verlag, Berlin, 4:246-304.
- Marlangeon, R.C., 1969. Effects of gibberellic acid and other drugs on the permanence of green autumn foliage and the induction of resistance to frost in peach flowers. Phyton 26 : 107-111.
- Marmioli, N.; Terfi, V.; Odoardistanca, C.; Lorenzoni, C. and Stanca, A.M., 1986. Protein synthesis during cold shock in barley tissues : Comparison of two genotypes with winter and spring growth habit. Theor. Appl. Genet. 73(2) : 190-196.
- Maxie, E.C., 1957. Heat injury in prunes. Proc. Am. Soc. Hort. Sci. 69 : 116-121.
- Mayak, S. and Halevy, A.H., 1974. The action of kinetin in improving the water balance and delaying senescence processes of cut rose flowers. Physiol. Plant. 32 : 330-336.
- McComb, A.J. and McComb, J.A., 1970. Growth substances and the relation between phenotype and genotype in Pisum sativum. Planta 91 : 235-245.
- McDaniel, R.G. and Taylor, B.B., 1976. AMP treatments improve emergence under cold stress. In. Cotton, A College of Agriculture Report. Agr. Exp. Sta. University of Arizona, Tucson Series : 37.
- McKersie, B.D. and Thompson, J.E., 1978. Phase behaviour of chloroplast and microsomal membranes during leaf senescence. Plant Physiol. 61 : 639-643.
- McWilliam, J.R.; Kramer, P.J. and Musser, R.L., 1982. Temperature induced water stress in chilling sensitive plants. Aust. J. Plant Physiol. 9(3) : 343-352.
- Meidner, H., 1967. Effect of kinetin on stomatal opening and the rate of intake

- of carbon dioxide in mature primary leaves of barley. J. Exp. Bot. 18 : 556-561.
- Melville, C., 1948. Origin of Johore Ipecacuanha. Pharm. J. 161 : 300.
- Melvin, P.G., 1977. Effect of light and chilling temperatures on chilling sensitive and chilling resistant plants. Plant Physiol. 59 : 981-985.
- Miller, E.C. 1931. Plant physiology with reference to the green plant. Illus. New York, London : 900.
- Miller, C.O., 1956. Similarity of some kinetin and red light effects. Plant Physiol. 31 : 318-319.
- Miller, A. and McWilliam, J.R., 1968. Studies on a maize mutant sensitive to low temperature. I Influence of temperature and light on the production of chloroplast pigments. Plant Physiol. 43 : 1967-1972.
- Miller, A.D.; Goodchild, J. and Spencer, D., 1969. Studies on a maize mutant sensitive to low temperature. II-Chloroplast structure, development and physiology. Plant Physiol. 44 : 567-583.
- Minamikawa, T.; Akazawa, T. and Uritani, I., 1961. Mechanism of cold injury in sweet potato. II. Biochemical mechanism of cold injury with special reference to mitochondrial activities. Plant Cell Physiol. 2 : 301-309.
- Mishra, G. and Sahu, G., 1969. Studies on germination and seedling growth in rice. Prakriti (Utkal Univ. J. Sci.) 6 (1) : 19-24.
- Mitra, G.C. and Chakravarti, D., 1948. Observation on the growth of Cephaelis ipecacuanha (Brot.) A. Rich. in Calcutta. Sci. & Cult. 13(12) : 504-505.
- Mizrahi, Y. and Richmond, A.E., 1972. Abscisic acid in relation to mineral deprivation. Plant Physiol. 50 : 667-670.

- Mondal, W.A. and Choudhury, M.A., 1985. Comparison of P-mobilisation during monocarpic senescence in rice (Oryza sativa) cultivars with sequential and non-sequential leaf senescence. Physiol. Plant. 65(3) : 221-227.
- Moorie, D.J., 1970. Auxin effects on the aggregation and heat coagulability of cytoplasmic proteins and lipoproteins. Physiol. Plant. 23 : 38-50.
- Moss, D.N., 1965. Capture of radiant energy by plants. Met. Monogr. 6 : 90-108.
- Mothes, K., 1964. The role of kinetin in plant regulation. In: Regulateurs Naturels de la Croissance Vegetale, CNRS, Paris : 131-140.
- Mukherjee, J.; Mukherjee, S. and Sircar, S.M., 1973. High temperature induced changes in germination, seedling vigour and metabolic activities in rice seeds. Biol. Plant. 15(2) : 65-71.
- Mullins, M.G. and Osborne, D.J., 1970. Effect of abscisic acid on growth correlation in Vitis vinifera L. Aust. J. Biol. Sci. 23 : 479-483.
- Murata, T., 1969. Physiological and biochemical studies of chilling injury in bananas. Physiol. Plant. 22 : 401-411.
- Musaelyan, M.S., 1975. After effect of heating seeds by superoptimal temperatures on initial growth of wheat sprouts. Biol. Zh. Arm. 28 : 98-101.
- Musser, R.L.; Shirley, T. and Kramer, P.J., 1983. Short-term and long-term effects of root and shoot chilling of soybean (Glycine max cultivar Ransom). Plant Physiol. (Bethesda) 73(3) : 778-783.
- Mutters, R. and Hall, A., 1986. Does photoperiod influence sensitivity of cowpea to heat stress during flowering. HortScience 21(3) : 225.
- Nagakura, N.; Hoefle, G.; Henk, M.H., 1978. Deacetyl isoipecoside : the key intermediate in the biosynthesis of the alkaloids cephaeline and emetine. J. Chem. Soc. Chem. Commun. 20 : 896-898.

- Nagaraja, K.V. and Patwardhan, M.V., 1978. Protein synthesis in Cicer arietinum seeds at low temperature. Plant Biochem. J. 5(2) : 146-149.
- Nebiolo, C.M. and White, E.M., 1985. Corn (Zea mays) mitochondrial protein synthesis in response to heat shock. Plant Physiol. (Bethesda) 79(4) : 1129-1132.
- Nielsen, L.W. and Todd, F.A., 1946. Bacterial soft rot of Irish potatoes as influenced by sublethal temperature. Am. Potato. J. 23 : 73-87.
- Nightingale, G.T. and Blake, M.A., 1934. Effect of temperature on the growth and composition of Stayman and Baldwin apple trees. N. J. Agri. Exp. Bull. 566 : 3-20.
- Nikulina, G.N., 1985. The effect of high temperature on respiration and ATP content in pea roots. Fiziol. Biochim. Kult. Rast. 17(2) : 131-134.
- Nishiyama, I., 1982. Male sterility caused by cooling treatment at the young microspore stage in rice plants. 2. Estimations of microspore and anther volumes at and after the critical stage. Jpn. J. Crop Sci. 51(2) : 172-177.
- Nishiyama, I. and Satake, T., 1979. Male sterility caused by cooling treatment at the young microspore stage in rice plant. 19. The difference in susceptibility to coolness among spikelets and a panicle. Jpn. J. Crop Sci. 48(2) : 181-186.
- Nooden, L.D., 1972. Inhibition of nucleic acid synthesis by maleic hydrazide. Plant Cell Physiol. 13 : 609-621.
- Nordin, A., 1976. Effects of water stress and abscisic acid on transpiration regulation in wheat. Physiol. Plant. 38 : 233-239.
- Nordin, A., 1977. Effects of low root temperature on ion uptake and ion translocation in wheat. Physiol. Plant. 39 : 305-310.

- Nover, L. and Schraff, K.D., 1984. Synthesis, modification and structural binding of heat shock protein in tomato (Lycopersicon peruvianum) cell cultures. Eur. J. Biochem. 139(2) : 303-314.
- Nyland, G. and Gohen, A.C., 1969. Heat therapy of virus disease in perennial plants. Ann. Rev. Phytopathol. 7 : 331-354.
- Obendorf, R.L. and Hobbs, P.R., 1970. Effect of seed moisture on temperature sensitivity during imbibition of soybean. Crop Sci. 10 : 563-566.
- Ohn, T.T.; Khaing, Y.Y.; Gale, M.M. and Thein, M., 1970. Preliminary chemical examination of Cephaelis ipecacuanha test cultivated in Burma. Union Burma J. Sci. Technol. 3(2) : 251-254.
- Onwueme, I.C.; Laude, H.M. and Huffaker, R.C., 1971. Nitrate reductase activity ub relation to heat stress in barley seedlings. Crop Sci. 11 : 195-200.
- Onwueme, I.C. and Laude, H.M., 1972. Heat induced growth retardation and attempts at its prevention in barley and wheat coleoptiles. J. Agric. Sci. 79 : 331-333.
- Onwueme, I.C. and Lawanson, A.O., 1973. Effect of heat stress on subsequent chlorophyll accumulation in seedlings of Colocynthis citrullus. Planta 110(1) : 81-84.
- Ordin, L.; Itai, C.; Benzioni, A.; Musolan, C. and Kindinger, J.I., 1974. Effects of heat shock on plant growth and on lipid and β -glucon syntheses. Plant Physiol. 53 : 118-121.
- Osborne, D.J., 1968. Hormonal mechanisms regulating senescence and abscission. In : Wightman, F. and Setterfield, G. (eds), Biochemistry and Physiology of Plant Growth Substances, Rounge Press-Ottawa : 815-840.
- Ostaplyuk, E.D.K., 1967. A physiological characterization of the frost resistance of winter barley. Rost. Ustoich. Rast. 3 : 203-209.

- Ovcharov, K.E., 1977. Physiological basis of seed germination. Amerind Publishing Co. : 315.
- Page-Degivry, J.Le.; Boillot, A.; Loques, F. and Bulard C., 1987. An analysis of the role of abscisic acid in the differential expansion and chlorophyll synthesis of two cotyledons of dormant apple embryo in culture. Physiol. Plant. 69 : 87-92.
- Palevitch, D., 1985. Recent advances in the cultivation of medicinal plants. Acta Hort. 208 : 29-34.
- Panda, P.K., 1982. Studies on agronomy, developmental physiology and productivity aspects of diosgenin - yielding Costus speciosus (Koenig) Sm. Ph. D. Thesis, Berhampur University.
- Panase, V.G. and Sukhatme, P.V., 1978. Statistical Methods for Agricultural Workers. ICAR, New Delhi (Third Edn.).
- Parthier, B. and Wollgiehn, R., 1961. Über den Einfluss des kinetin auf den Eiweiss und Nukleinsäurestoffwechsel in isolierten Tabaksblättern-Ber. Dtsch. Bot. Ges. 74 : 47-51.
- Pasternak, D. and Wilson, G.L., 1972. After effects of night temperature on stomatal behaviour and photosynthesis of sorghum. New Phytol. 71 : 683-689.
- Patterson, B.D.; Murata, T. and Graham, D., 1976. Electrolyte leakage induced by chilling in Passiflora species tolerant to different climates. Aust. J. Plant Physiol. 3 : 435-442.
- Paull, R.E., 1982. Leucine uptake by tomato leaf tissue under low temperatures : pre-incubation dependence of uptake reduction. Physiol. Plant. 56(1) : 84-88.

- Peacocke, A.R. and Walker, I.O., 1962. The thermal denaturation of sodium deoxyribonucleate. II. Kinetics. J. Mol. Biol. 5 : 560-563.
- Pearcy, R., 1977. Effect of growth temperature on the thermal stability of the photosynthetic apparatus of Atriplex lentiformis. Plant Physiol. 59 : 873-878.
- Pearson, A. and Wareing, P.F., 1969. Effects of abscisic acid on activity of chromatin. Nature 221 : 672-673.
- Platenius, H., 1942. Effect of temperature on the respiration rate and the respiration quotient of some vegetables. Plant Physiol. 17 : 179-197.
- Pollock, C.J. and Ap Rees, T., 1975. Activities of enzymes of sugar metabolism in cold stored tubers of Solanum tuberosum. Phytochem. 14 : 613-617.
- Pollock, C.J.; Lloyd, E.J.; Stoddart, J.L. and Thomas, H., 1983. Growth, photosynthesis and assimilate partitioning in Lolium temulentum exposed to chilling temperatures. Physiol. Plant. 59(2) : 257-262.
- Pomeroy, M.K. and Andrews, G.J., 1975. Effect of temperature on respiration of mitochondria and shoot segments from cold-hardened and non-hardened wheat or rye seedlings. Plant Physiol. 56 : 703-706.
- Porto, F. and Siegel, S.M., 1960. Effects of exposures of seeds to various physical agents. III. Kinetin-reversible heat damage in lettuce seed. Bot. Gaz. (Chicago) 122 : 70-71.
- Poulson, R. and Beaver, L., 1970. Hormonal regulation of nucleic acid metabolism during photomorphogenesis. Plant Physiol. Wash. 46 : Suppl. 20.
- Prabha, K.; Sood, R.; Gupta, S.C., 1982. High temperature induced inactivation of sporophytic self-incompatibility in Ipomoea fistulosa. New Phytol. 92(1) : 115-122.

- Preobrazhenskii, N.A.; Evstigneeva, R.P.; Levchenko, T.S.; Fedyushkina, K.M., 1951. Synthetic studies in the series of alkaloids of ipecacuanha and the quinine tree. Dokl. Akad. Nauk. SSSR. 81 : 421-423.
- Pressman, E. and Negbi, M., 1987. Interaction of day length and applied gibberellin on stem growth and leaf production in three varieties of celery. J. Exp. Bot. 38(91) : 968-971.
- Pulgar, C.E. and Laude, H.M., 1974. Regrowth of alfalfa after heat stress. Crop Sci. 14 : 28-30.
- Radomskii, J.L.; Hagan, E.C.; Fuyat, H.N. and Nelson, A.A., 1952. The pharmacology of ipecac. J. Pharm. Exp. Therap. 104(4) : 421-426.
- Rajkhowa, S., 1964. Germination of Cephaelis ipecacuanha. Indian Forester 90(5) : 312-314.
- Rajkhowa, S., 1969. The cultivation of ipecac root in Assam. I. Indian Forester 95(4) : 246-252.
- Razmaev, I.I., 1965. After effect of low temperature above 0° C on nitrogen metabolism in wheat and corn. Izv. Sib. Otol. Akad. Nauk., SSSR, Ser. Biol. Med. Nauk. 1 : 59-63.
- Ray, A.K., 1977. Studies on salt tolerance in some varieties of rice, Oryza sativa L. Ph.D. Thesis, University of Burdwan.
- Ray, S.D., 1986. Gibberellic acid, abscisic acid, phenol interaction in the control of growth : phenolic compounds as effective modulators of gibberellic acid, abscisic acid interaction in radish (Raphanus sativus) seedlings. Biol. Plant. (Prague) 28(5) : 361-369.
- Restivo, F.M.; Tassi, F.; Maestri, E.; Lorenzoni, C.; Puglisi, P.P. and Marmioli, N., 1986. Identification of chloroplast associated heat shock proteins

- in Nicotiana plumbaginifolia protoplasts. Curr. Genet. 11(2) : 145-150.
- Rickels, J.W. and Lingle, J.C., 1966. Iron uptake and translocation by tomato plants as influenced by root temperature and manganese nutrition. Plant Physiol. 41 : 1095-1101.
- Rijven, A.H.G.C. and Parkash, V., 1971. Action of kinetin on cotyledons of fenugreek. Plant Physiol. 47 : 59-64.
- Rikin, A.; Gitler, C. and Atsmon, D., 1981. Chilling injury in cotton (Gossypium hirsutum) : Light requirement for the reduction of injury and the protective effect of abscisic acid. Plant Cell Physiol. 22(3) : 453-460.
- Rikin, A. and Richmond, A.E., 1976. Amelioration of chilling injuries in cucumber seedlings by abscisic acid. Physiol. Plant. 38 : 95-97.
- Rikin, A.; Waldman, M.; Richmond, A.E. and Dovrat, A., 1975. Hormonal regulation of morphogenesis and cold-resistance : I. Modifications by abscisic acid and by gibberellic acid in alfalfa Medicago sativa seedlings. J. Exp. Bot. 26 : 175-183.
- Risueno, M.C.; Stockert, J.C.; Martin, G.G. and Diez, J.L., 1973. Effect of supraoptimal temperatures in meristematic cell nucleoli. J. Microsc. (Paris) 16(1) : 87-94.
- Robeiz, C.A., 1967. Studies in chlorophyll biosynthesis in etiolated excised cotyledons of germinating cucumber at different stages of development. Magon. Publ. Ser. Sc. 13 : 1-21.
- Rochat, E. and Therrien, H.P., 1976. Metabolism of ribonucleic acids of winter wheat (Triticum aestivum L.) during hardening at low temperatures. Nat. Can. 103 : 441-450.
- Rogers, C.; Sharpe, P.J.H.; Powell, R.D. and Spence, R.D., 1981. High tempera-

- ture disruption of guard cells of Vicia faba : Effect on stomatal aperture. Plant Physiol. (Bethesda) 67(2) : 193-196.
- Rohaly, J. and Szantay, C., 1978. Synthesis of ipecacuanha alkaloid. IV. Synthesis of the ethoxy analog of emetine. Acta Chim. Acad. Sci. Hung. 96(1) : 45-54.
- Romanova, L.N., 1967. The physiological bases for the resistance to cold of winter crops. Ref. Zh. Biol. 6G : 132.
- Rosinger, C.H.; Wilson, J.M. and Kerr, M.W., 1984. Changes in the soluble protein and free amino acid content of chill-sensitive and chill-resistant plants during chilling and hardening treatments. J. Exp. Bot. 35(159) : 1460-1471.
- Roychoudhury, K.C., 1951. A note on the ipecac plantation in North Bengal. Indian For. 77(8) : 537.
- Roychoudhury, R. and Sen, S.P., 1964. Hormonal regulation of nucleic acid metabolism and its significance in the mechanism of growth substance action. Bull. Bot. Soc. Beng. Suppl. 18 : 191-198.
- Roychoudhury, R. and Sen, S.P., 1965. The effect of gibberellic acid on nucleic acid metabolism in coconut milk nuclei. Plant Cell Physiol. 6 : 761-765.
- Rudenok, A.N. and Konev, S.V., 1973. On the phenomenon of cell self-defence against thermal injury. Dokl. Akad. Nauk. SSSR, 208 : 977-980.
- Sachs, J., 1860. Krystallbildungen bei dem Gefrieren und veränderung der Zillhaute bei dem Aufthauen Saftiger Pflanzentheile mitgetheilt von W. Hofmeister. Ber. Verhandl. Sachs. Akad. Wiss. Leipzig. Math. Phys. Kl. 12 : 1-50.
- Sachs, J., 1864, Ueber die obere Temperatur-Grenze der vegetation. Flora (Jena) 47 : 5-12, 33-39, 65-75.

- Sachs, R.M. and Lang, A., 1963. Shoot histogenesis and the subapical meristem, the action of gibberellic acid, AMO-1618 and maleic hydrazide. In : Plant Growth Regulation. Sponsored by the Boyce Thompson Institute for Plant Research. The New York Botanical Garden - The Brooklyn Botanic Garden : 567-577.
- Saha, J.C., 1966. Cultivation of medicinal plants in West Bengal. Farm. J. 8(1) : 6.
- Sahu, N.P. and Mahato, S.B., 1982. Determination of emetine and cephaeline in ipecac roots by high performance liquid chromatography. J. Chromatog. 238(2) : 525-529.
- Saini, H.S. and Aspinall, D., 1982. Abnormal sporogenesis in wheat (Triticum aestivum cultivar Gabo) induced by short periods of high temperature. Ann. Bot. (Lond.) 49/61 : 835-846.
- Sakai, A., 1957. The effect of maleic hydrazide upon the frost hardiness of twig of mulberry tree. J. Sericult. Sci. Jap. 26 : 13-20.
- Sakai, A., 1962. Studies on frost hardiness of woody plants. I. The causal relation between sugar content and frost-hardiness. Contr. Inst. Low Temp. Sci. Ser. B 11 : 1-40.
- Saleh, M.R.I.; El-Massy, S. and El-Shaer, N., 1979. Colorimetric and spectrophotometric determination of total and non-phenolic alkaloids in ipecac and its formations. J. Assoc. Off. Anal. Chem. 62(5) : 1113-1115.
- Santarius, K.A., 1973. The protective effect of sugars on chloroplast membranes during temperature and water stress and its relationship to frost, desiccation and heat resistance. Planta 113 : 105-114.
- Sasson, N. and Bramlage, W.J., 1981. Effects of chemical protectants against chilling injury of young cucumber seedlings. J. Amer. Soc. Hort. Sci. 106 : 202-284.

- Satake, T. and Koike, S., 1983. Sterility caused by cooling treatment at the flowering stage in rice plants. 1. The stage and organ susceptible to cool temperature. Jpn. J. Crop. Sci. 52(2) : 207-214.
- Sato, K. and Inaba, K., 1973. High temperature injury in ripening in rice plant. II. Ripening of rice grains when the panicle and the straw were separately treated under different temperature. Proc. Crop Sci. Soc. Jap. 42(2) : 214-219.
- Sato, K.; Inaba, K. and Jozawa, M., 1973. High temperature injury of ripening in rice plant. I. The effect of high temperature treatment at different stages of panicle development on the ripening. Proc. Crop Sci. Soc. Jap. 42(2) : 207-213.
- Schneider-Orelli, O., 1910. Versuche über die widerstands jahigkeit gewisser Medicago-Samen (Wollkletten) gegen hohe Temperaturen. Flora (Jena) 100 : 305-311.
- Seible D., 1939. Ein Beitrag zur fragh der Kalteschaden an Pflazen bei temperaturen über dem Gefrierpunkt Beitr. Biol. Pflanz. 26 : 289-330.
- Sellschop, J.P.F. and Salmon, S.C., 1928. The influence of chilling above the freezing point on certain crop plants. J. Agr. Res. 37 : 315-338.
- Seth, R.K. and Ray, G.K., 1967. A method for the estimation of emetine. Ind. J. Pharm. 28(4) : 130-132.
- Sharkay, M.F.; Smith, E. and Levine, J., 1971. Assay of ipecac and its preparation. II. Collaborative study. J. Ass. Offic. Anal. Chem. 54(3) : 614-616.
- Shininger, T.L. and Polley, L.D., 1977. Biochemical responses of pea root tissue to cytokinin. Plant Physiol. 59 : 831-835.
- Shkolnik, M.Y.; Bozhenko, V.P. and Momot, T.S., 1965. Raising the heat resis-

- tance of wheat shoot via treating the seeds in solution of salt of aluminium and cobalt. Dokl. Akad. Nauk. SSSR. 165(6) : 1447-1449.
- Skogqvist, I., 1974. Induction of heat sensitivity of wheat roots and its effects on mitochondria, adenosine triphosphate, triglyceride and total lipid content. Exp. Cell Res. 86 : 285-294.
- Skogqvist, I. and Fries, N., 1970. Induction of thermosensitivity and salt sensitivity in wheat roots and the effect of kinetin. Experientia 26 : 1160-1162.
- Simon, E.W.; Minchin, A.; McMenamin, M.M. and Smith, J.M., 1976. The low temperature limit for seed germination. New Phytol. 77 : 301-311.
- Singh, A., 1984. Enhancement in the activities of certain enzymes during chilling treatment of imbibed seeds of certain legumes. J. Indian Bot. Soc. 63 : 83-90.
- Smith, D., 1968. Varietal chemical differences associated with freezing resistance in forage plants. Cryobiology (5) : 148-159.
- Smith, E.; Sharkay, M.F. and Levine, J., 1971. Assay of ipecac and its preparation. I. Development of the method. J. Ass. Offic. Anal. Chem. 54(3) : 609-613.
- Snedecor, G.W., 1946. Statistical Methods. The Iowa State College Press. Ames. Iowa (Fourth Edn.).
- Sobiczewska, M. and Borkowskii, B., 1970. Determination of cephaeline in ipecac roots. Acta Pol. Pharm. 27(5) : 469-472.
- Solomonovskii, L.Y. and Pomazova, E.N., 1967. The effect of a physiologically active mixture on the water regime and cold resistance of thermophilic plants. Izv. Sib. Old. Akad. SSR. Ser. Biol. Med. Nauk. 1 : 72-78.
- Stalfelt, M.G., 1962. The effect of temperature on opening of stomatal cells.

Physiol. Plant. 15 : 772-779.

Stanev, V. and Tsonev, T., 1980. Effect of temperature at the root zone on sunflower and maize photosynthetic activity. Fiziol. Rast. (Sofia) 6(2) : 43-50.

Stewart, G.T., 1949. Nature of the action of emetine upon Entamoeba histolytica. Nature (Lond.) 163(4153) : 842.

Stewart, J. McD. and Guinn, G., 1969. Chilling injury and changes in adenosine triphosphate of cotton seedlings. Plant Physiol. 44 : 605-608.

Stewart, J. McD. and Guinn, G., 1971. Chilling injury and nucleotide changes in young cotton plants. Plant Physiol. 48 : 166-170.

Stewart, R.R.C. and Bewley, J.D., 1981. Protein synthesis and phospholipids in soybean (Glycine max) axes in response to imbibitional chilling. Plant Physiol. (Bethesda). 68(2) : 516-518.

Subba, G.C. and Sandberg, F., 1982. The plant-to-plant variation of the alkaloid content of Cephaelis ipecacuanha cultivated in Nicaragua. Acta Pharm. Suec. 19 : 293-296.

Suganuma, N.; Hajime, O.; Takafuini, J. and Yamamoto, Y., 1985. Effects of high temperature on the development of cyanide-sensitive respiration in the germination process of spinach (Spinacia oleracea var. glabra cultivar Nobel) seeds. Plant Cell Physiol. 28(3) : 557-558.

Sulakadge, T.S. and Rapava, L.P., 1973. The significance of natural growth regulators on the wintering of winter vegetative plants. Soobshch. Akad. Nauk. Gruz. SSR. 70 : 173-176.

Sullivan, C.Y. and Kinbacher, E.J., 1967. Thermal stability of fraction 1 protein from heat-hardened Phaseolus acutifolius Gray 'Tepary Buff'. Crop. Sci. 7 : 241-244.

- Sunderman, D.W., 1964. Seedling emergence of winter wheats and its association with depth of sowing coleoptile length under various conditions and plant height. Agron. J. 26 : 23-25.
- Szantay, C., 1967. Structure and synthesis of ipecac alkaloids. Recent Develop. Chem. Natur. Carbon Compounds 2 : 63-124.
- Takahashi, K., 1972. Abscisic acid as a stimulator for rice mesocotyl growth. Nature New Biol. 238 : 92-93.
- Taylor, A.O. and Craig, A.S., 1971. Plants under climatic stress.II. Low temperature, high light effects on chloroplast ultrastructure. Plant Physiol. 47 : 719-725.
- Terres, A.L.; Galli, J. and Sal, A., 1981. Screening in rice (Oryza sativa) for cold tolerance. Pesqui. Agropecu. Bras. 16(2) : 231-240.
- Thompson, J.E.; Mayfield, C.I.; Inniss, W.E.; Butler, D.E. and Kruuv, J., 1978. Senescence-related changes in the lipid transition temperature of microsomal membranes from algae. Physiol. Plant. 43 : 114-120.
- Toda, M., 1962. Studies on the chilling injury in wheat plants. I. Some researches on the mechanism of occurrence of the sterile phenomenon caused by the low temperature. Proc. Crop Sci. Japan 30 : 241-249.
- Toumey, J.W. and Neethling, E.J., 1924. Insolation - a factor in natural regeneration of certain conifers. Yale School of Forestry Bull. 11. Fisiol. Rast. 5(4) : 361.
- Trease, G.E. and Evans, W.C., 1985. Pharmacognosy (Twelfth edition). English Language Book Society/Bailliere, Tindall.
- Tsoneva, P.N., 1973. Activity of chlorophyllase on wheat sprouts cultured at different temperatures. God. Sofu. Univ. Biol. Fak. Ku. 2 Bot. Microbiol. Fisiol. Biokhim. Rast. 64 : 249-256.

- Tsunoda, K.; Fujimura, K.; Nakahari, T. and Oyamado, Z., 1968. Studies on the testing method for cooling tolerance in rice plants. 1. An improved method by means of short term treatment with cool and deep water. Jap. J. Breed. 18 : 33-40.
- Tumanov, I.I. and Trunova, T.I., 1958. The effect of growth processes on the capacity for hardening. Fiziol. Rast. 5 : 108-117.
- Ulrich, A., 1941. Metabolism of non-volatile organic acids in excised barley roots as related to cation - anion balance during salt accumulation. J. Bot. 28 : 526.
- Vogel, A.I., 1961. A text book of quantitative inorganic analysis. the English Language Book Society and Longman Green & Co. Ltd. : 783-784.
- Voinikov, V.K., Rudikovskii, A.V. and Polikarpochkina, R.T. 1986. Heat shock proteins in maize cell suspension culture. Fiziol. Rast. (Mosc.) 33(2) : 221-225.
- Walgenbach, R.P.; Marten, G.C. and Blake, G.R., 1981. Release of soluble protein and nitrogen in alfalfa (Medicago sativa). I. Influence of growth temperature and soil moisture. Crop Sci. 21(6) : 843-849.
- Walton, D.C., 1980. Biochemistry and physiology of abscisic acid. Ann. Rev. Plant Physiol. 31 : 453-489.
- Wardlaw, I.F.; Sofield, I. and Cartwright, P.M., 1980. Factors limiting the rate of dry matter accumulation in the grain of wheat grown at high temperature. Aust. J. Plant Physiol. 7(4) : 387-400.
- Wardlaw, I.F.; Begg, J.E.; Bagnall, D. and Dunstone, R.C., 1983. Temperature adaptation as expressed in growth and leaf function. Aust. J. Plant Physiol. 10(2) : 299-312.

- Warrington, I.J. and Kanemasu, E.T., 1983. Corn (Zea mays) growth response to temperature and photoperiod. I. Seedling emergence, tassel initiation and anthesis. Agron. J. 75(5) : 749-754.
- Watt, G., 1972. Dictionary of Economic Products of India. II : 247-251.
- Webb, J.A., 1967. Translocation of sugars in Cucurbita melopepo. IV. Effects of temperature change. Plant Physiol. 42 : 881-885.
- Wehner, D.J. and Watschke, T.L., 1984. Heat stress effects on protein synthesis and exosmosis of cell solutes in three turf grass species. Agron. J. 76(1) : 16-19.
- Weigel, H.J., 1983. The effect of high temperature on leaf cells of Valerianella locusta : Relative heat stability of the tonoplast membrane of mesophyll vacuoles. Planta (Berl.) 159(5) : 398-403.
- West, S.H., 1970. Biochemical mechanism of photosynthesis and growth depression in Digitaria decumbens when exposed to low temperature. Int. Grassland Congr. Proc. 11th, Australia : 514-517.
- Wheaton, T.A., 1963. Physiological comparison of plants sensitive and insensitive to chilling temperatures. Ph.D. Thesis. Univ. California, Davis : 93.
- Whitaker, B.D. and Wang, C.Y., 1987. Effects of paclobutrazol and chilling on leaf membrane lipids in cucumber seedlings. Physiol. Plant 70 : 404-411.
- White, R.E., 1973. Studies on mineral ion absorption by plants. II. The interaction between metabolic activity and the rate of phosphorus uptake. Plant Soil 38(3) : 509-523.
- Wilkinson, B.G., 1970. The Biochemistry of Fruits and Their Products. New York, Academic Press 2 : 233-254.

- Wilhelm, A.F., 1935. Untersuchungen über das Verhalten sog. ennanternicht eisbestandiger Kulturpflanzen bei niedrigeren Temperaturen, unter besonderer Berücksichtigung des Einflusses verschiedener Mineralsalznährungen und des N. Stoffwechsels. Phytopathol. Z. 8 : 337-362.
- Winters, H.F., Loustalot, A.J. and Childers, N.F., 1947. Influence of temperature on growth and alkaloid content of cinchona seedlings. Plant Physiol. 22 : 42-50.
- Wolk, W.D. and Herner, R.C., 1982. Chilling injury of germinating seeds and seedlings. HortScience 17(2) : 169-171.
- Wright, M., 1974. The effect of chilling on ethylene production, membrane permeability and water loss of leaves of Phaseolus vulgaris. Planta 120 : 63-69.
- Wright, S.T.C. and Hiron, R.W.P., 1969. (+) (-) Abscisic acid : the growth inhibitor induced in detached wheat leaves by a period of wilting. Nature 224 : 719-720.
- Yamaki, S. and Uritani, I. 1973. Morphological changes in chilling-injured sweet potato root. Agric. Biol. Chem. 37 : 183-186.
- Yaniv, Z. and Palevitch, D., 1982. Effect of drought on the secondary metabolites of medicinal and aromatic plants. In : Atal, C.K. and Kapur, B.M. (eds) Cultivation and Utilization of Medicinal Plants, CSIR, Jammu-Tawi, India.
- Yardanov, I.T.; Zeinalov, Y. and Stamenova, M., 1975. Influence of post-action of high temperature on proteins and spectral characteristics of lamellar proteins and spectral characteristics of pigment systems I & II. Biochem. Physiol. Pflanz. 168 : 567-673.
- Yeary, R.A., 1972. Syrup of ipecac as an emetic in cat. J. Amer. Vet. Med. Ass., 161(2) : 1677-1678.

- Yelenosky, G., 1978. Freeze survival of citrus trees in Florida. In : Li, P.H. and Sakai, A. (eds), Plant Cold Hardiness and Freezing Stress. Academic Press, New York : 297-312.
- Zauralov, O.A. and Lukatkin, A.S., 1985. Kinetics of electrolyte exosmosis in heat-loving plants exposed to chilling temperatures. Fiziol. Rast. (Mosc.) 32(2) : 347-354.
- Zsoldos, F. and Gulyas, S., 1979. Changes induced by chilling in the ion uptake, growth and anatomical structure of rice (Oryza sativa) roots. Acta Univ. Szeged Acta Biol. 25(1/2) : 69-76.
- Zukel, J.W., 1957. A literature summary on maleic hydrazide. MIHS, No. 8.