

## LIST OF FIGURES

Figure		Page
1.	Extension growth in <u>Cephaelis ipecacuanha</u> in relation to age	123
2.	Pattern of leaf formation in <u>Cephaelis ipecacuanha</u>	124
3.	Pattern of flower formation in <u>Cephaelis ipecacuanha</u>	125
3A.	Pattern of fruit formation in <u>Cephaelis ipecacuanha</u>	126
4.	Pattern of changes in root biomass of <u>Cephaelis ipecacuanha</u>	127
5.	Pattern of changes in leaf dry weight of <u>Cephaelis ipecacuanha</u>	128
6.	Pattern of changes in chlorophyll (Chl) in leaves of <u>Cephaelis ipecacuanha</u>	129
7.	Pattern of changes in ribonucleic acid (RNA) in leaves of <u>Cephaelis ipecacuanha</u>	130
8.	Pattern of changes in soluble nitrogen (SN) in leaves of <u>Cephaelis ipecacuanha</u>	131
9.	Pattern of changes in total nitrogen (TN) in leaves of <u>Cephaelis ipecacuanha</u>	132
10.	Pattern of changes in total alkaloid (TA) in roots of <u>Cephaelis ipecacuanha</u>	133
11.	Effect of 50°C temperature treatment on extension growth in <u>Cephaelis ipecacuanha</u>	134
12.	Effect of 50°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	135
13.	Effect of 50°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with KN	136

Figure		Page
14.	Effect of 50°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with NAA	137
15.	Effect of 50°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with MH	138
16.	Effect of 50°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with ABA	139
17.	Effect of 50°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with KSCN	140
18.	Effect of 50°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u>	141
19.	Effect of 50°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	142
20.	Effect of 50°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with KN	143
21.	Effect of 50°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with NAA	144
22.	Effect of 50°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with MH	145
23.	Effect of 50°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with ABA	146
24.	Effect of 50°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with KSCN	147
25.	Effect of 50°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u>	148
26.	Effect of 50°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	149
27.	Effect of 50°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with KN	150
28.	Effect of 50°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with NAA	151
29.	Effect of 50°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with MH	152

Figure		Page
30.	Effect of 50°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with ABA	153
31.	Effect of 50°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with KSCN	154
32.	Effect of 50°C temperature on chlorophyll content in leaves in <u>Cephaelis ipecacuanha</u>	155
33.	Effect of 50°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	156
34.	Effect of 50°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with KN	157
35.	Effect of 50°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with NAA	158
36.	Effect of 50°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with MH	159
37.	Effect of 50°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with ABA	160
38.	Effect of 50°C temperature on chlorophyll content in leaves in <u>Cephaelis ipecacuanha</u> treated with KSCN	161
39.	Effect of 50°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u>	162
40.	Effect of 50°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	163
41.	Effect of 50°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with KN	164
42.	Effect of 50°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with NAA	165
43.	Effect of 50°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with MH	166
44.	Effect of 50°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with ABA	167

Figure		Page
45.	Effect of 50°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u>	168
46.	Effect of 50°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u>	169
47.	Effect of 50°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	170
48.	Effect of 50°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with KN	171
49.	Effect of 50°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with NAA	172
50.	Effect of 50°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with MH	173
51.	Effect of 50°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with ABA	174
52.	Effect of 50°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with KSCN	175
53.	Effect of 50°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u>	176
54.	Effect of 50°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	177
55.	Effect of 50°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with KN	178
56.	Effect of 50°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with NAA	179

Figure		Page
57.	Effect of 50°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with MH	180
58.	Effect of 50°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with ABA	181
59.	Effect of 50°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with KSCN	182
60.	Effect of 50°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u>	183
61.	Effect of 50°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	184
62.	Effect of 50°C temperature on total alkaloid content on roots of <u>Cephaelis ipecacuanha</u> treated with KN	185
63.	Effect of 50°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u> treated with NAA	186
64.	Effect of 50°C temperature on total alkaloid chnges in TA content in roots of <u>Cephaelis ipecacuanha</u> treated with MH	187
65.	Effect of 50°C temperature on total alkaloid changes in TA content in roots of <u>Cephaelis ipecacuanha</u> treated with ABA	188
66.	Effect of 50°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u> treated with KSCN	189
67.	Effect of 5°C temperature on extension growth in <u>Cephaelis ipecacuanha</u>	190
68.	Effect of 5°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	191
69.	Effect of 5°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with KN	192

Figure		Page
70.	Effect of 5°C temperature on extension growth on <u>Cephaelis ipecacuanha</u> treated with NAA	193
71.	Effect of 5°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with MH	194
72.	Effect of 5°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with ABA	195
73.	Effect of 5°C temperature on extension growth in <u>Cephaelis ipecacuanha</u> treated with KSCN	196
74.	Effect of 5°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u>	197
75.	Effect of 5°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	198
76.	Effect of 5°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with KN	199
77.	Effect of 5°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with NAA	200
78.	Effect of 5°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with MH	201
79.	Effect of 5°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with ABA	202
80.	Effect of 5°C temperature on pattern of leaf formation in <u>Cephaelis ipecacuanha</u> treated with KSCN	203
81.	Effect of 5°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u>	204
82.	Effect of 5°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	205
83.	Effect of 5°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with KN	206

Figure		Page
84.	Effect of 5°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with NAA	207
85.	Effect of 5°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with MH	208
86.	Effect of 5°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with ABA	209
87.	Effect of 5°C temperature on leaf dry weight in <u>Cephaelis ipecacuanha</u> treated with KSCN	210
88.	Effect of 5°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u>	211
89.	Effect of 5°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	212
90.	Effect of 5°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with KN	213
91.	Effect of 5°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with NAA	214
92.	Effect of 5°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with MH	215
93.	Effect of 5°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with ABA	216
94.	Effect of 5°C temperature on chlorophyll content in leaves of <u>Cephaelis ipecacuanha</u> treated with KSCN	217
95.	Effect of 5°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u>	218
96.	Effect of 5°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	219
97.	Effect of 5°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with KN	220
98.	Effect of 5°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with NAA	221

Figure		Page
99.	Effect of 5°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with MH	222
100.	Effect of 5°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with ABA	223
101.	Effect of 5°C temperature on ribonucleic acid content in leaves of <u>Cephaelis ipecacuanha</u> treated with KSCN	224
102.	Effect of 5°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u>	225
103.	Effect of 5°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	226
104.	Effect of 5°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with KN	227
105.	Effect of 5°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with NAA	228
106.	Effect of 5°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with MH	229
107.	Effect of 5°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with ABA	230
108.	Effect of 5°C temperature on soluble nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with KSCN	231
109.	Effect of 5°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u>	232
110.	Effect of 5°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	233
111.	Effect of 5°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with KN	234
112.	Effect of 5°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with NAA	235
113.	Effect of 5°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with MH	236
114.	Effect of 5°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with ABA	237



Figure		Page
115.	Effect of 5°C temperature on total nitrogen content in leaves of <u>Cephaelis ipecacuanha</u> treated with KSCN	238
116.	Effect of 5°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u>	239
117.	Effect of 5°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u> treated with GA <sub>3</sub>	240
118.	Effect of 5°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u> treated with KN	241
119.	Effect of 5°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u> treated with NAA	242
120.	Effect of 5°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u> treated with MH	243
121.	Effect of 5°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u> treated with ABA	244
122.	Effect of 5°C temperature on total alkaloid content in roots of <u>Cephaelis ipecacuanha</u> treated with KSCN	245
123.	Pattern of P <sup>32</sup> - uptake in different parts of <u>C. ipecacuanha</u> treated with 50°C - GA <sub>3</sub> and KN pre-treatments	246
124.	Pattern of P <sup>32</sup> - uptake in different parts of <u>C. ipecacuanha</u> treated with 50°C - NAA and MH pre-treatments	247
125.	Pattern of P <sup>32</sup> - uptake in different parts of <u>C. ipecacuanha</u> treated with 50°C - ABA and KSCN pre-treatments	248
126.	Pattern of P <sup>32</sup> - uptake in different parts of <u>C. ipecacuanha</u> treated with 5°C GA <sub>3</sub> and KN pre-treatments	249
127.	Pattern of P <sup>32</sup> - uptake in different parts of <u>C. ipecacuanha</u> treated with 5°C - NAA and MH pre-treatments	250
128.	Pattern of P <sup>32</sup> - uptake in different parts of <u>C. ipecacuanha</u> treated with 5°C ABA and KSCN pre-treatments	251