

## Table of Contents

---

<b>Dedication</b>	<b>ii</b>
<b>Declaration</b>	<b>iii</b>
<b>Certificate</b>	<b>iv</b>
<b>Acknowledgement</b>	<b>v</b>
<b>Table of Contents</b>	<b>vi</b>
<b>List of Tables</b>	<b>vii</b>
<b>List of Figures</b>	<b>viii</b>
<b>Abbreviations</b>	<b>x</b>
<b>Abstract</b>	<b>xvi</b>
<b>Preface</b>	<b>xviii</b>
<b>General Introduction</b>	<b>1-17</b>
I. History of antimicrobial drugs (Antibiotics)	1
II. The golden era of antimicrobial drugs	2
III. Classification of antibiotics	3
IV. Beta-lactam antibiotics	5
V. Mechanism of resistance to $\beta$ -lactams	7
VI. Beta-lactamases	9
VII. Classification of beta-lactamases	9
VIII. Metallo- $\beta$ -lactamases	10
IX. Environmental perspective of abundance and spread of metallo- $\beta$ -lactamases	12
X. Epidemiology	14
XI. Aims and Objectives	17
<b>Chapter 1:</b>	<b>18-54</b>
<b>Isolation, screening and phenotypic characterization of metallo-<math>\beta</math>-lactamase (MBL) producing eubacterial isolates from Mahananda and Karala river of Siliguri and Jalpaiguri towns of West Bengal</b>	
<b>1.1 Introduction</b>	<b>18</b>
<b>1.2 Materials and methods</b>	<b>23</b>
1.2.1 Work Plane	23
1.2.2 Sampling station and sample collection from river water	24
1.2.2.1 Selection of sampling station on Mahananda River	24
1.2.2.2 Selection of sampling station on Karala River	25
1.2.2.3 Collection and transportation of water samples to the laboratory	26
1.2.3 Preparation of antibiotic stock solutions and antibiotics plates	27
1.2.4 Isolation of imipenem resistance bacteria from river water samples	27

1.2.5 Screening of metallo- $\beta$ -lactamases-producing eubacterial strains from imipenem-resistant colonies	28
1.2.5.1 Phenotypic Screening	28
1.2.5.1.1 Carbapenemase inhibition test	28
1.2.5.1.2 Carba NP test	29
1.2.5.2 Genotypic Screening	30
1.2.6 Subculturing of MBL positive Strain using Luria Broth	33
1.2.7 Determination of oligotrophic nature of metallo- $\beta$ -lactamases-positive isolates	34
1.2.8 Antibiotics susceptibility profile of metallo- $\beta$ -lactamase producing strains from Mahananda and Karala rivers	34
1.2.8.1 Disk diffusion assay	34
1.2.8.2 Determination of minimal inhibitory concentration (MIC)	36
1.2.9 Study of metallo- $\beta$ -lactamase activity	36
1.2.10 Statistical analysis	37
<b>1.3 Results and discussion</b>	<b>37</b>
1.3.1 Isolation and enumeration of imipenem resistance bacteria from Mahananda and Karala Rivers	37
1.3.1.1 Variation in the number of culturable imipenem resistant bacteria isolated from three sampling sites on Mahananda River	38
1.3.1.2 Variation in number of culturable imipenem resistant bacteria isolated from three sampling sites on Karala River	40
1.3.1.3 Variation in the number of culturable imipenem resistant bacteria isolated from both Mahananda and Karala Rivers	40
1.3.2 Screening of metallo- $\beta$ -lactamases-producing eubacterial strains from Isolates demonstrating imipenem resistance	41
1.3.2.1 Phenotypic screening	41
1.3.2.1.1 Carbapenemase inhibition test	41
1.3.2.1.2 Carba NP test	41
1.3.2.2 Genotypic screening of phenotypically-ascertained MBL positive eubacterial strains using multiplex PCR	42
1.3.3 Determination of the oligotrophic nature of metallo- $\beta$ -lactamases positive isolates	44
1.3.4 Antibiotics susceptibility profile of metallo- $\beta$ -lactamase producing strains from Mahananda and Karala Rivers	45
1.3.4.1 Disk diffusion assay	45
1.3.4.2 MIC of MBL positive isolates	48
1.3.5 Study of metallo- $\beta$ -lactamase activity	50
<b>1.4 Conclusion</b>	<b>53</b>
<b>Chapter 2:</b>	<b>55-71</b>
<hr/>	
<b>Molecular characterization and phylogenetic analysis of MBL producing bacteria, and identification of New Delhi metallo-<math>\beta</math>-lactamase (NDM) variants</b>	
<b>2.1 Introduction</b>	<b>56</b>

<b>2.2 Materials and methods</b>	<b>57</b>
2.2.1 Extraction of crude cell lysate containing DNA	57
2.2.2 Amplification of 16S rRNA gene sequences of MBL producing strains	57
2.2.3 PCR amplification of complete ORF of <i>bla</i> <sub>NDM</sub> genes from MBL-producing bacterial isolates	58
2.2.4 Detection of amplified 16S rRNA and <i>bla</i> <sub>NDM</sub> PCR products using agarose gel electrophoresis	59
2.2.5 Cloning and sequencing of 16S rRNA and <i>bla</i> <sub>NDM</sub> PCR products	59
2.2.5.1 Preparation of competent <i>E. coli</i> DH5 $\alpha$ by CaCl <sub>2</sub> method	59
2.2.5.2 Transformation	60
2.2.5.3 Selection of recombinants strain	60
2.2.6 DNA sequencing, alignment and analysis of 16S rRNA gene and <i>bla</i> <sub>NDM</sub> genes	60
2.2.7 16S rRNA gene sequences based phylogenetic analysis	61
<b>2.3 Results and discussion</b>	<b>61</b>
2.3.1 PCR amplification, sequencing and gene sequence identification of DNA for 16S rRNA genes from MBL producing isolates from Mahananda and Karala River	61
2.3.2 Phylogenetic analysis	63
2.3.2 PCR amplification, sequencing and identification of NDM variants in MBL-producing river water isolates	70
<b>2.4 Conclusion</b>	<b>72</b>
<b>Chapter 3:</b>	<b>72-85</b>
<hr/>	
<b>Detection of class 1 integrons and molecular characterization of antibiotic resistance gene cassettes in MBL-producing bacterial isolates</b>	
<b>3.1 Introduction</b>	<b>73</b>
<b>3.2 Materials and methods</b>	<b>78</b>
3.2.1 PCR based screening of class 1 integrons in MBL positive isolates	78
3.2.2 Gel electrophoresis and size determination of the CS-PCR products	79
3.2.3 Cloning and sequencing of class 1 integron amplicons generated with 5CS and 3 CS primers for sequencing	79
3.2.3.1 Gel extraction and purification of the CS-PCR products	79
3.2.3.2 Preparation of competent <i>E. coli</i> DH5 $\alpha$ by CaCl <sub>2</sub> method	79
3.2.3.3 Cloning of the purified PCR products	80
3.2.4 DNA sequencing and in-silico analyses of the sequences	80
<b>3.3 Results and discussion</b>	<b>80</b>
3.3.1 Detection of class 1 integrons in MBLs positive isolates	80
3.3.2 Characterization of antibiotics-resistance gene cassettes in class 1 integron	81
<b>3.4 Conclusion</b>	<b>84</b>

---

**Whole-genome sequencing of a model strain *Pseudomonas* sp. MR 02 bearing  
*bla*<sub>NDM-1</sub> gene**

<b>4.1 Introduction</b>	<b>87</b>
<b>4.2 Materials and Methods</b>	<b>89</b>
4.2.1 Isolation of genomic DNA from <i>Pseudomonas</i> sp. MR 02	89
4.2.2 Sequencing of <i>Pseudomonas</i> sp. MR 02 genome	89
4.2.2.1 Preparation of 2×150 NextSeq 500 shotgun libraries	89
4.2.2.2 Cluster generation and sequencing	89
4.2.2.3 Genome annotation and analysis	90
4.2.3 Identification of antibiotic resistance gene in <i>Pseudomonas</i> sp. MR 02	90
4.2.4 Phylogenetic and comparative genomic analysis of <i>Pseudomonas</i> sp. MR 02 with reference genome of <i>Pseudomonas</i> spp.	90
4.2.5 Correlation of phenotypic and genotypic characters of <i>Pseudomonas</i> sp. MR 02	91
4.2.5.1 Determination of efflux pump activity in contributing antibiotic-resistance in MR 02	92
4.2.5 Nucleotide sequence accession numbers	93
<b>4.3 Results and Discussion</b>	<b>93</b>
4.3.1 Isolation, qualitative and quantitative analysis of <i>Pseudomonas</i> sp. MR 02 genomic DNA	93
4.3.2 Whole genome sequencing, genome annotation and analysis of <i>Pseudomonas</i> sp. MR 02	94
4.3.3 Identification of antibiotic resistance in <i>Pseudomonas</i> sp. MR 02	96
4.3.4 Taxonomic identification of <i>Pseudomonas</i> sp. MR 02	104
4.3.5 Correlation of phenotypic and genotypic characters of <i>Pseudomonas</i> sp. MR 02	108
4.3.5.1 Determination of efflux pump activity in contributing antibiotic -resistance in <i>Pseudomonas</i> sp. MR 02	108
<b>4.4 Conclusion</b>	<b>110</b>
<b>Chapter 5</b>	<b>112-135</b>

---

**Revealing the role of New Delhi Metallo-β-lactamase in metabolism of β-lactam  
antibiotics as growth substrate**

<b>5.1 Introduction</b>	<b>113</b>
<b>5.2 Materials and Methods</b>	<b>116</b>
5.2.1 Growth studies of MR 02 demonstrate utilization of ampicillin as the sole source of carbon, nitrogen, and energy	116
5.2.2 Identification of β-lactam catabolism-responsive genes from the draft genome of <i>Pseudomonas</i> sp. MR 02	117
5.2.3 Establish a new role of <i>bla</i> <sub>NDM-1</sub> in the β-lactam catabolism pathway	117

5.2.3.1 Amplification of <i>bla</i> <sub>NDM-1</sub> gene of <i>Pseudomonas</i> sp. MR 02	117
5.2.3.2 Cloning vector pHSG398	117
5.2.3.3 Restriction endonuclease (RE) digestion of PCR amplified <i>bla</i> <sub>NDM-1</sub> genes and pHSG398 Plasmid	118
5.2.3.4 Gel extraction of RE digested DNA products	119
5.2.3.5 Preparation of competent cell	119
5.2.3.6 DNA ligation	119
5.2.3.7 Transformation	119
5.2.3.8 Screening of the recombinants for <i>bla</i> <sub>NDM-1</sub> genes by PCR methods	119
5.2.3.9 Determination of minimum inhibitory concentration (MIC) of recombinant <i>E. coli</i> DH5 $\alpha$ strain	119
5.2.3.10 Catabolism of ampicillin recombinant <i>E. coli</i> DH5 $\alpha$ cell catabolizes ampicillin	120
5.2.4 Transcriptome sequencing and bioinformatics analyses of <i>Pseudomonas</i> sp. MR 02 to determine expression of genes responsible for ampicillin catabolism	120
5.2.4.1 Preparation of sample for transcriptome sequencing	120
5.2.4.2 Total RNA isolation, qualitative and quantitative analysis	121
5.2.4.3 cDNA library preparation and sequencing	122
5.2.4.4 Preprocessing RNA-Seq data and alignment to the reference genome	122
5.2.4.5 Differential gene expression (DGEs) analysis	122
5.2.4.6 Pathway analysis of Coding DNA sequences by KEGG	123
5.2.5 Growth studies of MBL positive strains to demonstrate utilization of ampicillin as sole source of carbon and energy	123
<b>5.3 Results and Discussion</b>	<b>124</b>
5.3.1 Growth of MR 02 in minimal medium supplemented with ampicillin as a sole source of carbon, nitrogen, and energy in presence or absence of EDTA	124
5.3.2 Identification of $\beta$ -lactam catabolism responsible gene	126
5.3.3 <i>E. coli</i> expressing MR 02 <i>bla</i> <sub>NDM-1</sub> catabolizes ampicillin	128
5.3.4 Whole transcriptome sequencing of <i>Pseudomonas</i> sp. MR 02	128
5.3.4.1 Qualitative and quantitative analysis of RNA samples	128
5.3.4.2 RNA sequencing, transcriptome assembly and aligning to the reference genome	128
5.3.4.3 Differential genes expression analysis	130
5.3.4.4 KEGG pathway analysis of differential gene expression	132
5.3.4.5 Study of functional genes in ampicillin catabolism	133
5.3.5 Growth studies of MBL-positive strain in minimal-medium supplemented with ampicillin as sole source of carbon	134
<b>5.4 Conclusion</b>	<b>135</b>
<b>General discussion and summary</b>	<b>136-149</b>
<b>Bibliography</b>	<b>150-167</b>
<b>Appendices</b>	<b>168-213</b>
<b>Appendix A1</b>	<b>168</b>
<b>Appendix A2</b>	<b>185</b>

<b>Appendix A4</b>	<b>186</b>
<b>Appendix A5</b>	<b>189</b>
<b>Appendix AD</b>	<b>206</b>
<b>Publication</b>	