

## ACKNOWLEDGEMENT

The author takes this opportunity to express his deep sense of gratitude and reverence to his supervisor Dr. A.K. Chakravarty for his novel guidance and bearing with him through the tedious parts of this work.

The author is indebted to Prof. T.K. Sharma, ex-Director and Prof. K.B. Dutta, Director, Centre for Life Sciences, University of North Bengal for providing different facilities during the course of the work.

The author is very much thankful to his co-workers Dr. Amal K. Chakraborty, Sri Uday K. Maitra, Sri Bhola Nath Paul and Sri Sourav K. Sarkar and others for their help during experimental part and in preparing the thesis.

The author is indebted to Dr. G.C. Majumdar, Indian Institute of Chemical Biology, Calcutta for providing the facility of Liquid Scintillation Counter without which it would be impossible to carry out this study.

Special thanks are due to my uncle, Dr. K.R. Chaudhuri, Mount Vernon Hospital, BARNSELY, U.K. for sending one lot of the

chemical, Concanavalin A at a critical juncture of the work.

The author feels like to mention his gratitude and indebtedness to his parents and thankful to his brother, Dr. Tapan K. Chaudhuri, whose hope and inspiration have served as a motivating force during the course of this work.

Thanks are also due to the staffs of this Centre for their co-operation in every respect. The author is also thankful to Sri N. Ghosh for his excellency and patience in drawing the figures with India ink and to Sri A. Bose for typing this thesis.

Lastly, the author express his gratitude to the University Grants Commission, New Delhi for awarding a fellowship.