

A C K N O W L E D G E M E N T

The author expresses his heartfelt gratitude and respect to Dr. Abhijit Roy, Reader, Department of Chemistry, North Bengal University, Darjeeling, for his supervision, constant inspiration and regular advice throughout the period of this investigation.

The author is grateful to Dr. T.K.Chatterjee, Registrar, North Bengal University, for his keen interest in the topic and valuable suggestions. The author also wishes to express his gratitude to all the teachers of the Department for their suggestions. The author thankfully acknowledges the good wishes and helps of Dr. Atis Chakrabarti and extends his thanks to all other research scholars and all other staff of the department for their appreciable helps. The author is highly indebted to Dr. Basudeb Basu, Sr. Lecturer, Department of Chemistry, North Bengal University for recording ^{13}C NMR and ^1H NMR (300 MHz) spectra and to Dr. A. Majumder, Department of Chemistry, North Bengal University for recording IR spectra.

The author expresses his sincere thanks to Prof. E.R.T. Tiekink, Department of Inorganic and Physical Chemistry, University of Adelaide, Adelaide, South Australia, Australia and Dr. C.J. Cardin, Chemistry Laboratory, Reading University, U.K. for their help by recording X-ray crystallographic data.

(II)

The author would like to acknowledge appreciable help from Mr. Gopal Saha, Research Scholar, Department of Physics, N.B.U.

The author also expresses his thanks to the University of North Bengal for granting him a fellowship and financial assistance during the course of the research.

The inspiration and encouragement received from my parents is most gracefully remembered.

Dated: 12.07.1996

Department of Chemistry,
University of North Bengal,
Darjeeling-734430, India.

Sk. Kamruddin
(SK. KAMRUDDIN)