

9: REFERENCES

- Abrahamson, G.W. 1989. Plant-Animal Interactions. Mc.Graw-Hill Book Company. New York.
- Alteri, M.A. 1986. The dynamics of insect population in crop system subject to weed interference. In Plant Stress-insect interaction, pp. 433-461, (Ed. E.A. Henrichs) Wiley International publishers, N.Y.
- Ananthakrishnan, T.N. 1992. Dimensions of Insect-Plant Interaction. Oxford Publishing Co. Pvt. Ltd. New Delhi.
- Ananthakrishnan, T.N. 1990. Workshop Manual on Insect-Plant-Interactions. S. Viswanathan (Printers and Publishers) Pvt. Ltd. Madras, India.
- Ananthakrishna, T.N. and A. Raman. 1988. Dynamics of Insect-Plant Interactions : Recent Advances and Future Trends. pp. 223, Oxford & I.B.H. publishing Co. Pvt. Ltd. New Delhi.
- Ananthakrishnan, T.N.K. Dhileepan, and B. Padmanaban. 1985. Behavioural responses in terms of feeding and reproduction in some grasshoppers (Orthoptera : Insecta). Proc. Indian Acad. Sci. 94 : 443-461
- Ananthakrishnan, T.N., K.P. Sanjayan., and N. Suresh Kumar. 1986. Host plant preference in Cyrtacanthacris rananceae stoll on some malvaceous host in terms of food utilization . Proc. Indian Acad. Anim. Sci. 95: 351-357.
- Angelo, M.J., and F. Slansky, Jr., 1984. Body building by insects : Trade-offs in resource allocation with particular reference to migratory species-. Florida Entomol. 67:22-41.
- Auerback, M.J., and S.D. Hendrix. 1980. Insect-fern interactions: macro-lepidopteron utilization and species-area association Ecol Ent. 5 : 99-104

- Bailey, Norman, T. J. 1985. Statistical methods in Biology. Hodder and Stoughton, London.
- Balick, M.J., D.G. Furth and G. Cooper-Driver. 1978. Biochemical and evolutionary aspects of arthropod predation on ferns. Oecologia. 35 : 55-89
- Banerjee, T.C., and N. Haque. 1983 a. Characterisation of sexes in the pupal stages of the sunflower caterpillar, Diacrisia casignetum Kollar (Lepidoptera : Arctiidae). Curr. Sci. 52: 547-548
- Banerjee, T.C., and N. Haque 1983 b. Biology of Diacrisia casignetum Kollar (Lepidoptera : arctiidae) on sunflower. Indian J. agric. Sci. 53 : 370- 375.
- Banerjee, T.C., and N. Haque. 1984. Dry-matter budgets for Diacrisia casignetum Kollar fed on sunflower. J. Insect. Physiol 30 : 861-666.
- Banerjee ,T.C., and N. Haque. 1985. Influence of host plants on development, fecundity and egg hatchability of arctiid moth Diacrisia casignetum Entomol. exp. appl. 37: 193-198.
- Banno, H. 1990. Plasticity of size and relative fecundity in the aphidophagous lycaenid butterfly, Taraka Hamada. Ecol Entomol. 15 : 11-113

- Barbosa, P., and J. Greenblatt. 1979. Suitability, digestibility and assimilation of various host plants of the gypsy moth, Lymantria dispar. Oecologia 43: 11-119.
- Barbosa, P., P. Gross., G.J. Provan., D.Y. Pacheco., and F.R. stermitz. 1990. Allelochemicals in foliage of unfavoured tree hosts of the gypsy moth, Lymantria dispar L. 1. Alkaloids and other Components of Liridoendron tulipifera L. (magnoliaceae), Acer rubrum L. (Aceraceae), and Cornus florida L. (Cornaceae) J. Chem. Ecol. 16 : 1719-1730.
- Barbosa , P., W. Cranshaw, and J. Greenblatta. 1981. Influence of food quantity and quality on ployomorphic dispersal behaviours in the gypsy moth Lymantria dispar. Canadian J. Zool. 59: 293-6.
- Bate Smith, E.C. 1973. Haem analysis of tannins : the concept of relative astringency. Phytochemistry 12 : 907-912.
- Beddome, R.H. 1892. Supplement to the ferns of British India, Ceylon and Malaya Peninsula with supplement. Thacker Spink and Co., Calcutta, India.

- Bernays, E.A., and R.F. Chapman. 1978. Plant Chemistry and acridoid feeding behaviour. In *Biochemical Aspects of Plant and Animal Coevolution* p 99-141. (Edt. by J.B. Harborne) Academic Press, London.
- Bir, S.S. 1987. Pteridophytic flora of India : Rare and endangered elements and their conservation. Indian Fern J. 4:95-101.
- Bir, S.S., C.K. Satija, and P. Bir. 1982. Studies on the Indian Ferns : Ecology, distribution and phytogeography of Polypodiaceae. Aspects of Plant Sciences 6:1-24
- Bowers M.D., and G.M. Puttick. 1988. Response to generalist and specialist insects to qualitative allelochemical variation. J. Chem. Ecol. 14: 319-334.
- Brattsten, L.B., and S. Ahmed. 1986. *Molecular Aspects of Insect-Plant-Associations* pp 329. Plenum Press. New York.
- Brues, C.T. 1920. The selection of food plants by insects, with special reference to lepidopterous larvae. Am. Nat. 54 : 313-332.
- Canipera, J.L. 1979. Qualitative variation in plants and insects : effect of propagule size on ecological plasticity. Am. Nat. 114 : 350-361.
- Canipera, J.L., and P. Barbosa. 1976. Dispersal of

- first-instar gypsy moth larvae in relation to population quality. Oecologia 26 :53-60.
- Canipera, J.L., and P. Barbosa. 1977. Influence of natural diets and larval density on gypsy moth, Lymantria dispar (Lepidoptera : Orgyidae), egg mass characteristics. Can. Entomol 109: 1313-1318.
- Chatterjee, M., and D.K.Choudhuri. 1989. Development of Diacrisia casignetum Kollar, on different host plants. Insect Sci. appl. 10 : 705-712
- Chakrabarti, S., and P.K. Banerjee. 1989. Utamphorophora himalayensis, new species, a new aphid (Homoptera : Aphididae) infesting ferns in Western Himalaya (India). Proc. Zool. Soc. (Calcutta), 42 :39-42.
- Clarke, C.B. 1880. A review of ferns of North India. Trans. Linn. Soc. 11 Bot. 1 :425-611
- Cooper-Driver, G.A. 1978. Insect-fern associations. Entomol. Exp. Appl. 24 :310-316
- Daniel, W.W. 1974. Biostatistics : A Foundation for Analysis in the Health Sciences, John Wiley & Sons, Inc., New Ylrk.
- D' Costa, Moll., and B.B. Mukherjee 1985. Distribution of extant ferns in Darjeeling Hills (eastern Himalayas India). phylomorphology, 35 : 95-104

- Deshmukh, P.D., Y.S.Rathore and A.K.Bhattacharya. 1979.
Larval survival of Diacrisia obliqua Walker
on several plant species . Indian J. Ent.
41: 5-12
- Dhale, P.S., S.N.Puri., and G.G. Bilapate. 1988.
Biometrics, growth and development of
Diacrisia obliqua (Walker) on different
hosts. J. Maharashtra Agric. Univ. 13: 164-168
- Dhir, K.K. and Y. Saiki, 1984. Phytogeographic observations
on Himalayan ferns. Nova Hedwigia. 39: 169-174.
- Dixit, R.D., 1984. A census of Indian Pteridophytes Flora
of India, Series- 4. Botanical Survey of India,
Howrah.
- Dixit, R.D., and A.K. Tripathi. 1986. Cyathea balakrishnanii.
Dixit. et Tripathi Tree fern from India. Bull. Bot.
Surv. India 26 : 170-173
- Doutt, R.L., and J. Nakata. 1973. The Rubus leafhopper
and its egg parasitoid on endemic biotic system
useful in grape pest management. Env. Ent.
2 : 381-386.
- Draper, S.R. 1976. Biochemical Analysis in Crop Science.
Oxford University Press, Oxford.
- Dwivedi, J.N., and R.B. Singh. 1985. Essentials of plant
technique. Scientific publishers. Jodhpur, India.

- Eastop, V.F .1973. Deduction from the present day host plants of aphids and related insects. In Insect Plant Relationship (Ed. by Van Emden), pp. 157-178. Symposia of the Royal Entomological Society of London, No.6. Blackwell Scientific, Oxford.
- Engelmann, F. 1970. The Physiology of Insect Reproduction. Pergamon Press, Oxford.
- Food and Agricultural Organisation of United Nations Manual on Sericulture 1987. Rome I-IV Reprinted Edition , Central Silk Board, Bangalore, India.
- Farrar Robert, R. Jr., J.D. Barbour and C.G. Kennedy. 1989. Quantifying food consumption and growth in insects. Ann. Entomol. Soc. 82 : 593-598
- Feeny, P. 1970. Seasonal changes in oak leaf tannins and nutrients as a cause of spring feeding by winter-moth caterpillars Ecology 51 : 565-581.
- Feeny, P.P. 1976. Plant apparency and chemical defence. In Biochemical Interactions between Insects and Plants pp. 1-40 (Edt. by J.W. Wallace and R.L. Mansell) Recent Advances in Phytochemistry, Vol. 10, Plenum Press, London.
- Finar, I.L. 1956. Organic Chemistry, Longman group limited. London, England

- Flaherty, D., 1969. Ecosystem trophic complexity and
 Williamtte mite, Eoletranychus Williameti
 (Acarina : Tetra-nychidae)densities :Ecology 50:911-916
- Gangwere, S.K., M.C. Muralirangan., and M. Muralirangan.
 1989. Food Selection and feeding in Acridoids:
 A review. In Contributions of the American
 Entomological Institute 25: 1-56.
- Gerson, U. 1979. The associations between pteridophytes
 and arthropods. Fern Gazette 2:29-45.
- Ghosh, S.N. 1981. District Census Handbook. Series-23
 West Bengal, Darjeeling District, Part XII B
 pp 1-171.
- Goel, S.C., and A. Kumar. 1985. Energy metabolism in
 Bihar caterpillar, Diacrisia obliqua (Wlk.)
 (Lepidoptera : Arctiidae) .Trop. Ecol. 26:65-71
- Goel, S.C., A. Kumar., and J. Singh. 1986. Variation in
 nutritional behaviour of hairy caterpillars,
Diacrisia obliqua (Wlk.) Arctiidae and
Lymantria marginata (Wlk.) Lymantriidae
 Uttar Pradesh J. Zool. 6 : 215-223.
- Goldstein, J.L., and T. Swain. 1965. The inhibition of
 enzymes by tannins. Phytochemistry 4:185-192.
- Gordeon, H.T. 1972. Interpretations of insect quantitative
 nutrition. In Insect and mite nutrition: significance

- and implications in ecology and pest management
pp 73-105. (Ed. by J.G. Rodriguez). Elsevier-
North Holland, Amsterdam.
- Gupta, S.C. 1982. Effect of food on the development of
Diacrisia obliqua Walker. Geobios : 215-219.
- Gupta, B.M, R.K. Dabi, H.C. Gupta. and S.K. Sharma.
1979. Effect of host plants on the larval
development of Diacrisia obliqua Walker.
J. Ent. Res. 3:224-226.
- Halfhill, J. Eric., Jerald A. Gefre., and G. Tamaki. 1984.
Cultural practices inhibiting overwintering
survival of Brachyolus asparagi (Homoptera :
Aphididae). J.Econ. Entomol. 77 : 954-956
- Harborne. J.B. 1978. Biochemical Aspects of Plant
and Animal Coevolution. pp 431. Academic Press,
London.
- Harborne, J.B. 1984. Phytochemical Methods- A guide to
modern techniques of plant analysis. Chapman &
Hall, New York, London.
- Harborne J.B. 1973, Phytochemical methods. Chapman
and Hall. New York.
- Hemenway, R., and W.H. Whitcomb. 1967. Ground beetles
of the genus Lebia laterelle in Arkansas
(Coleoptera : Carabidae) ecology and geographical
distribution. Proc. Arkansas Acad. Sci.
21 : 15-20.

- Hendrix, S.D. 1980. An evolutionary and ecological perspective of the insect fauna of ferns. Am. Nat. 115:171-196.
- Hendrix, S.D. 1977. The resistance of Pteridium aquilinum (L) Kuhn to insect attack by Trichoplusini ni (Hubn) Oecologia 26: 347-361.
- Hendrix, S.D. and R.J. Marquis; 1983. Herbivore damage to three tropical ferns. Biotropica 15 : 108-111.
- Hori, K. 1974. Studies in the feeding habits of Lygus disponi. Linn. (Hemiptera : Miridae) and the injury to its host plant, V phenolic compounds, acid phosphatase and oxidative enzymes in artificially infested tissues of sugarbeet leaf. Appl. Ent. Zool. 9: 225-230.
- Huffaker, C.B. 1974. some implications of plant-arthropod and higher level arthropod- arthropod food links. Environ. Entomol 3: 1-9.
- Jones, C.G., and R.D. Firn. 1978. The role of phytoecdysteroids in bracken fern, Pteridium aquilinum (L.) Kuhn as a defence against phytophagous insect attack. J. Chem. Ecol 7: 95-101.
- Kabir, A and H.A. Miah. 1987. Effect of certain food plants on the growth and development of jute hairy caterpillar, Diacrisia obliqua Walker. Bangladesh J. Zool. 15 : 177-182.

- Kabir, A., S.M.H. Kabir, H.A. Miah., and S. Begum 1985.
 Food intake and egestion time in the jute
 hairy caterpillar. Diacrisia obliqua Walker.
J. Asiatic Soc. Bangladesh (Sc) 11: 93-97
- Kaplanis, J., M. Thompson., W. Robbins and B. Bryce.
 1967. Insect hormones. Alpha-ecdysone
 and 20-hydroxyecdysone in bracken fern.
Science 157 : 1436-1438.
- Karowe, D.N., and M.M. Martin. 1989. The effects of
 quantity and quality of diet nitrogen on the
 growth, efficiency of utilization, nitrogen
 budget, and metabolic rate of fifth-instar
Spodoptera eridania larvae (Lepidoptera :
 Noctuidae). J. Insect. Physiol. 35 : 699-708
- Katiyar, O.P., L.Lal, and S.P. Mukharji. 1975 a.
 Response of newly hatched caterpillars of
Diacrisia obliqua Walker to certain host
 plants. Indian J. Ent. 37: 57-59
- Katiyar, O.P. S.P. Mukharji, and L.Lal. 1976.
 Effect of certain natural food plants on the
 larval development of Diacrisia obliqua Walker.
Indian J. Ent. 38 : 130-133.
- Katiyar, O.P., S.P. Mukharji, and L.Lal. 1975 b. Effect of
 certain vegetables on the larval development of
Diacrisia obliqua Walk (Lepidoptera : Arctiidae)
Indian J. Hort. 32 : 102-105

- Krebs, Charles, J. 1978. Ecology : The Experimental Analysis of Distribution and Abundance. II Ed. (Harper International Edition) Harper & Row Publishers, New York, London. pp. 150-171.
- Krishna, S.S. 1987. Nutritional modulation of reproduction in two phytophagous insect pests. Proc. Indian Acad. Anim. Sci. 96 : 153-169.
- Kumar, A. 1983. Consumption and utilization of sunflower leaves in reference to ecological efficiencies on live weight basis during the developmental stages of Diacrisia obliqua (Wlk.). In S.C. Goel (ed.) Proc. Ins. Ecol. Res. Manaq. pp. 236-246.
- Lawton, J. 1976. The structure of the arthropod community on bracken (Pteridium aquilinum (L.) Kuhn. Bot. J. Linn. Soc. 73 :187-216.
- Lawton, J.H., and D. Schroeder- 1977. Effects of plant type, size of geographical range and taxonomic isolation on number of insect species associated with British plants. Nature , 265 : 137-140.
- Lawton, J.H. and K.J. Gaston . 1989. Temporal patterns in the herbivorous insects of Bracken : A test of community predictability. J. Anim. Ecol. 58: 1021-1034.

- Lawton, J.H. M. Mac Garvin and P.A. Heads. 1985.
The ecology of bracken feeding insects : Background
for a biological control programme. In Bracken :
Ecology, Land Use and Control Technology.
pp. 285-292 (Ed. R.T. Smith and J.A. Taylor)
Parthenon Publishing, Kirby Lonsdale.
- Lowry, O.H. N.G. Rosenbrough., A.L. Farr., and R.G. Randall.
1951. Protein measurements with folin- phenol
reagent. Journal of Biological Chemistry.
193 : 265-275.
- Mattson, W.J., 1980. Herbivory in relation to plant nitrogen
content. Annu. Rev. Ecol. Syst. 11: 119-161.
- Meera, P. 1982. Studies on the bio-ecology of Oxya nitidula
(Walk.) (Acrididae : Orthoptera : Insecta) pp. 211
Ph.D. thesis. Univ. of Madras, India.
- Mehra, P.N. and S.S. Bir. 1964, Pteridophytic flora of
Darjeeling and Sikkim Himalayas. Res. Bull.
Panjab Univ. Sci. 15: 69-182
- Meikle, A.A. 1937. The insects associated with bracken.
Agric. Prog. 14: 58-60.
- Michael, P. 1984. Ecological Methods for Field and Laboratory
Investigations. Tata Mc. Graw-Hill Publishing
Company Limited, New Delhi.
- Mohan Daniel, A. 1985. A new genus and species of fern
infesting thrips (thysanoptera :Insecta) with
further notes on Mycetenothrips nilgiriensis
(Anan.) Curr. Sci. 54: 528-530.

- Mohan Daniel, A., and S.S. Chandrasekar. 1986 a.
Aspects of host preference in two species aphids and a jassid (Homoptera: Insecta) infesting ferns. (Curr. Sci. 55:370-372.
- Mohan Daniel, A and S.S. Chandrasekar, 1986 b.
Insect-fern interaction with particular reference to Heliothrips haemorrhoidalis (bouche) Curr. Sci. 55 : 676-678.
- Mohanty, A.K., and A. Mitra, 1991. Larval energetics of a tropical tasar silkworm Antheraea mylitta Drury (Lepidoptera : Saturnidae) growth on Terminilia tomentosa. Phytophaga 3 : 93-102.
- Mukhopadhyay, A., and D. Thapa. 1991. Species richness of ferns and associated insects from Darjeeling plains. J. Bom. Nat. His. Soc. (in press)
- Muralirangan, M.C. and M. Muralirangan, 1985. Physico-chemical factors in the acridid feeding behaviour (Orthoptera : Acrididae) Proc. Indian Acad. Anim. Sc. 94: 283-294.
- Muthukrishnan, J., and T.J. Pandian 1987. Insect energetics. In Animal Energetics (Eds. T.J. Pandian F.J. Vernberg) pp 370-511. Academic Press. New York.

- Nijhout, H.F. 1975. A threshold size for metamorphosis in the tobacco hornworm, Manduca sexta (L) Biol. Bull. 149 : 214-225.
- Ottosson, J.G., and J.M. Anderson . 1983 a. Seasonal and interspecific variation in the biochemical composition of some British fern species and their effects on Spodoptera littoralis larvae. Biol. J. Linn. Soc.
- Ottosson, J.G. and J.M. Anderson. 1983 b. Number, seasonality and feeding habits of insects attacking ferns in Britain : An ecological consideration. J. Anim. Ecol. 52: 385-406 .
- Painter , R.H. 1951. Insect resistance in crop plants. pp. 520. Macmillan Co., New York. USA.
- Palanichamy, S., and M. Manoharan. 1990. Statistical methods for Biologists . Palani Paramount Publications, Tamilnadu, India.
- Panigrahi, G. and S.N. Patnaik, 1968. Studies in the family Polypodiaceae in Eastern India : Distribution and Ecology. Jour. Ind. Bot. Soc. 47: 1-6.
- Pearl, R. 1928. The Rate of Living- Knopf, New York.
- Perrin, R.M. 1975. The role of the perennial stinging nettle, Urtica dioica as a reservoir of beneficial natural enemies. Ann. Appl. Biol 81: 289-297.
- Petrusewicz, K., and A. Mac Fayden. 1970. Productivity of terrestrial animals. Principles and Methods. IBP Handbook No. 13. Blackwell. Oxford.

- Plummer, T.D. 1979. An Introduction to Practical Chemistry. II Ed. Tata Mc Graw-Hill Publishing Co. Limited. New Delhi, India.
- Poonia, F.S., L.S. Yadava., and Z. Singh. 1981. Effect of food plants on the larval and post larval development of Bihar hairy caterpillar Diacrisia obliqua Walker (Lepidoptera : Arctiidae). Haryana Agric. Univ. V. Res. 11: 12-17.
- Posada, F., J. Francisco., and V. Alfreds, Saldarriaga. 1987. Larval biology, habits and polymorphism of the fern moth Calloplistria floridensis (Guenee) (Lepidoptera: Noctuidae) Rev. Colomb. Entomol 11 : 51-57.
- Prasad, D., and A. Premchand. 1980. Growth and development of Diacrisia obliqua Walker on various food plants. Indian J. Ent. 42: 611-616
- Punetha, N. 1989. Ecological and phytogeographical observations on the fern flora of Pithoragarh district (North-west Himalaya). Proc. Indian Acad. Sci. 98 : 327-333.
- Punetha, N. 1989. Ecological and phytogeographical observations of the fern flora of Pithoragarh district (north-west Himalaya). Pro Ind. Acad. Plant. Sc. 99: 327-334.
- Ram, Shri and M.P.Gupta. 1989. Integrated pest management in fodder cowpea (Vigna unguiculata L. Walp.) in India and its economics. Trop. Pest Manage : 348-351.

- Rathor, Y.S., and G.C. Sachan. 1978. Development behaviour of Diacrisia obliqua (Walker) (Lepidoptera : Arctiidae) on some common weeds Curr. Sci. 47 : 104-106.
- Rees, H.H. 1971. Ecdysomes . In Aspects of terpenoid chemistry and biochemistry , pp 181-222. (Ed. Goodwin) Academic Press, London.
- Rigby, C. and Lawton, J.H. 1981. Species-area relationships of arthropods on host plants; herbivores on bracken. J. Biogeogr. 8: 125-133.
- Ross, H.H. 1956. A text book of entomology. John Wiley & Sons, Inc. New York.
- Rowell, C.H.F., M. Rowell-Rahier., H.E. Braker., G. Cooper-Driver., and L.D. Gomez P. 1983. The palatability of ferns and the ecology of two tropical forest grasshoppers. Biotropica 15: 207-216
- Salinas, P.J. 1984. Studies on the behaviour of the larvae of Plutella xylostella (Linnaeus) (Lepidoptera : Plutellidae). a world pest of cruciferous crops. Normal and "Spacing" behaviour Turrialba. 34: 77-84
- Sanjayan, K.P., and T.N. Ananthakrishnan. 1987. Host preferences of some acridids in relation to some biochemical parameters. Proc. Indian Acad. Sci. 96: 15-21.
- Schneider, G. 1892. The Book of Choice Ferns. Vol. 1. Athyrium L. Upcott Gill, London.

- Scriber J.M., and F. Slansky Jr. 1981. The nutritional ecology of immature insects. Annu. Rev. Entomol. 26:183-211.
- Sehna, F. 1985. Growth and life cycles. In Comprehensive Insect Physiology, Biochemistry and Pharmacology (Eds. G.A. Kerkut and L.I. Gilbert). Vol. 2, pp 86 Pergamon Press, Oxford.
- Senthamizhselvan, M. and K. Murugan. 1988. Bioenergetics and reproductive efficiency of Atractomorpha crenulata F. (Orthoptera : Insecta) in relation to food quality. Proc. Indian Acad Anim Sci. 97 : 505-518
- Shafi, S. 1987. Antennal sense organs of Acrida exultata and Atractomorpha crenulata. J. Anim Morphol Physiol. 33: 141-146.
- Sharma, B. and J.S. Tara. 1989. Comparison of consumption and utilization of mulberry leaves in two moths, Spodoptera litura (F.) and Diacrisia obliqua Walk. Indian J. Entomol. 50 : 336-342.
- Simpson, S.J. and C.L. Simpson. 1990. The mechanisms of nutritional compensation by phytophagous insects. In Insect-Plant Interactions, (Ed. E.A. Bernays) Vol. II. CRC pp. 111-160. Boca Raton , Florida.
- Simpson, S.J. and J.D. Abisgold. 1985. Compensation by locusts for changes in the dietary nutrients : behavioural mechanisms. Physiol. Entomol. 10: 443-452.

- Singh, I.P. and S.K.Roy. 1989. Impact of the pattern of reproductive biology and distribution of some homosporous ferns. Proc. Indian Natl. Sci. Acad. 55 : 203-212.
- Singh, K.N. and G.C. Sachan. 1987. Development behaviour of Diacrisia obliqua (Walker) (Lepidoptera : Arctiidae) on sugarbeet. Indian J. Ent. 49 : 429-435.
- Singh, O.P. and G.A. Gangrade. 1974. Biology of Diacrisia obliqua Walker (Lepidoptera : Noctuidae) on soyabean and effect of loss of chlorophyll on pod and grain. Jawaharlal Nehru Krishi Vishwa Vidyalaya Research 8 : 86-91.
- Sinha, B.M.B. and V.L. Gurung. 1985. Phytogeographical distribution of pteridophytic flora of Nepal Himalaya in relation to central Nepal: Indian Fern J. 2:17-21.
- Sinha, M.M., R.P. Yadava., and R. Singh. 1975. Laboratory studies on the effects of some varieties of mung (Phaseolus aureus Roxb.) on the growth and development of Bihar hairy caterpillar (Diacrisia obliqua Walker). Labdev. J. Sci. Techno. 13: 75-178.
- Slansky, F., Jr. 1992. Allelochemical-Nutrient Interactions in Herbivore nutritional Ecology. In Herbivores : Their interactions with secondary plant metabolites, 2nd Ed. Vol. II, pp. 135-174 (Eds G.A. Rosevithal and M.R. Berenbaun. Academic Press, New York.

- Slansky, F., Jr., 1985. Food utilization by insects : Interpretation of observed differences between dry weight and energy efficiencies Entomol. Exp. Appl. 39:47-60
- Slansky, Fr., Jr. 1982. Insect Nutrition : Adaptationist's perspective. Florida Entomologist, 65; 4 -71.
- Slansky, F.Jr., 1990. Insect nutritional ecology as a basis for studying host plant resistance. Florida Entomol. 73: 359-378
- Slansky F., Jr. 1993. Nutritional Ecology. The Fundamental Quest for Nutrients. In Caterpillars Ecological and Evolutionary Constrains on Foraging pp. 29-91. (Eds. by Nancy E. Stamp and Timothy M. Casey). Chapman & Hall. New York. London.
- Slansky, F. Jr., and A.R. Panizzi. 1987. Nutritional Ecology of Insects, mites, spiders pp 283-320 (Eds. F. Slansky Jr. & J.G. Rodriguez) John Wiley and Sons , New York
- Slansky, F., Jr. and G.S. Wheeler. 1992 a. Feeding and growth responses of laboratory and field strains of velvet bean caterpillars (Lepidoptera : Noctuidae) to food nutrient level and all allelochemicals. J. Econ. Entomol 85 :1. 17-1730.
- Slansky, F., Jr. and G.S. Wheeler, 1992 b. Caterpillars' compensatory feeding response to diluted nutrients leads to toxic allelochemical dose. Entomol. Exp. Appl. 65 : 171-186

- Slansky, F. Jr., and G.S. Wheeler. 1991. Food consumption and utilization responses to dietary dilution with cellulose and water by velvet bean caterpillars, Anticarsia gemmatalis. Physiol. Entomol. 16 : 91-116.
- Slansky, F.Jr., and J.G. Rodriguez, 1987. Nutritional Ecology of Insects, Mites and Spiders and Related Invertebrates. John Wiley and Sons, New York.
- Slansky, F. Jr. and J.M. Scriber. 1985. Food consumption and utilization. In Comprehensive Insect Physiology, Biochemistry and Pharmacology, pp. 87-163. (Eds G.A. kerkut and L.I. Gilbert). Vol. 4. Pergamon Press, Oxford.
- Slansky, F., Jr. and J.M. Scriber. 1982. Selected bibliography and summary of quantitative food utilization by immature insects- Entomol. Soc. Amer. 28: 43-55.
- Slansky, F. Jr., and P. Feeny. 1977. Stabilization of the rate of nitrogen accumulation by larvae of the cabbage butterfly on wild and cultivated food plants. Ecol Monogr. 47 : 209-228.
- Somchoudhury, A.K., and N. Dutta. 1989. Influence of hosts and hostages on the bionomics of Trichogramma perkinsi Girault and Trichogramma australicum Girault . Indian J. Entomol. 50: 374-379

- Soo Hoo, C., and G. Fraenkel. 1964. The resistance of ferns to the feeding of Prodenia eridania larvae. Ann. Ent. Soc. Am. 57 : 788- 792.
- Solbreck, C., and B. Sillen-Tullberg. 1990. Population dynamics of a seed feeding bug, Lygaeus equestris 1. Habitat patch structure and spatial dynamics. Oikos 58 : 199-209.
- Solbreck, C., D.B. Anderson., and J. Forare. 1990. Migration and the coordination of Life-Cycles as exemplified by Lygaeinae bugs- In Insect Life Cycles Genetics, Evolution and Co-ordination pp. 197-214. (Ed. Gilbert). Springer- Verlag London.
- Srivastava, S.C. and P.N. Pandey. 1988. Establishment of Diacrisia obliqua Walker on certain plants of Compositae. Indian J. Entomol. 49 : 7-15
- Strong, D.R. 1979. Biogeographical dynamics of host-plant communities. Annu. Rev. Entomol. 24 : 89-119
- Strong, D.R. 1974. The insect of British trees : community equilibration in ecological time. Ann. Mo. Bot. Gard. 01 :692-701.
- Strong, D.R. and D.A. Levin. 1979. Species richness of plant parasites and growth forms of their hosts. Am. Nat. 11 : 1-22.
- Strong, D.R., E.D. McCoy and J.R. Rey. 1977. Time and the number of herbivore species : the pests of sugar-cane. Ecol. 58 : 167-175.

- Suresh, G. 1988. Plant Natural Products in Relation to Insect Resistance- An Analysis. In Dynamics of Insect-Plant Interaction Recent Advances and Future Trends, pp 87-103. (Eds. T.N. Ananthakrishnan & A. Raman). Oxford & IBH Publishing Co. Pvt. Ltd. India.
- Swain, T. 1977. Secondary compounds as protective agents. Ann. Rev. Plant Physiol. 28 : 479- 501.
- swain , T. 1979. Tannins and Lignins in Herbivores : Their Interaction with Secondary Plant Metabolites, pp. 57- 82 . (Eds. G.A. Rosenthal and D.H. Janzen) Academic Press. New York.
- Swezey, O.H. 1922. Insects attacking ferns in the Hawaiian Islands. Proc. Hawaii. Entomol. Soc. 5: 57-65.
- Tagawa, M. 1966. Polypodiaceae : In the flora of eastern Himalayas (Eds.H. Hara) pp. 489- 499. Univ. of Tokyo, Japan.
- Uvarov, B.P. 1964. Problems of insect ecology in developing countries. J. appl. Ecol. 1 : 159- 168
- Van Emden, H.F. 1965. The role of uncultivated land in the biology of crop pests and beneficial insects. Sci. Hortic. 17 : 121-136.
- Van Emden, H.F., 1981. Wild plants in ecology of insect pests. In Pests, Pathogens and Vegetation. (Ed. by J.M. Thresh), pp. 251-261 Peturan, London.

- Visser, J.H. and A.K. Minks (eds) 1982. Proceeding of the 5th International Symposium on Insect-Plant-Relationship . Wageningen, the Netherlands , Wageningen (Pudoc) Centre for Agricultural Publishing and Documentation.
- Wagner, T.L., and D.E. Leonard. 1979. The effects of parental and progeny diet on development, weight gain, and survival of pre-diapause larvae on satin moth, Leucoma salicis (Lepidoptera : Lymantriidae) Can. Entomol. III : 721-729.
- Waldbauer, G.P. 1968. The consumption and utilization of food by insects. Adv. Insect Physiol 5 : 229-288.
- Weiczorek, H. 1973. Zur Kenntnis der Alderfarninsekten : Ein Beitrag zum problem der biologischen Dekeampfung von Pteridium aquilinum (L.) Kuhn in Mitteleuropa Z. Angew. Entomol 72 : 337-358.
- Wheeler, G.S., and Jr. F. Slansky. 1991. Compensatory response of the fall armyworm (Spodoptera frugiperda) when fed water and cellulose- diluted diets. Physiol. Entomol. 16 : 361-374.
- Wickman, P.O., and B. Karlson. 1989, Abdomen size, body size and the reproductive effort of insects. Oikos 56 : 209-214.
- Yadava, R.P. and R. Singh. 1977. Studies on the larval development of Bihar hairy caterpillar (Diacrisia obliqua Walker) in relation to some host plants at Dholi (North Bihar). Sci. Cult. 43: 233-234.

Yamada, H., and K. Umeya. 1972. Seasonal changes in wing length and fecundity of the diamond-back moth, Plutella xylostella (L.) Jpn. J. Entomol Zool. 16 : 180-186.

UNIVERSITY MICROFILMS
SERIALS ACQUISITION
300 N ZEEB RD
ANN ARBOR MI 48106