

TABLE OF THE CONTENTS

Topic	Page No.
<u>Chapter I:</u> General Introduction	
I.1. Ligands and Chelators.....	2-4
I.2. Schiff base ligands.....	4-5
I.3. Application of Schiff base metal complexes.....	6-20
I.3.1. Application in Biology.....	6-10
I.3.2. Application in catalysis.....	11-14
I.3.3. Biomedical application.....	14-18
I.3.4. Application in optoelectronics and energy materials.....	18-20
I.4. Commercial Ligand.....	20-21
I.5. Scope and objective of the present study.....	22-23
References.....	24-30
<u>Chapter II:</u> A Copper(II)-Schiff base Complex: Synthesis, Structural Characterization and Catalytic Oxidative Coupling of 2-Aminophenol	
II.1. Introduction.....	31
II.2. Experimental Section.....	32-33
II.2.1. Preparation of the Complex.....	32
II.2.1.1. Chemicals, solvents, and starting materials.....	32
II.2.1.2. General procedure for the synthesis of Schiff base(H₂L¹) and Cu(II) complex (1).....	32
II.2.2. Physical measurements.....	32-33
II.2.3. X-ray diffraction study.....	33
II.2.4. Hirshfeld surface analysis of 1	33
II.2.5. Catalytic oxidation of 2-aminophenol.....	33
II.3. Results and discussion.....	34-47
II.3.1. Synthesis and formulation.....	34
II.3.2. Infrared spectral analysis.....	34-35

II.3.3. NMR analysis.....	35
II.3.4. Solution phase property.....	36-37
II.3.5. X-ray crystallographic analysis of 1	37-41
II.3.6. Hirshfeld surface analysis of 1	41-43
II.3.7. Spectrophotometric investigation of oxidation of 2-aminophenol and its mechanistic pathway.....	43-47
II.4. Conclusions.....	48
References.....	49-51

Chapter III: Ligand Directed Synthesis of a Unprecedented Tetragonalbipyramidal Copper(II) Complex and its Antibacterial Activity and Catalytic Role in Oxidative Dimerisation of 2-Aminophenol

III.1. Introduction.....	52-53
III.2. Experimental section.....	53-58
III.2.1. Preparation of the complex.....	53-54
III.2.1.1. Chemicals, solvents, and starting materials.....	53
III.2.1.2. General procedure for the synthesis of Schiff base (HL ²) and Cu(II) complex (2).....	53-54
III.2.2. Physical Measurements.....	54-55
III.2.3. X-ray diffraction study.....	55
III.2.4. Hirshfeld surface analysis of 2	55-56
III.2.5. Catalytic oxidation of 2-aminophenol.....	56
III.2.6. Detection of the presence of hydrogen peroxide in the catalytic oxidation of 2-aminophenol.....	57
III.2.7. Electrochemical analysis.....	57
III.2.8. Antimicrobial susceptibility studies.....	57-58
III.2.8.1. Bacterial strains (Clinical bacterial cultures) and culture media.....	57
III.2.8.2. Agar well diffusion method.....	57-58

III.2.8.3. Determination of MIC and MBC for 2 against clinical <i>Klebsiella pneumoniae</i>	58
III.2.8.4. Antimicrobial activity of 2 using scanning electron microscope.....	58
III.3. Results and discussion.....	59-76
III.3.1. Synthesis and formulation of the Schiff base (HL ²) and copper(II) complex (2)....	59
III.3.2. Infrared spectral analysis.....	60
III.3.3. Electronic spectral analysis.....	61
III.3.4. NMR analysis.....	62
III.3.5. X-ray crystallographic analysis of 2	63-65
III.3.6. Hirshfeld surface analysis of 2	66-68
III.3.7. Solution property of HL ² and 2	68
III.3.8. Phenoxazinone synthase mimicking activity of the complex 2	68-74
III.3.9. Antibacterial activity of complex 2	74-76
III.4. Conclusions.....	76
References.....	77-80

Chapter IV: Synthesis, Structure, Polyphenol Oxidase Mimicking, and Bactericidal Activity of a Zinc-Schiff Base Complex

IV.1. Introduction.....	81-82
IV.2. Experimental section.....	82-87
IV.2.1. Preparation of the complex.....	82-83
IV.2.1.1. Chemicals, solvents, and starting materials.....	82
IV.2.1.2. General procedure for the synthesis of Schiff base (HL ²) and Zn(II) complex (3).....	82-83
IV.2.2. Physical Measurements.....	83
IV.2.3. X-ray diffraction study.....	83-84
IV.2.4. Hirshfeld surface analysis of 3	84
IV.2.5. 4-methylcatechol oxidation study.....	84-85
IV.2.6. Electrochemical analysis.....	85

IV.2.7. Clinical bacterial cultures and culture media.....	85
IV.2.7.1. Inoculums preparation.....	85
IV.2.7.2. Agar well diffusion method (Kirby-Bauer method).....	86
IV.2.7.3. Determination of MIC and MBC for complex 3 against clinical <i>Bacillus sp.</i>	86
IV.2.7.4. Antimicrobial activity of 3 with field emission scanning electron microscope and energy dispersive X-ray analysis.....	86-87
IV.3. Results and discussion.....	87-107
IV.3.1. Synthesis and formulation of the Schiff base (HL²) and zinc(II) complex (3).....	87
IV.3.2. Infrared spectral analysis.....	88
IV.3.3. Electronic spectral analysis.....	89
IV.3.4. NMR analysis.....	90
IV.3.5. Description of crystal structure and Hirshfeld surface analysis of 3	91-98
IV.3.6. Solution behaviour of the complex 3	98
IV.3.7. 4-methylcatechol oxidation study of the complex 3	98-101
IV.3.8. Mechanistic studies on 4-methylcatechol oxidation.....	101-104
IV.3.9. Antibacterial activity.....	104-107
IV.4. Conclusions.....	108
References.....	109-111

Chapter V: Hydroboration and reductive amination of ketones and aldehydes with HBpin by a bench stable Pd(II)-catalyst

V.1. Introduction.....	112-114
V.2. Experimental section.....	114-116
V.2.1. Preparation of the complex.....	114-115
V.2.1.1. Chemicals, solvents, and starting materials.....	114
V.2.1.2. General procedure for the synthesis of Schiff base (H₂L¹) and Pd(II) complex (4).....	114-115
V.2.2. A typical procedure for catalytic hydroboration of aldehydes and ketones.....	115

V.2.3. A typical procedure for complex 4 -catalyzed reductive amination of aldehydes with primary amines.....	115
V.2.4. Physical Measurements.....	116
V.2.5. Computational details.....	116
V.3. Results and discussion.....	117-212
V.3.1. Synthesis and formulation of the Schiff base (H₂L¹) and Pd(II) complex (4).....	117
V.3.2. Infrared spectral analysis.....	118
V.3.3. Electronic spectral analysis.....	119
V.3.4. NMR analysis.....	120
V.3.5. Description of the crystal structure of complex 4	121-123
V.3.6. Solution behaviour of complex 4	123
V.3.7. Hydroboration of carbonyl compounds.....	123-191
V.3.7.1. A typical procedure for catalytic hydroboration of aldehydes and ketones (2a-5l).....	123-127
V.3.7.2. NMR data of Hydroboration products of ketones and aldehydes.....	127-191
V.3.8. Reductive amination of aldehydes with primary amines.....	192-208
V.3.8.1. A typical procedure for complex 4 -catalyzed reductive amination of aldehydes with primary amines (6a-6j).....	192-194
V.3.8.2. NMR data of Secondary amines.....	194-208
V.3.9. Computational Study on 4 -catalyzed hydroboration of carbonyl compounds.....	209-212
V.4. Conclusions.....	233
References.....	234-237

Chapter VI: *De novo* synthesis of hybrid d-f block metal complex salts for electronic charge transport applications

VI.1. Introduction.....	238-239
VI.2. Experimental section.....	240-242
VI.2.1. Preparation of the complex.....	240

VI.2.1.1. Chemicals, solvents, and starting materials.....	240
VI.2.1.2. General procedure for the synthesis of 5-8	240
VI.2.2. Physical Measurements.....	240-242
VI.2.3. X-ray diffraction study.....	242
VI.2.4. Device fabrication and characterization to study charge transport properties of the complex salts.....	242
VI.3. Results and discussion.....	243-275
VI.3.1. Design, synthesis and structural formulation of M(II)-Ce(IV) complex salts.....	243-244
VI.3.2 Characterization.....	245-253
VI.3.2.1. Infrared spectral analysis of 5,6	245
VI.3.2.2. Infrared spectral analysis of 7,8	246
VI.3.2.3. Electronic spectral analysis of 5,6	247
VI.3.2.4. Electronic spectral analysis of 7,8	248
VI.3.2.5. Electrochemical study.....	248-250
VI.3.2.6. EPR study.....	250-252
VI.3.2.7. FE-SEM study.....	252-253
VI.3.3. Description of the crystal structures and supramolecular architectures.....	254-267
VI.3.4. Electrical characterization of the Cu(II)-Ce(IV) and Zn(II)-Ce(IV) complex salts.....	267-275
VI.4. Conclusions.....	275-276
References.....	277-280
Chapter VII: Summary and future scopes	281-282
Appendix	283-285
Bibliography	286-308
Index	309-311