

CONTENTS

Chapter 1	Contents	Page No.
	General Introduction and Review of Literature	1
1.1	Introduction	1
1.2	Objectives	4
1.3	Review of literature	4
1.3.1	Structure of lignocellulose	4
1.3.1.1	Cellulose	5
1.3.1.2	Hemicellulose	6
1.3.1.3	Lignin	6
1.3.2	Carbohydrate Active Enzymes (CAZymes)	9
1.3.2.1	Glycoside hydrolase (GH)	9
1.3.2.1.1	Xylanases	9
1.3.2.1.2	Cellulases	11
1.3.2.2	Auxiliary active enzymes (AA)	14
1.3.2.2.1	Lignin-degrading auxiliary enzymes (LDE)	14
1.3.2.2.2	Lignin-modifying auxiliary enzymes (LME)	15
1.3.3	Applications of cellulolytic and hemicellulolytic enzymes	16
1.3.3.1	Animal feed	16
1.3.3.2	Food industry	17
1.3.3.3	Detergents and textiles	17
1.3.3.4	Biodeinking	17
1.3.3.5	Biopulping	18
1.3.3.6	Valorization	18
1.3.4	Pretreatment	18
1.3.4.1	Physical pretreatments	19
1.3.4.2	Physico-chemical pretreatments	20
1.3.4.3	Chemical pretreatments	21
1.3.4.4	Biological pretreatments	22
1.3.5	Saccharification and fermentation	23
1.3.6	Role of thermophiles in saccharification	24
1.3.6.1	Adaptations of thermophilic cell membrane	26
1.3.6.2	Genomic adaptations	26
1.3.6.3	Transcriptomic adaptations	26
1.3.6.4	Proteomic adaptations	26
1.3.7	Lignocellulolytic consortium and co-culture	27
1.3.8	Bioprospecting for genes encoding cellulase	28
Chapter 2	Development of thermotolerant lignocellulolytic consortium for saccharification of rice straw and its metagenomic analyses	33
2.1	Introduction	33

2.2	Materials and methods	34
2.2.1	Materials	34
2.2.2	Development of RS degrading consortium RSV from vermicompost	35
2.2.3	Cellulolytic ability of RSV consortium	35
2.2.3.1	Preparation of cell free extract	35
2.2.3.2	Agarose well diffusion assay	35
2.2.3.3	Quantitative estimation of GHs production by RSV consortium	36
2.2.3.4	Estimation of reducing sugar	36
2.2.3.5	Cellulase assays	36
2.2.3.6	Xylanase assays	37
2.2.3.7	Quantitative estimation of protein	37
2.2.4	RS saccharification potential of RSV	37
2.2.4.1	Pretreatment of RS	37
2.2.4.2	Preparation of enzyme cocktail	38
2.2.4.3	Saccharification of RS	39
2.2.4.4	Estimation of reducing glucose equivalents (RGE) by the dinitrosalicylic acid (DNS) method	39
2.2.4.5	Scanning Electron Microscopy (SEM) analysis of RS	39
2.2.5	Isolation of genomic DNA from RSV consortium	40
2.2.6	Agarose gel electrophoresis	40
2.2.7	Sequencing of genomic DNA and metagenomic assembly	40
2.2.8	Taxonomic analysis of the metagenome	41
2.2.9	Functional profiling of the metagenome	41
2.2.10	CAZyme annotation and phylogeny	41
2.3	Results	42
2.3.1	Preparation of thermotolerant RSV consortium with cellulolytic function	42
2.3.1.1	Primary detection of cellulolytic function of RSV	42
2.3.1.2	Quantitative estimation of cellulolytic GHs production by RSV	42
2.3.2	Saccharification potential of RSV consortium	43
2.3.2.1	Hydrolysis of pretreated RS by extracellular enzyme concentrate (EEC)	43
2.3.2.2	SEM analysis of pretreated and saccharified RS	43
2.3.3.	RSV genome sequencing and metagenomic assembly	44
2.3.4.	Taxonomic profiling	46
2.3.5	Functional profiling of metagenome	46
2.3.6	Distribution of CAZymes in RSV metagenome	48
2.3.7	Phylogenetic affiliation of lignocellulolytic CAZymes in RSV consortium	48
2.4	Discussion	50
Chapter 3	Characterization of co-culture developed from lignocellulolytic bacteria isolated from consortium and optimization of cellulase production by lignocellulolytic co-culture	54

3.1	Introduction	54
3.2	Materials and methods	55
3.2.1	Strains, reagents and chemicals	55
3.2.2	Isolation and screening of lignocellulolytic bacteria	55
3.2.3	Qualitative screening for cellulase and ligninase activity	56
3.2.4	Quantitation of enzyme activity of bacterial isolates	56
3.2.4.1	Preparation of CFS	56
3.2.4.2	Estimation of total reducing sugars	56
3.2.4.3	Cellulolytic enzyme assays	57
3.2.4.4	Ligninolytic enzyme assays	57
3.2.4.5	Estimation of protein	58
3.2.5	Morphological characterization of bacterial isolates	58
3.2.6	Molecular characterization of isolates	58
3.2.6.1	PCR amplification of the 16S rRNA genes	58
3.2.6.2	Preparation of competent <i>E.coli</i> DH5a cells	58
3.2.6.3	Ligation of PCR amplicons into pGEMT vector	59
3.2.6.4	Transformation of competent <i>E.coli</i> DH5a cells	59
3.2.6.5	Sequencing of 16S rRNA gene and phylogenetic analysis of isolates	59
3.2.7	Bacterial growth curve	59
3.2.8	Enzymatic synergy between the ligninolytic and cellulolytic isolates	60
3.2.8.1	Preparation of Spent Ligninolytic Broth (SLB) from <i>M. yunannensis</i> B4	60
3.2.8.2	Effect of supplementation of SLB to cellulolytic growth medium on cellulase produced by <i>P. thermoglucosidasius</i> NBCB1 and <i>A. composti</i> XLN1	60
3.2.8.3	Effect of SLB on the activity of cellulase produced by NBCB1 and XLN1	60
3.2.9	Development of synthetic triculture consortium (STC) comprising NBCB1, XLN1 and B4 isolates	60
3.2.10	Optimization of process parameters for enhanced cellulase production by synthetic consortium	61
3.2.10.1	Optimization of cellulase production parameters through OFAT	61
3.2.10.2	Optimization of cellulase production parameters through RSM	62
3.2.10.3	Optimization of cellulase production parameters through Neural networking	63
3.2.10.4	Estimation of enzymatic synergy in the optimized media	64
3.2.11	Saccharification of pretreated RS	64
3.2.11.1	Pretreatment of RS	64
3.2.11.2	Preparation of lignocellulolytic cocktail (LC) from synthetic consortium	64
3.2.11.3	Enzymatic hydrolysis of pretreated RS by LC	64
3.2.11.4	Estimation of RGE released during saccharification	65
3.2.11.5	Compositional analysis of hydrolyzed RS	65
3.2.11.6	SEM analysis of saccharified RS	66
3.2.12	Statistical analysis	66

	3.3	Results	66
	3.3.1	Lignocellulolytic bacterial isolates	66
	3.3.2	Qualitative screening of cellulolytic and ligninolytic isolates	67
	3.3.3	Quantitative screening of cellulase and ligninase production by the isolates	67
	3.3.4	Morphological analyses of cellulolytic isolates by SEM imagery	67
	3.3.5	Phylogenetic analysis of isolates	67
	3.3.6	Enzymatic synergy between lignocellulolytic isolates	74
	3.3.6.1	Growth curve of selected lignocellulolytic isolates	74
	3.3.6.2	Influence of SLB in culture media of cellulolytic bacterial isolates on their cellulase production	74
	3.3.6.3	Influence of SLB in exoglucanase reaction mix of cellulolytic bacterial isolates	75
	3.3.7	Selection of the synthetic consortium with the highest RS cellulose degradation	75
	3.3.8	Optimization of cellulase production by STC through OFAT, RSM and ANN-GA based methods	77
	3.3.8.1	OFAT	77
	3.3.8.2	Statistical optimization of selected culture parameters by RSM-CCRD	78
	3.3.8.3	Global optimization of selected culture parameters by ANN-GA	85
	3.3.9	Saccharification of pretreated RS	87
	3.3.9.1	Enzymatic hydrolysis of pretreated RS	87
	3.3.9.2	Biochemical composition of hydrolyzed RS	87
	3.3.9.3	SEM analysis of saccharified RS	87
	3.4	Discussion	89
Chapter 4		Purification, Characterization and Gene Cloning of Cellulase produced by <i>Parageobacillus thermoglucosidasius</i> NBCB1	96
	4.1	Introduction	94
	4.2	Materials and methods	95
	4.2.1	Strains, reagents and chemicals	95
	4.2.2	Enzyme assays and estimation of protein	95
	4.2.3	Optimization of cellulase production from <i>P.thermoglucosidasius</i> NBCB1	96
	4.2.3.1	Optimization of cellulase production by OFAT	96
	4.2.3.2	Optimization of cellulase production by Neural networking	96
	4.2.4	Purification of cellulase from <i>P.thermoglucosidasius</i> NBCB1	96
	4.2.4.1	Ammonium sulphate precipitation	96
	4.2.4.2	Gel filtration chromatography	97
	4.2.4.3	Anion exchange chromatography	97
	4.2.5	Sodium Dodecyl Sulphate-Polyacrylamide Gel Electrophoresis (SDS-PAGE)	97
	4.2.6	Biochemical characterization of purified protein	98
	4.2.6.1	pH optima and stability	98
	4.2.6.2	Temperature optima and stability	98

4.2.6.3	Effect of metal ions, additives and inhibitors	98
4.2.6.4	Enzyme kinetics	98
4.2.7	PCR cloning of cellulase encoding gene of <i>P.thermoglucosidasius</i> NBCB1	98
4.2.7.1	Isolation of genomic DNA	99
4.2.7.2	PCR amplification and cloning of gene encoding cellulase	99
4.2.7.3	TA cloning of PCR amplicons into pMD20-T vector	99
4.2.7.4	Preparation and transformation of competent <i>E.coli</i> DH5 α cells	99
4.2.7.5	Isolation of recombinant plasmid and restriction digestion	99
4.2.7.6	Sequencing of gene and characterization of translated protein	100
4.2.8	Statistical analysis	100
4.3	Results	100
4.3.1	Optimization of cellulase production by <i>P. thermoglucosidasius</i> NBCB1 through OFAT and ANN-GA based methods	100
4.3.1.1	OFAT	100
4.3.1.2	Global optimization of cellulase production by ANN-GA	101
4.3.2	Purification of cellulase produced by <i>P.thermoglucosidasius</i> NBCB1 and its characterization	104
4.3.2.1	Biochemical characterization of cellulase	104
4.3.2.1.1	pH optima and pH stability	105
4.3.2.1.2	Temperature optima and temperature stability	106
4.3.2.1.3	Effect of metal ions, denaturants and inhibitors	106
4.3.2.1.4	Kinetic determination	106
4.3.3	PCR amplification and sequencing of cellulase gene	106
4.4	Discussion	108
	Summary and conclusion	111
	Bibliography	113
	Appendices	a-w
	Index	x-z