

C O N T E N T S

	Page
Acknowledgement	I
Preface	III
<u>Chapter 1</u>	1-40
A brief review of organotin carboxylates	
1.1 Introduction	1
1.2 Organotin carboxylates	5
1.2.1 Preparative methods	5
1.2.2 Physical properties of organotin carboxylates	10
1.2.3 Chemical properties of organotin carboxylates	11
1.2.4 Structure of organotin carboxylates	17
1.2.5 Biological properties of organotin carboxylates	24
References	31
<u>Chapter 2</u>	41-65
Synthesis and Characterisation of Cr(III), Mn(II), Fe(III), Co(II), Ni(II) and Cu(II) complexes of 4-pyridyl thio acetic acid and 2-pyrimidyl thio acetic acid.	
2.1 Introduction	41
2.2 Scope and Objective	43
2.3 Experimental and Characterisation	45
2.3.1 Preparation of starting materials	45
2.3.1.1 Preparation of the sodium salt of (4-pyridyl thio) acetic acid	45

	Page
2.3.1.2 Preparation of sodium salt of (2-pyrimidyl thio) acetic acid	47
2.3.2.1 Synthesis of sodium dichloro bis- (4-pyridyl thio) acetato diaquo chromate (III)	47
2.3.2.2 Synthesis of bis-(4-pyridyl thio) acetato diaquo manganese (II)	48
2.3.2.3 Synthesis of (4-pyridyl thio) acetato sulphato monoquo Iron (III)	49
2.3.2.4 Synthesis of Cobalt di(4-pyridyl thio) acetate	50
2.3.2.5 Synthesis of sodium dichloro bis-(4- pyridyl thio) acetato diaquo Nickelate (II)	51
2.3.2.6 Synthesis of sodium bis-(4-pyridyl thio) acetato sulphato cupprate (II)	52
2.3.2.7 Synthesis of tris-(2-pyrimidyl thio) acetato triaquo chromium (III)	52
2.3.2.8 Synthesis of bis-(2-pyrimidyl thio) acetato diaquo manganese (II)	53
2.3.2.9 Synthesis of (2-pyrimidyl thio) acetato sulphato monoquo Iron (III)	54
2.3.2.10 Synthesis of bis-(2-pyrimidyl thio) acetato tetraquo nickel (II) dihydrate	55
2.2.2.11 Synthesis of sodium bis-(2-pyrimidyl thio) acetato sulphato cupprate (II) dihydrate	55
2.4 Results and discussion	56
References	63
<u>Chapter 3</u>	66-105
Synthesis, characterisation and biocidal properties of organotin (IV) (4-pyridyl thio) acetate compounds	
3.1 Introduction	66
3.2 Scope and objective	68

	Page	
3.3	Experimental and characterisation	69
3.3.1	Preparation of starting materials	70
3.3.1.1	Preparation of the sodium salt of (4-pyridyl thio) acetic acid	70
3.3.1.2	Synthesis of Triphenyltin (4-pyridyl thio) acetate	71
3.3.1.3	Synthesis of Diphenyltin bis - (4-pyridyl thio) acetate	74
3.3.1.4	Synthesis of Tricyclohexyltin (4-pyridyl thio) acetate	76
3.3.1.5	Synthesis of Dimethyltin bis-(4-pyridyl thio) acetate	77
3.3.1.6	Synthesis of Dibutyltin bromo (4-pyridyl thio) acetate	78
3.3.1.7	Synthesis of Butyltin tris-(4-pyridyl thio) acetate	79
3.3.1.8	Synthesis of Tributyltin (4-pyridyl thio) acetate	81
3.3.1.9	Synthesis of Tribenzyltin (4-pyridyl thio) acetate	82
3.4	Results and discussion	83
3.4.1	Infrared spectra	83
3.4.2	UV spectra	86
3.4.3	¹ H NMR spectroscopy	88
3.4.4	Mössbauer spectra	88
3.5	Study of fungicidal activity and phytotoxicity	93
3.5.1	Introduction to fungicidal activity	93
3.5.2	Experimental	95

	Page
3.5.3 Discussion	98
3.5.4 Phytotoxicity	99
References	101
<u>Chapter 4</u>	106-165
Synthesis, characterisation and Biocidal properties of the products from the reaction of phenyl thiohydantoic acid with organotin (IV) oxides or hydroxides	
4.1 Introduction	106
4.2 Scope and objective	107
4.3 A short review on organotin sulfides	108
4.3.1 Preparations	109
4.3.2 Chemical properties	111
4.3.3 Physical properties	112
4.4 Experimental with characterisation	114
4.4.1 Preparation of the starting materials	114
4.4.1.1 Preparation of phenyl thio hydantoic acid	114
4.4.1.2 Preparation of Bis (triphenyl tin) oxide	115
4.4.1.3 Preparation of tribenzyl tin chloride	116
4.4.1.4 Preparation of bis(tribenzyl tin) oxide	116
4.4.1.5 Preparation of Diphenyltin oxide	116
4.4.1.6 Preparation of Tricyclohexyltin hydroxide	117
4.4.2 Synthesis of the new organotin (IV) derivatives	117

	Page
4.4.2.1 Synthesis of Triphenyltin N-phenyl amido methyl mercaptide	117
4.4.2.2 Synthesis of Tribenzyltin N-phenyl amido methyl mercaptide	118
4.4.2.3 Synthesis of Diphenyltin bis (N-phenyl amido methyl mercaptide)	120
4.4.2.4 Synthesis of Tricyclohexyltin N-phenyl amido methyl mercaptide	121
4.4.2.5 Synthesis of Dibutyltin bis (N-phenyl amido methyl mercaptide)	122
4.4.2.6 Synthesis of Dimethyltin bis (N-phenyl amido methyl mercaptide	123
4.4.3 Results and discussion	124
4.4.3.1 Synthesis	124
4.4.3.2 Infrared spectra	127
4.4.3.3 ^1H NMR Spectroscopic studies (90 MHz and 300 MHz)	128
4.4.3.4 ^{13}C NMR spectra	130
4.4.3.5 UV spectra	130
4.4.3.6 ^{119}Sn Mössbauer spectroscopy	136
4.4.3.7 Crystal structure	139
4.4.3.8 Biocidal properties	154
References	161
<u>Chapter 5</u>	166-209
Synthesis, characterisation and Biocidal properties of organotin (IV) hydantoates	
5.1 Introduction	166
5.2 Scope and objective	169

	Page	
5.3	Experimental and characterisation	170
5.3.1	Preparation of starting materials	172
5.3.1.1	Preparation of Triphenyltin hydroxide	172
5.3.1.2	Preparation of Tricyclohexyltin hydroxide	173
5.3.2	Synthesis of the new organotin (IV) hydantoates	173
5.3.2.1	Synthesis of Triphenyltin (IV) hydantoate	173
5.3.2.2	Synthesis of Tricyclohexyltin (IV) hydantoate	175
5.3.2.3	Synthesis of Tributyltin (IV) hydantoate	176
5.4	Results and discussion	178
5.4.1	I.R. spectra	178
5.4.2	NMR spectroscopy	179
5.4.2.1	^1H NMR spectra (90 MHz)	179
5.4.2.2	^1H NMR spectra (300 MHz)	179
5.4.2.3	^{13}C NMR spectroscopy	180
5.4.3	UV spectra	180
5.4.4	Crystal structures	182
5.4.4.1	$\left[\text{Ph}_3\text{Sn}(\text{O}_2\text{CCH}_2\text{N}(\text{H})\text{C}(\text{O})\text{NH}_2) \right]$	182
5.4.4.2	$\left[\text{C-Hex}_3\text{Sn}(\text{O}_2\text{CCH}_2\text{N}(\text{H})\text{C}(\text{O})\text{NH}_2) \right]$	183
5.5	Biocidal properties	187
5.5.1	Introduction	187
5.5.2	Experimental	189
5.5.3	Discussion	191
References		205