

Bibliography

- [1] Agui T and Nagahashi N, A description method of hand-printed Chinese characters, IEEE Trans. on Pattern Analysis and Machine Intelligence, Vol. 1, pp 20-24, 1979.
- [2] Ali F and Pavlidis T, Syntactic recognition of handwritten numerals, IEEE Trans. Systems Man Cybernetics, Vol. 7, pp 537-541, 1977.
- [3] Almuallim H and Yamaguchi S, A method of recognition of Arabic cursive handwriting, IEEE. Trans. Pattern Analysis Machine Intelligence, Vol. 9, pp 715-722, 1987.
- [4] Amirthavalli M, Fuzzy Logic and Neural Networks, Scitech, 2010.
- [5] Amritha S, Tripti C, Govindaru V, Freeman code based online handwritten character recognition for Malayalam using back propagation neural networks, Advance computing: An international journal, Vol. 3, No. 4, pp 51-58, July, 2012.
- [6] Amrouch M, Es-Saady Y, El Yassa M, Mammass D, Handwritten Amazigh character recognition system based on continuous HMMs and directional features, International Journal of Modern Engineering Research, Vol. 2, No. 2, pp 436-441, 2012.
- [7] Anquetil E and Lorette E, On-Line Cursive Handwritten Character Recognition Using Hidden Markov Models, Traitement du Signal, Vol. 12, No. 6, pp 575-583, 1995.
- [8] Anquetil E and Lorette G, Perceptual Model of Handwriting Drawing Application to the Handwriting Segmentation Problem, Proceedings of fourth International Conference on Document Analysis and Recognition (ICDAR '97), Ulm, Germany, pp 112-117, August, 1997.
- [9] Arakawa A, Online *recognition* of handwritten character Alphanumeric and Hirakana, Katakana, Kanji, Pattern Recognition Vol. 16, pp 9-16, 1983.

- [10] Araki N, Okuzaki M, Konishi Y, Ishigaki H, A Statistical Approach for Handwritten Character Recognition Using Bayesian Filter, IEEE 3rd International Conference on Innovative Computing Information and Control, pp 194 – 194, 2008.
- [11] Arica N and Fatos T Yarman-Vural, Optical Character Recognition for Cursive Handwriting, IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 24, No.6, pp 801-113, June 2002.
- [12] Arora S, Bhattacharjee D, Nasipuri M, Basu D K, Kundu M, Combining Multiple Feature Extraction Techniques for Handwritten Devnagri Character Recognition, Available: <http://arxiv.org/ftp/arxiv/papers/1005/1005.4032.pdf>, (Accessed: 26, July, 2010).
- [13] Ayat N, Cheriet M, Remaki L and Suen C, KMOD- a new support vector machine kernel with moderate decreasing for pattern recognition, In 6th Int. Conference on Document Analysis and Recognition, pp 434–438, 2001.
- [14] Bansal V, Sinha R M K, Segmentation of touching and fused Devnagri characters, Pattern recognition, Vol. 35, pp 875-893, 2002.
- [15] Basu S, Chaudhuri C, Kundu M, Nasipuri M, Basu D K, Segmentation of Offline Handwritten Bengali Script, [Proceedings of 28th IEEE ACE, pp 171-174, December, 2002.](#)
- [16] Basu S et al, Handwritten ‘Bangla’ alphabet recognition using an MLP based classifier, Proceedings of 2nd National Conference on Computer Processing of Bangla, pp 285-291, 2005.
- [17] Bauer F and Wirtz B, Parameter Reduction and Personalized Parameter Selection for Automatic Signature Verification, Proceedings of 3rd International Conference on Document Analysis and Recognition (ICDAR '95), Montreal, pp 183-186, August, 1995.
- [18] Bazzi I, Schwartz R, Makhoul J, An Omnifont Open Vocabulary OCR System for English and Arabic, IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 21, No. 6, pp 495-504, 1999.

- [19] Becker S and Hinton G E, A self organizing neural network that discovers surfaces in random-dot stereograms, *Nature*, 355, pp 161-163, 1992.
- [20] Becker S and Plumbely M, Unsupervised neural network learning procedures for feature extraction and classification, *International Journal of Applied Intelligence*, 6, pp 185-203, 1996.
- [21] Bellagarda E J, Bellagarda J R, Nahamoo D, Nathan K S, A Fast Statistical Mixture Algorithm for On-Line Handwriting Recognition, *IEEE Trans. Pattern Analysis and Machine Intelligence*, Vol. 16, No. 12, pp 1,227-1,233, December, 1994.
- [22] Bengio Y, LeCun Y, Nohl C, and Burges C, LeRec: A NN/HMM Hybrid for On-Line Handwriting Recognition, *Neural Computation*, Vol. 7, No. 6, pp 1,289-1,303, 1995.
- [23] Berthod M, On line analysis of cursive writing, computer analysis and perception, visual signals, Suen, C. Y. and Mon, R. D. (eds.), CRC Press, Cleveland, Ohio, U.S.A. Vol. 1, 1982.
- [24] Bhattacharya U and Chaudhuri B B, Handwritten Numeral Databases of Indian Scripts and Multistage Recognition of Mixed Numerals, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 31, No. 3, pp 444-457, March, 2009.
- [25] Bijhold J M, Use of Color Transformation for Extraction of Handwriting, *Proceedings SPIE*, Vol. 2,567, San Diego, pp 171-181, July, 1995.
- [26] Bimbo A D, Santin S, Sanz J, OCR from poor quality images by deformation of elastic templates, *Proceedings of 12th IAPR International Conference on Pattern Recognition*, Vol. 2, pp 433-435, 1994.
- [27] Blumenstein M, Verma B, A segmentation algorithm used in conjunction with artificial neural networks for the recognition of real-word postal addresses, In *Proceeding of International Conference on Computational Intelligence and Multimedia Applications (ICCIMA'97)*, Gold Coast, Australia, pp 155-160, 1997.

- [28] Blumenstein M, Verma B, Analysis of segmentation performance on the CEDAR benchmark database, In Proceedings of Sixth International Conference on Document Analysis and Recognition (ICDAR'01), pp 1142, 2001.
- [29] Boccignone G, Chianese A, Cordella L T, Marcelli A, Recovering Dynamic Information for Static Handwriting, Pattern Recognition, Vol. 26, pp. 409-419, 1993.
- [30] Bouletreau V, Vincent N, Sabourin R, Emptoz H, Handwriting and Signature: One or Two Personality Identifiers?, Proceedings 14th International Conference on Pattern Recognition, Brisbane, pp 1,758-1,760, Australia, August, 1998.
- [31] Bozinovic R and Srihari S N, Off-Line Cursive Script Recognition, IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 11, No. 1, pp. 68-83, 1989.
- [32] Bozinovic R M and Srihari S N, Off-Line Cursive Script Word Recognition, PAM1,11, pp 68-83, 1989.
- [33] Bramall P E and Higgins C A, A Cursive Script-Recognition System Based on Human Reading Models, Machine Vision and Applications, Vol. 8, No. 4, pp 224-231, 1995.
- [34] Brown E W, Applying Neural Networks to Character Recognition, 1993, Available: <http://www.ccs.neu.edu/home/feneric/charrecnn.html> (Accessed: 2010, July 19th).
- [35] Brown M K and Ganapathy S, Preprocessing Techniques for Cursive Script Word Recognition, Pattern Recognition, Vol. 16, pp 447-458, 1983.
- [36] Bullock D, Grossberg S, Mannes C, A Neural Network Model for Cursive Script Recognition, Biological Cybernetics, Vol. 70, pp 15-28, 1993.
- [37] Bunke H, Recognition of Cursive Roman Handwriting - Past, Present and Future, Proceedings of the Seventh International Conference on Document Analysis and Recognition (ICDAR), pp 1-12, 2003.

- [38] Burr D J, Designing a Handwriting Reader, IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 5, pp 554-559, 1983.
- [39] C. K. Cheng, M. Blumenstein, Improving the segmentation of cursive handwritten words using ligature detection and neural validation, Proceedings of the 4th Asia Pacific International Symposium on Information Technology (APIS 2005), Gold Coast, Australia, pp 56-59, 2005.
- [40] Cardot H, Revenu M, Victorri B, Revillet M J, A Static Signature Verification System Based on a Cooperative Neural Network Architecture, International Journal of Pattern Recognition and Artificial Intelligence, Vol. 8, No. 3, pp 679-692, 1994.
- [41] Casey R, Lecolinet E, A survey of methods and strategies in character segmentation, IEEE Trans. Pattern Analysis and Mach. Vol. 18, pp 690-706, 1996.
- [42] Chang F, Lin C-C, Chen C-J, Applying A Hybrid Method To Handwritten Character Recognition, www.iis.sinica.edu.tw/~fchang/paper/931_chang_F.pdf, (Accessed: 26, July, 2010).
- [43] Chen H, Agazzi O E, and Suen C Y, Piecewise Linear Modulation Model of Handwriting, Proc. Fourth International Conference on Document Analysis and Recognition (ICDAR'97), Vol. 1, Ulm, Germany, pp 363-367, August, 1997.
- [44] Chen M Y, Kundu A, Zhou J, Off-Line Handwritten Word Recognition Using a Hidden Markov Model Type Stochastic Network, IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 16, No. 5, pp 481-496, 1994.
- [45] Chen M Y, Kundu A, Zhou J, Off-Line Handwritten Word Recognition using HMM type Stochastic Network, IEEE Transactions of Pattern Analysis and Machine Intelligence, 16, pp 481-496, 1994.
- [46] Cheng Y S and Leung C H, Chain code transform for Chinese character recognition, Proceedings of International Conference on Cyber Security, Tucson, AZ, USA, pp 42-45, 1985.

- [47] Cheriet M and Suen C Y, Extraction of Key Letters Script Recognition, Pattern Recognition Letters, Vol. 14, pp 1,009-1,017, 1993.
- [48] Coatea M, Lecolinet E, Cheriet M, Suen C Y, Automatic Reading of Cursive Scripts Using a Reading Model and Perceptual Concept, International Journal Document Analysis and Recognition, Vol. 1, pp 3-17, 1998.
- [49] Cox C, Blesser B, Eden M, The application of type font analysis to automatic character recognition, Proceedings of 2nd International Conference on Pattern Recognition Copenhagen, pp 226-232, 1974.
- [50] Das R L, Prasad B K, Sanyal G, HMM based Offline Handwritten Writer Independent English Character Recognition using Global and Local Feature Extraction, International Journal of Computer Applications (0975 – 8887), Vol. 46 No.10, pp 45-50, May, 2012.
- [51] Dash T and Nayak T, English Character Recognition using Artificial Neural Network, Proceedings of National Conference on AIREs-2012, Andhra University, pp 7-9, 2012.
- [52] Dash T, Nayak T, Chattopadhyay S, Offline Verification of Hand Written Signature Using Adaptive Resonance Theory Net (Type-1), ICECT-2012, Vol. 2, pp 205-210, 2012.
- [53] Dash T, Nayak T, Non-Correlated Character Recognition using Artificial Neural Network, Proceedings of National Conference on Dynamics and Prospects of Data Mining: Theory and Practices (DPDM- 2012), Balasore, India, OITS-BLS Chapter, ISBN: 987-93-81361-31-6, pp 79-83, 2012.
- [54] Dayan P, Unsupervised Learning, Appeared in Wilson, RA & Keil, F, editors, The MIT Encyclopedia of the Cognitive Sciences, pp 1-7, 2001.
- [55] Dehghan M, Faez K, Fathi M, Signature Verification Using Shape Descriptors and Multiple Neural Networks, Proc. IEEE TENCON - Speech and Image Technologies for Computing and Telecommunications Conf, Vol. 1, pp 415-418, 1997.

- [56] Deo N, "Graph Theory with Applications to Engineering and Computer Science", PHI, 2013.
- [57] Devi V Susheela and Murty M Narasimha, Pattern Recognition An Introduction, Universities Press, 2011.
- [58] Dhandra B V, Benne R G, Hangarge M, Kannada, Telugu and Devnagari handwritten numeral recognition with Probabilistic neural network: A script independent Approach, International Journal of Computer Applications, Vol. 26, 9, pp 11-16, 2011, 2011.
- [59] Dinesh Acharya U, Subba Reddy N V and Krishnamurthy, Isolated handwritten Kannada numeral recognition using structural feature and K-means cluster, IJCSN, pp 125-129, 2007.
- [60] Eastwood B, Jennings A, Harvey A, A feature based neural network segmenter for handwritten words, ICCIMA'97, Australia, pp 286-290. 1997.
- [61] Eden M, Handwritten generalization and recognition, recognizing pattern, Kolars and Eden, M. (eds.), M. I. T. Press, Cambridge, MA, pp 138-154, 1968.
- [62] Es-Saady Y, Rachidi A, El-Yassa M, Mammass D, Amazigh Handwritten Character Recognition based on Horizontal and Vertical Centerline of Character, International Journal of Advanced Science and Technology, Vol. 33, August, 2011.
- [63] Fausett L, Fundamentals of Neural Networks, Architectures, Algorithms, and Applications, Pearson Education, 2009.
- [64] Feng H F and Pavlidis T, Decomposition of polygons into simpler components Feature generation for syntactic pattern recognition, IEEE T. CerpL, Vol. 24, No. 6, pp 636-650, 1975.
- [65] Freeman J A and Skapura D M, Neural Networks, Algorithms, Applications and Programming Techniques, Pearson, 2011.
- [66] Fujii, Some results on hand printed kanji character recognition using the feature extracted from multiple standpoint, Trans. IECE Japan PRL, Vol. 8, pp 1-32, 1981.

- [67] Fujisawa H and Nakano Y, Segmentation methods for character recognition: From segmentation to document structure analysis, Proc. IEEE, Vol. 80, pp 1079–1092, July 1992.
- [68] Garg M and Ahuja D, A Novel Approach to Recognize the off-line Handwritten Numerals using MLP and SVM Classifiers, International Journal of Computer Science & Engineering Technology (IJCSET), ISSN: 2229-3345 Vol. 4, No. 7, pp 953-958, July, 2013.
- [69] Grimsdalc R L, Sumner F H, Tunis C J, Kilburn T, A system for the automatic recognition of patterns, Proc. IEEE, Vol. 106, pp 210-221, 1959.
- [70] Ha T and Bunke H, Off-line handwrote numeral recognition by perturbation method, IEEE Trans. On Pattern Analysis and Machine Intelligence, 19(5): pp 535–539, 1997.
- [71] Hallur V C, Malawade A A, Itagi S G, A survey on handwritten and printed Kannada numeral recognition technique, International Journal of Advancements in Technology, Vol. 3, 4, pp 294-300, 2012.
- [72] Hamad and Husam A Al, Over-segmentation of handwriting Arabic scripts using an efficient heuristic technique, Proceedings of Wavelet Analysis and Pattern Recognition (ICWAPR), IEEE, pp 180-185, 2012.
- [73] Hamad H A A, Neural-Based Segmentation Technique for Arabic Handwriting Scripts, Proceedings of 21st International Conference on Computer Graphics, Visualization and Computer Vision 2013, ISBN 978-80-86943-75-6, pp 9-14, 2013.
- [74] Hamid A, Haraty R, A Neuro-Heuristic Approach for Segmenting Handwritten Arabic Text, Proceedings of ACS/IEEE International Conference on Computer Systems and Applications, pp 0110, 2001.
- [75] Han K, Sethi I K, Off-line cursive handwriting segmentation, ICDAR 95, Montreal, Canada, pp 894-897, 1995.
- [76] Handwritten Character Recognition, Available:
<http://tcts.fpms.ac.be/rdf/hcrinuk.htm>.

- [77] Hanmandlu M and Ramana Murthy O V, Fuzzy model based recognition of handwritten numerals, pattern recognition, Vol. 40, pp 1840-1854, 2007.
- [78] Haykin S, Neural Networks A Comprehensive Foundation, Second Edition, Pearson Education, India, 2006.
- [79] Helmers M and Bunke H, Generation and use of synthetic training data in cursive handwriting recognition, Proceedings of 1st Iberian Conference on Pattern Recognition and Image Analysis, 2003.
- [80] Hong C, Loudon G, Wu Y, Zitserman R, Segmentation and Recognition of Continuous Handwriting Chinese Text, International Journal of Pattern Recognition, Artificial Intelligence, 12(2), pp 223-232, 1998.
- [81] Huiqin L et al, The Research of Algorithm for Handwritten Character Recognition in Correcting Assignment System, Proceedings of 6th International Conference on Image and Graphics (ICIG), pp 456-460, 2011.
- [82] Islam M W, Hasan M A M, Debnath R C, Handwritten Bangla Numeral Recognition using Back-propagation Algorithm With and Without Momentum factor, Proceedings of National Conference on Computer Processing of Bangla (NCCPB 2005), Independent University, Bangladesh, pp 177-182, 2005.
- [83] Jacobs R A, Jordan M I, A competitive modular connectionist architecture, in: Lippmann R P, Moody J E, Tourerzky D J (Eds.), Advances in Neural Information Processing Systems, Vol. 3, Morgan Kaufmann, San Mateo, CA, pp 767-773, 1991.
- [84] Jane A P and Pund M A, Recognition of Similar Shaped Handwritten Marathi Characters Using Artificial Neural Network, Global Journal of Computer Science and Technology, Neural & Artificial Intelligence, Vol. 12, Issue 11, Version 1.0, 2012.
- [85] Jawad H A, Jianmin J, Jinchang R, Stan S I, Component-based Segmentation of Words from Handwritten Arabic Text, Proceedings of World Academy of Science, Engineering and Technology, ISSN, Vol. 31, pp 1307–6884, 2008.

- [86] Jindal A, Dhir R, Rani R, Diagonal Features and SVM Classifier for Handwritten Gurumukhi Character Recognition, International Journal of Advanced Research in Computer Science and Software Engineering, Vol. 2, Issue 5, May, 2012.
- [87] Jindal M K, Lehal G S, Sharma R K, Segmentation Problems and Solutions in Printed Degraded Gurmukhi Script, IJSP, Vol. 2(4), 2005.
- [88] Jou C and Lee H C, Handwritten numeral recognition based on simplified structural classification and fuzzy memberships, Expert Systems with Applications, Vol. 36, pp 11858–11863, 2009.
- [89] Kahraman F, Capar A, Ayvaci A, Demirel H, Gokmen M, Comparison of SVM and ANN performance for handwritten character classification, Proceedings of the IEEE 12th Signal Processing and Communications Applications Conference, pp 615 – 618, 2004.
- [90] Keyarsalan M, Montazer G A, Kazemi K, Font-Based Persian Character Recognition Using Simplified Fuzzy ARTMAP Neural Network improved by Fuzzy sets and Particle Swarm Optimization, IEEE congress on Evolutionary Computing CEC'09, pp 3003-3009, May, 2009.
- [91] Khan A R, Mohammad Z, A Simple Segmentation Approach for Unconstrained Cursive Handwritten Words in Conjunction with the Neural Network, International Journal of Image Processing, Vol. 2, Issue 3, pp 29-35, 2008.
- [92] Kim, Govindaraju V, Srihari S, Architecture for handwritten text recognition systems, Proceedings of International Workshop Frontiers Handwriting Recognition, pp 113–122, 1998.
- [93] Kumar M, Jindal M K, Sharma R K, Segmentation of Isolated and Touching Characters in Offline Handwritten Gurmukhi Script Recognition, International Journal of Information Technology and Computer Science, pp 58-63, 2014.
- [94] Kumar M, Jindal M K, Sharma R K, SVM based offline handwritten Gurmukhi character recognition, Proceedings of International Workshop on Soft Computing Applications and Knowledge Discovery, pp 51-62, 2011.

- [95] Kurniawan F, Shafry Md, Rahim Md, Daman D, Rehman A, Mohamad D, Shamsuddin S M, Region-Based Touched Character Segmentation in Handwritten Words, *International Journal of Innovative Computing, Information and Control*, Vol. 7, No. 6, 2011.
- [96] L van der Maaten, A New Benchmark Data Set for Handwritten Character Recognition, 2009.
Available: www.tilburguniversity.nl/faculties/humanities/ticc/.../TR2009002.pdf, (Accessed: 2010, July 19th).
- [97] Lam L, Lee S W, Suen C Y, Thinning methodologies — A comprehensive survey, *IEEE Transaction on. Pattern Analysis and Machine Intelligence*, Vol. 14, pp 869–885, September, 1992.
- [98] Lang K, Waibel A, Hinton G, A time-delay neural network architecture for isolated word recognition, *Neural Networks*, Vol. 3, pp 23–43, 1990.
- [99] Lee H, Verma B, Binary Segmentation algorithm for English cursive hand writing recognition, Central Queensland University, Australia, 'http://dx.doi.org/10.1016/j.patcog.2011.09.015, How to Cite or Link Using DOI'.
- [100] Lee S W and Kim S Y, Integrated Segmentation and Recognition of Handwritten Numerals with Cascade Neural Network, *IEEE Transactions On Systems, Man, And Cybernetics—Part C: Applications And Reviews*, Vol. 29, No. 2, pp 285-290, February, 1999.
- [101] Lee S W, Lee D J, Park H S, A new methodology for gray-scale character segmentation and recognition, *IEEE Transaction on Pattern Analysis and Machine Intelligence*, pp 1045-1051, 1996.
- [102] Lehal G S, Singh C, Text Segmentation of machine printed Gurmukhi script, *Document Recognition and Retrieval VIII, Proceedings SPIE, USA*, Vol. 4307, pp 223-231, 2001.

- [103] Liu C L, Handwritten Chinese Character Recognition: Effects of Shape Normalization and Feature Extraction, Arabic and Chinese Handwriting Recognition (SACH06), Maryland/USA, 2006.
- [104] Liu C L, Sako H, and Fujisawa H, Performance evaluation of pattern classifiers for handwritten character recognition, *Int. Journal on Document Analysis and Recognition*, 4: pp 191–204, 2002.
- [105] Liu J and Gader P, Neural networks with enhanced outlier rejection ability for off-line handwritten word recognition. *Pattern Recognition*, 35:2061–2071, 2002.
- [106] Lorigo L, Govindaraju V, Off-line Arabic Handwriting Recognition: A Survey, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 28 (5), pp 712–724, 2006.
- [107] Lu Y, Machine Printed Character Segmentation – an Overview, *Pattern Recognition*, Vol. 29(1): 67-80, 1995.
- [108] Lucas S and Amiri A, Recognition of chain-coded handwritten character images with scanning n-tuple method, *Electronic Letters*, 31:2088–2089, 1995.
- [109] Maarse F J and Thomassen A J W M, Produced and Perceived Writing Slant: Difference Between Up and Down Strokes, *Acta Psychologica*, Vol. 54, pp 131-147, 1983.
- [110] Maergner V and Pechwitz M, Synthetic data for Arabic OCR system development, *Proceedings of 6th International Conference on Document Analysis and Recognition*, pp 1159–1163, 2001.
- [111] Majumdar A and Chaudhuri B B, A MLP classifier for both printed and handwritten Bangla numeral recognition, *Proceeding of Indian Conference on Vision, Graphics and Image Processing*, pp 796-804, 2006.
- [112] Mallick P S, *MATLAB AND SIMULINK, Introduction to Applications*, Scitech, 2010.
- [113] Manivannan N and Neil M A A, Optical Correlated - Neural Network hybrid system for many patterns recognition, *Proceedings of 8th International Symposium on Intelligent Systems and Informatics (SISY)*, pp 249- 251, 2010.

- [114] Mansour M, Benkhadda M, Optimized segmentation techniques for Arabic handwritten numeral character recognition. In: SITIS, pp 96-101, 2005.
- [115] Marinai S, Gori M, Soda G, Artificial Neural Network for Document Analysis and Recognition, IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 27, No. 27, pp 23- 35, January, 2005.
- [116] Marti U V and Bunke H, The IAM-database: an English sentence database for off-line handwriting recognition, International Journal on Document Analysis and Recognition, 5:39–46, 2002.
- [117] Marti U V and Bunke H, Using a statistical language model to improve the performance of an HMM based cursive handwriting recognition system, International Journal of Pattern Recognition and Artificial Intelligence, 15:65–90, 2001.
- [118] Marti U V, Messerli R, Bunke H, Writer identification using text line based features, Proceedings of 6th International Conference on Document Analysis and Recognition, pp 101–105, 2001.
- [119] Martin G L, Rashid M, and Pittman J A, Integrated segmentation and recognition through exhaustive scans or learned saccadic jumps, International Journal of Pattern Recognition Artificial Intelligence, Vol. 7, No. 4, pp 831–847, 1993.
- [120] Marudarajan A R, Jayanthi K, Rajeshwari M, Extension of adaptive threshold logic to printed Hindi numeral recognition, Journal of Inst. Electron. Telecommu. Eng. (India), Vol. 24, pp 223-225, 1978.
- [121] Matan O et al, Reading handwritten digits: A ZIP code recognition system, IEEE Comput. Mag, Vol. 25, No. 7, pp 59–63, July, 1992.
- [122] Mori M, Suzuki A, Siho A, Ohtsuka S, Generating new samples from handwritten numerals based on point correspondence, 7th International Workshop on Frontiers in Handwriting Recognition, pp 281–290, 2000.

- [123] Morita M, Facon J, Bortolozzi F, Garnes S, Sabourin R, Mathematical morphology and weighted least squares to correct handwriting baseline skew. Proceedings of 5th International Conference on Document Analysis and Recognition, pp 430–433, 1999.
- [124] Muhammad Sarfraz¹ and Ali Taleb Ali Al-Awami, Arabic Character Recognition using Particle Swarm Optimization with Selected and Weighted Moment Invariants, Proceedings of 6th International Conference on Signal Processing and its Application, ISSPA, pp 1-4, May, 2007.
- [125] Murase H and Nayar S, Visual Learning and Recognition of 3D Objects from Appearance, International Journal of Computer Vision, Vol. 14, pp 5-24, 1995.
- [126] Narasimhan R, Syntax directed interpretation of class of pictures, Comm. ACM, Vol. 9, pp 166-173, 1966.
- [127] Narasimhan R and Reddy V S N, A syntax-aided recognition scheme for hand printed English letters, Pat. Recogn., Vol. 3, pp 345-361, 1971.
- [128] Narasimhan R, Labeling schemata and syntactic description of pictures, Inform. Contr, Vol. 7, No. 2, pp 151-179, 1964.
- [129] Narasimhan R, On the description, generation and recognition of classes of pictures, Automatic Interpretation and Classification of Images”, Gasselli, A. (eds.), Academic Press, New York, pp 1-42, 1969.
- [130] Nicchiotti G, Scagliola C, Generalized projections: a tool for cursive handwriting Normalization, In Proceedings of 5th International Conference on Document Analysis and Recognition, Bangalore, pp 729-733, 1999.
- [131] Nikolaou N, Makridis M, Gatos B, Stamatopoulos N, Papamarkos N, Segmentation of historical machine-printed documents using Adaptive Run Length Smoothing and skeleton segmentation paths, Image and Vision Computing 28, Elsevier, pp 590–604, 2010.

- [132] Nishimura N, Kobayashi K, Maruyama M, Nakano Y, Off-line character recognition using HMM by multiple directional feature extraction and voting with bagging algorithm. Proceedings of 5th International Conference on Document Analysis and Recognition, pp 49–52, 1999.
- [133] Nobesawa S, Tsutsumi J, Nitta T, Ono K, Jiang S D, Nakanishi M, Segmenting a Sentence into Morphemes using Statistic Information between Words, Available : <http://acl.ldc.upenn.edu/C/C94/C94-1036.pdf>, October, 2012.
- [134] Oh I S, Lee J S, Suen C Y, Analysis of class separation and combination of class-dependent features for handwriting recognition, IEEE Transaction on Pattern Analysis and Machine Intelligence, Vol. 21, pp 1089–1094, October, 1999.
- [135] Ohba K and Ikeuchi K, Detectability, Uniqueness, and Reliability of Eigen Windows for Stable Verification of Partially Occluded Objects, IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 19, No. 9, pp 1043-1048, 1997.
- [136] Pal A and Singh D, Handwritten English Character Recognition Using Neural Network, International Journal of Computer Science and Communication, Vol. 1, No. 2, pp 141-144, 2010.
- [137] Pal U, Dutta S, Segmentation of Bangla Unconstrained Handwritten Text, Proceedings of the 7th International Conference on Document Analysis and Recognition (ICDAR), 2003.
- [138] Palmer D D, Tokenisation and Sentence Segmentation, The MITRE Corporation, Available: <http://comp.mq.edu.au/units/comp348/ch2.pdf>, October, 2012.
- [139] Papavassiliou V, Stafylakis T, Katsouros V, Handwritten document image segmentation into text lines and words, Pattern recognition, Vol. 43, pp 369-377, 2010.
- [140] Park H S, Sui B K, Moon J, Lee S W, A 2-D HMM method for offline handwritten character recognition, International Journal of Pattern Recognition and Artificial Intelligence, 15:91–105, 2001.

- [141] Parkins A D and Nandi A K, Genetic Programming Techniques for Handwritten Digit Recognition, *Signal Processing*, Vol. 84, pp 2345–2365, 2004.
- [142] Patel D K, Som T, Yadav S K, Singh M K, Handwritten Character Recognition Using Multi resolution Technique and Euclidean Distance Metric, *Journal of Signal and Information Processing*, Vol. 3, pp 208-214, May, 2012.
- [143] Pavlidis T and Au F, Computer recognition of hand-printed numerals by polygonal approximation, *IEEE Trans. on Syst. Man Cyb.*, Vol. 5, pp 610-614, 1975.
- [144] Perwej Y and Chaturvedi A, Neural Networks for Handwritten English Alphabet Recognition, *International Journal of Computer Applications*, Vol. 20, No. 7, pp 1-5, 2011.
- [145] Pirlo G and Impedovo D, Fuzzy-Zoning-Based Classification for Handwritten Characters, *IEEE Transaction on pattern Recognition and Machine Intelligence*, Vol. 19, No. 4, pp 780-785, August, 2011.
- [146] Plamondon R and Srihari S N, On-Line and Off-Line Handwriting Recognition: A Comprehensive Survey, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 22, No. 1, pp 63-84, January, 2000.
- [147] Pradeep J et al, Diagonal based feature extraction for handwritten alphabet recognition system using neural network, *International Journal of Computer Science and Information Technology*, Vol. 3, No. 1, pp 27-38, 2011.
- [148] Pradeep J, Srinivasan E, Himavathi S, Diagonal feature extraction based handwritten character system using Neural network, *International Journal of Computer Applications*, Vol. 8, 9, pp 17-22, 2010.
- [149] Pradeepa J, Srinivasana E, Himavathib S, Neural Network Based Recognition System Integrating Feature Extraction and Classification for English Handwritten, *International Journal of Engineering*, Vol. 25, No. 2, pp 99-106, May, 2012.
- [150] Pratap R, *Getting Started with MATLAB 7, A Quick Introduction for Scientists and Engineers*, Oxford University Press, 2006.

- [151] Rahman M S, Rahaman G M A, Ahmed A and Salahuddin G M, An Approach To Recognize Handwritten Bengali Numerals for Postal Automation, Proceedings of 11th International Conference on Computer and Information Technology (ICCIT 2008), Khulna, Bangladesh, pp 171-176, 25-27 December, 2008.
- [152] Rahman R, Howells W G J, Fairhurst M C, A Multiexpert Framework for Character Recognition: A Novel Application of Clifford Networks, IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 12, No. 1, pp 101-112, January, 2001.
- [153] Rajasekaran S N S and Deekshatulu B L, Recognition of Printed Telugu Characters, Computer Graphics and Image Processing, Vol. 6, pp 335-360, 1977.
- [154] Rajashekararadhya S V and Ranjan P V, Handwritten numeral/mixed numerals recognition of south-Indian scripts: The zone- based feature extraction method, International Journal of Theoretical and Applied Information Technology, Vol. 7, 1, pp 063-079, 2009.
- [155] Ramteke A S, Rane M E, Offline Handwritten Devanagari Script Segmentation, International Journal of Scientific & Technology Research, Vol. 1, pp 142-145, Issue 4, MAY 2012.
- [156] Reddy V S K, Latha Y M, Signal Processing Simulation using MATLAB, SCITECH, 2010.
- [157] Renata F. P. Neves, Alberto N. G. Lopes Filho, Carlos A.B.Mello, CleberZanchettin, ASVM Based Off-Line Handwritten Digit Recognizer, International conference on Systems, Man and Cybernetics, IEEE Xplore, Brazil, pp 510-515, 9-12 October, 2011.
- [158] Robinson G , The Multiscale Technique,
Available: <http://www.netlib.org/utk/Isi/pcwLSI/text/node123.html>, 1995.
- [159] Rojas R, Neural Networks, Springer-Verlag, Berlin, pp 102-122, 1996.
- [160] Rowly H, Goyal M, Bennet J, The effect of large training set sizes on online Japanese Kanji and English cursive recognizers, 8th International Workshop on Frontiers in Handwriting Recognition, pp 36–40, 2002.

- [161] Roy A and Manna N R, Competitive Neural Network as applied for Character Recognition, International Journal of advanced research in Computer science and Software Engineering, Vol. 2, Issue 3, 2012, pp 6-10.
- [162] Sahu V L and Kubde B, Offline English Hand Written Character Recognition Using Neural Network, International Journal of Research in Computer Science (IJRCS), Vol. 1, Issue 2, pp 16-20, Sep. 2013.
- [163] Said H, Peake G, Tan T, Baker K, Personal identification based on handwriting, Pattern Recognition, Pergamon Press, 33:149–160, 2000.
- [164] Saon G, Cursive word recognition using a random field based hidden Markov model, International Journal on Document Analysis and Recognition, 1:199–208, 1999.
- [165] Saula J and Pietikainen M, Adaptive document image binarization, Pattern Recognition, Vol. 33, No. 2, pp 225-236, 2000.
- [166] Schürmann J, Pattern Classification - A Unified View of Statistical and Neural Approaches. John Wiley and Sons, Inc., 1996.
- [167] Senior A and Robinson A, An off-line cursive handwriting recognition system, IEEE Trans. on Pattern Analysis and Machine Intelligence, 20(3):309–321, March, 1998.
- [168] Serra, Morphological filtering: An overview, Signal Process, Vol. 38, No. 1, pp 3–11, 1994.
- [169] Sethi L K and Chatterjee B, Machine Recognition of constrained hand printed Devanagari, Pattern Recognition, Vol. 9, pp 69-76, 1977.
- [170] Shah M and Jethava G B, A Literature Review on Hand Written Character Recognition, Indian Streams Research Journal Vol. 3, Issue 2, pp 1-19, Available online: www.isrj.net, March, 2013.
- [171] Sharma D and Gupta D, Isolated handwritten digit recognition using adaptive unsupervised incremental learning technique, International Journal of Computer Applications, Vol. 7, 4, pp 27-33, 2010.

- [172] Sharma N, Pal U, Kimura F, Recognition of Handwritten Kannada Numerals, Proceedings of 9th International Conference on Information Technology (ICIT'06), ICIT, pp 133-136, 2006.
- [173] Sharma O P, Ghose M K, Shah K B, An Improved Zone Based Hybrid Feature Extraction Model for Handwritten Alphabets Recognition Using Euler Number, International Journal of Soft Computing and Engineering (ISSN: 2231 - 2307), Vol. 2, Issue 2, pp 504-508, May, 2012.
- [174] Sharma R K, Singh A, Segmentation of Handwritten Text in Gurmukhi Script, International Journal of Image Processing, Vol. 2, Issue 3, pp 12-17, 2008.
- [175] Shaw B, Parui S K, Sridhar M, Offline handwritten Devanagari word recognition: A holistic approach based on directional chain code feature and HMM, IEEE, 2008.
- [176] Shrivastava S and Singh M P, Performance evaluation of feed-forward neural network with soft computing techniques for hand written English alphabets, Applied Soft Computing, Vol. 11, pp 1156–1182, 2011.
- [177] Shubhangi D C and Hiremath P S, Handwritten English character and digit recognition using multiclass SVM classifier and using structural micro features, International Journal of Recent Trends in Engineering, Vol. 2, No. 2, November, 2009.
- [178] Siddharth K, Dhir S R, Rani R, Handwritten Gurmukhi numeral recognition using different feature sets, International Journal of Computer Applications, Vol. 28, 2, pp 20-24, 2011.
- [179] Singh D, Singh S K, Dutta M, Hand Written Character Recognition Using Twelve Directional Feature Input and Neural Network, Available: <http://www.ijcaonline.org/journal/number3/pxc387173.pdf>, (Accessed: 26, July, 2010).
- [180] Singh P and Budhiraja S, Offline Handwritten Gurmukhi Numeral Recognition using Wavelet Transforms, International Journal of Modern Education and Computer Science, Vol. 8, pp 34-39, August, 2012.

- [181] Sinha R M K and Mahabala, Rule based contextual post-processing for Devanagari text recognition, *Pattern Recognition*, Vol. 20, pp 475-485, 1985.
- [182] Sinha R M K, Role of context in Devanagari script recognition, *Journal of Inst. Elec. Telecom Engineering (India)*, Vol. 33, pp 87-91, 1987.
- [183] Siromoney G, Chandra sekaran R, Chandra sekaran M, Computer recognition of printed Tamil character, *Pattern Recognition*, Vol. 10, Issue 4, pp. 243-247, 1978.
- [184] Smith S, Handwritten character classification using nearest neighbour in large databases, *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 16: pp 915-919, 1994.
- [185] Som T, Saha S, Handwritten Character Recognition Using Fuzzy Membership Function, *International Journal of Emerging Technologies in Sciences and Engineering*, Vol. 5, No. 2, pp 11-15, December, 2011.
- [186] Srihari S N, Recognition of handwritten and machine-printed text for postal address Interpretation, *Pattern Recognition Letters*, pp 291-302, 1993.
- [187] Srivastava D K and Bhambhu L, Data classification using Support Vector Machine, *International Journal of Theoretical and Applied Information Technology*, Vol. 12, 1, pp 1-7, 2009.
- [188] Steinherz T, Rivlin E, Intrator N, Off-line Cursive script Word Recognition - A survey, *International Journal Document Analysis and Recognition*, Vol. 2, No. 2, pp 90-110, 1999.
- [189] Suen C, Nadal C, Legault R, Mai T, Lam L, Computer recognition of unconstrained handwritten numerals, *Proc. of the IEEE*, 7(80):1162-1180, 1992.
- [190] Suliman A, Sulaiman M N, Othman M, Wirza R, Chain Coding and Pre Processing Stages of Handwritten Character Image File, *electronic Journal of Computer Science and Information Technology (eJCSIT)*, Vol. 2, No. 1, pp 6-13, 2010.
- [191] Swamy G N, Vijay Kumar G, "Neural Networks", Scitech, India, 2007.

- [192] Tappert C C, Cha S H, English Language Handwriting Recognition Interfaces, Chapter 6 in Text Entry Systems, ed. Mackenzie and Tanaka-Ishii, Morgan Kaufman, pp 1-19, 2007.
- [193] Tappert C C, Suen C Y, Wakahara T, The state of the art in on-line Handwriting Recognition, IEEE Trans. Pattern Analysis. Machine. Intelligence. 12: pp 787-808, 1990.
- [194] Tian Q, Zhang P, Alexander T, Kim Y, Survey: Omni font Printed Character Recognition, Visual Communication and Image Processing 91: Image Processing, pp 260 - 268, 1991.
- [195] Tokas R and Bhadu A, A comparative analysis of feature extraction techniques for handwritten character recognition, International Journal of Advanced Technology & Engineering Research, Vol. 2, Issue 4, pp 215-219, July, 2012.
- [196] Tomai C, Zhang B, Govindaraju V, Transcript mapping for historic handwritten document images, Proceedings of 8th International Workshop on Frontiers in Handwriting Recognition, pp 413–418, 2002.
- [197] Trier D and Jain A K, Goal directed evaluation of binarization methods, IEEE Transaction on Pattern Analysis Machine Intelligence, Vol. 17, pp 1191–1201, December, 1995.
- [198] Turk M and Pentland A, Eigen faces for Recognition, Journal of Cognitive Neuroscience, Vol. 3, No. 1, pp 71-86, 1991.
- [199] Varga T and Bunke H, Generation of synthetic training data for an HMM-based handwriting recognition system, Proceedings of 7th International Conference on Document Analysis and Recognition, 2003.
- [200] Velappa Ganapathy and Kok Leong Liew, Handwritten Character Recognition Using Multiscale Neural Network Training Technique, World Academy of Science, Engineering and Technology 39, 2008.

- [201] Verma B, A contour character extraction approach in conjunction with a neural confidence fusion technique for the segmentation of handwriting recognition, Proceedings of the 9th International Conference on Neural Information Processing, 5: 18-22, 2002.
- [202] Verma B, Gader P, Fusion of multiple handwritten word recognition techniques, Neural Networks for Signal Processing X, 2000, Proceedings of the IEEE Signal Processing Society Workshop, 2: pp 926-934, 2000.
- [203] Vinciarelli A, Noisy Text Categorization, IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 27, No. 12, pp 1882-1889, December, 2005.
- [204] Wang F, Vuurpijl and Schomaker L, Support vector machines for the classification of western handwritten Capitals, 7th Int. Workshop on Frontiers in Handwriting Recognition, pp 167–176, 2000.
- [205] West Douglas B, Introduction to Graph Theory, An imprint of Pearson Education, 2006.
- [206] Xie X L and Suk M, On machine recognition of hand-printed Chinese characters by feature matching, Pattern Recognition, Vol. 21, pp 1-7, 1988.
- [207] Yamamoto K, Yamada H, Saito T, Oke R, Recognition of hand printed Chinese characters and Japanese syllabary, Proceedings of 7th ICPR, pp 385-388, 1984.
- [208] Yamashita Y, Higuchi K, Yamada Y, Haga Y, Classification of hand printed Kanji characters by the structured segment matching method, Pattern Recognit. Lett, Vol. 1, pp 475–479, 1983.
- [209] Yanhua M and Chuanjun L, A Recognition Algorithm for Chinese Character Based on Minimum Distance Classifier, Proceeding of 2nd International Workshop on Computer Science and Engineering, Vol. 2, pp 246- 249, 2009.
- [210] Yoshida K, Optical Character Reader for Telephone Exchange Charge Billing system, Japan Telecommunication Rev. (Japan), Vol. 16, No. 2, pp 105-110, 1974.
- [211] Young Y, Hand printed Chinese character recognition via neural networks, Pattern Recognition Letters, Vol. 7, No. 1, pp 19-25, 1988.

- [212] Zafar M, Mohamad D, Anwar M M, Recognition of Online Isolated Handwritten Characters by Back propagation Neural Nets Using Sub-Character Primitive Features, IEEE Multi-topic Conference (INMIC), pp 157–162, 2006.
- [213] Zawaideh F H, Arabic Hand Written Character Recognition Using Modified Multi-Neural Network, Journal of Emerging Trends in Computing and Information Sciences (ISSN 2079-8407), Vol. 3, No. 7, pp 1021-1026, July, 2012.
- [214] Available: <http://www.safde.org/hwhistory.pdf>
- [215] Available: http://en.wikipedia.org/wiki/Historical_document