

CONTENTS

CHAPTER-I		Page No.
1. INTRODUCTION		1-6
CHAPTER-II		
2. REVIEW OF LITERATURE		7-32
2.1 Seasonal incidence of insect-pests of tomato and their interaction with crop phenology		7-13
2.1.1 Aphid (<i>Aphis gossypii</i> Glover)		7
2.1.2 White fly (<i>Bemisia tabaci</i> Gennadius)		8
2.1.3 Leaf miner (<i>Liriomyza trifolii</i> Burgess)		9
2.1.4 Fruit borer (<i>Helicoverpa armigera</i> Hubner)		11
2.1.5 Tingid bug (<i>Urentius hystriellus</i> Richter)		12
2.1.6 Hadda beetle (<i>Henosepilachna vigintioctopunctata</i> Fabr.)		13
2.2 Bio-ecology of important insect-pests of tomato		13-17
2.2.1 Fruit borer (<i>Helicoverpa armigera</i> Hubner)		13
2.2.2 Leaf miner (<i>Liriomyza trifolii</i> Burgess)		15
2.2.3 White fly (<i>Bemisia tabaci</i> Genn.)		15
2.3 Assessment of crop loss of tomato caused by important insect-pests		17-19
2.3.1 Aphid (<i>Aphis gossypii</i> Glover)		17
2.3.2 White fly (<i>Bemisia tabaci</i> Genn)		17
2.3.3 Leaf miner (<i>Liriomyza trifolii</i> Burgess)		18
2.3.4 Fruit borer (<i>Helicoverpa armigera</i> Hubner)		19
2.3.5 Tingid bug (<i>Urentius hystriellus</i> Richter)		19
2.4 Evaluation of tomato varieties against insect-pests		20-22
2.5 Management of insect-pests of tomato through pesticides		23-32
2.5.1 Synthetic insecticides		23
2.5.2 Neem derivatives		25
2.5.3 Entomopathogenic bacteria : <i>Bacillus thuringiensis</i> (Bt.)		27
2.5.4 Entomopathogenic fungus : <i>Beauveria bassiana</i>		29
2.5.5 Entomopathogenic virus : Nuclear polyhedrosis virus (NPV)		29
2.5.6 Entomotoxin soil actinomycetes : Avermectin		31

CHAPTER-III

3. MATERIALS AND METHODS	33-43
3.1 Site of investigation	33
3.2 Geographical location, soil and climate	33
3.3 Seasonal incidence of insect pests of tomato and their natural enemies	38-39
3.4 Bio-ecology of important insect-pests of tomato	39-40
3.4.1 Tomato fruit borer (<i>Helicoverpa armigera</i> Hubner)	39
3.4.2 Leaf miner (<i>Liriomyza trifolii</i> Burgess.)	39
3.4.3 White fly (<i>Bemisia tabaci</i> Gennadius)	40
3.5 Assessment of crop loss of tomato caused by important insect-pests	40-41
3.6 Evaluation of tomato varieties against insect-pests, natural enemies and yield	42
3.7 Management of insect-pest complex of tomato through pesticides	42-43

CHAPTER-IV

4. RESULTS	44-155
4.1 Seasonal incidence of insect-pests and their natural enemies of tomato and their interaction in relation crop-phenology	44-92
4.1.1 Population fluctuation of different insect-pests and their natural enemies	44-83
4.1.1.1 Aphid (<i>Aphis gossypii</i> Glover)	44
4.1.1.2 White fly (<i>Bemisia tabaci</i> Gennadius)	49
4.1.1.3 Leaf miner (<i>Liriomyza trifolii</i> Burgess)	55
4.1.1.4 Fruit borer (<i>Helicoverpa armigera</i> Hubner)	60
4.1.1.5. Tingid bug (<i>Urentius hystricellus</i> Richter)	65
4.1.1.6 Hadda beetle (<i>Henosepilachna vigintioctopunctata</i> Fabr)	68
4.1.1.7 Natural enemies	71-83
4.1.1.7a <i>Menochilus sexmaculata</i>	71
4.1.1.7b <i>Coccinella septempunctata</i>	75
4.1.1.7c Spider	78
4.1.2. Yield of tomato at different times of planting	83
4.1.3 Phenological relation with relative abundance of pest population	83-92
4.1.3.1 Aphid (<i>Aphis gossypii</i> Glover)	87

4.1.3.2	White fly (<i>Bemisia tabaci</i> Genn.)	89
4.1.3.3	Leaf miner (<i>Liriomyza trifolii</i> Burgess)	89
4.1.3.4	Fruit borer (<i>Helicoverpa armigera</i> Hubner)	92
4.2	Biology of important insect-pests of tomato	93-108
4.2.1	Tomato fruit borer (<i>Helicoverpa armigera</i> Hubner)	93-98
4.2.1.1	Incubation period	93
4.2.1.2	Larval period	95
4.2.1.3	Pupal period	95
4.2.1.4	Preoviposition period	97
4.2.1.5	Oviposition period	97
4.2.1.6	Adult longevity	97
4.2.1.7	Life cycle	98
4.2.2	Leaf miner (<i>Liriomyza trifolii</i> Burgess)	98-103
4.2.2.1	Incubation period	98
4.2.2.2	Larval period	100
4.2.2.3	Pupal period	100
4.2.2.4	Preoviposition period	100
4.2.2.5	Oviposition period	102
4.2.2.6	Adult longevity	102
4.2.2.7	Life cycle	103
4.2.3	White fly (<i>Bemisia tabaci</i> Gennadius)	103-108
4.2.3.1	Incubation period	103
4.2.3.2	Nymphal period	103
4.2.3.3	Pupal period	105
4.2.3.4	Pre-oviposition period	105
4.2.3.5	Oviposition period	107
4.2.3.6	Adult longevity	107
4.2.3.7	Life cycle	108
4.3	Assessment of crop loss of tomato caused by important insect-pests	109-131
4.3.1	Winter crop	109-120
4.3.1.1	Open pollinated variety cv. Pusa Ruby	109-115
4.3.1.2	Hybrid cv. Abinash-II	115-120
4.3.2	Spring-summer crop	120-131
4.3.2.1	Open pollinated variety cv. Pusa Ruby	120-126
4.3.2.2	Hybrid : Abinash-II	126-131
4.4.	Evaluation of tomato varieties against insect-pests, natural	132-143

enemies and yield	
4.4.1 Aphid (<i>Aphis gossypii</i> Glover)	132
4.4.2 White fly (<i>Bemisia tabaci</i> Genn.)	133
4.4.3 Leaf miner (<i>Liriomyza trifolii</i> Burgess)	135
4.4.4 Fruit borer (<i>Helicoverpa armigera</i> Hubner)	136-138
4.4.4a Bored fruit (in number)	136
4.4.4b Bored fruit (in weight)	138
4.4.5 Natural enemies	142-143
4.4.5a <i>Menochilus sexmaculata</i>	142
4.4.5b Spider	143
4.5. Management of insect-pest complex of tomato through pesticides	144-155
4.5.1 Leaf miner (<i>Liriomyza trifolii</i> Burgess)	145
4.5.2 Fruit borer (<i>Helicoverpa armigera</i> Hubner)	147
4.5.3 Tingid bug (<i>Urentius hystericellus</i> Richter)	150
4.5.4 Natural enemies	152-154
4.5.4a Spider	152
4.5.5. Yield of tomato	154

CHAPTER-V

5. DISCUSSION	156-192
5.1. Seasonal incidence of insect-pests and their natural enemies of tomato and their interaction with crop-phenology.	156-165
5.2 Biology of important insect-pests of tomato.	166-168
5.3 Assessment of crop loss of tomato caused by important insect-pests	168-183
5.4 Evaluation of tomato varieties against insect-pest, natural enemies and yield	183-186
5.5 Management of insect-pest complex of tomato through pesticides	186-192

CHAPTER-VI

6. SUMMARY	193-198
-------------------	---------

CHAPTER-VII

7. HIGHLIGHTS	199-200
----------------------	---------

CHAPTER-VIII

8. REFERENCES	201-218
----------------------	---------