

# CONTENTS

1.	INTRODUCTION	1 - 4
2.	LITERATURE REVIEW	5 - 44
3.	MATERIALS AND METHODS	45 -70
3.1.	Plant Material	
3.1.1.	Source of seeds	45
3.1.2.	Growth of plants	45
3.2.	Fungal cultures	
3.2.1.	Source of cultures	45
3.2.2.	Completion of Koch's Postulate	45
3.2.3.	Stock cultures	46
3.2.4.	Assessment of mycelial growth	
3.2.4.1.	Solid media	46
3.2.4.2.	Liquid media	47
3.3.	Agglutination response of conidia	
3.3.1.	Preparation of conidial suspension	48
3.3.2.	Agglutination tests	48
3.4.	Bacterial culture	
3.4.1.	Source of culture	48
3.4.2.	Inoculation, re-isolation and identification of the bacterium	49
3.4.3.	Assessment of bacterial growth	49
3.5.	Production of inocula and inoculation technique	
3.5.1.	<i>Fusarium oxysporum</i>	49
3.5.2.	<i>Trichoderma harzianum</i>	50
3.5.3.	<i>Bradyrhizobium japonicum</i>	50
3.6.	Assessment of disease intensity	50
3.7.	Extraction of enzymes from healthy and infected roots	
3.7.1.	Phenylalanine ammonia lyase	50
3.7.2.	Peroxidase	51

3.8.	Assay of enzyme activities	
3.8.1.	Phenylalanine ammonia lyase	51
3.8.2.	Peroxidase	51
3.9.	Establishment of callus	
3.9.1.	Culture media	52
3.9.2.	Callus induction	53
3.10.	Extraction and separation of glyceollin	
3.10.1.	Roots	54
3.10.2.	Callus	54
3.11.	Ultraviolet spectrophotometry and quantification of glyceollin	55
3.12.	Petridish bioassay of phytoalexin	55
3.13.	Preparation of antigen	
3.13.1.	Root antigen	56
3.13.2.	Mycelial antigen	56
3.13.3.	Protein estimation	57
3.14.	SDS-Polyacrylamide gel electrophoresis of protein	
3.14.1.	Preparation of gel	57
3.14.2.	Sample preparation	59
3.14.3.	Electrophoresis	60
3.14.4.	Fixing and Staining	60
3.15.	Antisera production	
3.15.1.	Rabbits and their maintenance	60
3.15.2.	Immunization	61
3.15.3.	Bleeding	61
3.16.	Purification of IgG	
3.16.1.	Precipitation	61
3.16.2.	Column preparation	62
3.16.3.	Fraction collection	62
3.17.	Immunodiffusion test	
3.17.1.	Preparation of agar slides	63
3.17.2.	Diffusion	63
3.17.3.	Washing, staining and drying of slides	63

3.18.	Immunoelectrophoresis	
3.18.1.	Preparation of agarose slides	64
3.18.2.	Electrophoresis	64
3.18.3.	Diffusion	64
3.18.4.	Washing, drying and staining of slides	64
3.19.	Enzyme linked immunosorbent assay	
3.19.1.	Indirect ELISA	65
3.19.2.	Dot-blot ELISA	67
3.20.	Fluorescence antibody staining and microscopy	
3.20.1.	Cross sections of soybean roots	68
3.20.2.	Mycelia	69
3.20.3.	Conidia and chlamydozoospores	69
<b>4.</b>	<b>EXPERIMENTAL</b>	<b>71-150</b>
4.1	Pathogenicity test of <i>F. oxysporum</i> on different cultivars of soybean.	71
4.2.	Cultural characteristics of microorganisms	71
4.2.1	<i>F. oxysporum</i>	75
4.2.2.	<i>B. japonicum</i>	75
4.2.3.	<i>T. harzianum</i>	76
4.3.	Factors affecting growth	76
4.3.1.	<i>F. oxysporum</i>	78
4.3.1.1.	Media	78
4.3.1.1.1.	Solid	78
4.3.1.1.2	Liquid	78
4.3.1.2.	Incubation period	79
4.3.1.3.	pH	81
4.3.1.4.	Nitrogen sources	83
4.3.1.5.	Carbon sources	84
4.3.2.	<i>B. japonicum</i>	85
4.3.2.1.	Incubation period	86
4.3.2.2.	pH	86
4.3.2.3.	Nitrogen sources	87

4.3.2.4. Carbon sources	88
4.4. Effect of pre-inoculation on disease development	88
4.4.1. <i>B. japonicum</i>	89
4.4.2. <i>T. harzianum</i>	90
4.4.3. <i>B. japonicum</i> + <i>T. harzianum</i>	97
4.5. <i>Invitro</i> interaction studies	97
4.5.1. <i>B. japonicum</i> + <i>F. oxysporum</i>	97
4.5.1.1. Solid medium	100
4.5.1.2. Liquid medium	100
4.5.2. <i>T. harzianum</i> and <i>F. oxysporum</i>	100
4.5.2.1. Solid medium	102
4.5.2.2. Culture filtrate	102
4.5.3. <i>B. japonicum</i> + <i>T. harzianum</i>	105
4.5.3.1. Solid medium	105
4.5.3.2. Liquid medium	105
4.6. Assay of phenylalanine ammonia lyase (PAL) activity in soybean roots.	107
4.7. Assay of peroxidase activity in soybean roots	108
4.8. Glyceollin content in soybean	115
4.8.1. Root	115
4.8.2. Callus	116
4.9. Analysis of proteins	119
4.9.1. Protein content	119
4.9.1.1. <i>F. oxysporum</i>	119
4.9.1.2. Soybean roots	119
4.9.1.3. Soybean seeds	120
4.9.2. SDS - PAGE	123
4.9.2.1. <i>F. oxysporum</i>	123
4.9.2.2. Soybean roots	123
4.9.2.3. Soybean seeds	123
4.10. Detection of cross reactive antigens (CRA) between <i>F. oxysporum</i> and soybean cultivars	125
4.10.1. Immunodiffusion	125

4.10.2. Immunoelectrophoresis	.....128
4.10.3. Enzyme linked immunosorbent assay (ELISA).....	128
4.10.3.1. Optimization of ELISA	..... 130
4.10.3.1.1. Enzyme dilution	..... 130
4.10.3.1.2. Antiserum dilution	..... 132
4.10.3.1.3. Antigen dilution	..... 132
4.10.3.2. Comparison of ELISA reactivity among antigens of different soybean varieties against antiserum of <i>F. oxysporum</i>	..... 134
4.11. Detection of pathogen in infected tissues	..... 140
4.11.1. <i>F. oxysporum</i> inoculated	..... 140
4.11.1.1. Root	..... 140
4.11.1.1.1. DACELISA	..... 140
4.11.1.1.2. Dot Blot ELISA	..... 140
4.11.1.2. Seed	..... 143
4.11.1.2.1. DAC - ELISA	..... 143
4.11.1.2.2. Dot Blot Elisa	..... 143
4.11.2. Inoculated with <i>B. japonicum</i> and <i>F. oxysporum</i>	..... 143
4.12. Cellular location of major cross reactive antigen by immunofluorescence	..... 144
4.12.1. Root sections	..... 144
4.12.2. Mycelia, Conidia and Chlamyospore	..... 150
5. <b>DISCUSSION</b>	..... 151-163
6. <b>SUMMARY</b>	..... 164-166
7. <b>REFERENCES</b>	..... 167-186