

Contents

1. Introduction	1
2. Review of literature	5
2.1. Legume-based traditional fermented foods	5
2.1.1. Dawadawa	5
2.1.2. Dhokla	9
2.1.3. Dosa	10
2.1.4. Idli	11
2.1.5. Kinema	11
2.1.6. Masyaura	13
2.1.7. Meitauza	14
2.1.8. Miso	14
2.1.9. Natto	16

2.1.10. Okpehe	18	
2.1.11. Oncom	20	
2.1.12. Papad	21	
2.1.13. Soy sauce	21	
2.1.14. Sufu	22	
2.1.15. Tempe	25	
2.1.16. Thua-nao	28	
2.1.17. Ugba	28	
2.1.18. Wadi	30	
2.2. Influence of fermentation on antioxidative properties		31
2.2.1. Total phenol content	32	
2.2.2. Free radical-scavenging activity	32	
2.2.3. Reducing power	33	
2.2.4. Metal-chelating activity	33	
2.2.5. Lipid peroxidation inhibitory activity	34	
3. Materials and methods	35	
3.1. Materials	35	
3.1.1. Culture media	35	
3.1.2. Reagents	38	
3.2. Experimental	40	
3.2.1. Survey	40	
3.2.2. Sampling	40	
3.2.3. Analysis of proximate composition		40
3.2.3.1. Moisture content	40	
3.2.3.2. Ash	42	
3.2.3.3. pH	42	
3.2.3.4. Titratable acidity	42	
3.2.3.5. Free fatty acidity	42	
3.2.3.6. Total nitrogen	42	
3.2.3.7. Protein and nonprotein nitrogen		43
3.2.3.8. Soluble nitrogen	43	
3.2.3.9. Total protein	43	
3.2.3.10. Crude fat	43	
3.2.3.11. Carbohydrate	43	
3.2.3.12. Energy value	44	
3.2.4. Microbial analysis	44	
3.2.4.1. Isolation and maintenance	44	
3.2.4.2. Taxonomical studies on bacterial isolates		44
3.2.4.2.1. Gram staining	44	
3.2.4.2.2. General morphology	45	
3.2.4.2.3. Motility	45	
3.2.4.2.4. Production of catalase	45	
3.2.4.2.5. Growth in sodium chloride	45	
3.2.4.2.6. Acid and gas from carbohydrates		45
3.2.4.2.7. Production of indole	45	
3.2.4.2.8. Reduction of nitrate	45	
3.2.4.2.9. Hydrolysis of gelatin	46	

3.2.4.2.10. Hydrolysis of arginine	46	
3.2.4.2.11. Hydrolysis of fat	46	
3.2.4.2.12. Hydrolysis of esculin	46	
3.2.4.2.13. Growth at different pH	46	
3.2.4.2.14. Growth at different temperatures	46	
3.2.4.3. Taxonomical studies on yeast isolates	46	
3.2.4.3.1. General morphology	46	
3.2.4.3.2. Formation of pseudomycelium and true mycelium	47	
3.2.4.3.3. Characteristics of asci and ascospores	47	
3.2.4.3.4. Reduction of nitrate	47	
3.2.4.3.5. Hydrolysis of urea	47	
3.2.4.3.6. Hydrolysis of fat	47	
3.2.4.3.7. Growth at 37°C	47	
3.2.4.3.8. Fermentation of carbohydrates	48	
3.2.4.3.9. Assimilation of carbon compounds	48	
3.2.4.3.10. Assimilation of nitrogen compounds	48	
3.2.4.3.11. Growth in vitamin-free medium	48	
3.2.4.3.12. Formation of extracellular amyloid compounds (starch formation)	48	
3.2.4.4. Taxonomical studies on mould isolates	48	
3.2.4.4.1. General morphology	48	
3.2.4.4.2. Hydrolysis of starch	49	
3.2.4.5. Identification of isolates	49	
3.2.5. Optimization of process parameters	49	
3.2.6. Microbial and biochemical changes accompanying fermentation	49	
3.2.7. SDS-PAGE	51	
3.2.8. Preparation of different food samples for the antioxidant activity assay	52	
3.2.8.1. Dhokla	52	
3.2.8.2. Idli	52	
3.2.8.3. Kinema	52	
3.2.9. Preparation of methanolic extracts of different food samples	52	
3.2.10. Assay of antioxidant activities of crude methanolic extracts	53	
3.2.10.1. Total phenol content	53	
3.2.10.2. Free radical-scavenging activity	53	
3.2.10.3. Reducing power	53	
3.2.10.4. Metal-chelating activity	53	
3.2.10.5. Lipid peroxidation inhibitory activity	54	
3.2.11. Statistical analysis	54	
4. Results	55	
4.1. Survey	55	
4.1.1. Fermented legume products	55	
4.1.1.1. Aakhuni	55	
4.1.1.2. Amriti	57	
4.1.1.3. Bekang	57	
4.1.1.4. Bethu	57	
4.1.1.5. Daler vada	58	
4.1.1.6. Daler nadu	58	

4.1.1.7. Hawaijar	58
4.1.1.8. Kinema	58
4.1.1.9. Masyaura	59
4.1.1.10. Papad	60
4.1.1.11. Ras vada	60
4.1.1.12. Turumbai	61
4.1.1.13. Vada	61
4.1.1.14. Wadi	61
4.1.2. Fermented cereal-legume mixed products	62
4.1.2.1. Adai	62
4.1.2.2. Bhapa pitha	62
4.1.2.3. Chakuli	62
4.1.2.4. Chhuchipatra pitha	63
4.1.2.5. Chitou	64
4.1.2.6. Daler patisapta	64
4.1.2.7. Dhokla	64
4.1.2.8. Dosa	65
4.1.2.9. Enduri pitha	66
4.1.2.10. Idli	66
4.1.2.11. Maunha pitha	67
4.1.2.12. Poda pitha	68
4.2. Sampling	68
4.3. Dhokla	70
4.3.1. Proximate composition	70
4.3.2. Microbial analysis	70
4.3.2.1. Isolation of microorganisms	70
4.3.2.2. Taxonomical studies	72
4.3.2.2.1. Bacteria	72
4.3.2.2.2. Yeasts	73
4.3.2.3. Microbial loads in substrates and fermented batter	74
4.3.3. Successional studies on batter during fermentation	75
4.3.3.1. Microbial changes	75
4.3.3.2. Changes in proximate composition	75
4.3.4. SDS-PAGE	75
4.3.5. Evaluation of antioxidant properties	77
4.3.5.1. Extraction yield in methanol	77
4.3.5.2. Total phenol content	77
4.3.5.3. Reducing power	77
4.3.5.4. Free radical-scavenging activity	77
4.3.5.5. Metal-chelating activity	78
4.3.5.6. Lipid peroxidation inhibitory activity	79
4.3.5.7. Correlation and regression	80
4.4. Dosa	81
4.4.1. Proximate composition	81
4.4.2. Microbial analysis	81
4.4.2.1. Isolation of microorganisms	81
4.4.2.2. Taxonomical studies	82
4.4.2.2.1. Bacteria	82

4.4.2.2.2. Yeasts	82	
4.4.2.3. Microbial load in fermented batter	83	
4.5. Idli	84	
4.5.1. Proximate composition	84	
4.5.2. Microbial analysis	84	
4.5.2.1. Isolation of microorganisms	84	
4.5.2.2. Taxonomical studies	85	
4.5.2.2.1. Bacteria	85	
4.5.2.2.2. Yeasts	86	
4.5.2.2.3. Moulds	86	
4.5.2.3. Microbial loads in substrates and fermented batter	86	
4.5.3. Optimization of traditional process parameters	89	
4.5.4. Successional studies on batter during fermentation	89	
4.5.4.1. Microbial changes	89	
4.5.4.2. Changes in proximate composition	91	
4.5.5. SDS-PAGE	91	
4.5.6. Evaluation of antioxidant properties	93	
4.5.6.1. Extraction yield in methanol	93	
4.5.6.2. Total phenol content	93	
4.5.6.3. Reducing power	93	
4.5.6.4. Free radical-scavenging activity	93	
4.5.6.5. Metal-chelating activity	93	
4.5.6.6. Lipid peroxidation inhibitory activity	94	
4.5.6.7. Correlation and regression	95	
4.6. Kinema	96	
4.6.1. Evaluation of antioxidant properties	96	
4.6.1.1. Extraction yield in methanol	96	
4.6.1.2. Total phenol content	97	
4.6.1.3. Reducing power	97	
4.6.1.4. Free radical-scavenging activity	97	
4.6.1.5. Metal-chelating activity	98	
4.6.1.6. Lipid peroxidation inhibitory activity	98	
4.6.1.7. Correlation and regression	98	
4.7. Papad	99	
4.7.1. Proximate composition	99	
4.7.2. Microbial analysis	100	
4.7.2.1. Isolation of microorganisms	100	
4.7.2.2. Taxonomical studies	101	
4.7.2.2.1. Bacteria	101	
4.7.2.2.2. Yeasts	101	
4.7.2.3. Microbial load in substrates and product	102	
4.7.3. Optimization of traditional process parameters	102	
4.7.4. Successional studies on dough during fermentation and drying	104	
4.7.4.1. Microbial changes	104	
4.7.4.2. Changes in proximate composition	104	
4.8. Wadi	104	
4.8.1. Proximate composition	104	
4.8.2. Microbial analysis	107	

4.8.2.1. Isolation of microorganisms	107	
4.8.2.2. Taxonomical studies	107	
4.8.2.2.1. Bacteria	107	
4.8.2.2.2. Yeasts	108	
4.8.2.2.3. Moulds	110	
4.8.2.3. Microbial loads in substrate and product	110	
4.8.3. Successional studies on batter during fermentation and drying		111
4.8.3.1. Microbial changes	111	
4.8.3.2. Changes in proximate composition	111	
5. Discussion	114	
5.1. Dhokla	115	
5.2. Dosa	123	
5.3. Idli	124	
5.4. Kinema	128	
5.5. Papad	130	
5.6. Wadi	132	
6. Summary	136	
7. Bibliography	141	
Subject index	162	