

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1.1	Illustration of Angle Resolved Ultraviolet Photoemission Spectroscopy.	3
2.1	Schematic model of the surface region which extends over $-a/2 \leq z \leq a/2$.	17
2.2	Plot of $ \tilde{A}_\omega(z) ^2$ against photon energy in aluminium for locations of the planes parallel to the surface at $z/a = -0.5, 0.0, +0.5$.	22
2.3	Plot showing the variation in $\text{Re}\tilde{A}_\omega(z)$ and $\text{Im}\tilde{A}_\omega(z)$ against the distance (z) from the surface in aluminium for photon energies at 7.87 eV and 10.5 eV.	23
2.4	Plot showing the variation in $\text{Re}\tilde{A}_\omega(z)$ and $\text{Im}\tilde{A}_\omega(z)$ against the distance (z) from the surface in aluminium for photon energies at 17.065 eV and 21 eV.	24
2.5	Variation in $ \tilde{A}_\omega(z) ^2$ plotted against photon energy for the planes parallel to the surface at $z = -a/2, 0.0$ and $a/2$ in silver.	26
2.6	Plot of $ \tilde{A}_\omega(z) $ against distance from the surface (z) for photon energies 3.6 eV and 4 eV in silver.	28

<u>Figure</u>		<u>Page</u>
2.7	Variation in $ \tilde{A}_\omega(z) ^2$ plotted against photon energy for planes parallel to the surface at $z = -a/2, 0.0$ and $a/2$ in rhodium.	29
2.8	Plot of $ \tilde{A}_\omega(z) $ against distance from the surface (z) for photon energies at 7.8 eV, 8 eV and 14 eV in rhodium.	30
2.9	Variation in $ \tilde{A}_\omega(z) ^2$ plotted against photon energy for planes parallel to the surface at $z = -a/2, 0.0$ and $a/2$ in molybdenum.	32
2.10	Variation in $ \tilde{A}_\omega(z) $ against distance from the surface (z) for photon energies at 9 eV, 9.2 eV and 9.6 eV in molybdenum.	33
2.11	Variation in $ \tilde{A}_\omega(z) $ against distance from the surface (z) for photon energies at 19.6 eV, 20 eV, 20.6 eV and 25 eV in molybdenum.	34
2.12	Variation in $ \tilde{A}_\omega(z) ^2$ plotted against photon energy for planes parallel to the surface at $z/a = -0.5, 0.0$ and $+0.5$ in palladium.	36
2.13	Variation in $ \tilde{A}_\omega(z) ^2$ plotted against photon energy for planes parallel to the surface at $z/a = -0.5, 0.0$ and $+0.5$ in silicon.	39

<u>Figure</u>		<u>Page</u>
3.1	Schematic representation of model potential used to determine the final electronic state wavefunction of Eq. (3.13).	44
3.2	Photocurrent against photon energy from the Fermi level of aluminium with $\alpha=0.35$ and surface width $a=10$ a.u.	51
3.3	Plot of $ \tilde{A}_\omega(z) $ against distance from the surface (z) for photon energies at 20 eV, 11 eV and 15 eV in aluminium.	52
3.4	Photocurrent variation with photon energy in aluminium with Fresnel fields using free electron wavefunctions in Eqs. (3.11) and (3.13).	54
3.5	Photocurrent variation with photon energy in aluminium for surface widths $a=5$ a.u and 10 a.u and surface state lying at 2.75 eV.	55
4.1	Schematic representation of Kronig-Penney model potential for calculating the initial state wavefunction in Eq. (4.8).	59
4.2	Photocurrent variation with photon energy plotted using the dielectric function of aluminium with surface width $a=5$ a.u.	64

<u>Figure</u>		<u>Page</u>
4.3	Photocurrent variation with photon energy plotted using the dielectric function of aluminium with surface width $a=10$ a.u.	65.
4.4	Photocurrent variation with photon energy in aluminium using Fresnel fields and initial state wavefunctions in Eqs. (4.8) and (4.9).	67
4.5	Photocurrent variation with photon energy plotted with dielectric function of tungsten for $\alpha=0.5$ and $a=10$ a.u.	68
4.6	Photocurrent variation with photon energy in tungsten using Fresnel fields and initial state wavefunctions of Eqs. (4.8) and (4.9).	69
4.7	Photocurrent variation with photon energy plotted with dielectric functions of silicon for $\alpha=0.5$ and $a=10$ a.u.	71
4.8	Plot of $\text{real}(\epsilon_1)$ and $\text{imaginary}(\epsilon_2)$ parts of dielectric functions against photon energy for silicon.	72
4.9	Photocurrent against photon energy plotted using Fresnel fields in the case of silicon.	73

<u>Figure</u>		<u>Page</u>
4.10	Photocurrent against photon energy plotted using the dielectric functions of silicon with $g=-0.1070$ and $\delta=0.10$.	75
4.11	Schematic model of the surface which extends over the region $-a \leq z \leq 0$.	76
4.12	Photocurrent variation with photon energy in aluminium with surface region defined by $-a \leq z \leq 0$.	77
4.13	Photocurrent variation with photon energy in aluminium with Fresnel fields for surface region $-a \leq z \leq 0$.	79