

- Acharya, P. K. and Shelat, H. N. (2007).** Seed survival of *Azotobacter chroococcum* formulations and their effect on germination of *Pennisetum glaucum*. In: Proceeding of 2nd Asian Congress of Mycology and Plant Pathology, Dec. 19-22, Hyderabad. India. S-04. O-162.
- Ahmad, F., Ahmad, I., and Khan, M. S. (2006).** Screening of free-living rhizospheric bacteria for their multiple growth promoting activities, *Microbiological Research*, 161:20-24
- Aino, M., Maekawa, Y., Mayama, S. and Kato, H. (1997).** Biocontrol of bacterial wilt of tomato by producing seedlings colonized with endophytic antagonistic pseudomonads, p. 120-123. In PGPR: present status and future prospects. Nakanishi Printing, Sappora, Japan.
- Ait Barka, E., Belarbi, A., Hachet, C., Nowak, J. and Audran, J. C. (2000).** Enhancement of in vitro growth and resistance to gray mould of *Vitis vinifera* cocultured with plant growth promoting rhizobacteria, *FEMS Microbiol. Lett.* 186: 91-95
- Ait Barka, E., Gognies, S., Hachet, C., Nowak, J. Audran, J. C. and Belarbi, A. (2002).** Inhibitory effect of endophyte bacteria on *Botrytis cinerea* and its influence to promote the grapevine growth. *Biol.Cont.* 24:135-142
- Alami, Y., Achouak, W., Marol, C. and Heulin, T. (2000).** Rhizosphere soil aggregation and plant growth promotion of sunflower by an exopolysaccharide producing *Rhizobium* sp. Strain isolated from sunflower roots. *Appl. Environ. Microbiol.* 66:3393-3398
- Alba, A. P. C. and Devay, J. E. (1985).** Detection of cross-reactive antigens between *Phytophthora infestans* (Mont.) de Bary and *Solanum* species by indirect enzyme-linked immunosorbent, *Phytopathology*. 112:97-104.
- Anith, K. N., Momol, M. T., Kloepper, J. W., Marois, J. J., Olson, S. M. and Jones, J. B. (2004).** Efficacy of plant growth promoting rhizobacteria, acibenzolar-S-methyl, and soil amendment for integrated management of bacterial wilt on tomato, *Plant Dis.* 88: 669-673.

- Anjum, M. A., Sajjad, M. R., Aktar, N., Qureshi, M. A., Iqbal, A., Jami, A. R. and Hasan, M. (2007).** Response of cotton to plant growth promoting rhizobacterial (PGPR) inoculation under different levels of nitrogen, *J. Agric. Res.* **45**: 135-143
- Anwer, A. and Khan, M. R. (2006).** Effect of soil isolates of *Aspergillus niger* on root rot of eggplant caused by *Rhizoctonia solani*. In: Proceedings of 58th Annual meeting of IPS and National Symposium on Emerging Plant Diseases, their Diagnosis and Management, Jan.31-Feb.2, 2006, Siliguri, West Bengal. PP-189
- Babalola, O. O., Osir, E. O., Sanni, A. I., Odhiambo, G. D., Bilino, W. D. (2003).** Amplification of 1-amino-cyclopropane-1-carboxylic (ACC) deaminase from plant growth promoting rhizobacteria in striga-infested soil, *African J. Biotech.* **2(6)**: 157-160
- Bae, Y. S., Prk, K. S. and Kim, C. H. (2003).** Effect of culturing media on biocontrol ability and physiological state of *Burholderia gladioli* strain B 543. In: Proceeding of 6th International workshop on plant growth promoting Rhizobacteria, 5-10 oct.2003. Calicut, India. pp-455
- Bai, Y., Souleimanov, A. and Smith, D.L. (2002).** An inducible activator produced by a *Serratia proteamaculans* strain and its soybean growth promoting activity under green house conditions. *J. Exp. Bot.* **53**: 1495-1502
- Bais, H. P., Park, S. W., Weir, T L., Callaway, R. M. and Vivanco, J. M. (2004).** How plants communicate using the underground information superhighway. *Trends Plant Sci.* **9**: 26-32
- Bajsa, N., Vaz, P., Feunte, De La, Davyt, D., Arnauld, C., Lemanceau, C., Gianinzi, S., Gianinzi-Pearson, V. and Arias, A. (2003).** New antifungal compounds isolated from biocontrol *Pseudomonas fluorescens* and their effects on *Rhizoctonia solani* at cytological level. In: Proceeding of 6th International workshop on plant growth promoting Rhizobacteria, 5-10 oct.2003. Calicut, India. pp- 460.

- Baker, K. F. and Snyder, W. C. (1965).** *Ecology of Soil Borne Plant Pathogens- prelude to Biological Control*, John Murray, London, pp. 571
- Baki, A. A. and Anderson, J. D. (1973).** Vigour determination in soybean seed by multiple criteria, *Crop Sci.* **31**: 630-633
- Bakker, P. A. H. M., Peitersen, C. M. J. and Van Loon, L. C. (2003a).** Rhizobacteria mediated induced systemic resistance. In: Proceeding of 6th International workshop on plant growth promoting Rhizobacteria, Oct 5-10, 2003, Calicut, India. pp- 466.
- Bakker, P. A. H. M., Peitersen, C. M. J. and Van Loon, L. C. (2003b).** Understanding the involvement of rhizobacteria mediated induction of systemic resistance in biocontrol of plant diseases. *Can. J. Plant Pathol.* **25**: 5-9
- Bakker, P. A. H. M., Raaijmakers, J. M. and Schippers, B. (1993).** Role of iron in the suppression of bacterial plant pathogens by fluorescent Pseudomonads. In: Iron chelation in plants and soil microorganisms (Eds., Barton, L.L. and Hemming, B.C.) *Academic press*, London. Pp. 269-281
- Bansal, R. K., Majumder, V. L. and Bhatnagar, K. (2003).** Antagonism of *Azotobacter chroococcum* to *Fusarium oxysporum f.sp. lycopersici* causing wilt of tomato. *J.Mycol.Plant Pathol.* **33**: 470
- Barea, J. M., Pozo, M. J., Azocon, R. and Concepcion, A. A. (2005).** Microbial cooperation in the rhizosphere. *J.Exp. Bot.* **56**: 1761-1778
- Bargabus, R. L., Zidack, N. K., Sherwood, J. E. and Jacobsen, B. J. (2002).** Characterisation of systemic resistance in sugar beet elicited by a non pathogenic, phyllosphere colonizing *Bacillus mycoides*, biological control agent. *Physiol. Mol. Plant Pathol.* **61**: 289-298
- Bargabus, R. L., Zidack, N. K., Sherwood, J.E. and Jacobsen, B. J. (2004).** Screening for the identification of potential biological control agents that induce systemic acquired resistance in sugar beet. *Biol. Cont.* **30**: 342-350.
- Barthakur, M. (2000).** Plant growth promotion and fungicidal activity in a siderophore producing strains of *Proteus sp.* *Folia. Microbiol.* (Praha). **45**: 539-543

- Barthakur, M. and Bezbaruah, B. (1997).** Fungicide from a *Proteus* strain RRLJ B70 isolated from tea [*Camellia sinensis* (L.) O.Kuntze] plantation. *Ind. J. Exp. Biology*. **35**: 742-745
- Baruah, H.P.D., Rabha, B.K., Saikia, N. and Dillep kumar, B.S. (2003).** Fluorescent *Pseudomonas* influences palisade mesophyll development and spatial root development in *Phaseolus vulgaris*, *Plant Soil*. **256**: 291-301
- Bashan, Y. (1998).** *Aspergillus* plant growth promoting strains are non-pathogenic on tomato, pepper, cotton and wheat, *Can. J. Microbiol.* **44**: 168-174
- Bashan, Y. and Holguin, G. (1998).** Proposal for the division of plant growth promoting rhizobacteria into two classifications: biocontrol-PGPB (plant growth promoting bacteria) and PGPB. *Soil Biol. Biochem.* **30**: 1225-1228
- Bashan, Y., Holguin, G. and Lifshitz, R. (1993).** *Methods in Plant Molecular Biology and Biotechnology* (Eds. Bernard R.Glick and John E. Thompson). CRC Press. New York
- Basnayake, W. V. S. and Birch, R. G. (1995).** A gene from *Alcaligenes denitrificans* that confers albicidin resistance by reversible antibiotic binding. *Microbiology*. **141**: 551-560
- Benhamou, N., Kloepper, J. W., Quadt-Hallmann, A. and Tuzun, S. (1996).** Induction of defense-related ultrastructure modifications in pea root tissues inoculated with endophytic bacteria. *Plant Physiol.* **112**: 919-929.
- Bergeys Manual of Systematic Bacteriology**, Vol.1-4, Edited by J.G.Holt (Williams and Wilkins, Baltimore) 1984, 1986, 1989 a,b
- Bezbaruah, B., Dileep Kumar, B. S. and Barthakur, M. (1996).** Fungicidal and insect controlling properties of *Proteus* strain RRLJ 16, isolated from tea, *Camellia sinensis* (L.) O Kuntze, plantations. *Ind. J. Exp. Biol.* **34**: 706-709
- Bharati, R., Vivekananthan, R., Harish, S., Ramanathan, A. and Samiyappan, R. (2004).** Rhizobacteria based bioformulations for the management of fruit rot infection in chillies. *Crop Prot.* **23**: 835-843.

- Bhatia, S., Dubey, R. C. and Maheswari, D .K.** (2005). Enhancement of plant growth and suppression of collar rot of sunflower caused by *Sclerotium rolfsii* through fluorescent *Pseudomonas*. *Indian Phytopath.* **58**: 17-24
- Bhatia, S., Dubey, R. C. and Maheswari, D. K.** (2003). Antagonistic effect of fluorescent *Pseudomonas* against *Macrophomina phaseolina* that cause charcoal rot of groundnut. *Ind. J. Exp. Biol.* **41**: 1442-1446
- Biswas, K. K. and Sen, C.** (2000), Management of stem rot of groundnut caused by *Sclerotium rolfsii* through *Trichoderma harzianum*. *Indian Phytopathol.* **53**: 290-295
- Bloemberg, G.V., Lugtenberg, B.J.J.** (2001). Molecular basis of plant growth promotion and biocontrol by rhizobacter. *Curr. Opin. Plant Biol.* **4**:343-350
- Boiler, T. and Mauch, F.** (1988). Colorimetric assay for chitinase. *Meth. Enzymol.* **161**: 430-435
- Bora, L.C. and Deka, S.D.** (2008). Bioformulation of *Pseudomonas aeruginosa* in organic substrates and its role in management of bacterial wilt of chilli(*Capsicum annum*).*J. Mycol. Plant Pathol.***38**:80-83
- Braun-Kiewnick, A., Jacobsen, B. J. and Sands, D. C.** (2000). Biological control of *Pseudomonas syringae* pv. *Syringae*, the causal agent of basal kernel blight of barley, by atagonistic *Pantoea agglomerans*. *Phytopathology.* **90**: 368-375
- Brooks, D. S., Gonzalez, C. F., Apple, D. N. and Filer, T. H.** (1994). Evaluation of endophytic bacteria as potential biological control agents of oak wilt. *Biol. Cont.* **4**:373-381
- Bunker, R. N., and Mathur, K.** (2001). Integration of biocontrol agents and fungicide for suppression of dry root rot of *Capsicum frutescens*. *J. Mycol. Plant Pathol.* **31**: 330-334
- Cakmakei, R., Donmez, F., Aydin, A. and Sahin, F.** (2006). Growth promotion of plants by plant growth-promoting rhizobacteria under greenhouse and two different field soil conditions. *Soil Biol.y and Biochem.* **38**: 1482-1487.
- Castignetti,D. and Smarelli, J.** (1986). Siderophores, the iron nutrition of plants, and nitrate reductase. *FEBS Lett.* **209**:1147-151

- Castillo, U. F., Strobel, G. A., Ford, E. J., Hess, W. M., Porter, H., Jensen, J. B., Albert, H., Robison, M. A., Condrón, M. A.M., Teplow, D.B., Steevens, D. and Yaver, D. (2002). Munumbicins, wide-spectrum antibiotics produced by *Streptomyces* NRRL 30562, endophytic on *Kennedia nigricans*. *Microbiology* **148**: 2675-2299
- Cattelan, A. J., Hartel, P. G. and Fuhrmann, J. J. (1999). Screening for plant growth-promoting rhizobacteria to promote early soybean growth. *Soil Sc. Soc. American J.* **63**: 1670-1680.
- Chakraborty, B .N. and Purkayastba, R .P. (1983). Serological relationship between *Macrophomina phaseolina* and soybean cultivars, *Physiol.Plant Pathol.* **23**: 197-205
- Chakraborty, B. N. and Saha, A. (1994). Detection and cellular location of cross-reactive antigens shared by *Camellia sinensis* and *Bipolaris carbonum*, *Physiol. Mol.Plant Pathol.* **44**: 403- 416.
- Chakraborty, B.N., Sarkar, B. and Chakraborty, U. (1997). Detection of cross-reactive antigens shared by *Fusarium oxysporum* and *Glycine max* by indirect ELISA and their cellular location in root tissues. *Foliar Microbiol.* **42**:607-612.
- Chakraborty, U. and Chakraborty, B.N. (1989). Interaction of *Rhizobium leguminosarum* and *Fusarium solani* f. sp. *pisi* on pea affecting disease development and phytoalexin production. *Can. J. Bot.* **67**:1698-1701
- Chakraborty, U., Basnet, M., Bhutia, L. and Chakraborty, B. N. (2004). Plant growth promoting activity of *Bacillus pumilus* and *B. megaterium* from the tea rhizosphere. In: Proceeding of Intenation Conference of O-CHA (Tea) Culture and Science. Nov 406, 2007 Shizuoka, Japan Pr-O-07
- Chakraborty, U., Basu, P., Das, R., Saha, A. and Chakraborty, B. N. (1995). Evaluation of antiserum raised against *Pestalotiopsis theae* for the detection of grey blight of tea by ELISA. *Folia Microbiol.* **41**: 413-418
- Chakraborty, U., Chakraborty, B. N. and Basnet, M. (2006). Plant growth promotion and induction of resistance in *Camellia sinensis* by *Bacillus megaterium*. *J. Basic. Microbiol.* **46**: 186-195.

- Chakraborty, U., Chakraborty, B. N. and Basnet, M. (2007).** Dual application of *Bacillus megaterium* and *Ochrobactrum anthropi* for growth promotion and suppression of brown root rot of tea. *J.Mycol.Plant Pathol.* **37**: 469-474
- Chakraborty, U., Chakraborty, B. N. and Kapoor, M. (1993).** Changes in levels of peroxidase and phenylalanine ammonia lyase *Brassica napus* cultivars showing variable resistance to *Leptosphaeria maculans*. *Folia microbial.* **38**: 491-496
- Chakraborty, U., Chakraborty, B. N., Basnet, M., Rai, K., Tongden, C., Roy Chowdhury, P. and Bhutia, L. (2006).** Evaluation of PGPRs, VAM and *Trichoderma sp.* for growth promotion, induction of resistance and biocontrol of root rot diseases of tea. In: proceeding of 58th Annual meeting of IPS and National Symposium on Emerging Plant Diseases, their Diagnosis and Management, Jan 31-Feb 2, 2006, Siliguri, West Bengal, OR-41
- Chakraborty, U., Das, G., Das, S. K. and Chakraborty, B. N. (1998).** Evaluation of *Micrococcus luteus* as potential biocontrol agent to brown blight disease of tea caused by *Glomerella cingulata*. *J.Plantation Crops.* **26**: 50-57
- Chandel, S., Tomar, M. and Kumar, R. (2005).** Evaluation of rhizosporic microflora for their antagonistic activity against carnation wilts pathogen *Fusarium oxysporium f. sp. dianthi* Snyder & Hans. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov 25-29, 2005, Udaipur. India. **SXP-80**
- Chani, A.B. and Bedi, J.S. (2002).** Using a *Beauveria bassiana* isolate to control damping off Brinjal. In: Proceeding of Asian Congress of Mycology and plant Pathology, Oct 1-4, 2002 pp-240.
- Chanway, C. P., Shishido, M., Nairn, J., Jungwirth, S., Markham, J., Xiao, G. and Holl, F. B. (2000).** Endophytic colonization and field responses of hybrid spruce seedlings after inoculation with plant growth promoting rhizobacteria. *For. Ecol. Man.* **133**:81-88.
- Chen, C., Bauske, E.M., Musson, G., Rodriguez-Kabana, R. and Kloepper, J. W. (1995).** Biological control of *Fusarium* wilt on cotton by use of endophytic bacteria. *Biol. Cont.* **5**:83-91

- Chen, Y. P., Rekha, P. D., Arun, A. B., Shen, F. T., Lai, W. A. and Young, C. C.** (2006). Phosphate solubilizing bacteria from subtropical soil and their tricalcium phosphate solubilizing abilities. *Appl. Soil ecol.* **34**: 33-41
- Chin-A-Woeng, T.F.C., Thomas-Oates, J.E., Lugtenberg, B.J.J. and Bloemberg, G.V.** (2001). Introduction of the *phzH* gene of *Pseudomonas chlororaphis* PCL 1391 extends the range of biocontrol ability of phenazine-1-carboxylic acid-producing *Pseudomonas* spp. strains. *Mol. Plant -Microbe Interact.* **14**:1006-1015
- Chopade, B. A.** (2003). Phosphate solubilisation by *Acinetobacter* spp. isolated from rhizosphere of wheat. In: Proceeding of 6th International workshop on plant growth promoting Rhizobacteria, Oct 5-10, 2003, Calicut, India, pp- 409
- Choudhury, C. S., Arun, A. and Prasad, S. M.** (2007) Management of *Corynespora* blight of Sesame. *J Mycol Plant Pathol.* **37**:431-434
- Chourasia, H. K.** (2007). Biological control of aflatoxigenic fungi and aflatoxins in peanut with geocarposphere bacteria. In: Proceeding of 2nd Asian Congress of Mycology and Plant Pathology, Dec. 19-22, Hyderabad. India. **S-05.O-172**
- Christopher, M and West, L.** (2007) Use of PGPR based product (turf vigor) to improve yields of carrot and Capsicum at multiple Indian sites. In: proceeding of 2nd Asian congress of Myco. and Pathol. Dec 19-22 2007, Hyderabad. **S-04, P-164**
- Clausen, J.** (1988). Laboratory technique in Biochemistry and Molecular Biology, Vol-I, Part-III (Eds by R. H. Burdon and P. H. Van Knippenberg) pp: 64-65
- Compant, S., Reiter, B., Sessitsch, A., Nowak, J., Clement, C. and Ait Barka, E.**(2005). Endophytic colonization of *Vitis vinifera* L. by a plant growth promoting bacterium, *Burkholderia* sp. strain PsJN. *Appl. Environ. Microbiol.* **71**:1685-1693.
- Conn, K.L., Nowak, J. and Lazarovits, G.**(1997). A gnotobiotic bioassay for studying interactions between potato and plant growth promoting rhizobacteria. *Can. J. Microbiol.* **43**: 801-808.

- Cook, R. J., Weller, D. M. and Thomashow, L. S. (1998).** Potential for biological control of root pathogens with *Pseudomonas* sp. Introduced into the rhizosphere. *Phytoparasitica*. **26**: 159-160
- Cook, R.L and Baker, K.F. (1983).** The nature and practice of biological control of plant pathogens st. Paul M.W. APS.539 pp.
- Coombs, J. T., Michelsen, P. P. and Franco, C. M. M. (2004).** Evaluation of endophytic actinobacteria as antagonists of *Gaeumannomyces graminis var. tritici* in wheat. *Biol. Cont.* **29**: 359-366
- Corbell, N. and Loper, J. E. (1995).** A global regulator of secondary metabolite production in *Pseudomonas fluorescens* Pf-5. *J.Bacteriol.* **177**:6230-6236
- Cornelis, P. and Matthijs, S. (2002).** Diversity of siderophore-mediated iron uptake systems in fluorescent pseudomonads: not only pyoverdines. *Environ. Microbiol.* **4**:787-798.
- Das, I. K., Indira, S. and Annapuma, A. (2007).** PGPR for seedling growth enhancement in post rainy season sorghum, In: Proceeding of 2nd Asian Congress of Mycology and Plant Pathology, Dec. 19-22, Hyderabad. India. S-04. O-157
- Das, R., Das, K., Chakraborty, R. and Jha, D. K. (2006)** Management of Grey blight, *Pestalotiopsis disseminata* of *Persea bombycina* through biocontrol agents. In: Proceeding of National seminar on current trends in crop disease management for improving productivity. Jorhat 2006, **Abst-(O)-32**
- De wager, L.A., Van der Bij, A.J., Dekker, L.C., Simons, M., Wijffelman, C.A., and Lugtenberg, B.J.J. (1995).** Colonization of the rhizosphere of crop plants by plant-beneficial pseudomonads. *FEMS Microbiol. Ecol.* **17**:221-228
- Deacon, J. W. (1994).** Rhizosphwre constraints affecting biological organisms applied to seed. In: se4ed treatment: prospects and progress. BCPC Monograph 57. Thornaton Health: British crop protection council. 315-327.

- Dekkers, L.C. Phoelich, C.C. Vander Fits, L. and Lugtenberg, B.J.J 91998).** A site-specific recombinase is required for competitive root colonization by *Pseudomonas fluorescens* WCS 365. *Proc. Natl. Acad. Sci. USA* **95**: 7051-7056
- Demoz, B. T. and Korsten, L. (2006).** *Bacillus subtilis* attachment, colonization and survival on avocado flowers and its mode of action on stem-end rot pathogens. *Biol. Cont.* **37**: 68-74.
- Dennis, C. and Webster, J. (1971).** Effect of volatile substance produced by the antagonists on growth of the pathogen. *Trans. Br. Mycol. Soc.* **57**: 41-48
- Devi, M and Paul, Y. S. (2005).** Biological control of wilt/root rot complex of pea. In: roceeding of 2nd Global conference on Plant Health-Global Health, ISMPP, Nov. 25-29, 2005, Udaipur, India. SX-P70
- Dhingra, O. D. and Sinclair, J. B. (1985).** Basic plant pathology Methods. CRC press, Inc. Boca Raton, Florida.
- Dileep Kumar, B. S. and Bezbaruah, B. (1997).** Plant growth promotion and fungal pest control through antibiotic and siderophore producing fluorescent *Pseudomonas* strain from tea plantation. *Indian J. Exp. Biol.* **35**: 289-292
- Dileep Kumar, B. S., Mishra, A. K. and Dutta. S. (2005).** Role of plant growth promoting rhizobacterial in suppression of root disease of tea. In: proceding of International symposium on Intregated management of Fungal diseases. Feb 24-27, 2005, Varanasi, India
- Dobbelaere, S., Croonenberghs, A., Thys, A., Vande Broek, A. and Vanderleyden, J. (1999).** Photostimulatory effect of *Aspergillus brasilense* wild type and mutant strain altered in IAA production on wheat. *Plant Soil.* **212**: 155-164
- Dobbelaere, S., Vanderleyden, J. and Okon,Y.(2003).** Plant growth promoting effects of diazotrophs in the rhizosphere. *Crit.Rev.Plant Sci.* **22**: 107-149.

- Donate-Correa, J., Leon-Barrios, M., Perez-Galdona, R. (2005).** Screening for plant growth- promotion rhizobacteria in *Chamaecytisus proliferus*(Tagasaste), a forage tree-shrub legume endemic to the Canary Islands. *Pl. Soil*, 266: 261-272.
- Duijff, B., Recordet, G., Bakker, P. A. H. M., Loper, J. E. and Lemenceau, P.(1999).** Microbial antagonism at the root level is involved in the suppression of fusarium wilt by the combination of non pathogenic *Fusarium oxysporum* Fo47 and *Pseudomonas putida* WCS358. *Phytopathology*. 89: 1073-1079
- Dutta, S., Roy, M., Nath, R., Roy, A. and Roy, S. (2005b)** Biocpntrol potential and mass production of some native *Trichoderma* sp. under Terai Agro ecological region of west Bengal. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov 25-29, 2005, Udaipur. India. **SXP-62**
- Dutta,D., Samanta, S. K. and Dutta, S. (2005a).** Plant growth promoting bacteria mediated systemic resistance in tomato plant against damping off disease caused by *Rhizoctonia solani*, In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov 25-29, 2005, Udaipur. India. **SXP-75**
- El-Hasaan, S. A. and Gowen, S. R. (2006).** Formation and delivery of the bacterial antagonist *Bacillus subtilis* for management of lantil vascular wilt caused by *Fusarium oxysporum f.sp. lentis*. *J. Phytopathol*, 154: 148-155.
- Enebak, S. A., Wei, G. and Kloepper, J. W. (1998).** Effect of plant growth promoting rhizobacteria on loblolly and slash pine seedling, *Forest Sci.* 44: 139-144
- Esitken, A., karlidag, H., Ercisli, S. and Sahin, F. (2003).** The effect of spraying a growth promoting bacterium on the yield, growth and nutrient element composition of leaves of apricot (*Prunus armeniaca* L. cv. *hacihaloglu*), *Aust. J. Agri. Res.* 54(4): 377-380.
- Fiddaman, P.J. and Rosall, S. (1994)** Effect of substrate on the production of antifungal volatiles from *Bacillus subtilis*, *J.Appl.Bacteriol*, 76: 395-405

- Fuchs, J. and Defago, G.** (1991). In Plant growth promoting rhizobacteria, Progress & Prospect. IOBC/WPRS, pp 51-56
- Garbeva, P., Veen, Van J.A. and Elsas, J.D.** (2004). Microbial diversity in soil: Selection microbial populations by plant and soil type and implications for disease suppressiveness, *Ann. Rev. Phytopathol.* **42**: 243-270.
- Gardener, B. B. M.** (2004). Ecology of *Bacillus* and *Paenibacillus spp.* in agricultural system. *Phytopathology.* **94**: 1252-1258
- Gaur, R.B., Sharma, R.N. Sharma, R.R. and Gautam, V.S.** (2005). Efficacy of *Trichoderma* and *Rhizoctonia* root rot control in Chickpea. *J.Mycol. Pl.Pathol.* **35**:144-150
- Glick, B. R., Patten, C. L., Holguin, G. and Penrose, D.N.** (1999). Biochemical and genetic mechanisms used by plant growth promoting bacteria. London. Imperial College Press.
- Glick, B.R.** (1995). The enhancement of plant growth by free living bacteria, *Can. J. Microbiol.* **41**: 109-117
- Glickmann, E. and Dessaux, Y.** (1995). A critical examination of specificity of the Salkowski reagent for indolic compound produced by phytopathogenic bacteria. *Appl. Environ. Microbiol.* **61**: 793-796
- Gnanamanickam, S. S., Christopher, M., Inman, S., West, L. and Semones, S.** (2007). Microbial products that enhance growth and crop yield in organic and sustainable agriculture. In: Proceeding of 2nd Asian Congress of Mycology and Plant Pathology, Dec. 19-22, Hyderabad. India. **S-04, O-407**
- Gohain, D. and Das, B. C.** (2006). Management of white mold of French bean through biological seed treatment, In: Proceeding of National seminar on current trends in crop disease management for improving productivity. Jorhat, Assam, 2006, **Abst-(O)-04**
- Gohel, N.M., Solanky, K.U., Patel, S.J. and Patel,R.V.**(2005). Biocontrol of *Alternaria alternata* causing leaf spot and fruit rot of chilli. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov 25-29, 2005, Udaipur, India. **SX- P29**

- Govender, V. and Korsten, L.** (2006). Evaluation of different formulations of *Bacillus licheniformis* in mango pack house trials, *Bio. Cont.* **37**:137-242
- Guo, J H., Qi, H, H. Y., Guo, Y. H., Ge, H. L., Gong, L. Y., Zhang, L.X. and sun, P. H.** (2004). Biocontrol of tomato wilt by plant growth promoting rhizobacterial. *Biol. Cont.* **29**: 66-72
- Gupta, A., Saxena, A. K. and Gopal, M.** (2003). Effect of co-inoculation of plant growth promoting rhizobacterial and *Bradyrhizobium* sp. (*Vigna*) on growth and yield of green gram (*Vigna radiata* L. Wilczek), *Tropical-Agriculture.* **80**: 28-35
- Gutierrez-Manero, F. J., Probanza, A., Ramos, B., Colon-Flores, J.J and Lucas-Garcia, J.A.** (2003) Effect of culture filtrates of rhizobacteria isolated from wild lupine on germination, growth and biological nitrogen fixation of lupine seedling, *J. P. Nutrition* **26**:1101-1115
- Hafeez, F. Y., Yasmin, S., Ariani, D., Rahman, M., Zafar, Y. and Kauser A. Malik, K. A.** (2006). Plant growth promoting bacteria as biofertilizer, *Agron. Sustain. Dev.* **26**:143-150
- Hameeda, B. B., Rupela, O. P. and Reddy, G.** (2007). Plant growth promoting bacteria in soil quality and sustainable agriculture. In: Proceeding of 2nd Asian Congress of Mycology and Plant Pathology, Dec. 19-22, Hyderabad. India. S-04.O-158
- Hammond, J. and Jordan, R.**(1990).In serological methods for detection and identification of viral and bacterial plant pathogens (Eds. R. Hampton,E.Ball, and S.De.Boer), *American Phythopathological Society*, St Paul, Minnesota, USA: APS, Press, pp 237-249
- Harbone, J. B.** (1973). Phytochemical methods, Chapman and Hall Ltd. London. 278.
- Harbone, J. B. and Ingham, J. L.** (1978). Biochemical aspects of the coevolution of higher plants with their fungal parasites, *In Biochemical aspects of plant and animal co evolution*, Ed. J.B. Harbone, New York, Academic: 343-405

- Hariprasad, P. and Umesha, S.** (2007). Induction of systemic resistance in field growth tomato by PGPR against *Xanthomonas vesicatoria*- incitant of bacterial spot. *J. Mycol. Plant Pathol*, 37:460-463.
- Hazarika, D. K. and Das, K. K.** (1998). Biological management of root rot of French bean (*Phaseolus vulgaris* L.) caused by *Rhizoctonia solani*, *Plant Dis. Res.* 13: 101-105.
- Hofte, M.** (1993). Classes of microbial siderophores. In: *Iron chelation in plants and soil microorganisms* (Eds. Barton, L.L. and Hemming, B.C.) Academic Press, London. pp. 3-26.
- Howell, C. R. and Stipanovic, R. D.** (1980). Suppression of *Pythium ultimum* induced damping off of cotton seedling by *Pseudomonas fluorescens* and its antibiotic, pyoluteorin. *Phytopathology* 70:712-715
- Israel, S., Mawar, R. and Meena, J.S.** (2002). Biocontrol of *Fusarium oxysporum* f. sp. *cumini* by *Aspergillus versicolor*. In: Proceeding of Asian Congress of Mycology and plant Pathology, Oct 1-4, 2002 pp-243
- Jagadeesh, K. S. and kulkarni, J. H.** (2003). Mechanisms of biocontrol in the rhizobacterial of tomato, antagonisted to *Ralstonia solanacearum* E. F. Smith causing bacterial wilt in tomato. In: Proceeding of 6th International Workshop on Plant Growth Promoting Rhizobacteria, Oct 5-10, 2003, Calicut, India, pp. 475
- Jaizme-Vega, M. del C., Rodriguez-Romera, A. S. and Guerra, M sol P.** (2004). Potential use of rhizobacteria from the *Bacillus* genus to stimulate the plant growth of micropropagated bananas. *Fruits.* 59:83-90
- Jetiyanon, K., Fowler, W. D., Klopper, J. W.** (2003). Broad-spectrum protection against several pathogens by PGPR mixtures under field conditions in Thailand. *Plant. Disease*, 87.1390-1394
- Jeun,Y. C., Park, K. S., Kim, C. H., Fowler, W. D. and klopper, J. W.** (2004) Cytological observations of cucumber plants during induced resistance elicited by rhizobacterial. *Biol. Cont.* 29:34-42.

- Jeyalakshmi, C., Durairaj, P., Seetharaman, K. and Sivaprakasam, K. (1998).** Biocontrol of fruit rot and die-back of chilli using antagonistic microorganisms. *Ind. Phytopath.* 51: 180-183.
- Jha, P.K. and Jalali, B.L. (2005).** Effect of culture filtrate of different fungal antagonists on the radial growth of *Fusarium solani* f. sp. pisi- an incitant of pea root rot disease. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov 25-29, 2005, Udaipur, India. SX- P45
- Kabitha, K., Nakkeeran, S., Chandrasekar, G., Fernando, W. G. D., Mathiyazhagan, S., Renukadevi, P. and Krisnamurtoorthy, A.S. (2003).** Role of antifungal antibiotics, siderophores and IAA production in biocontrol of *Pythium aphanidermatum* inciting damping off in tomato by *Pseudomonas chlororaphis* and *Bacillus subtilis*. In: Proceeding of 6th International Workshop on Plant Growth Promoting Rhizobacteria, Oct 5-10, 2003, Calicut, India, pp. 486-493
- Kannan, C., Prakasan, V. and Parthiran, V. K. (2003).** Studies on the induction of systemic resistance against *Mycrosphaerella musicola* in banana cultivars, nendran and robusta upon field application of biocontrol agents. In: Proceeding of 6th International Workshop on Plant Growth Promoting Rhizobacteria, Oct 5-10, 2003, Calicut, India, pp. 486-493
- Kerry, B. R. (2000).** Rhizosphere interactions and the exploitation of microbial agents for the biological control of plant-parasite nematodes. *Annu. Rev. Phytopathol.* 38:423-441
- Khabbaz, S. F., Valluvaparidasan, V., Gopalakrishnan, C., Ladhakshmi, D., Rabindran, R., Rajinimala, N. and Velazhahan, R. (2005).** Screening of plant growth promoting bacteria gainst major fungal diseases *in vitro* conditions. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov. 25-29, 2005, Udaipur. India. SX P-71
- Khalid, A., Arshad, M. and Zahar, Z.A. (2004)** Screening of plant growth promoting rhizobacteria for improving growth and yield of wheat. *J. Appl. Microbioal.* 96:473-480

- Kilic-Ekici, O. and Yuen, G.Y.** (2004). Comparison of strains of *Lysobacter enzymogenes* and PGPR for induction of resistance against *Bipolaris sorokiniana* in tall fescue. *Biol. Cont.* **30**:446-455.
- Kishore, G. K., Pande, S. and Podile, A. R.** (2005). Phylloplane bacteria increase seedling emergence, growth and yield of field grown groundnut (*Arachis hypogaea* L.) *Lett.s Appl. Microbiol.* **40**: 260
- Kloepper, J. W., Ryu, C. M. and Zhang, S.** (2004). Induced systemic resistance and promotion of plant growth by *Bacillus* spp. *Phytopathology.* **94**: 1259-1266
- Kloepper, J.W and Schroth, M.N.** (1978). Plant growth-promoting rhizobacterial on radishes, In: Proceeding of 4th International Conference on Plant Pathogenic bacteria, Vol.II. Gilbert-Clairey, Tours, France, P.879-882
- Kobayashi, K., Laura, G., Ana, V. and Jorge, Cozii.** (2000). Suppressive effects of antagonistic bacteria and metabolites on a pathogenic *Rhizoctonia solani* strain increased production in a specific medium. *Rev. Invent. Agrop.* **29**: 63-76
- Kuiper, I., Bloemberg, G.V. Noreen, S., Thomas-Oates, J.E. and Lugtenberg, B.J.J.** (2001). Increased uptake of putrescine in the rhizosphere inhibits competitive root colonization by *Pseudomonas fluorescens* strain WCS 365. *Mol. Plant-Microbe Interact.* **14**:1096-1104
- Kyoung, J. H. and Dal, K. S.** (2003). Purification and characterization of an antifungal antibiotic from *Bacillus megaterium* KL 39, a biocontrol agent of red pepper phytophthora blight disease. *Korean J. Microbiol. Biotech.* **31**:235-241
- Laemmli, U.K.** (1971). Cleavage of structural proteins during assembly of the head of bacteriophage T₄. *Nature.* **227**: 680-685
- Laisram, N., Singh, V.P. and Sharma, M.** (2005) Isolation of screening antagonistic strains of bacteria against *Aspergillus flavus*, *Fusarium* sp. In: proceeding of International symposium on Integrated Management of Fungal Diseases. Feb 24-27 2005, Varanasi, India

- Lange, L., Heide, M. and Oslon, L. M.** (1989). Serological detection of *Plasmiodiophora brassicae* by dot immunobinding and visualization of the serological reaction by scanning electron microscopy. *Phytopathology* 79:1066-1071
- Lavania, M., Chauhan, P. S., Chauhan, S.V., Singh, H. B. and Nautiyal, C. S.** (2006) Induction of plant defense enzymes and phenolics by treatment with plant growth promoting rhizobacterial *Serratia marcescens* NBR11213. *Curr. Microbiol.* 52:363-368
- Lee, S.M., Shen, S.S. and Park, C.S.** (2000). Effects of bio-priming with bacterial strains and solid matrix priming on the germination of pepper seeds and their seedling growth. *International conference on Plant disease forecast: Information technology in plant pathology*, 2000
- Leeman, M., Den ouden, F. M., Van Pelt, J. A., Dirkyx, F, F. P. M., Steiji, H., Bakker, P. A. H. M. and Schipper, B.** (1996). Iron availability affects induction of systemic resistance to *Fusarium* wilt of radish by *Pseudomonas fluorescens*. *Phytopathology*. 86: 149-155
- Leemen, M., Van Pelt, J. A., Denouden, F. M., Heinsbroek, M. Bakker, P. and Schippers, B.** (1995). Induction of systemic resistance against *Fusarium* wilt of radish by lipopolysaccharides of *Pseudomonas fluorescens*. *Phytopathology*.86: 149-155.
- Loper, J.E. and Henkels, M.D.** (1999). Utilization of heterologous siderophores enhances levels of iron available of *Pseudomonas putida* in the rhizopshre. *Apple. Environ. Microbiol.* 65:5357-5363
- Lowry, O. H., Rosebrough, N. J., Farr, A. L. and Randall, R. J.** (1951). Protein measurement with folin phenol reagent. *J. Biol. Chem.* 193: 265-275.
- Lugtenberg, B.J. J.** (2000). Use of bacteria for plant growth promotion and new plant protection. *In book of Abstracts, New approaches and Techniques in Breeding Sustainable Fodder Crops and Amenity Grasses*, Ed NA Provorov, IA Tikhonovich, F. Veronei. St. Peterburg, Russia: Russ. Ist. Agric. Microbiol.

- Lugtenberg, B.J. J., Dekkers, L. and Bloemberg, G. V. (2001).** Molecular determinations of rhizosphere colonization by *Pseudomonas* sp., *Ann. Rev., Phytopathol.*, **39**: 461-490
- Lynch, J. M. (1990).** 6th International Symposium on Microbial Ecology, Abstracts Book, p. 60.
- Lynch, J.M. (1982).** The rhizosphere In "Expression Microbial Ecology" (eds. Burus, R.G. and Slatter, J.H.). Blackwell Scientific Publication, Oxford, England, pp 295-311.
- M'Piga,P., Belanger,R.R.,Paulitz,T.C and Benhamou,N.(1997).** Increased resistance to *Fusarium oxysporum f.sp. radicis-lycopersici* in tomato plants treated with the endophytic bacterium *Pseudomonas fluorescens* strain 63-28. *Physiol.Mol.Plant Pathol.* **50**:301-320
- Madi, L. and Katan, J. (1998).** *Penicillium janczewskii* and its metabolites, applied to leaves, elicit systemic acquired resistance to stem rot caused *Rhizoctonia solani*. *Physiol. Mol. Plant Pathol.* **53**: 163-175
- Mahadevan, A. and Sridhar, R. (1982).** Methods in physiological plant pathology, 2nd Ed. Sivakami Pub., India
- Maity, C. K., Sen, S., Chatterjee, S., Paul, A. K. and Acharya, K. (2008).** Biological control of two foliar diseases of *Stevia rebaudiana*. In: Proceeding of National symposium on Diversity and functionality of plant and microbes. Jan 24-25, 2008, Siliguri, India OP-2.04
- Manero,-F-J-G., Ramos,-B., Garcia,_J-A-L., Probanza,-A., Casero, -M-L-B. (2003).** Systemic induction of the biosynthesis of terpenic compounds in *Digitalis lanata*. *J.Pl. Physiol.* **160**:105-113
- Mathew, K. A. and Gupta, S. K. (1996)** Biological control of root rots of French bean caused by *Rhizoctonia solani*. *J.Mycol.Pl.Pathol.* **28**:202-205
- Mathivanan, N., Prabavathy, V. R. and Vijayanandraj, V. R. (2005).** Application of talc formulations of *Pseudomonas fluorescens* Migula and *Trichoderma viride* Pers. Ex. S.F. Gray decrease the sheath blight disease and enhance the plant growth and yield in Rice. *J.Phytopathol.* **153**: 691-701

- Matiru, V. N. and Dakora, F. D.** (2004) Potential use of rhizobial bacteria as promoters of plant growth for increased yield in Landraces of African cereal crops, *African J. Biotech.* 3:1-7
- Meshram, M. K., Mukeswar, P. M. and Khadi, B. M.** (2007) Evaluation of antagonistic role of rhizobacterial in the management of *Fusarium wilt* and dry root rot disease in cotton. In: proceeding of 2nd Asian congress of Myco. and Pathol. Dec 19-22, 2007. Hyderabad. S-04. P-152
- Mishra, R. C., Singh, R., Mishra, B. K. and Dikshit, A.** (2004). Biological management of chick Pea (*Cicer arietinum* L.) wilt complex. In: Proceeding of National symposium on Rhizosphere biotechnology/ microbes in relation to plant health: Retrospects & prospects. Nov 29-30, 2004. Bhagalpur, India.
- Mohandas, S., Rawal, R. D. and Laxmikantha, H. C.** (2005). Immunolocalisation of *Phytophthora parasitica* pv. *nicotianae* in Papaya root pre-colonised with biocontrol agents using FITC conjugated antibodies. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov 25-29, 2005, Udaipur. India. SX- P60
- Montealegre, J R., Reyes, R., Perez, Lux maria, Herrera, R., silva, P. and Besoain, X.** (2003). Selection of bioantagonistic bacteria to be used in biological control of *Rhizoctonia solani* in tomato. *Electronic J. Biotech.* 6.
- More, D. R. and Baig, M. M. V.** (2007). Biological control of *Phytophthora* root rot of chillies using *Trichoderma harzianum* and *Pseudomonas fluorescens* In: Proceeding Of 2nd Asian Congress of Mycology and Plant Pathology, 19-22 Dec 2007, Hyderabad. India. S-05, P-442
- Murphy, J. F., Zehnder, G. W., Schuster, D. J., Sikora, E. J., Polston, J. E. and Kloepper, J. W.** (2000). Plant growth promoting rhizobacterial mediated protection in tomato against tomato mottle virus. *Plant Dis.* 84: 779-784.
- Niranjana, S. R., Chalubaraju, G., Amrutesh, K. N., Shetty, S. H., Reddy, M. S. and Kloepper, J. W.** (2003). Induction of growth promotion and resistance against downey mildew on pearl millet (*Pennisetum glaucum*) by rhizobacterial. *Plant Dis.* 87:380-384.

- Obanda, M. and Owuor, P.O.** (1994). Effects of wither and plucking methods on the biochemical and chemical parameters of selected Kenyan tea. *Discovery Inno.* 6: 190-197
- Okubara, P. A., Kornoely, J. P. and Lansa, B. B.** (2004) Rhizosphere colonization of hexaploid wheat by *Pseudomonas fluorescens* strains Q 8r 196 and Q2 87 is cultivar variable and associated with changes in gross root morphology. *Biol. Cont.* 30:392-403
- Ongena, M., Daayf, F., Jacques, P., thonart, P., Benhamou, N., Paultts, T.C. and Belanger, R.R.** (2000). Systemic induction of phytoalexins in cucumber in response to treatment with fluorescent pseudomonads. *Plant pathol.* 49:523-530
- Osbern, R. M., Miller, J. L., Oblinger, E. S., Mit, R. S. and Handelsman, J.** (1995). Effect of *Bacillus cereus* UW85 on the yield of soybean of two fields sites in Wisconsin, *Pl. Dis.* 79:551-555
- Ouchterlony, O.** (1967). In Handbook of experimental Immunology (Eds. D.M. Wier), Blackwell Scientific Publication, Oxford & Edinburg
- Pan, S. Q., Ye, X. S. and Kuc, J.** (1991). A technique for the detection of chitinase, β -1,3 glucanase and protein patterns after a single separation using polyacrylamide gel electrophoresis or isoelectric focussing. *Phytopathology* 81:970-974.
- Park, K., Kim, E.U., Bae, Y. S. and Kim, C. H.** (2003). Plant growth promotion and bioprotection against multiple plant pathogens by a selected PGPR mediated ISR, *Bacillus amyloquefaciens* EXTN-1. In: Proceeding of 6th International workshop on Plant Growth Promoting Rhizobacteria, Oct 5-10, 2003, Calicut, India, pp- 498-502.
- Park, K.S. and Kloepper, J.W.** (2000). Activation of PR-1 a promoter by rhizobacter which induce systemic resistance in tobacco against *Pseudomonas syringae* pv. *tabaci*. *Biol. Cont.* 18:2-9
- Patel, S.L. Solanky, K.U., Naik, B.M. and Patel, R.V.** (2005). Biological control of collar rot of brinjal. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov 25-29, 2005, Udaipur, India. SX- P44

- Paul, D. and Sharma, Y. R. (2003).** Induction of defense related enzymes with plant growth promoting rhizobacterial (PGPR) in black pepper (*Piper nigrum* L.) and *Phytophthora capsici* pathosystem. In: Proceeding of 6th International workshop on plant growth promoting Rhizobacteria, Oct 5-10, 2003. Calicut, India. pp. 473
- Penrose, D. M. and Glick, B. R. (2003).** Methods for isolating and characterizing ACC deaminase-containing plant growth promoting rhizobacterial, *Physio. Planta.* 118: 10-15
- Pieterse, C.M., van Wees, S.C., Hoffland, E., Van Pelt, J.A. and Van Loon, L.C. (2006).** Systemic resistance in *Arabidopsis* induced by biocontrol bacteria is independent of salicylic acid accumulation and pathogenesis-related gene expression. *Plant Cell Env.* 8:1225-1237
- Pikovshaya, R. F. (1948)** Solubilisation of phosphorous in soil in connection with vital activity of some microbial species. *Microbiologia.* 17: 362-370
- Ping, L. and Boland, W. (2004).** Signals from the underground: bacterial volatiles promote growth in *Arabidopsis*. *Trends Plant Sci.* 9:263-269.
- Prinsen, E., Costacutra, A., Michielis, K., Vanderleyden, J. and Van Onckelen, H. (1993).** *Aspergillus brasilense* indole-3- acetic acid biosynthesis: evidence for a non-tryptophan dependent pathway. *Mol. Plant-Microbe Interact.* 6: 609-615
- Quazi, A. N. and Vyas, A. (2007)** Improved productivity of *Macrotyloma uniflora* (Lam.) Verde. by application of biofertilizer. In: Proceeding of 2nd Asian congress of Myco. and Plant Pathol. Dec 19-22, 2007. Hyderabad, S-04.P-154
- Radhajeyalakshmi, R., Valluvaparidasan, V., Doraiswamy, S. and Reddy, M. S. (2003).** PGPR mediated disease resistance in rice against major seed borne pathogens. In: Proceeding of 6th International Workshop on Plant Growth Promoting Rhizobacteria, Oct 5-10, 2003, Calicut, India, pp. 531-534

- Radjacommare, R., Ramanathan, A., Kandan, A., Harish, S., Thambidurai, G., Sidle, G., Ragupathi, A., and Samiyappa, R. (2005).** PGPR mediates induction of pathogenesis-related (PR) proteins against the induction of blast pathogen in resistant and susceptible ragi (*Eleusine coracana* L. Gaertner) cultivars, *Pl. Soil.* 266(1-2): 165-176
- Raghavendra, S., Krishnappa, M. and Ramesh Babu, H. N. (2005).** Biocontrol of *Pythium vexans* causing root rot and foot rot disease of Betelvine (*Piper betle* L.) In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov. 25-29, 2005, Udaipur, India. **SXP-73**
- Raj, S.N., Deepak, S.A., Basavaraju, P., Shetty, H.S., Reddy, M. S. and Kloepper, J. W. (2003).** Comparative performance of formulations of plant growth promoting rhizobacterial in growth promotion and suppression of downy mildew in pearl millet. *Crop Protection.* 22:579-588
- Ram, P., Mathur, K. and Lodha, B.C. (1999).** Integrated management of rhizome rot of ginger involving biocontrol agents and fungicides. *J.Mycol.Plant Pathol.* 29:416-420
- Ramamoorthy, V. and Samiyappa, R. (2001).** Induction of defense-related genes in *Pseudomonas fluorescens*-treated chilli plants in response to infection *Colletotrichum capsici*. *J.Mycol. Plant Pathol.* 31:146-155
- Ramamoorthy, V., Viswanathan, R., Raguchander, T., Prakasam, V. and Samiyappa, R. (2001).** Induction of systemic resistance by plant growth promoting rhizobacteria in crop plants against pests and diseases. *Crop Prot.* 20:1-11
- Ramanathan, A., Radjacommare, R., Nakkeeran, S., Samiyappan, R. and Balasubramanian, P. (2003).** Defense enzymes induction in the finger millet leaves against blast disease due to treatment with plant growth promoting rhizobacterial (PGPR). In: Proceeding of 6th International Workshop on Plant Growth Promoting Rhizobacteria, Oct 5-10, 2003, Calicut, India, pp. 552-58

- Ramos, B., Lucus, G. J. A., Probanza, A., Barrientos, M. L. and Gutierrez Manero, F. J.** (2003). Alternations in the rhizobacterial community associated with European alder growth when inoculated with PGPR strain *Bacillus licheniformis*. *Environ. Exp. Bot.* **49**: 61-68
- Ranganathan, V. and Nateson, S.** (1987). Manuring of Tea Revised Recommendation, *Hand Book of Tea Culture*, **Section 11**, p 1-27
- Raupach, G. S. and Kloepper, J. W.** (1998). Mixture of plant growth-promoting rhizobacteria enhances biological control of multiple cucumber pathogens. *Phytopathology*. **88**: 1158-1164
- Reddy, B. N. and Raghavender, C. R.**(2006). Management of Charcoal rot of sorghum by using AM fungi. In: proceeding of 58th Annual meeting of IPS and National Symposium on Emerging Plant Diseases, their Diagnosis and Management, Jan.31-Feb.2, 2006. Siliguri. West Bengal. OR-049.
- Robert, W.K. and Selitrennikoff, C.P.** (1988). Plant and bacterial chitinases differ in antifungal activity. *J.Gen. Microbiol.* **134**:169-176
- Romeiro, R. S., Lanna, F., Viera Junior, J. R., Silva, H. S. A., Baracat-Pereira, M. C. and Carvalho, M. G.** (2005). Macromolecules released by a plant growth promoting rhizobacteria as elicitors of systemic resistance in tomato to bacterial and fungal pathogens. *J. Phytopath.* **153**:120
- Rothballer, M., Schmid, M. and Hartmann, A.** (2003). *In situ* localization and PGPR effect of *Azospirillum brasilense* strains colonizing roots of different wheat varieties. *Symbiosis* **34**:261-279
- Ryu, C. M., Farag, M. A., Hu, C. H., reddy, M. S., Wei, H. X., Pare, P. W. and Kloepper, J. W.** (2003). Bacterial volatiles promote growth in *Arabidopsis*, *Proc. Natl. Acad. Sci. USA*, **100**: 4927-32
- Ryu, C. M., Murphy, J.F., Mysore, K.S. and Kloepper, J. W.** (2004). Plant growth promoting rhizobacterial systemically protect *Arabidopsis thaliana* against Cucumber mosaic virus by a salicylic acid and NPR1-independent and jasmonic acid-dependent signaling pathway. *The Plant J.* **39**:381-392.

- Saika, N., Dileep Kumar, B. S., Deka Barua, H. P., Bondyopadhyay, P. (2006). Control of tea pathogen *Cephaleuros parasitica* with a novel bacterial strain RR3. In: Proceeding of National seminar on current trends in crop disease management for improving productivity. Jorhat 2006, Abst-(O)-02.
- Saikia, N. and Bezbarua, B. (1995). Iron dependent plant pathogen inhibition through Azotobacter RRLJ2003 isolated from iron rich acid soil. *Ind. J.Exp. Biol.* **33**:571-575.
- Sain, S. K. and Gour, H. N. (2005). Screening for the Identification of potential PGPR that reduce diseases caused by *Xanthomonas*. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov 25-29, 2005, Udaipur, India. SX- P78
- Samanta, S. K. and Dutta, S. (2004). Potential of native plant growth promoting rhizobacteria in the management of *Sclerotinia* stem rot of mustard. *J.Mycol. Plant Pathol.* **34**:761-769
- Saravanakumar, D., Vijayakumar, C., kumar, N. and Samiyappa, R. (2006). PGPR-induced defense response in the tea plant against blister blight disease. *Crop Prot.*
- Sarma, B. K., Singh, D. P., Mehta, S., Singh, H. B. and Singh, U. P. (2002). Plant growth promoting rhizobacterial elicited alterations in phenolic profile of chickpea (*Cicer arietinum*) infected by *Sclerotium rolfsii*. *J. Phytopathol.* **150**: 277-280
- Schippers, B., Bakker, D., Bakker, P. A. H. M., Weisbeek, P. J., and Zugtenberg, B. (1986). In *Microbial Communities in Soil*, Elsevier Scientific Publication, p. 35-49
- Schisler, D. A., Slininger, P. J. and Bothast, R. J. (1997). Effects of antagonist cell concentration and two-strain mixtures on biological control of *Fusarium* dry rot of potatoes. *Phytopathology.* **87**:177-183.
- Schwyn, B. and Neiland, J.B. (1987). Universal chemical assay for the detection and determination of siderophores. *Anal. Biochem.* **160**:47-56

- Sharathchandra, R. G., Niranjan, S. R., Shetty, N. P., Amrutesh, K. N. and Shetty, H.S. (2004).** A chitosan formulation Elexa TM induce downy mildew disease resistance and growth promotion in pearl millet. *Crop Prot.* **23**: 881-888
- Sharma, K., Dak, G., Agarwal, A. and Sharma, R. (2005).** Isolation and assay of antifungal activity of siderophore producing strain of *Pseudomonas aeruginosa*. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP, Nov 25-29, 2005, Udaipur. India. **SXP-74**
- Sharma, P.D. (2000)** . In *Symposium on Biotechnology of Plant Protection*. Abstr.P. 15-16
- Sharma, V. K. and Nowak, J. (1998).** Enhancement of *Verticillium* wilt resistance in tomato transplants by *in vitro* coculture of seedlings with a plant beneficial properties. *Int. J. Syst. Evol. Microbiol.* **55**:1187-1192
- Siddiqui, I. A. and Shaukat, S. S. (2003).** Systemic resistance in tomato induced by biocontrol bacteria against the root-knot nematode, *Meloidogyne javanica* is independent of salicylic acid production. *J. phytopath.* **152 (1)**: 48
- Singh, A. and Singh, H. B. (2005).** *Trichoderma harzianum* suppresses collar rot disease of Betelvine caused by *Sclerotium rolfsii*. In: Proceeding of Second Global Conference on Plant Health Global Wealth, ISMPP. Nov 25-29, 2005, Udaipur, India, **SX- P53**.
- Singh, P. K., Mishra, M. K. and Vyas, D. (2007)** Efficacy of *Trichoderma spp.* strains in the control of *Fusarium wilt* of tomato. *J Mycol. Plant Pathol.* **37**: 105-107
- Singh, R., Sindhan, G. S., Parashar, R. D. and Hooda, I. (1998).** Application of antagonists in relation to dry root rot and biochemical status of chickpea plants. *Plant Dis. Res.* **13**: 35-37
- Singh, U.P., Sarma, B. K. and Singh, D. P. (2003).** Effect of plant growth promoting rhizobacterial and culture filtrate of *Sclerotium rolfsii* on phenolic and salicylic acid contents in chickpea (*Cicer arietinum*). *Cuur. Microbiol.* **46**: 131-140

- Singh, B.K. Millard, P., Whiteley, A.S., Murrell, J.C. (2004).** *Unravelling rhizosphere microbial interactions: Opportunities and limitations, TRENDS in Microbiology* 12:386-393
- Sturz, A.V., Christie, B. R. and Nowak, J. (2000).** Bacterial endophytes: potential role in developing sustainable systems of crop production. *Crit.Rev.Plant Sci.* 19:1-30.
- Thakur, K. D., Pillai, T. and Nair, R. (2006).** Control of root rot of sesamum by *Rhizoctonia bataticola* (Taub.) by effective microorganisms. In: proceeding of 58th Annual meeting of IPS and National Symposium on Emerging Plant Diseases, their Diagnosis and Management, Jan 31-Feb 2, 2006, Siliguri, West Bengal, pp-166.
- Thakur, R. P., Rao, V. P. and Subramanyam, K. (2003).** Influence of biocontrol agents on population density of *Aspergillus flavus* and kernel infection in ground. *Indian Phytopath.* 56: 408-412
- Tilak, K. V. B. R., Ranganayaki, N. and Manoharachari, C. (2006).** Synergistic effects of plant growth promoting rhizobacterial and *Rhizobium* on nodulation and nitrogen fixation by pigeonpea (*Cajanus cajan*). *European J. Soil Sc.* 57: 67
- Timmush, S., Grantcharova, N. and Wagner, E. G. H. (2005).** *Paenibacillus polymyxa* invades plant roots and form Biofilm. *Appl. Environ. Microbiol.* 71:7292-7300
- Timmusk, S. (2003)** Mechanism of action of the plant growth promoting bacterium *Paenibacillus polymyxa*. Acta Universitatis Upsaliensis. Comprehensive summaries of Uppsala dissertation from the faculty of science and technology 908.40 pp, Uppsala, ISBN 91-554-580..
- Torres-Rubio, M.G., Valencia-Plata, S. A., Bernal-Castillo, J., Martinez-Nieto, P. (2000).** Isolation of enterobacteria, *Azotaobacter* sp. and *Pseudomonas* sp. Producers of Indole-3-acetic acid and siderophores, from Colombian rice rhizosphere, *Revista Latin, de Micrbiol.* 42: 171-176

- Trivedi, N. and Sinha, A. K.** (1976) Resistance induced in rice plants against *Helminthosporium* infection by treatment with various fungal fluids, *J. Phytopathology*. **86**: 335
- Trivedi, P., Pandey, A., and Palni, L.M.S.** (2006). *In vitro* evaluation of antagonistic properties of *Pseudomonas corrugate*. *Microbiol Res.* **161**: 232-237.
- Umamaheswari, C., Nallathathambi, P. and Dhandar, D. G.** (2003). Factors influencing growth and fluorescent pseudomonads. In: Proceeding of 6th International Workshop on Plant Growth Promoting Rhizobacteria, Oct 5-10, 2003, Calicut, India, pp. 455
- Van Loon, L.C.P., Bakker, P.A. H.M. and Pieterse, C.M.J.** (1998). Systemic resistance induced by rhizosphere bacteria. *Annu.Rev. Phytopathology*. **36**:453-483
- Van Peer, R., Niemann, G. J. and Schippers, B.**(1991). Induced resistance and phytoalexin accumulation in biological control of *Fusarium* wilt of carnation by *Pseudomonas* sp. strain WCS417r. *Phytopathology*. **81**:728-734.
- Verma, V. S. and Sharma, S. K.** (2007) Evaluation of biocontrol agents against *Fusarium solani* causing wilt of mango seedlings. *J Mycol Pl Pathol*. **37**:393-400.
- Verma, V.S. and Sharma, S. K.** (2007) Evaluation of biocontrol agents *Fusarium solani* causing wilt of mango seedling. *J.Mycol.Pl.Pathol*. **37**: 393-396
- Vidhyasekharan, P., Kamala, N., Ramanathan, A., Rajappan, K., Paranidharan, V. and Velazhahan, R.** (2001). Induction of systemic resistance by *Pseudomonas fluorescens* Pfl against *Xanthomonas oryzae* pv. *oryzae* in rice leaves. *Phytoparasitica* **29**
- Vidhyasekharan, P., Sethuraman, K., Rajappan, K., and Vasumathi, K.** (1997). Powder formulation of *Pseudomonas fluorescens* to control Pigeon pea wilt. *Biol. Cont.* **8(3)**: 166-171

- Viswanathan, R. and Samiyappan, R.** (1999). Induction of systemic resistance by plant growth promoting rhizobacteria against red rot disease caused by *Colletotrichum falcatum* in sugarcane, pp.24-39. In: Proceeding of the sugar Technology Association of India, vol.61. Sugar Technology Association, New Delhi, India
- Vivekananthan, R., Ravi, M., Ramanathan, A. and Samiyappan, R.** (2004). Lytic enzymes induced by *Pseudomonas fluorescens* and other biocontrol organisms mediate defense against the anthracnose pathogen in mango. *World J. Microbiol. Biotech.* **20**: 235-244
- Wahad, S.** (2000). In *Symposium on Biotechnology of Plant Protection*, Abstr. P.25-27
- Wakeham, A. J. and White, J.G.** (1996). *Physiol.Mol.Plant Pathol.* **48**: 289-303
- Walsh, J. A., Merz, U. and Harrison, J.G.** (1996). *Plant Pathology* **45**: 884-895
- Watson, D. J.** (1947). The estimation of leaf area in field crops. *J. Agric Sc.* **27**: 478-483
- Wei, L. Kloepper, J.W. and Tuzun, S.** (1991). Induction of systemic resistance of cucumber to *Colletotrichum orbiculare* by selected strains of plant growth promoting rhizobacteria. *Phytopathology.* **81**:1208-1512.
- West, P. A. and Colwell, R .R** (1984). Identification and classification of *Vibrionaceae*: an overview. In: R.R.Colwell (Ed), *Vibrios in environment*. (John Wiley and sons Inc., New York). pp. 285-363.
- Yamada, K.** (2004). Tea rhizosphere fungus antagonistic to tea anthracnose fungus *Colletotricum theae-sinensis*. In: proceeding of Intenation Conference of O-CHA (Tea) Culture and Science. Nov 406, 2007 Shizuoka, Japan Pr-P-68
- Yan, Z., Reddy, M. S. and Kloepper, J. W.** (2003) Survival and colonization of rhizobacteria in a tomato transplant system. *Can. J. Plant Pathol.* **49**:382-389
- Yeole, R. D. and Dube, H. C.** (2001) Rhizosphere fluorescent *Pseudomonas* isolates from four crop plants and their rhizosphere competence. *J.Mycol.Plant Pathol.* **31**:273-276

Zhang, F., Dashti, N., Hynes, R. K. and Smith, D. L. (1996) Plant growth promoting rhizobacteria and soybean, [*Glycine max* (L). Merr.] nodulation and nitrogen fixation at suboptimal root zone temperatures. *Annals Bot.* 77:453-460

Zhang, S., Reddy, M. S. and Kloepper, J. W. (2002). Development of assays for assessing induced systemic resistance by plant growth promoting rhizobacteria against blue mold of tobacco. *Biol.Ccont.* 23:79-86.

