

CONTENTS

Acknowledgement	I
Preface	III

CHAPTER 1

A SHORT REVIEW ON THE ORGANOTIN(IV) COMPOUNDS

1.1 Introduction	1
1.2 Literature	2
1.3 Bonding in organotin compounds	6
1.4 Structure of organotin compounds	7
1.5 Reactivity of organotin compounds	8
1.6 Analytical techniques applied to determination the structure of organotin compounds	9
1.7 Applications of organotin compounds	9
1.7.1 Biological applications	10
1.7.2 Non biological Applications	11
1.7 References	13

CHAPTER 2

SYNTHESIS AND CHARECTERIZATION OF Mn(II), Fe(II), Co(II), Cu(II), Zn(II) COMPLEXES OF 3,5-DI NITRO BENZOIC ACID, CRYSTAL STRUCTURES OF Co(II) AND Cu(II)

2.1 Introduction	17
2.2 Literature	18
2.3 Scope and objective	31
2.4 Experimental	31
2.4.1 General Comments	31
2.4.2 Materials	31
2.4.3 Measurements	31
2.4.4 Synthetic procedures	32
2.4.4.1 Preparation of sodium salt of 3,5-dinitro benzoic acid (LNa)	32
2.4.4.2 Preparation of Mn(II) complex of 3,5-dinitro benzoic acid (1)	32
2.4.4.3 Preparation of Fe(II) complex of 3,5-dinitro benzoic acid (2)	33
2.4.4.4 Preparation of Co(II) complex of 3,5-dinitro benzoic acid (3)	33
2.4.4.5 Preparation of Cu(II) complex of 3,5-dinitro benzoic acid (4)	33
2.4.4.6 Preparation of Zn(II) complex of 3,5-dinitro benzoic acid (5)	34
2.4.5 Crystal structure determinations	34
2.4.6 Crystallographic data and refinement details for 3 and 4	35
2.4.7 Biological studies	36
2.4.7.1 Antifungal activity	36
2.4.7.2 Phytotoxic effect	36
2.5 Result and discussion	36
2.5.1 Preparation of sodium salt of 3,5-dinitrobenzoic acid	36
2.5.2. Synthesis of transition metal(II) complexes of 3,5-dinitrobenzoic acid (LH)	37
2.5.3 Spectroscopic characterization and X-ray crystal structure determination of	38

transition metal carboxylates, $M(L)_2$ [where $M = Mn, Fe, Co, Cu$ and Zn ; $L = 3,5$ - dinitrobenzoic acid]	
2.5.3.1 IR spectra	39
2.5.3.2 Magnetic moment	40
2.5.3.3 Differential calorimetric analysis	41
2.5.3.4 Electronic spectra	42
2.5.3.5 X-ray Crystal structure	43
2.5.3.5.1 Crystal structure of $Co(II)$ complex of 3,5-dinitrobenzoic acid (3)	43
2.5.3.5.1 Crystal structure of $Cu(II)$ complex of 3,5-dinitrobenzoic acid (4)	47
2.5.4 Biological properties of transition metal carboxylates of 3,5-dinitrobenzoic acid	50
2.5.4.1 Antifungal activities	50
2.5.4.2 Phytotoxic properties	51
2.6 References	52

CHAPTER 3

SYNTHESES AND CHARACTERIZATION OF ORGANOTIN(IV) COMPLEXES OF 2-MARCAPTO ISOTHIOCYANATE

3.1 Introduction	55
3.2 Literature	55
3.3 Scope and Objective	71
3.4 Experimental	71
3.4.1 General comments	71
3.4.2 Materials	72
3.4.3 Measurements	73
3.4.4 Crystallography	73
3.4.5 Synthetic Procedure	79
3.4.5.1 Preparation of 2-marcapto isothiocyanate (LH)	79
3.4.5.2 Preparation of sodium salt of 2-marcapton isothiocyanate (LNa)	80
3.4.5.3 Synthesis of trimethyltin(IV) 2-marcapto isothiocyanate, Me_3SnL (1)	80
3.4.5.4 Synthesis of n-tributyltin(IV) 2-marcapto isothiocyanate, $n-Bu_3SnL$ (2)	80
3.4.5.5 Synthesis of triphenyltin(IV) 2-marcapto isothiocyanate, Ph_3SnL (3)	81
3.4.5.6 Synthesis of tribenzyltin(IV) 2-marcapto isothiocyanate, Bz_3SnL (4)	81
3.4.5.7 Synthesis of tricyclohexyltin(IV) 2-marcapto isothiocyanate, $c-Hex_3SnL$ (5)	82
3.4.5.8 Synthesis of dimethyltin(IV) 2-marcapto isothiocyanate, $Me_2Sn(L)_2$ (6)	82
3.4.5.9 Synthesis of n-dibutyltin(IV) 2-marcapto isothiocyanate, $n-Bu_2Sn(L)_2$ (7)	82
3.4.5.10 Synthesis of diphenyltin(IV) 2-marcapto isothiocyanate, $Ph_2Sn(L)_2$ (8)	83
3.4.5.11 Synthesis of dibenzyltin(IV) 2-marcapto isothiocyanate, $Bz_2Sn(L)_2$ (9)	83
3.5 Result and Discussion	83
3.5.1 Preparation of 2-marcapto isothiocyanate	84
3.5.2 Synthesis of tri- and diorganotin(IV) complexes 2-marcapto isothiocyanate	84
3.5.2.1 Synthesis of triorganotin(IV) complexes of 2-marcapto isothiocyanate (LH)	84
3.5.2.2 Synthesis of triorganotin(IV) complexes of 2-marcapto isothiocyanate (LH)	85
3.5.2.3 Synthesis of diorganotin(IV) complexes of 2-marcapto isothiocyanate (LH)	86
3.5.3 Spectroscopic characterization of tri-and diorganotin(IV) complexes	87
3.5.3.1 Differential calorimetric analysis	87
3.5.3.2 IR Spectra	88
3.5.3.3 NMR Spectra	89
3.5.3.4 A brief note on crystal structure of compound B	94
3.6 References	96

CHAPTER 4

SYNTHESIS, SPECTROSCOPIC CHARACTERIZATION AND X-RAY CRYSTAL STRUCTURES OF SOME DIORGANOTIN(IV) COMPLEXES OF SALICYLALDEHYDE THIOSEMICARBAZONE AND RELATED LIGANDS

4.1 Introduction	100
4.2 Literature	101
4.3 Scope and Objective	132
4.4 Experimental	133
4.4.1 General comments	133
4.4.2 Materials	133
4.4.3 Measurements	133
4.4.4 Synthetic procedure	134
4.4.4.1 Preparation of 4-cyclohexyl thiosemicarbazide	134
4.4.4.2 Preparation of salicylaldehyde 4-cyclohexyl thiosemicarbazone (L ¹ H)	135
4.4.4.3 Preparation of salicylaldehyde ortho-amino thio phenol (L ² H)	135
4.4.4.4 Preparation of 3-bromo-5-Chloro-salicylaldehydethiosemicarbazone (L ³ H)	136
4.4.4.5 Preparation of 3,5-dibromo-salicylaldehydethiosemicarbazone (L ⁴ H)	136
4.4.4.6 Synthesis of dimethyltin(IV) salicylaldehyde 4-cyclohexyl thiosemicarbazone, Me ₂ SnL ¹ (1)	137
4.4.4.7 Synthesis of n-dibutyltin(IV) salicylaldehyde 4-cyclohexyl thiosemicarbazone, n-Bu ₂ SnL ¹ (2)	137
4.4.4.8 Synthesis of diphenyltin(IV) salicylaldehyde 4-cyclohexyl thiosemicarbazone, Ph ₂ SnL ¹ (3)	137
4.4.4.9 Synthesis of n-dibutyltin(IV) salicylaldehyde ortho-amino thio phenol, n- Bu ₂ SnL ² (4)	137
4.4.4.9 Synthesis of dimethyltin(IV) 3-bromo-5- chlorosalicylaldehydethiosemicarbazone, Me ₂ SnL ³ (5)	138
4.4.4.10 Synthesis of di n-butyltin(IV) 3-bromo- 5-chloro- salicylaldehydethiosemicarbazone, n-Bu ₂ SnL ³ (6)	138
4.4.4.11 Synthesis of diphenyltin(IV) 3-bromo-5-chloro- salicylaldehydethiosemicarbazone, Ph ₂ SnL ³ (7)	138
4.4.4.12 Synthesis of dibenzyltin(IV) 3-bromo-5-chloro- salicylaldehydethiosemicarbazone, Bz ₂ SnL ³ (8)	139
4.4.4.13 Synthesis of dimethyltin(IV) 3, 5-dibromo-salicylaldehydethiosemicarbazone, Me ₂ SnL ⁴ (9)	139
4.4.4.14 Synthesis of di-n-butyltin(IV) 3, 5-dibromo- salicylaldehydethiosemicarbazone, n-Bu ₂ SnL ⁴ (10)	139
4.4.4.15 Synthesis of diphenyltin(IV) 3, 5-dibromo- salicylaldehydethiosemicarbazone, Ph ₂ SnL ⁴ (11)	139
4.4.4.16 Synthesis of dibenzyltin(IV) 3, 5-dibromo- salicylaldehydethiosemicarbazone, Bz ₂ SnL ⁴ (12)	140
4.4.5 Crystal structure determination	140
4.4.6 Crystallographic data and refinement details for 5, 6,7, 9 and 10.	142
4.4.7 Biological studies	147
4.4.7.1 Antifungal activity	147
4.4.7.2 Phytotoxic effect	147
4.5 Result and discussion	148
4.5.1 Syntheses of the Schiff base ligands	148
4.5.2 Syntheses of the diorganotin(IV) complexes of Schiff base ligands	149

4.5.3 Spectral characterization and X-ray structure determination of diorganotin(IV) complexes	153
4.5.3.1 IR spectra	154
4.5.3.2 NMR spectra	155
4.5.3.3 Electronic spectra	162
4.5.3.4 X-ray Crystal Structures	163
4.5.3.4.1 Crystal structure of Me_2SnL^3 (5) and Me_2SnL^4 (9)	163
4.5.3.4.2 Crystal structure of $\text{n-Bu}_2\text{SnL}^3$ (6) and $\text{n-Bu}_2\text{SnL}^4$ (10)	169
4.5.3.4.3 Crystal structure of Ph_2SnL^3 (7)	173
4.5.3.5 Differential calorimetric analysis	176
4.5.4. Biological properties of diorganotin(IV) complexes of substituted salicyldehyde thiosemicarbazone.	177
4.5.4.1 Anti-fungal activities	177
4.5.4.2 Phytotoxic properties	179
4.6 References	181

CHAPTER 5

BIOCIDAL ACTIVITY OF ORGANOTIN(IV) COMPLEXES ON FOLIAR BLIGHT DISEASES OF WHEAT (*Triticum aestivum* L.)

5.1 Introduction	187
5.2 Literature	188
5.2.1 Use of organotin as biocide	188
5.2.2 Economic importance of <i>B. sorokiniana</i>	190
5.2.3 Symptoms of <i>B. sorokiniana</i> infection	193
5.2.4 Management of foliar blight	193
5.2.4.1 Seed treatment	193
5.2.4.2 Chemical Management	194
5.2.4.3 Induced resistance	196
5.2.5 Biochemical changes due to infection	197
5.2.5.1 Phenol	198
5.2.5.2 Ortho-dihydroxyphenol	199
5.2.5.3 Protein	199
5.2.5.4 Polyphenoloxidase	200
5.2.5.5 Peroxidase	200
5.2.5.6 Phenylalanine ammonia-lyase	201
5.2.5.7 Pathogenesis Related (PR) proteins	201
5.3 Scope and objective	202
5.4 Materials and Methods	202
5.4.1 General comments	202
5.4.2 Measurements	202
5.4.3 Synthesis and characterization of di and triorganotin(IV) complexes of Schiff bases	203
5.4.3 Synthesis and characterization of di and triorganotin(IV) complexes of 2-marcapto isothiocyanate	204
5.4.4 Location	204
5.4.5 Weather	204
5.4.6 Soil Characteristics	205
5.4.7 Media	205
5.4.8 Planting material	206
5.4.9 Isolation of pathogens	207
5.4.10 Fungal culture	207

4.5.3 Spectral characterization and X-ray structure determination of diorganotin(IV) complexes	153
4.5.3.1 IR spectra	154
4.5.3.2 NMR spectra	155
4.5.3.3 Electronic spectra	162
4.5.3.4 X-ray Crystal Structures	163
4.5.3.4.1 Crystal structure of Me_2SnL^3 (5) and Me_2SnL^4 (9)	163
4.5.3.4.2 Crystal structure of $\text{n-Bu}_2\text{SnL}^3$ (6) and $\text{n-Bu}_2\text{SnL}^4$ (10)	169
4.5.3.4.3 Crystal structure of Ph_2SnL^3 (7)	173
4.5.3.5 Differential calorimetric analysis	176
4.5.4. Biological properties of diorganotin(IV) complexes of substituted salicylaldehyde thiosemicarbazone.	177
4.5.4.1 Anti-fungal activities	177
4.5.4.2 Phytotoxic properties	179
4.6 References	181

CHAPTER 5

BIOCIDAL ACTIVITY OF ORGANOTIN(IV) COMPLEXES ON FOLIAR BLIGHT DISEASES OF WHEAT (*Triticum aestivum* L.)

5.1 Introduction	187
5.2 Literature	188
5.2.1 Use of organotin as biocide	188
5.2.2 Economic importance of <i>B. sorokiniana</i>	190
5.2.3 Symptoms of <i>B. sorokiniana</i> infection	193
5.2.4 Management of foliar blight	193
5.2.4.1 Seed treatment	193
5.2.4.2 Chemical Management	194
5.2.4.3 Induced resistance	196
5.2.5 Biochemical changes due to infection	197
5.2.5.1 Phenol	198
5.2.5.2 Ortho-dihydroxyphenol	199
5.2.5.3 Protein	199
5.2.5.4 Polyphenoloxidase	200
5.2.5.5 Peroxidase	200
5.2.5.6 Phenylalanine ammonia-lyase	201
5.2.5.7 Pathogenesis Related (PR) proteins	201
5.3 Scope and objective	202
5.4 Materials and Methods	202
5.4.1 General comments	202
5.4.2 Measurements	202
5.4.3 Synthesis and characterization of di and triorganotin(IV) complexes of Schiff bases	203
5.4.3 Synthesis and characterization of di and triorganotin(IV) complexes of 2-mercapto isothiocyanate	204
5.4.4 Location	204
5.4.5 Weather	204
5.4.6 Soil Characteristics	205
5.4.7 Media	205
5.4.8 Planting material	206
5.4.9 Isolation of pathogens	207
5.4.10 Fungal culture	207

5.4.10.1 Source	207
5.4.10.2 Completion of Koch's postulate	207
5.4.10.3 Maintenance of stock	207
5.4.11 Definition of field experiments parameters	208
5.4.12 Disease Assessment	208
5.4.13 Parameters of laboratory experiment	209
5.4.13.1 Detached leaf assay	209
5.4.13.2 Phenol	209
5.4.13.3 Ortho dihydroxy phenol (OD Phenol)	210
5.4.13.4 Protein	210
5.4.13.5 Polyphenol oxidase (PPO)	211
5.4.13.6 Peroxidase (PO)	211
5.4.13.7 Phenylalanine ammonia-lyase (PAL)	212
5.4.13.8 SDS-polyacrylamide gel electrophoresis of total soluble protein	213
5.5 Result and Discussion	216
5.5.1 Set I	217
5.5.1.1 Effect of organotin compounds on spore germination and growth	217
5.5.1.2 Effect of organotin compounds on symptom expression and yield attributes in wheat plants	219
5.5.1.3 Studies on the biochemical changes associated with resistance in wheat plants	221
5.5.1.3.1 Total phenols	222
5.5.1.3.2 Ortho-dihydroxy phenols	222
5.5.1.3.3 Total protein	223
5.5.1.3.4 Peroxidase activity	224
5.5.1.3.5 Polyphenoloxidase activity	224
5.5.2 Set II	225
5.5.2.1 Effect of chemicals on <i>B. sorokiniana</i> in wheat	226
5.5.2.2 Biochemical changes associated with resistance in the wheat plant (cv Sonalika) after infection.	227
5.5.2.2.1 Total phenol	228
5.5.2.2.2 Ortho-dihydroxyphenol	229
5.5.2.2.3 Peroxidase activity	229
5.5.2.2.4 Polyphenoloxidase activity	230
5.5.2.2.5 Total protein	230
5.5.3 Phenylalanine ammonia lyase activity	231
5.5.4 Effect of organotin compounds on seedling growth of wheat	232
5.5.5 Effect of organotin compounds on <i>Alternaria titricina</i> and <i>Fusarium solani</i>	234
5.6 References	238

Corrorendum

245