

TABLE OF CONTENTS

Chapter I

1. INTRODUCTION	1-5
------------------------	------------

Chapter II

2. REVIEW OF LITERATURE	6-30
2.1. Wheat and its production status in Indian subcontinent	6-7
2.2. Post-harvest losses in wheat production	7-8
2.3. Post-harvest losses by seed-borne fungal pathogens of wheat	9-10
2.4. Use of synthetic fungicides and other formulations against seed-borne pathogens	11-15
2.5. Chitosan “a bio-derivative”	15-18
2.6. Metal incorporation in chitosan	18-23
2.7. Applications of chitosan and metallic nano chitosan conjugates	23-27
2.8. Seed priming and plant growth promotion	28-29
2.9. Future perspective	30

Chapter III

3. SYNTHESIS OF DIFFERENT METALLIC NANOCHITOSAN AND THEIR CHARACTERIZATION	31-62
3.1. Background	31-32
3.2. Material and Methods	32-38
3.2.1. Synthesis of nanoparticles	32-35
3.2.1.1. Synthesis of Chitosan nanoparticles	33
3.2.1.2. Synthesis of Silver-chitosan nanoparticles	33

3.2.1.3.	Synthesis of Copper-chitosan nanoparticles	34
3.2.1.4.	Synthesis of Nickel-chitosan nanoparticles	34
3.2.1.5.	Synthesis of Zinc-chitosan nanoparticles	34-35
3.2.1.6.	Synthesis of Iron-chitosan nanoparticles	35
3.2.2.	Characterization of nanoparticles	35-38
3.2.2.1.	UV-visible spectrophotometry	35
3.2.2.2.	Field emission scanning electron microscopy	36
3.2.2.3.	Energy dispersive X-ray spectrometry	36
3.2.2.4.	High-resolution transmission electron microscopy	36
3.2.2.5.	Fourier Transformed Infrared Spectroscopy	36-37
3.2.2.6.	Dynamic Light Scattering and Zeta potential	37
3.2.2.7.	Laser test	37
3.2.2.8.	Swelling index	37-38
3.2.2.9.	Encapsulation efficiency	38
3.2.2.10.	Particle yield	38
3.3.	Results	39-55
3.4.	Discussion	55-61
3.5.	Major findings	61-62

Chapter IV

4. *IN VITRO* ANTIFUNGAL ACTIVITIES OF SYNTHESIZED METALLIC NANOCHITOSAN ON POST-HARVEST SEED-BORNE FUNGAL PATHOGENS ISOLATED FROM SELECTED WHEAT CULTIVARS

		63-124
4.1.	Background	63-65
4.2.	Material and Methods	65-74
4.2.1.	Procurement of seeds	65
4.2.2.	Morphological detection of seed abnormalities	65
4.2.3.	Isolation of seed-borne fungal pathogens	66-67
4.2.3.1.	Blotter paper method	66
4.2.3.2.	Agar plate Method	66-67
4.2.4.	Identification of isolated seed-borne fungal pathogens of wheat	67

4.2.5.	Pathogenicity test: Koch's Postulate	67-68
4.2.6.	Antifungal activity of different metallic nanochitosan on selected seed-borne pathogens	68-74
4.2.6.1.	Poisoned food technique	69-70
4.2.6.2.	Spore Germination Inhibition Assay	70-71
4.2.6.3.	Spore viability assay	71
4.2.6.4.	Determination of fungal lipid peroxidation upon application of metallic nanochitosan	72
4.2.6.5.	Determination of fungal oxidative stress by application of metallic nanochitosan	72-73
4.2.6.6.	Ultrastructural changes in spore upon treatment with metallic nanochitosan	73
4.3.	Results	74-113
4.4.	Discussion	114-122
4.4.1.	Mode of action of metallic nanochitosan on fungal pathogen	122-123
4.5.	Major findings	124

Chapter V

5.	<i>IN VIVO</i> APPLICATION OF METALLIC NANOCHITOSAN ON WHEAT SEEDS THROUGH SOLID MATRIX PRIMING ON EVALUATION OF SEED QUALITY	125-169
5.1.	Background	125-126
5.2.	Material and Methods	126-135
5.2.1.	Procurement of seeds	127
5.2.2.	Seed nano-priming	127
5.2.3.	Pathogen inoculation	127
5.2.4.	Assessment of germination parameters of nano-primed seeds	129
5.2.5.	Evaluation of seed quality parameters	130
5.2.5.1.	Analysis of seed protein composition	130-131
5.2.5.1a.	Albumin (ALB) estimation	130
5.2.5.1b.	Globulin (GLOB) estimation	130
5.2.5.1c.	Gliadin (GLI) estimation	131

5.2.5.1d.	Gluten (GLU) estimation	131
5.2.5.2.	Analysis of seed carbohydrate composition	131-132
5.2.5.2a.	Starch estimation	131
5.2.5.2b.	Soluble and insoluble sugar estimation	131
5.2.6.	Assessment of antioxidant enzymological attributes	132-134
5.2.6.1.	Catalase estimation	132
5.2.6.2.	Peroxidase estimation	133
5.2.6.3.	Superoxide dismutase estimation	133
5.2.6.4.	Polyphenol oxidase estimation	133
5.2.6.5.	Ascorbate peroxidase estimation	134
5.2.6.6.	NADPH oxidase estimation	134
5.2.7.	Disease development evaluation	134
5.2.8.	Statistical analysis and software	135
5.3.	Results	135-162
5.4.	Discussion	163-168
5.5.	Major findings	168

Chapter VI

6.	EFFECT OF SEED NANO-PRIMING WITH Ag-CNPs ON SEEDLING VIGOUR, BIOCHEMICAL AND DEFENSIVE ANTIOXIDANT ENZYMOLOGICAL ATTRIBUTES UNDER SEED-BORNE PATHOGENIC STRESS IN WHEAT	169-228
6.1.	Background	169-170
6.2.	Material and Methods	170-180
6.2.1.	Procurement of seeds	170
6.2.2.	Seed nano-priming	170
6.2.3.	Pathogen inoculation	171
6.2.4.	Effect of nano-priming on seedling vigour	172
6.2.5.	Biochemical attributes of nano-primed wheat seedling	173-175
6.2.5.1.	Total protein content	173
6.2.5.2.	Total phenol content	173
6.2.5.3.	Total flavonoid content	174

6.2.5.4.	Total chlorophyll estimation	174
6.2.5.5.	Total reducing sugar	174
6.2.5.6.	Proline estimation	174
6.2.5.7.	Ascorbic acid content	175
6.2.5.8.	Hydrogen Peroxide content	175
6.2.6.	Antioxidant enzymological attributes	175-176
6.2.6.1.	Catalase estimation	176
6.2.6.2.	Peroxidase estimation	176
6.2.6.3.	Superoxide dismutase estimation	176
6.2.6.4.	Ascorbate peroxidase estimation	176
6.2.6.5.	NADPH oxidase estimation	177
6.2.7.	Defensive enzymological attributes	177
6.2.7.1.	Polyphenol oxidase estimation	177
6.2.7.2.	PAL estimation	177
6.2.7.3.	TAL estimation	178
6.2.7.4.	Chitinase activity	178
6.2.7.5.	β -1,3-Glucanase activity	178
6.2.8.	Determination of cytotoxicity of selected metallic nanochitosan on mammalian cell line	179
6.3.	Results	180-221
6.4.	Discussion	222-227
6.5.	Major findings	228

Chapter VII

7.	STUDY OF SEED NANO-PRIMING WITH Ag-CNPs ON YIELD TRAITS AND GRAIN QUALITY OF SELECTED WHEAT CULTIVARS AND THEIR POST-HARVEST MANAGEMENT FROM STORAGE MOLDS	229-292
7.1.	Background	229-231
7.2.	Material and Methods	231-243
7.2.1.	Seed nano-priming	231
7.2.2.	Pathogen inoculation	231

7.2.3.	Plant growth conditions	234
7.2.4.	Vegetative growth of nano-primed wheat plants	234
7.2.5.	Yield attributing traits of nano-primed wheat plants	234
7.2.6.	Evaluation of seed quality of harvested seeds	235
7.2.6.1.	Protein composition	235
7.2.6.1a.	Albumin estimation	235
7.2.6.1b.	Globulin estimation	235
7.2.6.1c.	Gliadin estimation	235
7.2.6.1d.	Gluten estimation	236
7.2.7	Total protein profiling of harvested wheat seeds through SDS-PAGE	236
7.2.7.1.	Preparation of resolving gel (12%)	236
7.2.7.2.	Preparation of stacking gel (4%)	237
7.2.7.3.	Preparation of sample loading buffer	237
7.2.7.4.	Preparation of running buffer	237
7.2.7.5.	Preparation of fixative, staining and destaining solution	238
7.2.7.6.	Preparation of destaining solution	238
7.2.8.	Carbohydrate estimation of harvested seeds	238
7.2.8.1.	Strach estimation	238
7.2.8.2.	Soluble and insoluble sugar estimation	238
7.2.9.	Study of antioxidant isoforms through isozyme staining in Native-PAGE	239-240
7.2.9.1.	Catalase isozyme staining	239
7.2.9.2.	Peroxidase isozyme staining	239
7.2.9.3.	Superoxide dismutase isozyme staining	240
7.2.9.4.	NADPH oxidase isozyme staining	240
7.2.9.5.	Ascorbate peroxidase isozyme staining	240
7.2.9.6.	Polyphenol oxidase isozyme staining	240
7.2.10.	Post-harvest management of wheat seeds using Ag-CNPs	241
7.2.11.	Fungal load	241
7.2.12.	Metabolite profiling of harvested seeds of HI 8759 through LC-MS	241-242

7.3.	Results	242-284
7.4.	Discussion	285-291
7.5.	Major findings	292

Chapter VIII

8. CONCLUSION	293-295
----------------------	---------

9. BIBLIOGRAPHY	296-314
------------------------	---------

10. APPENDICES

Appendix-A (Chemical used)	315-316
Appendix-B (Abbreviations)	317
Appendix-C (Seminar and Conference attended)	318-323
Appendix-D (List of publications)	324-397
