

CONTENTS

PAGE NO.

Declaration	I
Certificate	II
Plagiarism check report	III
Abstract	IV -VII
Preface	VIII - IX
Acknowledgement	X - XII
Contents	XIII - XXII
List of tables	XXIII - XXVI
List of figures	XXVII - XXXII
Abbreviation	XXXIII - XXXVI

Review of the literature illuminating the context supporting the Research's goals and hypothesis.	1 - 9
--	--------------

I. Boron, boron-based compounds, and isotopes	1 – 3
II. Effect of boron in the living world	3 – 5
II.A. <i>Effect on animals</i>	3 – 4
II.B. <i>Effect on humans</i>	4
II.C. <i>Effect on plants</i>	4 – 5
II.D. <i>Effect on microorganisms</i>	5
III. Diversity of boron-tolerant bacteria	6 – 7
IV. The probable habitat of boron-tolerant bacteria	7 – 8
V. The probable mechanism(s) of boron tolerance	8
VI. Hypothesis	8
VII. Objectives of the study	9

Chapter 1	10 - 48
------------------	----------------

Isolation and characterization of boron tolerant/resistant bacteria from boron-rich soil	
---	--

1.1. Introduction	10 - 11
1.2. Materials and methods	11 - 25
1.2.1. Identification of sampling sites	11
1.2.2. Collection of soil sample	11 - 12

1.2.3.	Isolation of boron tolerant bacteria	12 - 13
1.2.4.	Determination of upper limit of boron tolerance of the isolates	14
1.2.5.	Identification and characterization of isolated boron tolerant bacteria	14 - 23
1.2.5.1.	Phylogenetic study	14 - 16
	<i>1.2.5.1.1. Genomic DNA isolation</i>	
	<i>1.2.5.1.2. PCR amplification of 16S rRNA gene</i>	
	<i>1.2.5.1.3. Restriction fragment length polymorphisms (RFLP) analysis</i>	
	<i>1.2.5.1.4. 16S rRNA gene cloning, sequencing & phylogenetic tree construction</i>	
1.2.5.2.	Colony morphological study	16
1.2.5.3.	Microscopic study	17
	<i>1.2.5.3.1. Gram staining</i>	
	<i>1.2.5.3.2. Scanning electron microscopy</i>	
1.2.5.4.	Biochemical study	17 - 21
	<i>1.2.5.4.1. Oxidase test</i>	
	<i>1.2.5.4.2. Catalase test</i>	
	<i>1.2.5.4.3. Lipid hydrolysis test</i>	
	<i>1.2.5.4.4. Nitrate reduction test</i>	
	<i>1.2.5.4.5. Gelatin liquification test</i>	
	<i>1.2.5.4.6. Casein hydrolysis test</i>	
	<i>1.2.5.4.7. Amylase production test</i>	
	<i>1.2.5.4.8. Urea hydrolysis test</i>	
	<i>1.2.5.4.9. Methyl- Red and Voges-Proskauer test</i>	
	<i>1.2.5.4.10. Sugar utilization test using KB009 HiCarbo kit</i>	
1.2.5.5.	Growth optimization at different parameters	21 - 22
	<i>1.2.5.5.1. Temperature optimization</i>	
	<i>1.2.5.5.2. Nutrient concentration optimization</i>	
	<i>1.2.5.5.3. pH optimization</i>	
	<i>1.2.5.5.4. Sodium chloride (NaCl) tolerance</i>	
1.2.5.6.	Heavy metals and metalloids tolerance limit determination in two selected isolates	22 - 23
1.2.6.	Plant growth promotion properties	23 - 25
	<i>1.2.6.1. Quantitative determination of indole acetic acid (IAA) production</i>	
	<i>1.2.6.2. Qualitative determination of phosphate solubilization</i>	
	<i>1.2.6.3. Biofilm Production</i>	
	<i>1.2.6.4. Determination of motility of bacteria by Hanging drop technique</i>	

	<i>1.2.6.5. CAS. (chrom azurol S) assay</i>	
	<i>1.2.6.6. Amylase, cellulase and lipase production assay</i>	
1.3.	Results and Discussion	25 - 48
1.3.1.	Details of sampling site with geographic coordinates	25 - 26
1.3.2.	Soil sample characteristics relative to texture, pH, temperature and boron contents	26 - 27
1.3.3.	Cultivable boron tolerant bacteria in collected soil sample	27
1.3.4.	Determination of upper limit of boron tolerance of the isolates	28
1.3.5.	Identification of isolated boron tolerant bacteria	28 - 35
	<i>1.3.5.1. Restriction fragment length polymorphisms (RFLP) analysis</i>	
	<i>1.3.5.2. Accession numbers of 16S rRNA genes submitted to National Center for Biotechnology Information (NCBI)</i>	
	<i>1.3.5.3. Phylogenetic tree based on 16S rRNA gene</i>	
1.3.6.	Characterization of selected potent boron tolerant isolates	36 - 44
	<i>1.3.6.1. Colony morphology</i>	
	<i>1.3.6.2. Gram nature of the strains</i>	
	<i>1.3.6.3. Light and scanning electron micrographs of the strains</i>	
	<i>1.3.6.4. Biochemical test reports of the boron tolerant bacterial strains</i>	
	<i>1.3.6.5. Optimization of growth parameters</i>	
1.3.7.	Determining association of boron tolerance of OL1 and OL5 with resistance to several heavy metals, metalloids and transition metal	45
1.3.8.	Plant growth promotion attributes of the boron-resistant isolates	45 - 48
	<i>1.3.8.1. Indole acetic acid (IAA) production</i>	
	<i>1.3.8.2. Phosphate solubilization ability</i>	
	<i>1.3.8.3. Biofilm Production</i>	
	<i>1.3.8.4. Motility assay of boron-resistant isolates</i>	
	<i>1.3.8.5. Siderophore production</i>	
	<i>1.3.8.6. Determination of amylase, cellulase and lipase production</i>	

Chapter 2 **49 - 67**

Standardization of microbiological method(s) to ascertain boron tolerance limit in defining boron tolerant/resistant bacteria

2.1.	Introduction	49 - 50
2.2.	Materials and methods	50 - 58
2.2.1.	Growth studies of selected boron tolerant isolates in different conditions	50 - 53

	2.2.1.1. Growth study of <i>Lysinibacillus</i> sp. strain OL1 in the presence and absence of boron	
	2.2.1.2. Growth study of <i>Enterococcus</i> sp. strain OL5 in the presence and absence of boron	
	2.2.1.3. Growth study of boron-induced and uninduced <i>Lysinibacillus</i> sp. strain OL1 in presence of boron	
	2.2.1.4. Growth study of boron-induced and uninduced <i>Enterococcus</i> sp. strain OL5 in presence of boron	
	2.2.1.5. Demonstration of the nature of Oligotrophic growth in <i>Lysinibacillus</i> sp. strain OL1	
	2.2.1.6. Demonstration of the nature of Oligotrophic growth in <i>Enterococcus</i> sp. strain OL5	
2.2.2.	Characterizing the boron resistance attributes of the new isolates	54 - 58
2.2.2.1.	Extracellular and intracellular boron content estimation of OL1 and OL5 in presence of boron	54 - 55
	2.2.2.1.1. Cell harvesting from boron amended growth medium	
	2.2.2.1.2. Extracellular boron estimation from the supernatants with the curcumin-based boron estimation method	
	2.2.2.1.3. Estimation of boron loosely and tightly bound to cells	
	2.2.2.1.4. Cell lysis using sonication	
	2.2.2.1.5. Analysis of boron content in the cell lysate using curcumin-based boron estimation method	
2.2.2.2.	Determination of intracellular boron concentration in boron-pre-exposed OL1 and OL5 cells	56 - 57
	2.2.2.2.1. Pre-exposure of OL1 and OL5 cells to different concentration of boron followed by determination of boron accumulation	
	2.2.2.2.2. Resuspension of pre-exposed cells in boron amended growth medium	
	2.2.2.2.3. Cell harvesting from boron amended growth medium	
	2.2.2.2.4. Cell lysis using sonication	
	2.2.2.2.5. Analysis of boron content in the cell lysate	
	2.2.2.2.6. Determination of protein content of the cell lysate using Bradford assay	
	2.2.2.2.7. Quantitation of intracellular boron concentration per unit protein content of the lysate	
2.2.2.3.	Inhibition of boron efflux in presence of phenylalanine-arginine β -naphthylamide (PA β N)	57 - 58
	2.2.2.3.1. Minimum inhibitory concentration (MIC) of PA β N against OL1 and OL5	
	2.2.2.3.2. Boron tolerance level of the isolates in presence of PA β N	
2.3.	Results and Discussion	58 - 67
2.3.1.	Growth studies of the boron tolerant isolates	58 - 59

	2.3.1.1. <i>Growth curves of Lysinibacillus sp. strain OL1 in the presence and absence of boron</i>	
	2.3.1.2. <i>Growth curves of Enterococcus sp. strain OL5 in the presence and absence of boron</i>	
2.3.2.	Inducibility of boron resistance	59 - 61
	2.3.2.1. <i>Growth curves of boron-induced and uninduced Lysinibacillus sp. strain OL1 in presence of boron</i>	
	2.3.2.2. <i>Growth curves of boron-induced and uninduced Enterococcus sp. strain OL5 in presence of boron</i>	
2.3.3.	Growth and survivability of boron tolerant isolates under different oligotrophic conditions	61 - 62
	2.3.3.1. <i>Growth curves of Lysinibacillus sp. strain OL1 under different oligotrophic conditions</i>	
	2.3.3.2. <i>Growth curves of Enterococcus sp. strain OL5 under different oligotrophic conditions</i>	
2.3.4.	Boron efflux as a mechanism of resistance	63 - 66
	2.3.4.1. <i>Extracellular and intracellular boron estimation of Lysinibacillus sp. strain OL1 and Enterococcus sp. strain OL5</i>	
	2.3.4.2. <i>Intracellular boron estimation of induced Lysinibacillus sp. strain OL1 and Enterococcus sp. strain OL5</i>	
2.3.5.	Boron efflux inhibition assay	66 - 67
	2.3.5.1. <i>Minimum inhibitory concentration (MIC) of PAβN against OL1 and OL5</i>	
	2.3.5.2. <i>Boron tolerance level of the isolates in presence of PAβN</i>	

Chapter 3

68 -114

Revelation of the molecular basis of boron tolerance in a suitable boron tolerant/resistant isolate using omics data generated from genome, transcriptome, and proteome

3.1.	Introduction	68 - 71
3.2.	Materials and methods	71 - 81
3.2.1.	Whole genome sequencing of <i>Lysinibacillus sp. strain OL1</i>	71 - 72
	3.2.1.1. <i>Genomic DNA isolation and qualitative/quantitative analysis</i>	
	3.2.1.2. <i>Preparation of 2 x 150 bp NexSeq 500 Shotgun library</i>	
	3.2.1.3. <i>Quantity and quality check (QC) of library</i>	
	3.2.1.4. <i>Cluster generation and sequencing on a NextSeq 500 system (Illumina)</i>	
	3.2.1.5. <i>Genome data trimming, quality check, and genome assembly</i>	
3.2.2.	Whole genome sequencing of <i>Enterococcus sp. strain OL5</i>	72 - 73

	3.2.2.1. <i>Genomic DNA isolation and qualitative/quantitative analysis</i>	
	3.2.2.2. <i>Preparation of genomic DNA library</i>	
	3.2.2.3. <i>Genome sequencing on a 530 chip of the Ion S5 system (Ion Torrent)</i>	
	3.2.2.4. <i>Sequence retrieval and trimming using the inbuilt PGM software</i>	
	3.2.2.5. <i>Genome assembly</i>	
3.2.3.	Phylogenetic analysis using whole genome sequences	73 - 74
	3.2.3.1. <i>Whole genome-based phylogenetic tree construction using KBase Narrative</i>	
	3.2.3.2. <i>Average nucleotide identity (ANI) analysis</i>	
	3.2.3.3. <i>Genome-to-Genome Distance Calculator (GGDC) analysis</i>	
3.2.4.	Functional analysis and genome annotation	74 - 75
	3.2.4.1. <i>Genome annotation using NCBI Prokaryotic Genome Annotation Pipeline (PGAP) and RAST (Rapid Annotation using Subsystem Technology) Server</i>	
	3.2.4.2. <i>Genome analysis</i>	
3.2.5.	Comparative gene expression studies via whole transcriptomics of boron-treated <i>Lysinibacillus</i> sp. strain OL1 (test) and <i>Lysinibacillus</i> sp. strain OL1 untreated with boron (control) cells	75 - 78
	3.2.5.1. <i>Preparation of sample for transcriptome sequencing</i>	
	3.2.5.2. <i>Total RNA isolation, qualitative and quantitative analysis</i>	
	3.2.5.3. <i>Illumina library preparation</i>	
	3.2.5.4. <i>Qualitative and quantitative analysis of library</i>	
	3.2.5.5. <i>Cluster generation and sequencing</i>	
3.2.5.6.	Bioinformatics analysis	76 - 78
	3.2.5.6.1. <i>High quality reads trimming</i>	
	3.2.5.6.2. <i>Mapping on <i>Lysinibacillus</i> sp. strain OL1 genome</i>	
	3.2.5.6.3. <i>Differential gene expression (DGE) analysis</i>	
	3.2.5.6.4. <i>Pathway analysis</i>	
	3.2.5.6.5. <i>Heat map construction</i>	
3.2.6.	Comparative protein expression studies via proteome sequencing of boron treated <i>Lysinibacillus</i> sp. strain OL1 (test) and <i>Lysinibacillus</i> sp. strain OL1 untreated with boron (control) cells	78 - 80
	3.2.6.1. <i>Preparation of sample for proteome sequencing</i>	
	3.2.6.2. <i>Protein sample preparation</i>	
	3.2.6.3. <i>Peptide sequencing using LC-MS</i>	
	3.2.6.4. <i>Proteomics data analysis and heat map construction</i>	

3.2.7.	Protein-Protein Interaction (PPI) network analysis	80
3.2.8.	Cluster formation and module analysis	80
3.2.9.	Identification of hub gene	80 - 81
3.3.	Results and Discussion	81 - 114
3.3.1.	Qualitative determination of genomic DNA isolated from <i>Lysinibacillus</i> sp. strain OL1 and <i>Enterococcus</i> sp. strain OL5	81
3.3.2.	Quantification of isolated genomic DNA	81
3.3.3.	Genomic features and accession numbers	82 - 83
3.3.4.	Phylogenetic analysis using whole genome sequences	84 - 88
3.3.4.1.	Phylogenetic tree based upon whole genome sequences	84 - 86
3.3.4.2.	Genome comparisons of boron tolerant isolates with different closely related type strains	86 - 88
	3.3.4.2.1. <i>Average nucleotide identity (ANI)</i>	
	3.3.4.2.2. <i>Genome-to-Genome Distance Calculator (GGDC) report</i>	
3.3.5.	Genome annotation report	88 - 90
	3.3.5.1. <i>NCBI Prokaryotic Genome Annotation Pipeline (PGAP)</i>	
	3.3.5.2. <i>Rapid Annotation using Subsystem Technology (RAST)</i>	
3.3.6.	Genome analysis	90 - 91
	3.3.6.1. <i>List of genes that are potentially related to efflux</i>	
	3.3.6.2. <i>List of genes that are potentially related to heavy metals and metalloids tolerance</i>	
	3.3.6.3. <i>List of genes that are potentially related to plant growth promotion</i>	
3.3.7.	Comparative gene expression studies via whole transcriptomics of boron treated <i>Lysinibacillus</i> sp. strain OL1 and 'control' <i>Lysinibacillus</i> sp. strain OL1	91 - 103
	3.3.7.1. <i>Total RNA Isolation, qualitative and quantitative analysis of RNA samples</i>	
	3.3.7.2. <i>cDNA library construction and qualitative analysis of library</i>	
	3.3.7.3. <i>Sequencing and assembly</i>	
	3.3.7.4. <i>Differential Gene Expression (DGE) Analysis</i>	
	3.3.7.5. <i>KEGG pathway analysis</i>	
	3.3.7.6. <i>Identification of enriched pathways in response to boron</i>	
	3.3.7.7. <i>Heat map</i>	
3.3.8.	Comparative protein expression profile of boron treated <i>Lysinibacillus</i> sp. strain OL1 and 'control' <i>Lysinibacillus</i> sp. strain OL1	104 - 107
	3.3.8.1. <i>Characteristics of proteome</i>	
	3.3.8.2. <i>Pathway enrichment and heat map analysis</i>	

3.3.9.	Protein-protein interaction (PPI) network construction	107 - 108
3.3.10.	Cluster formation and pathway network analysis	108 - 112
3.3.11.	Identification of hub genes	112 - 114
Chapter 4		115 - 134
Application of <i>in-vivo</i> evolutionary engineering principle to study the nature of boron tolerance in bacteria in greater details		
4.1.	Introduction	115 - 117
4.2.	Materials and methods	117 - 122
4.2.1.	<i>In-vivo</i> evolutionary engineering strategies to increase the boron tolerance level	117 - 122
4.2.1.1.	Chemical mutagenesis using ethyl methane sulfonate (EMS)	118 – 119
4.2.1.2.	Selection of evolutionary engineered cells under increasing concentration of boron	119
4.2.1.3.	Purification of <i>in-vivo</i> evolutionary engineered boron tolerant isolate	119
4.2.1.4.	Growth study of <i>in-vivo</i> evolutionary engineered OL1-EC in comparison with wild type <i>Lysinibacillus</i> sp. strain OL1	119 - 120
4.2.1.5.	Intracellular boron determination of <i>in-vivo</i> evolutionary engineered OL1 in comparison with wild type <i>Lysinibacillus</i> sp. strain OL1	120
4.2.1.6.	Whole genome sequencing and analysis of <i>in-vivo</i> evolutionary engineered OL1	120 - 121
	4.2.1.6.1. Genomic DNA isolation and qualitative/quantitative analysis	
	4.2.1.6.2. Preparation of genomic DNA library and sequencing on Ion S5 system (Ion Torrent)	
	4.2.1.6.3. Sequence retrieval, trimming and genome assembly	
	4.2.1.6.4. Genome submission to NCBI database and annotation	
4.2.1.7.	Comparative phylogeny of wild type OL1 and engineered OL1-EC	121 – 122
	4.2.1.7.1. Average nucleotide identity (ANI) and Genome-to-Genome Distance Calculator (GGDC) analysis	
	4.2.1.7.2. Whole genome based phylogenetic tree construction	
4.2.1.8.	Genome to genome comparison of <i>in-vivo</i> evolutionary engineered OL1 and wild type <i>Lysinibacillus</i> sp. strain OL1	122
4.3.	Results and Discussion	122 - 134
4.3.1.	<i>In-vivo</i> evolutionary engineering in <i>Lysinibacillus</i> sp. strain OL1	122 - 134
4.3.1.1.	Selection of evolutionary engineered <i>Lysinibacillus</i> sp. strain OL1	122 - 123
4.3.1.2.	Growth curve of <i>in-vivo</i> evolutionary engineered OL1-EC in comparison with wild type <i>Lysinibacillus</i> sp. strain OL1	123 - 124
4.3.1.3.	Intracellular boron estimation of <i>in-vivo</i> evolutionary engineered OL1-EC	124 - 125

4.3.1.4.	Qualitative and quantitative analysis of genomic DNA isolated from <i>Lysinibacillus</i> sp. strain OL1-EC	125 - 126
4.3.1.5.	Genomic features and accession number	126 - 127
4.3.1.6.	Comparative phylogenetic analysis of wild type OL1 and engineered OL1-EC	127 - 129
	<i>4.3.1.6.1. Average nucleotide identity (ANI) and Genome-to-Genome Distance Calculator (GGDC) analysis</i>	
	<i>4.3.1.6.2. Whole genome based phylogenetic tree of OL1-EC</i>	
4.3.1.7.	Genome to genome comparison of in-vivo evolutionary engineered OL1-EC and wild type <i>Lysinibacillus</i> sp. strain OL1	129 - 134

Chapter 5 135 - 161

Metagenomic analyses (by Next Generation Sequencing) of the boron amended agricultural soil to understand the effect of boron on soil bacterial diversity

5.1.	Introduction	135 - 136
5.2.	Materials and methods	136 - 142
5.2.1.	Selection and collection of suitable soil sample	136 - 138
5.2.2.	Soil sample characteristics relative to texture, pH, temperature, and boron contents	138
5.2.3.	Isolation of metagenomic DNA from soil samples	138
5.2.4.	PCR amplification of V3 region of bacterial 16S rRNA genes	138 - 139
5.2.5.	Sequencing on Ion S5 system	139 - 140
5.2.6.	Raw data submission to NCBI	140
5.2.7.	Trimming of low-quality reads and OTU generation	140
5.2.8.	Rarefaction analysis	142
5.2.9.	Manual analysis of OTUs, Venn diagram analysis, alpha diversity (Shannon and Simpson indices) determination	142
5.2.10.	Metagenomic data analysis using MicrobiomeAnalyst	142
	<i>5.2.10.1. Beta diversity analysis</i>	
	<i>5.2.10.2. Relative abundance analysis of bacteria</i>	
	<i>5.2.10.3. Differential abundance analysis of bacteria</i>	
5.3.	Results and Discussion	143 - 161
5.3.1.	Soil sample characteristics relative to texture, pH, temperature and boron contents	143
5.3.2.	Overground demonstration of the barrenness of boron-amended soil contrasted with plant succession in unamended soil	143 - 147
5.3.3.	Microbiome analysis of boron amended and unamended soil via metagenomics	148 - 154
	<i>5.3.3.1. Statistical summary of the OTU analysis of soil samples</i>	

5.3.3.2. <i>Rarefaction curve of all metagenome sequences</i>	
5.3.3.3. <i>Alpha diversity of all soil samples</i>	
5.3.3.4. <i>Phylum level distribution of the OTUs</i>	
5.3.3.5. <i>Genus level distribution of the OTUs</i>	
5.3.3.6. <i>Venn diagram displaying the common and unique genera among all six soil sample microbial communities</i>	
5.3.4. Metagenomic data analysis by MicrobiomeAnalyst	154 - 161
5.3.4.1. <i>Beta diversity</i>	
5.3.4.2. <i>Relative abundance of bacteria</i>	
5.3.4.3. <i>Differential abundance of bacteria</i>	
General discussion and summary	162 - 169
Bibliography	170 - 204
Appendices	205 - 308
Appendix A1	205 - 206
Appendix A2	207
Appendix A3	208 - 285
Appendix A4	286
Appendix A5	287 - 308
Publications, Conference and Workshops attended	309 - 310