

BIBLIOGRAPHY

CHAPTER: I

- [I.1] Triolo A, Russina O, Bleif HJ, Di Cola E. Nanoscale segregation in room temperature ionic liquids, *J. Phys. Chem. B*, **2007**, *111*(18), 4641-4644.
- [I.2] Tochigi K, Yamamoto H. Estimation of ionic conductivity and viscosity of ionic liquids using a QSPR model, *J. Phys. Chem. C*, **2007**, *111*(43), 15989-15994.
- [I.3] Covington AK, Dickinson T. *Physical Chemistry of Organic Solvent Systems*, Plenum, New York, **1973**.
- [I.4] Pradhan P, Sah RS, Roy MN, Ion-solvent and ion-ion interactions of sodium molybdate and sodium tungstate in mixtures of ethane-1,2-diol and water at 298.15, 308.15 and 318.15K, *J. Mol. Liq.* **2009**, *144*, 149.
- [I.5] Roy MN, Sinha A. Viscous synergy and antagonism and isentropic compressibility of ternary mixtures containing 1,3-dioxolane, water and monoalkanols at 303.15 K, *Fluid Phase Equilibria*, **2006**, *243*, 133-141.
- [I.6] Dymond JH, Hard-sphere theories of transport properties, *Chem. Soc. Rev.*, **1985**, *14*, 417-436.
- [I.7] Giner B, Martin S, Artigas H, Lopez MC, Lafuente CJ. Study of weak molecular interactions through thermodynamic mixing properties, *J. Phys. Chem. B* **2006**, *110*, 17683-17690.
- [I.8] Garcia B, Alcalde R, Aparicio S, Leal JM. Volumetric properties, viscosities and refractive indices of binary mixed solvents containing methyl benzoate, *Phys. Chem. Chem. Phys.* **2002**, *4*, 5833-5840.
- [I.9] Aralaguppi MI, Aminabhavi TM, Harogoppad SB, Balundgi RH. Thermodynamic interactions in binary mixtures of dimethyl sulfoxide with benzene, toluene, 1,3-dimethylbenzene, 1,3,5-trimethylbenzene, and methoxybenzene from 298.15 to 308.15 K, *J. Chem Eng. Data* **1992**, *37*, 298-303.
- [I.10] Fucaloro AF. Partial molar volumes from refractive index measurements, *J. Chem. Educ.* **2002**, *79*, 865-868.
- [I.11] Giner B, Lafuente C, Villares A, Haro M, Lopez MC. Volumetric and refractive properties of binary mixtures containing 1,4-dioxane and chloroalkanes, *J. Chem. Thermodyn.* **2007**, *39*, 148-157.

- [I.12] Pineiro A, Brocos P, Amigo A, Pintos M, Bravo R. Prediction of excess volumes and excess surface tensions from experimental refractive indices, *Phys. Chem. Liq.* **2000**, *38*, 251-260.
- [I.13] Kell GS, Daries CM, Jarynski J. *Water and Aqueous Solution, Structure, Thermodynamics and Transport Process*, Ed. Horne RA, Wiley: **1972**, Ch 9&10.
- [I.14] Meck DK. *The Chemistry of Non-Aqueous solvents*, Academic Press: New York, **1996**.
- [I.15] Popovych O, Bates RO. Estimation of medium effects for single ions in non-aqueous solvents, *Crit. Rev. Anal. Chem.* **1970**, *1*, 73-117.
- [I.16] Franks F. *Physico-Chemical Processes in Mixed Aqueous Solvents*, Heinemann Educational Books Ltd., London, **1967**.
- [I.17] Bates RG. *Determination of pH Theory and Practice*, John Wiley and sons: New York, **1973**.
- [I.18] (a) Bates RG. *Solute -solvent Interactions*, Marcel Dekker: New York, **1969**.
(b) Bates RG, Parker AJ. *Chemical Physics of Ionic solutions*, John Wiley and Sons. Inc: New York, **1966**.
- [I.19] Parker AJ, Sharp JH. *Proceeding of the Royal Australian Chemical Institute*, **1972**.
- [I.20] Parker AJ, Solvation of ions-enthalpies, entropies and free energies of transfer, *Electrochim. Acta.* **1976**, *21*, 671-679.
- [I.21] Criss CM, Salomon M. Thermodynamics of ionic solvation and its significance in various systems, *J. Chem. Educ.* **1976**, *53*, 763-766.
- [I.22] Marcus Y. *Ion-solvation*, Wiley: Chinchester, **1986**.
- [I.23] King EJ, *Acid-Base Equilibria*, Pergamon Press: London, **1965**.
- [I.24] Ppovych O, Tomkins RTP, *Non-Aqueous solution Chemsitry*, John Wiley and Sons: New York, **1981**.
- [I.25] Dogonadze RR, Kalman E, Kornyshev AA, Ulstrup J. *The Chemical Physics of Solvation*, Elsevier: Amsterdam, **1988**.
- [I.26] Faraday, *Discussion of the Chemical Society*, No. 67, **1977**.
- [I.27] Marcus Y. *Ion Properties*, Dekker: New York, **1997**.
- [I.28] Masquez A, Vargas A, Balbuena PB. Computational studies of lithium intercalation in model graphite in the presence of tetrahydrofuran, *J. Electrochem. Soc.* **1998**, *145*, 3328-3334.
- [I.29] Namor AFD, Tanco MAL, Solomon M. Thermodynamic, structural, and conductance studies of lithium coronand electrolytes relevant to lithium battery technology, *J. Phys. Chem.* **1994**, *98*, 11796-11802.
- [I.30] E.L. Hericc, J.G. Brewer, Viscosity of some ternary liquid nonelectrolyte mixtures, *J. Chem. Eng. Data.* **1969**, *14*, 55-63.

- [I.31] Clineschmidt BV, Pettibone DJ, Lotti VJ, Hucker HB, Sweeney BM, Reiss DR, Lis EV, Huff JR, Vacca J. A peripherally acting alpha-2 adrenoceptor antagonist: L-659, 066. *J Pharmacol Exp Ther.* **1988**, *245*, 32-40.

CHAPTER: II

- [II.1] Freemantle M. An introduction to ionic Liquids 2010, Cambridge, United Kingdom: The Royal Society of Chemistry.
- [II.2] Armand M. *et al.*, Ionic-liquid materials for the electrochemical challenges of the future. *Nat. Mater.*, **2009**, *8(8)*: 621-629.
- [II.3] (a) Yang CYH, Song Q, Xia Y, Li F, Chen Z, Li X, Yi T, Huang C. High-temperature and long-term stable solid-state electrolyte for dye-sensitized solar cells by self-assembly. *Chem. Mater.*, **2006**. *18(22)*, 5173-5177.
(b) Gorlov M, Kloo L. Ionic liquid electrolytes for dye-sensitized solar cells. *Dalton Transactions*, **2008**, *20*, 2655-2666.
- [II.4] de Souza RF *et al.* Room temperature dialkylimidazolium ionic liquid-based fuel cells. *Electrochem. Comm.*, **2003**, *5(8)*, 728-731
- [II.5] (a) Katakabe RKT, Watanabe M. Acceleration of redox diffusion and charge-transfer rates in an ionic liquid with nanoparticle addition. *Electrochemical and Solid-State Letters*, **2007**, *10(6)*, F23-F25.
(b) Seki S. *et al.* Imidazolium-based room-temperature ionic liquid for lithium secondary batteries. *Journal of The Electrochemical Society*, **2007**, *154(3)*, A173-A177.
- [II.6] Wasserscheid P, Welton T. *Ionic Liquids in Synthesis*, 2nd Ed., Wiley VCH: **2008**.
- [II.7] Endres F, Abbott A, MacFarlane D. *Electrodeposition from Ionic Liquids*, 1st Ed., Wiley VCH: **2008**
- [II.8] Holbrey JD. Industrial applications of ionic liquids. *Chimica Oggi*. **2004**, *22(6)*, 35-37.
- [II.9] Marsh KN, Boxall JA, Lichtenthaler R. Room temperature ionic liquids and their mixtures-A review. *Fluid Phase Equilibria*, **2004**, *219(1)*, 93-98
- [II.10] Heintz A. Recent developments in thermodynamics and thermophysics of nonaqueous mixtures containing ionic liquids. A review. *Journal of Chemical Thermodynamics*, **2005**. *37(6)*, 525-535
- [II.11] (a) Earle MJ, Seddon KR. Ionic liquids. Green solvents for the future. *Pure and Applied Chemistry*, **2000**. *72(7)*, 1391-1398
(b) Chaturvedi D. Recent developments on task specific ionic liquids. *Current Organic Chemistry*, **2011**, *15(8)*, 1239-1248.
- [II.12] Mikami K. Green reactions media in organic synthesis 2005, Oxford, UK: Blackwell.

- [II.13] Plechkova NV, Seddon KR. Applications of ionic liquids in the chemical industry. *Chemical Society Reviews*, **2008**, *37*(1), 123-150.
- [II.14] Stark A, Seddon KR, Othmer K. Encyclopedia of Chemical Technology. Vol., Ionic Liquids, *John Wiley & Sons, Inc.*, **2008**, *26*, 836-920.
- [II.15] Plechkova NV, Seddon KR. Applications of ionic liquids in the chemical industry. *Chemical Society Reviews*, **2008**, *37*, 123-150.
- [II.16] Seddon KR, Stark A, Torres MJ. Influence of chloride, water, and organic solvents on the physical properties of ionic solids. *Pure Appl. Chem.*, **2000**, *72*, 2275-2287.
- [II.17] Ohno H, Fukumoto H, Amino Acid Ionic Liquids, *Acc. Chem. Res.* **2007**, *40*, 1122-1129.
- [II.18] Dzyuba SV, Bartsch RA. Influence of structural variations in 1-alkyl(aralkyl)-3-methylimidazolium hexafluorophosphates and bis-(trifluoromethylsulfonyl)imides on physical properties of the ionic liquids. *Chem. Phys. Chem.*, **2002**, *3*, 161-166.
- [II.19] Freemantle M. Designer Solvents. Ionic liquids may boost clean technology development. *Chem. Eng. News*, **1998**, *76*(13), 32-37.
- [II.20] Brennecke JF, Maginn EJ. Ionic liquids: Innovative fluids for chemical processing. *Am. Institute Chem. Eng. J.*, **2001**, *47*, 2384-2389.
- [II.21] Holbrey JD, Seddon KR. Review-ionic liquids. Clean products and processes, **1999**, *1*, 223-236.
- [II.22] Seddon KR, Stark A, Torres MJ, Influence of chloride, water, and organic solvents on the physical properties of ionic solids. *Pure Appl. Chem.*, **2000**, *72*, 2275-2287.
- [II.23] Bates ED, Mayton RD, Ntai I, Davis JV. CO₂ capture by a task-specific ionic liquid. *J. Am. Chem. Soc.*, **2002**, *124*(6), 926-927.
- [II.24] Walden P. Molecular weights and electrical conductivity of several fused salts. *Bull. Acad. Imper. Sci.* **1914**, 405-422.
- [II.25] Hurley FN, Wier TP. The electrodeposition of aluminum from nonaqueous solutions at room temperature. *J. Electrochem. Soc.*, **1951**, *98*, 207-212.
- [II.26] Gorman J. New liquids take aim at old-fashioned chemistry. *Science News*, **2001**, *160*, 156-158.
- [II.27] Wilkes JS, Levisky JA, Wilson RA, Hussey CL. Dialkylimidazolium chloroaluminate melts, a new class of room-temperature ionic liquids for electrochemistry, spectroscopy and synthesis. *Inorg. Chem.* **1982**, *21*, 1263-1264.
- [II.28] Fannin AA, Floreani DA, King LA, Landers JS, Piersma BJ, Stech DJ, Vaughn RL, Wilkes JS, Williams JL, Properties of 1,3- dialkylimidazolium chloride aluminium chloride ionic liquids. Part 2, *J. Phys. Chem.* **1984**, *88*, 2614-2627.

- [II.29] Fry SE, Pienta NJ. Effects of molten salts on reactions. Nucleophilic aromatic substitution by halide ions in molten dodecyltributylphosphonium salts. *J. Am. Chem. Soc.*, **1986**, *107*, 6399-6400.
- [II.30] Boon JA, Levisky JA, Pflug JL, Wilkes JS. Friedel-Crafts reactions in ambient-temperature molten salts, *Journal of Organic Chemistry*, **1986**, *51*, 480-483.
- [II.31] Fuller J, Carlin RT, DeLong HC, Haworth D. Structure of 1-ethyl-3-methylimidazolium hexafluorophosphate: model for room temperature molten salts, *J. Chem. Soc., Chem. Commun.*, **1994**, 299-304.
- [II.32] Fürst P, Stehle P. What are the essential elements needed for the determination of amino acid requirements in humans? *The Journal of Nutrition*, **2004**, *134*, 1558S-1565S.
- [II.33] Reeds PJ. Dispensable and indispensable amino acids for humans, *The Journal of Nutrition*, **2000**, *130*, 1835S-1840S.
- [II.34] (a) Pandey JD, Yasmin A. *Proc. Ind. Acad. Sci.* **1997**, *109*, 289.
(b) Pandey JD, Akhtar Y, Sharma AK. *Ind. J. Chem.* **1998**, *37A*, 1094.
- [II.35] Kim JI. Preferential solvation of single ions. A critical study of the Ph₄AsPh₄B assumption for single ion thermodynamics in amphiprotic and dipolar-aprotic solvents, *J. Phys. Chem.* **1978**, *82*, 191.
- [II.36] Kemp W. Organic spectroscopy, 3rd (ELBS) Ed., Macmillan Press: Hampshire: U.K., **1993**.
- [II.37] Lagowski JJ. *The Chemistry of Non-Aqueous Solvents*, Academic, New York, **1966**.
- [II.38] Conway BE, Barradas RG, *Chemical Physics of Ionic Solutions*, Wiley: New York, **1966**.
- [II.39] Richens DT, *The Chemistry of Aqua Ions*; Wiley: New York, **1997**.
- [II.40] Ibuki K, Nakahara M. Temperature and solvent effects on viscosity B-coefficients: monovalent ions in acetonitrile at 15, 25, and 35.degree.C, *J. Phys. Chem.* **1990**, *94*, 8370-8373.
- [II.41] Henni A, Jonathan JH, Paitoon T, Amit C. Volumetric properties and viscosities for aqueous diisopropanolamine solutions from 25 °C to 70 °C, *J. Chem. Eng. Data* **2003**, *48*, 1062-1067.
- [II.42] Burgess J, *Metal Ions in Solutions*; Ellis Horwood: New York, **1978**.
- [II.43] Harned HS, Owen BB. *The Physical Chemistry of Electrolytic Solutions*, Reinhold Publishing Corporation: New York, **1958**.
- [II.44] Lagowski JJ. *The Chemistry of Non-Aqueous Solvents*, Academic, New York, **1966**.
- [II.45] Conway BE, Barradas RG. *Chemical Physics of Ionic Solutions*, Wiley: New York, **1966**.
- [II.46] Muishead-Gould JS, Laidler KJ. *Chemical Physics of Ionic Solutions*, Wiley: New York, **1966**.
- [II.47] Coetzee JF, Ritchie CD, *Solute-Solvent Interactions*, Marcel Dekker: New York, **1969**.

- [II.48] Bates RG. Solute-solvent interactions and acid-base dissociation in mixed solvent systems, *Journal of Electroanalytical Chemistry and Interfacial Electrochemistry*, **1971**, 29, 1-29.
- [II.49] Kell GS, Daries CM, Jarynski J. *Water and Aqueous Solutions, Structure, Thermodynamics and Transport process*, Wiley: New York, **1972**.
- [II.50] Amis ES, Hinton JF. *Solvent effects on Chemical Phenomena*, Academic: New York, **1973**.
- [II.51] Covington AK, Dickinson T. *Physical Chemistry of Organic Solvent Systems*, Plenum Press: New York, **1973**.
- [II.52] Gordon JE. *The Organic Chemistry of Electrolyte Solutions*, Wiley- Interscience: New York, **1975**.
- [II.53] Franks F. *Physico-Chemical processes in Mixed Aqueous Solvents*, Heinemann: London, **1967**.
- [II.54] Franks F. *Water—A Comprehensive Treatise*, Plenum Press: New York, **1973**.
- [II.55] Gutmann V. Empirical parameters for donor and acceptor properties of solvents, *Electrochim. Acta.* **1967**, 21, 661-670.
- [II.56] Mayer U, Gutmann V. The Functional Approach to Ionization Phenomena in Solutions, *Adv. Inorg.Chem. Radiochem.* **1975**, 17, 189.
- [II.57] Pearson RG. *Hard and Soft Acids and Bases*, Strondsburgh: **1973**.
- [II.58] Behbehani RG, Dillon M, Symth J, Waghorne WE. Infrared Spectroscopic Study of the Solvation of Tetramethylurea in Protic + Aprotic Mixed Solvents, *J. Solution Chem.* **2002**, 31, 811-822.
- [II.59] Guha C, Chakraborty JM, Karanjai S, Das B. The Structure and Thermodynamics of Ion Association and Solvation of Some Thiocyanates and Nitrates in 2-Methoxyethanol Studied by Conductometry and FTIR Spectroscopy, *J. Phys. Chem. B* **2003**, 107, 12814.
- [II.60] Jones PL, Pethica JF. The Chemisorption of Nitrogen on Polycrystalline Tungsten Ribbon: Kinetic and Contact Potential Studies, *Proc. Royal Soc. Lond. A*, **1960**, 256, 454-469.
- [II.61] Prigogine I, Garikian S. Sur la thermodynamique statistique des solutions binaries, *Physica.* **1950**, 16, 239-248.
- [II.62] Prigogine I, Belleman A. Application of the Cell Model to the Statistical Thermodynamics of Solutions. Volume Change of Mixing in Solutions of Molecules Slightly Different in Size, *J. Chem. Phys.* **1953**, 21, 561-562.
- [II.63] Treszczanowicz AJ, Benson GC. Excess volumes of alkanol + alkane binary systems in terms of an association model with a flory contribution term, *Fluid Phase Equilib.* **1985**, 23, 117-135.

- [II.64] Weng WL. Densities and Viscosities for Binary Mixtures of Butylamine with Aliphatic Alcohols, *J. Chem. Eng. Data* **2002**, *45*, 606-609.
- [II.65] Nikam PS, Kharat SJ, Density and Viscosity Studies of Binary Mixtures of N,N-Dimethylformamide with Toluene and Methyl Benzoate at (298.15, 303.15, 308.15, and 313.15) K, *J. Chem. Eng. Data* **2005**, *50*, 455-459.
- [II.66] Rastogi RP, Nath J, Mishra J. Thermodynamics of weak interactions in liquid mixtures. I. Mixtures of carbon tetrachloride, benzene, toluene, and p-xylene, *J. Phys. Chem.* **1966**, *71*, 1277-1286.
- [II.67] Pitzer KS, Mayora G. Thermodynamics of electrolytes. II. Activity and osmotic coefficients for strong electrolytes with one or both ions univalent, *J. Phys. Chem.*, **1973**, *77*, 2300-2308.
- [II.68] Cook D, L-Higgins HC. Application of the Theory of Conformal Solutions to the System Carbon Dioxide-Ethylene, *Proc. Royal. Soc.*, **1951**, *A209*, 28-35.
- [II.69] Rowlinson JS. *Liquid and Liquid Mixtures*, Scientific Publications: London **1959**.
- [II.70] Rowlinson JS. The theory of regular Solutions, *Proc. Royal. Soc. Lond. A.* **1952**, *214*, 192-206.
- [II.71] Lebowitz JL, Rowlinson JS. Thermodynamic properties of mixtures of Hard Spheres, *J. Chem. Phys.* **1964**, *41*, 133-138.
- [II.72] Barker JA, Henderson DJ. Perturbation theory and equation of state for fluids. II. A successful theory of liquids, *J. Chem. Phys.* **1967**, *47*, 4714-4721.
- [II.73] Flory PJ, Orwoll RA, Vrij A. Statistical Thermodynamics of Chain Molecule Liquids. I. An Equation of State for Normal Paraffin Hydrocarbons, *J. Am. Chem. Soc.* **1964**, *86*, 3507-3514.
- [II.74] Flory PJ, Abe A. Thermodynamic Properties of Nonpolar Mixtures of Small Molecules, *J. Am. Chem. Soc.* **1964**, *86*, 3563-3565.
- [II.75] Flory PJ. Statistical Thermodynamics of Liquid Mixtures, *J. Am. Chem. Soc.* **87** (1965) 1833.
- [II.76] Patterson D, Delmas G. Corresponding states theories and liquid models, *Discuss. Faraday Soc.* **1970**, *49*, 98-105.
- [II.77] Heintz A. A New Theoretical Approach for Predicting Excess Properties of Alkanol/Alkane Mixtures, *Ber. Bunsenges. J. Phys.* **1985**, *89*, 172-181.
- [II.78] Funke H, Wetzell M, Heintz A. New applications of the ERAS model. Thermodynamics of amine + alkane and alcohol + amine mixtures, *J. Pure. Appl. Chem.* **1989**, *61*, 1429-1440.
- [II.79] Heintz A, Papaioannou D. Excess enthalpies of alcohol+amine mixtures. Experimental results and theoretical description using the ERAS-model, *Thermochimica Acta.* **1998**, *310*, 69-74.

- [II.80] Heintz A, Naicker PK, Verevkin SP, Pfestorf R, Bunsenges B. *J. Phys. Chem.* **1998**, *102*, 953-959.
- [II.81] Villa S, Riesco N, Garcia de la Fuente I, Gonzalz JA, Cobos JC. *Fluid Phase Equilib.* **2004**, *216*, 123-127.
- [II.82] Oswal SL. Studies of viscosity and excess molar volume of binary mixtures: 5. Charaterization of excess molar volume of 1-alkanol with alkylamines, dialkylamines and trialkylamines in terms of the ERAS model, *Thermochim. Acta.* **2005**, *425*, 59-63.
- [II.83] Pineiro A, Amigo A, Bravo R, Brocos P. Re-examination and symetricization of the adjustable parameters of the ERAS model: Review on its formulation and application, *Fluid Phase Equilib.* **2000**, *173*, 211-239.
- [II.84] Pineiro A. Excess volume and isoeric heat capacities of diisopropyle ether with several alkanols at 298.15 k: Application of the symetrical extended real associated solution model, *Fluid Phase Equilib.* **2004**, *216*, 245-256.
- [II.85] Gepert M, Stachowska B. Experimental and theoretical descripttion of binary mixttures containing monohydric alcohols, *J. Sol. Chem.* **2006**, *35*, 425-454.
- [II.86] Harned HS, Owen BB. *The Physical Chemistry of Electrolyte Solutions*, Reinhold Publishing Corporation: New York, **1943**.
- [II.87] Tanford C. *Hydrophobic Effect: Formation of Micelles and Biological Membranes*, Wiley-Interscience: New York, **1980**.
- [II.88] Vikingstad E. *Aggregation Process in Solutions*, Elsevier: Amsterdam, **1983**.
- [II.89] Desnoyers JE, Arel M, Perron H, Jolicoenn C. Apparent molar volume of alkali halides pn water at 25.deh.. Influcine of structural hydration interactions on the concentrarion dependence, *J. Phys. Chem.* **1969**, *73*, 3346-3351.
- [II.90] Covington AK, Dickinson T. *Physical Chemistry of Organic Solvent Systems*, Plenum Press: New York, **1973**.
- [II.91] Hazra DK, Das B. Apparent and partial molar volumes of selected symmetrical tetraalkylammonium bromides in 2-methoxy-1-ethanol at 25.degree.C, *J. Chem. Eng. Data* **1991**, *36*, 403-405.
- [II.92] Masson DO. Solute molecular volumes in relation to salvation and ionization, *Phil. Mag.* **1929**, *8*, 218-224.
- [II.93] Redlich O, Meyer DM. The molar volumes of electrolytes, *Chem. Rev.* **1964**, *64*, 221-227.
- [II.94] Owen BB, Brinkley SR, Extrapolation of apparent molar properties of strong electrolytes, *J. Ann. N. Y. Acad. Sci.* **1949**, *51*, 753-764.
- [II.95] Millero FJ. *Water and Aqueous Solutions: Structure, Thermodynamics and Transport Processes*, Wiley- Interscience: New York, **1972**.

- [II.96] Gopal R, Siddiqi MA. Study of ion-solvent interaction of some tetrabutylammonium and common ions in N-methylacetamide form apparent molar volume data, *J. Phys. Chem.* **1969**, *73*, 3390-3394.
- [II.97] Padova J, Abrahamer I. Ion-solvent interactions. VII. Apparent and partial molar volumes of some symmetrical tetrabutylammonium halides in anhydrous methanol solutions, *J. Phys. Chem.* **1967**, *71*, 2112-2116.
- [II.98] Gopal R, Agarwal DK, Kumar R. A Study of Solute-Solvent Interaction in Solvents of Medium Dielectric Constant from the Apparent Molal Volume Data. I, *Bull. Chem. Soc. Jpn.* **1973**, *46*, 1973-1976.
- [II.99] Gopal R, Rastogi PP. A study of ion-solvent interaction of some Tetraalkylammonium and common ions in polar, hydrogen-bonded and non hydrogen bonded solvents from viscosity data, *Z. Phys. Chem. (N.F.)*, **1970**, *69*, 1-10.
- [II.100] Das B, Hazra DK. Apparent and partial molar volumes of selected symmetrical tetraalkylammonium bromides in 2-methoxy-1-ethanol at 25°C, *J. Chem. Eng. Data* **1991**, *36*, 403-405.
- [II.101] Hepler LG. Thermal expansion and structure in water and aqueous solutions, *Can. J. Chem.* **1969**, *47*, 4613-4617.
- [II.102] Hepler LG, Stokes JM, Stokes RH. Dilatometric measurements of apparent molar volumes of dilute aqueous electrolytes, *Trans. Faraday Soc.* **1965**, *61*, 20-29.
- [II.103] Spedding FH, Pikal MJ, Ayres BO. Apparent molar volumes of some aqueous rare earth chloride and nitrite solutions at 25°C, *J. Phys. Chem.* **1966**, *70*, 2440-2449.
- [II.104] Dunn LA. Apparent molar volumes of electrolytes. Part 3.—Some 1-1 and 2-1 electrolytes in aqueous solution at 0, 5, 15, 35, 45, 55 and 65 °C, *Trans. Faraday Soc.* **1968**, *64*, 2951-2961.
- [II.105] Pogue R, Atkinson G. Solution thermodynamics of first-row transition elements. 1. Apparent molar volumes of aqueous nickel dichloride nickel diperchlorate cupric chloride and cupric diperchlorate from 15 to 55°C, *J. Chem. Eng. Data* **1988**, *33*, 370-376.
- [II.106] Conway BE, Verral RE, Desnoyers JE. Partial molal volumes of tetraalkylammonium halides and assignment of individual ionic contributions, *Trans. Faraday Soc.* **1966**, *62*, 2738-2749.
- [II.107] Uosaki K, Koudo Y, Tokura N. The Apparent Molar Volumes of Tetraalkylammonium Halides in Liquid Sulfur Dioxide, *Bull. Chem. Soc. Jpn.* **1972**, *45*, 871-874.
- [II.108] Krumgalz BS. Ionic limiting partial molal volumes in various solvents, *J. Chem. Soc. Faraday Trans. I*, **1980**, *76*, 1887-1904.
- [II.109] Quin AW, Hoffmann DF, Munk P. Excess volumes of mixtures of alkanes with carbonyl compounds, *J. Chem. Eng. Data* **1992**, *37*, 55-61.

- [II.110] Atik Z. Densities and Excess Molar Volumes of Binary and Ternary Mixtures of Aqueous Solutions of 2,2,2-Trifluoroethanol with Acetone and Alcohols at the Temperature of 298.15 K and Pressure of 101 kPa, *J. Sol. Chem.* **2004**, *33*, 1447-1457.
- [II.111] Stokes RH, Mills R. *Viscosity of Electrolytes and Related Properties*, Pergamon: Great Britain, **1965**.
- [II.112] Vaslow F. *Water and Aqueous Solutions*, Wiley- Interscience: New York, **1972**.
- [II.113] Da EN, Andrade C. A theory of the viscosity of liquids.-Part II, *Phil. Mag.* **1934**, *17*, 698-732.
- [II.114] Frankel J. *Kinetic Theory of Liquids*, Dover Publications: New York, **1955**.
- [II.115] Furth R. *Proc. Camb. Phil. Soc.* **1941**, *37*, 281.
- [II.116] Furth R. *Proc. Camb. Phil. Soc.* **1941**, *37*, 252.
- [II.117] Ewell RH, Eyring H. Theory of the Viscosity of Liquids as a Function of Temperature and Pressure, *J. Chem. Phys.*, **1937**, *5*, 726-736.
- [II.118] Auluck FC, De SC, Kothari DS. *Proc. Natl. Inst. Sci.* **1944**, *10(4)*, 397.
- [II.119] Eisenschitz R. Transport processes in liquids, *Proc. Roy. Soc.* **1952**, *215A*, 29-36.
- [II.120] Lennard-Jones JE, Devonshire AF. Critical phenomena in gases. I, *Proc. Roy. Soc.* **1937**, *163A*, 53-70.
- [II.121] Lennard-Jones JE, Devonshire AF. Devonshire, Critical Phenomena in Gases. II. Vapour Pressures and Boiling Points, *Proc. Roy. Soc.* **1938**, *165A*, 1-11.
- [II.122] Pople JA. Molecular Association in Liquids. III. A Theory of Cohesion of Polar Liquids, *Proc. Roy. Soc.* **1952**, *215A*, 67-83.
- [II.123] Eisenchitz R. The stueady non-uniform state for a liquid, *Proc. Phys. Soc. A* **1949**, *62*, 41-48.
- [II.124] Kirkwood JG. The Statistical Mechanical Theory of Transport Processes I. General Theory, *J. Chem. Phys.* **1946**, *14*, 180-184.
- [II.125] Kirkwood JG. *Theory of Liquids*, Science Publishers: New York, **1968**.
- [II.126] Mayer JE, Montroll E. Molecular Distribution, *J. Chem. Phys.* **1941**, *9*, 2-7.
- [II.127] Mayer JE. Integral Equations between Distribution Functions of Molecules, *J. Chem. Phys.* **1947**, *15*, 187-191.
- [II.128] Born M, Green HS. A General Kinetic Theory of Liquids. I. The Molecular Distribution Functions, *Proc. Roy. Soc.* **1946**, *188A*, 10-18.
- [II.129] Born M, Green HS. A General Kinetic Theory of Liquids. III. Dynamical Properties, *Proc. Roy. Soc.* **1947**, *190A*, 455-474.
- [II.130] Kirkwood JG, Buff FP, Green MS. The Statistical Mechanical Theory of Transport Processes. III. The Coefficients of Shear and Bulk Viscosity of Liquids, *J. Chem. Phys.* **1949**, *17*, 988-991.

- [II.131] Kirkwood JG. Statistical mechanics of fluid mixtures, *J. Chem. Phys.* **1935**, *3*, 300-305.
- [II.132] Kirkwood JG. Molecular distribution in liquids, *J. Chem. Phys.* **1939**, *7*, 919-923.
- [II.133] Kirkwood JG, Salsburg ZW. The statistical mechanical theory of molecular distribution functions in liquids, *Faraday Soc. Discuss.* **1953**, *15*, 28-33.
- [II.134] Kirkwood JG, Boggs EM. Molecular distribution in liquids, *J. Chem. Phys.* **1942**, *10*, 394-397.
- [II.135] Kirkwood JG, Maun EK, Alder BJ. Radial Distribution Functions and the Equation of State of a Fluid Composed of Rigid Spherical Molecules, *J. Chem. Phys.* **1950**, *18*, 1040-1044.
- [II.136] Kirkwood JG, Lewinson VA, Alder BJ. Radial Distribution Functions and the Equation of State of Fluids Composed of Molecules Interacting According to the Lennard-Jones Potential, *J. Chem. Phys.* **1952**, *20*, 929-933.
- [II.137] Zwanzig RW, Kirkwood JG, Stripp KF. I. Oppenheim, The Statistical Mechanical Theory of Transport Processes. VI. A Calculation of the Coefficients of Shear and Bulk Viscosity of Liquids, *J. Chem. Phys.* **1953**, *21*, 2050.
- [II.138] Rice SA, Gray P. *The Statistical Mechanics of Simple Liquids. An introduction to the theory of equilibrium and Non-equilibrium Phenomena*, Interscience Publishers: New York, **1965**.
- [II.139] Rice SA. *The Kinetic Theory of Dense Fluids, Colloquium Lecturers in Pure and Applied Science*, No. 9 Mobil Oil Corp. Research Lab., Dallas: Texas, **1964**.
- [II.140] Rice SA, Allnatt AR. On the Kinetic Theory of Dense Fluids. VI. Singlet Distribution Function for Rigid Spheres with an Attractive Potential, *J. Chem. Phys.* **1961**, *34*, 2144-2148.
- [II.141] Allnatt AR, Rice SA. On the Kinetic Theory of Dense Fluids. VII. The Doublet Distribution Function for Rigid Spheres with an Attractive Potential, *J. Chem. Phys.* **1961**, *34*, 2156-2159.
- [II.142] Longuet-Higgins HC, Valletau JP. Transport coefficients of dense fluids of molecules interacting according to a square well potential, *Mol. Phys.* **1958**, *1*, 284-294.
- [II.143] Davis HT, Rice SA, Sengers JV. On the Kinetic Theory of Dense Fluids. IX. The Fluid of Rigid Spheres with a Square-Well Attraction, *J. Chem. Phys.* **1961**, *35*, 2210-2215.
- [II.144] Davis HT, Luks KD. Transport properties of a dense fluid of molecules interacting with a square-well potential, *J. Phys. Chem.* **1965**, *69*, 869-880.
- [II.145] Hirschfelder JO, Curtis CF, Bird RB. *Molecular Theory of Gases and Liquids*, John Wiley and Sons: New York, **1954**, reprinted with notes added, **1964**.
- [II.146] Rogers JD, Brickwedde FG. Comparison of saturated-liquid viscosities of low molecular substances according to the quantum principle of corresponding states, *Physica*. **1966**, *32*, 1001-1018.

- [II.147] Boon JP, Thomaes G. Viscosity of liquefied gases, *Physica*. **1963**, *29*, 208-214.
- [II.148] Boon JP, Thomaes G. The viscosity of binary mixtures, *Physica*. **1962**, *28*, 1074-1076.
- [II.149] Boon JP, Thomaes G. The fluidity of argon-methane and krypton-methane mixtures, *Physica*. **1963**, *29*, 123-128.
- [II.150] Boon JP, Legros JC, Thomaes G. On the principle of corresponding states for the viscosity of simple liquids, *Physica*. **1967**, *33*, 547-557.
- [II.151] Holleman TH, Hijmans J. A principle of corresponding states for the thermodynamic excess functions of binary mixtures of chain molecules, *Physica*, **1962**, *28*, 604-616.
- [II.152] Eyring H. Viscosity, Plasticity, and Diffusion as Examples of Absolute Reaction Rates, *J. Chem. Phys.* **1936**, *4*, 283.
- [II.153] Eyring H, Hirschfelder JO, The theory of the liquid state, *J. Phys. Chem.* **1937**, *41*, 249-257.
- [II.154] Kincaid JF, Eyring H, Stearn AE. The theory of absolute reaction rates and its application to viscosity and diffusion in the liquid states, *Chem. Rev.* **1941**, *28*, 301-365.
- [II.155] Eyring H, Ree T, Hirai N. Significant structure in the liquid state. I., *Proc. Natl. Acad. Sci.* **1958**, *44*, 683-688.
- [II.156] Fulle E], Ree T, Eyring H. Significant structure in the liquid state. II. *Proc. Natl. Acad. Sci.* **1959**, *45*, 1594-1598.
- [II.157] Carlson CM, Eyring H. Significant structure in the liquid, III. Partition function for fused salts, *Proc. Natl. Acad. Sci.* **1960**, *46*, 333-335.
- [II.158] Thomson TR, Eyring H, Ree T. Significant structure in the liquid state. IV. Liquid chlorine, *Proc. Natl. Acad. Sci.* **1960**, *46*, 336-339.
- [II.159] Walter J, Eyring H. A partition function of normal liquids, *J. Chem. Phys.* **1941**, *9*, 393-397.
- [II.160] Ree T, Eyring H. Relaxation theory of transport problems in condensed systems, *Ind. Eng. Chem.* **1958**, *50*, 1036-1040.
- [II.161] Carlson CM, Eyring H, Ree T. Significant structure in the liquid, V. Thermodynamic and transport properties of molten metals, *Proc. Natl. Acad. Sci.* **1960**, *46*, 649-653.
- [II.162] Eyring H, Ree T. Significant structure in the liquid, VI. The vacancy theory of liquids, *Proc. Natl. Acad. Sci.* **1961**, *47*, 526-529.
- [II.163] Eyring H, John MS. *Significant Liquid Structures*, John Willey & Sons: New York, **1969**.
- [II.164] Gruneisen, Wiss, Abhaudl, *Physik-tech. Reich-austatt.* **1905**, *4*, 239.
- [II.165] Jones G, Dole M. The viscosity of aqueous solutions of strong electrolytes with special reference to Barium Chloride, *J. Am. Chem. Soc.* **1929**, *51*, 2950-2964.
- [II.166] Debye P, Hückel E. *Z. Phys. Chem.* **1923**, *24*, 185.

- [II.167] Falkenhagen H, Dole M. *Phys. Z.* **1929**, *30*, 611.
- [II.168] Falkenhagen H, Vernon EL. *Phys. Z.* **1932**, *33*, 140.
- [II.169] Falkenhagen H, Vernon EL. The viscosity of strong electrolyte solutions according to electrostatic theory, *Phil. Mag.* **1932**, *14*, 537-565.
- [II.170] Kaminsky M. Ion-solvent interaction and the viscosity of strong-electrolyte solution, *Discuss Faraday Soc.* **1957**, *24*, 171-179.
- [II.171] Feakins D, Freemantle DJ, Lawrence KG. Transition state treatment of the relative viscosity of electrolytic solution. Applications to aqueous, non-aqueous and methanol+water systems, *J. Chem. Soc. Faraday Trans. I*, **1974**, *70*, 795-806.
- [II.172] Crudden J, Delancy GM, Feakins D, O'Reilly PJ, Waghorne WE, Lawrence KG. *J. Chem. Soc. Faraday Trans I.* **1986**, *82*, 2195.
- [II.173] Covington AK, Dickinson T. *Physical Chemistry of Organic Solvent Systems*, Plenum Press: New York, **1973**.
- [II.174] Harned HS, Owen BB. *The Physical Chemistry of Electrolytic Solutions*, Reinhold Publishing Corporation: New York, **1958**.
- [II.175] Kaminsky M. Experimentelle untersuchungen uber die konzentrations- und temperaturabhangigkeit der zahigkeit wabring losunger starker electrolyte, *Z. Phys. Chem.* **1957**, *12*, 206-231.
- [II.176] Desnoyers J, Perron G. The viscosity of aqueous solutions of alkali and tetraalkylammonium halides at 25°C, *J. Solution Chem.* **1972**, *1*, 199-212.
- [II.177] Bicknell RJM, Lawrence KG, Feakins D. Ionic viscosity *B*-coefficients in dimethyl sulphoxide at 25, 35, and 45°C, *J. Chem. Soc. Faraday I*, **1980**, *76*, 637-647.
- [II.178] Kay RL, Vituccio T, Zawoyski C, Evans DF, Viscosity *B*-coefficients for the tetrammonium halides, *J. Phys. Chem.* **1966**, *70*, 2336-2341.
- [II.179] Yao NP, Bennion DN. Transport behavior in dimethyl sulphoxide. II. Viscosity studies, *J. Phys. Chem.* **1971**, *75*, 1727-1734.
- [II.180] Kaminsky M. Ion-solvent interaction and the viscosity of strong-electrolyte solutions, *Discussions Faraday Soc.* **1957**, *24*, 171-179.
- [II.181] Feakins D, Lawrence KG. The relative viscosities of solutions of sodium and potassium chlorides and bromides in *N*-methylformamide at 25, 35, and 45°C. *J. Chem. Soc. A* **1966**, 212-219.
- [II.182] Vand V. Viscosity of solutions and suspensions. I. Theory, *J. Phys. Chem.* **1948**, *52*, 277-299.
- [II.183] Thomas DG. Transport characteristics of suspension: VIII. A note on the viscosity of Newtonian suspensions of uniform spherical particles, *J. Colloid Sci.* **1965**, *20*, 267-277.
- [II.184] Moulik SP. *J. Ind. Chem. Soc.* **1972**, *49*, 483.

- [II.185] England D, Pilling G. Viscosity of the concentrated aqueous solutions of tetraalkylammonium bromides, *J. Phys. Chem.* **1972**, *76*, 1902-1906.
- [II.186] Goldsack DE, Franchetto RC. The viscosity of concentrated electrolyte solutions. I. Concentration dependence at fixed temperature, *Can. J. Chem.* **1977**, *55*, 1062-1072.
- [II.187] Goldsack DE, Franchetto RC. The viscosity of concentrated electrolyte solutions. II. Temperature dependence, *Can. J. Chem.* **1978**, *56*, 1442-1450.
- [II.188] Angell CA. On the importance of the metastable liquid state and glass transition phenomenon to transport and structure studies in ionic liquid. I. Transport properties, *J. Phys. Chem.* **1966**, *70*, 2793-2803.
- [II.189] Angell CA. Viscous Flow and Electrical Conductance in Ionic Liquids: Temperature and Composition Dependence in the Light of the Zero Mobility Concept. *J. Chem. Phys.* **1967**, *46*, 4673-4677.
- [II.190] Chowdhury KR, Majumdar DK. Viscous flow in aqueous solution of quaternary ammonium salts: high concentration range, *Electrochim. Acta.* **1983**, *28*, 23-25.
- [II.191] Chowdhury KR, Majumdar DK. Viscosity variation of *N*-cetyl pyridinium chloride—high concentration range, *Electrochim. Acta.* **1983**, *28*, 597-599.
- [II.192] Chowdhury KR, Majumdar DK. Viscosity of tetraethylammonium bromide and tetrabutylammonium bromide: High concentration range, *Electrochim. Acta.* **1984**, *29*, 1371-1373.
- [II.193] Rastogi PP. Ion-Solvent Interaction of Tetraalkylammonium and Some Common Ions in *N*-Methylformamide from Viscosity Data, *Bull. Chem. Soc. Japan* **1970**, *43*, 2442-2444.
- [II.194] Gopal R, Rostogi PP. A study of ion-solvent interaction of some Tetraalkylammonium and common ions in polar, hydrogen-bonded and non hydrogen bonded solvents from viscosity data, *Z. Phys. Chem. (N.F.)*, **1970**, *69*, 1-10.
- [II.195] Criss CM, Mastroianni MJ. Viscosity coefficients of ions in various solvents, *J. Phys. Chem.*, **1971**, *75*, 2532-2534.
- [II.196] Tamaski K, Ohara Y, Isomura Y. *Bull. Chem. Soc. Japan*, **1973**, *46*, 951.
- [II.197] Deluca PP, Rabagay TV. Viscosity and partial volumes of some tetrabutylcarbonates at 25. Deg., *J. Phys. Chem.*, **1975**, *79*, 2493-2496.
- [II.198] Prasad BN, Singh NP, Singh MM. *Ind. J. Chem.*, **1976**, *14A*, 322.
- [II.199] Prasad BN, Agarwal MM. *Ind. J. Chem.*, **1976**, *14A*, 343.
- [II.200] Bicknell RTM, Lawrence KG, Scelay MA, Feakins D, Werblan L. Relative viscosities of solutions of sodium and potassium bromides and iodides in dimethyl sulphoxide at 25, 35, and 45° C, *J. Chem. Soc. Faraday I*, **1976**, *72*, 307-313.

- [II.201] McDowall JM, Martinus N, Vincent CA. Study of ion-solvent interactions in formamide+water mixtures by the measurement of viscosity of sodium chloride solutions, *J. Chem. Soc. Faraday I*, **1976**, *72*, 654-660.
- [II.202] Sacco A, Petrella G, Castagnola M. Electrolyte viscosities in sulfolane at 30, 40, and 50.degree.C, *J. Phys. Chem.*, **1976**, *80*, 749-752.
- [II.203] Blokhra RL, Segal YP. *Ind. J. Chem.*, **1977**, *15A*, 36.
- [II.204] Das NC, Das PB, *Ind. J. Chem.*, **1977**, *15A*, 826.
- [II.205] Sacco A, Petrella G, Monica MD, Castagnola M. Electrolyte viscositi in hexamethylphosphotriamide at 25°C, *J. Chem. Soc. Faraday I*, **1977**, *73*, 1936-1942.
- [II.206] Mandal PK, Seal BK, Basu AS, Structural aspects of ionic viscosity *B*-coefficients in relation to ion-solvent interaction in aqueous solution (I), *Z. Phys. Chem.*, **1974**, *87*, 295-307.
- [II.207] Kim JI, Preferential solvation of single ions. A critical study of the Ph₄AsPh₄B assumption for single ion thermodynamics in amphiprotic and dipolar-aprotic solvents, *J. Phys. Chem.*, **1978**, *82*, 191-199.
- [II.208] Vijaylakshamna SK, *Indian J. Chem.*, **1979**, *17A*, 511.
- [II.209] Sacco A, Petrella G, Monica MD, ion-solvent interaction of some tetra-alkylammonium ions in sulpholane from viscosity data, *J. Chem. Soc. Faraday I*, **1979**, *75*, 2325-2331.
- [II.210] Thomson PT, Durbana M, Turner JL, Wood RH, Viscosities of solutions of electrolytes and nonelectrolytes in N-methylacetamide at 35° and 55°C, *J. Sol. Chem.*, **1980**, *9*, 955-976.
- [II.211] Kurotaki K, Kawamura S. Interactions between metal complex ions and water. Part 1.- Partial molar volumes, viscosity coefficients and conductivities of trivalent Co^{III} and Cr^{III} complex ions in water, *J. Chem. Soc. Faraday I*, **1981**, *77*, 217-226.
- [II.212] Martinus N, Vincent CA, Relative viscosities of alkali halide solutions in formamide, *J. Chem. Soc. Faraday Trans I*, **1981**, *77*, 141-156.
- [II.213] Sacco A, Giglio AD, Atti AD, Ionic *B*-coefficients in water at 30, 40, and 50°C, *J. Chem. Soc. Faraday I*, **1981**, *77*, 2693-2699.
- [II.214] Gill DS, Sharma AN, Acetone+N,N-dimethylformamide solvent system. Part 3.- Viscosity measurements of some electrolytes in acetone, N,N-dimethylfomamide and acetone+N,N-dimethylformamide mixtue at 25° C, *J. Chem. Soc. Faraday I*, **1982**, *78*, 475-484.
- [II.215] Sacco A, Petrella G, Atti AD, Castagnolo M, Ion-solvent interactions in water-rich binary mixtures viscometric behaviour of sodium salt solutions in water+sulpholane mixtures at 30, 40, and 50°C, *J. Chem. Soc. Faraday I*, **1982**, *78*, 1507-1514.
- [II.216] Sacco A, Giglio AD, Atti AD, Castagnolo M, Ion-solvent interactions in water-rich binary mixtures. Part 2.-Viscometric behaviour of NaCl, NaBr, KCl, KBr, and Bu₄NBr, in

water+hexamethylphosphoric triamide mixtures at 25 and 35°C, *J. Chem. Soc. Faraday I*, **1983**, *79*, 431-438.

- [II.217] Lawrence KG, Sacco A, Separation of viscosity ZB-coefficients into ionic contribution. Part 1.-Tetrabutylammonium tetrabutylborate and tetraphenylphosphonium tetrabutylborate in dimethylsulphoxide, *J. Chem. Soc. Faraday I*, **1983**, *79*, 615-624.
- [II.218] Miyajima K, Sawada M, Nakagaki M, Viscosities of Aqueous Solutions of Alkanoic Acids, *Bull. Chem. Soc. Japan* **1983**, *56*, 827-830.
- [II.219] Doenech J, Rivera S, Ionic B-coefficients of sodium and bromide ions in formamide +water mixtures, *J. Chem. Soc. Faraday I*, **1984**, *80*, 1249-1255.
- [II.220] Dasgupta D, Das S, Hazra DK, Viscosity B-Coefficients of Tetraalkylammonium Bromides in 2-Methoxyethanol at 25 °C, *Bull. Chem. Soc. Japan*, **1989**, *62*, 1246-1249.
- [II.221] Taniewska-Osinska S, Jozwaik M, Densimetric and viscosimetric investigations of NaI in hexamethylphosphoramide-water mixtures at 293.15, 298.15, and 303.15 K, *J. Chem. Soc. Faraday Trans I*, **1989**, *85*, 2141-2147.
- [II.222] Nandi D, Hazra DK, Viscosities of alkali-metal chlorides in 2-methoxyethanol at 25, and 35° C, *J. Chem. Soc. Faraday Trans I*, **1989**, *85*, 4227-4235.
- [II.223] Ibulci I, Nakahara M, Temperature and solvent effects on viscosity B-coefficients: monovalent ions in acetonitrile at 15, 25, and 35.degree.C, *J. Phys. Chem.*, **1990**, *94*, 8370-8373.
- [II.224] Cox WM, Wolfenden JH, The Viscosity of Strong Electrolytes Measured by a Differential Method, *Proc. Roy. Soc. London*, **1934**, *145A*, 475-488.
- [II.225] Gurney RW, *Ionic Processes in Solution*, Mc Graw Hill: New York, **1953**.
- [II.226] Nightingale Jr. ER, Phenomenological theory of ion salvation. Effective radii of hydrated ions, *J. Phys. Chem.*, **1959**, *63*, 1381-1387.
- [II.227] Einstein A. *Ann. Phys.*, **1906**, *19*, 289.
- [II.228] Benson GS, Gordon AR, A reinvestigation of the conductance of aqueous solutions of potassium chloride, sodium chloride, and potassium bromide at temperatures from 15° to 45°C, *J. Chem. Phys.*, **1945**, *13*, 473-480.
- [II.229] Tuan DFT, Fuoss RM, Electrostriction in polar solvents. I, *J. Phys. Chem.*, **1963**, *67*, 1343-1347.
- [II.230] Springer CH, Coetzee JF, Key RL, Transference number measurements in acetonitrile as solvent, *J. Phys. Chem.*, **1969**, *73*, 471-476.
- [II.231] Petrella G, Sacco A. Viscosity and conductance studies in ethylene carbonate at 40° C, *J. Chem. Soc. Faraday Trans. I*, **1978**, *74*, 2070-2076.

- [II.232] Krumgalz BS, New method of separation of the viscosity *B*-coefficient of the Jones-Dole equation into ionic contributions for non-aqueous electrolyte solutions, *J. Chem. Soc. Faraday I*, **1980**, *76*, 1275-1286.
- [II.233] Krumgalz BS, *Russ. J. Phys. Chem.*, **1972**, *46*, 858.
- [II.234] Krumgalz BS, *Russ. J. Phys. Chem.*, **1973**, *47*, 956.
- [II.235] Krumgalz BS, *Russ. J. Phys. Chem.*, **1974**, *48*, 1163.
- [II.236] Krumgalz BS, *Russ. J. Phys. Chem.*, **1971**, *45*, 1448.
- [II.237] Jenkins HDB, Pritchett MSF, A new approach to the analysis of absolute free energies, enthalpies and entropies of hydration of individual gaseous ions and absolute single-ion viscosity *B*-coefficients, *J. Chem. Soc. Faraday I*, **1984**, *80*, 721-737.
- [II.238] Fajan K. Löslichkeit und ionisation vom standpunkte der atomstruktur, *Naturwissenschaften*, **1921**, *9*, 729-738.
- [II.239] Morris DFC, Ionic radii and enthalpies of hydration of ions, *Struct. Bonding*, **1969**, *6*, 157-159.
- [II.240] Gurney RW, *Ionic Processes in Solutions*, Doves:New York, **1962**.
- [II.241] Frank HS, Wen WY, Ion-solvent interaction. Structural aspects of ion-solvent interaction in aqueous solutions: a suggested picture of water structure, *Disc. Farad. Soc.* **1957**, *24*, 133-140.
- [II.242] Asmus Z., *Naturforsch.*, **1949**, *4A*, 589.
- [II.243] Abraham MH, Liszi J, Papp E, Calculations on ionic solvation. Part 6.-Structure-making and structure breaking effects of alkali halides ions from electrostatic entropies of solvation. Correlation with viscosity *B*-coefficients, nuclear magnetic resonance *B'*-coefficients and partial molar volumes, *J. Chem. Soc. Faraday I*, **1982**, *78*, 197-211.
- [II.244] Abraham MH, Liszi J, Meszaros L. Calculations on ionic solvation. III. The electrostatic free energy of solvation of ions, using a multilayered continuum model, *J. Chem. Phys.*, **1979**, *70*, 2491-2497.
- [II.245] Abraham MH, Liszi J, Calculations on ionic solvation. Part 4.-Further calculations in solvation of gaseous univalent ions using one-layer and two-layer continuum models, *J. Chem. Soc. Faraday I*, **1980**, *76*, 1219-1231.
- [II.246] Glasstone S, Laidler KJ, Eyring H, *The Theory of Rate Process*, McGraw Hill: New York, **1941**.
- [II.247] Nightingale ER, Benck RF, Viscosity of aqueous sodium fluoride and sodium periodate solutions. Ionic energies and entropies of activation for viscous flow, *J. Phys. Chem.*, **1959**, *63*, 1777-1780.
- [II.248] Feakins D, Freemantle DJ, Lawrence KG, Transition state treatment of the relative viscosity of electrolytic solutions. Applications to aqueous. Non-aqueous and methanol+water systems, *J. Chem. Soc. Faraday I*, **1974**, *70*, 795-806.

- [II.249] Sinha R, The influence of Brownian movement on the viscosity of solutions, *J. Phys. Chem.*, **1940**, *44*, 25-44.
- [II.250] Vand V, Viscosity of solutions and suspensions. I. Theory, *J. Phys. Chem.*, **1948**, *52*, 277-299.
- [II.251] Thomas DG, Transport characteristics of suspension: VIII. A note on the viscosity of Newtonian suspensions of uniform spherical particles, *J. Colloid Science*, **1965**, *20*, 267-277.
- [II.252] Moulik SP, Acorrelative treatment of the heat of adsorption with coverage on the monolayer side, *J. Phys. Chem.*, **1968**, *72*, 4682-4684.
- [II.253] Moulik SP, Electrolyte conductance in solutions of non-electrolytes-urea, sucrose, glycerol and mannitol, *Electrochim. Acta.*, **1972**, *17*, 1491-1497.
- [II.254] Moulik SP, *J. Indian Chem. Soc.*, **1972**, *49*, 483.
- [II.255] Fort RJ, Moore WR, Viscosity of binary mixtures, *Trans. Faraday Soc.*, **1966**, *62*, 1112-1119.
- [II.256] Naidu GR, Naidu PR, *Ind. J. Chem.*, **1983**, *22A*, 324.
- [II.257] Redlich O, Kister AT, Algebraic representation of thermodynamic properties and the classification of solutions, *Ind. Eng. Chem.*, **1948**, *40*, 345-348.
- [II.258] Pikkarainen L, Density and viscosity of binary mixtures, of N,N-imethylacetamide with aliphetic alcohol, *J. Chem. Eng. Data*, **1983**, *28*, 344-347.
- [II.259] Pikkarainen L, Density and viscosity of binary mixtures, of N-imethylacetamide with aliphetic alcohol, *J. Chem. Eng. Data.*, **1983**, *28*, 381-383.
- [II.260] Manjeshwar LS, Aminabhavi T. Density and viscosity of binary liquid mixtures containing bromoform at 45.degree.C, *J. Chem. Eng. Data*, **1988**, *33*, 184-185.
- [II.261] Rao KP, Reddy K.S. Viscosities of trichloroethylene with ketones and 1,4-dioxolane at 289.15, 308.15, 318.15 K, *J. Chem. Eng. Data*, **1988**, *33*, 130-133.
- [II.262] Glasstone S, Laidler KJ, Eyring H, *The Theory of Rate Process*, McGraw Hill: New York, **1941**.
- [II.263] Gill DS, Kaur TS, Kaur H, Joshi IM, Singh J, Ultrasonic velocity, permittivity, density, viscosity and proton nuclear magnetic resonance measurements of binary mixtures of benzonitrile with organic solvents, *J. Chem. Soc. Faraday Trans.*, **1993**, *89*, 1737-1740.
- [II.264] Mathieson JG, Conway BE, Partial molal compressibilities of salts in aqueous solution and assignment of ionic contributions, *J. Sol. Chem.*, **1974**, *3*, 455-477.
- [II.265] Bhowmik S, Mohanty RK, *Ind. J. Chem.*, **1986**, *25A*, 416.
- [II.266] Kaulgud MV, Mohan Rao KS, *Ind. J. Chem.*, **1988**, *27A*, 12.
- [II.267] Patil KJ, Wazalwar AB, Mehta GR. *Ind. J. Chem.*, **1988**, *27A*, 799.

- [II.268] Iqbal M, Verrall RE, Apparent molar volume and adiabatic compressibility studies of aqueous solutions of some drug compounds at 25 °C, *Can. J. Chem.*, **1989**, *67*, 727-735.
- [II.269] Kikuchi M, Sakurai M, Nitta K, Partial molar volumes and isentropic compressibilities of N-Aetyl amino acid smines in dilute aqueous solutions at (5, 15, 25, 35, and 45)°C, *J. Chem. Eng. Data*, **1996**, *41*, 1439-1445.
- [II.270] Conway BE, Verrall RE, Partial molar volumes and adiabatic compressibilities of tetraalkylammonium and aminium salts in water. I. Compressibility behavior, *J. Phys. Chem.*, **1966**, *70*, 3952-3961.
- [II.271] Gekko K, Noguchi H, Compressibility of globular proteins in water at 25.degree.C, *J. Phys. Chem.*, **1979**, *83*, 2706-2714.
- [II.272] Masterson WL, Partial molar volumes of hydrocarbons in water solution, *J. Chem. Phys.*, **1954**, *22*, 1830-1833.
- [II.273] Hepler LG, Thermal expansion and structure in water and aqueous solutions, *Can. J. Chem.*, **1969**, *47*, 4613-4617.
- [II.274] Kaulgud MW, Patil KJ, Volumetric and isentropic compressibility behavior of aqueous amine solutions. II, *J. Phys. Chem.*, **1976**, *80*, 138-143.
- [II.275] Patil KJ, Mehta GR, Chandewar RK, *Ind. J. Chem.*, **1986**, *25A*, 1147.
- [II.276] Lafuente C, Ginar B, Villares A, Gascon I, Cea P. Speeds of sound and isentropic compressibilities of binary mixtures containing cyclic ethers and haloalkanes at 298.15, 313.15 K, *Int. J. Thermophys.*, **2004**, *25*, 1735-1746.
- [II.277] Douheret G, Pal A, Davis MI, Ultrasonic speeds and isentropic functions of (2-alkoxyethanol+water) at 298.15K, *J. Chem. Thermodyn.*, **1990**, *22*, 99-108.
- [II.278] Gascon I, Martin S, Cea P, Lopez MC, Royo FM, Density and Speed of Sound for Binary Mixtures of a Cyclic Ether with a Butanol Isomer, *J. Sol. Chem.*, **2002**, *31*, 905-915.
- [II.279] Mehra R, Pancholi M, *J. Ind. Chem. Soc.* **2005**, *82*, 791.
- [II.280] Oswal SL, Prajapati KD, Speeds of sound, isentropic compressibilities, and excess molar volumes of an alkanol+cycloalkane at 308.15 K. 1. Results for alkan-1-ols+cyclohexane, *J. Chem. Eng. Data.*, **1998**, *43*, 367-372.
- [II.281] Hsu-Chen K, Chein-Hsium T, Densities and viscosities of binary and ternary mixtures of ethanol, 2-butanone, and 2,2,4-trimethylpentane at $T=(298.15, 308.15, 318.15)$ K, *J. Chem. Eng. Data*, **2005**, *50*, 608-615.
- [II.282] Marquardt DW, *J. Soc. Ind. Appl. Math.*, **1963**, *11*, 431.
- [II.283] Onsager L, *Z. Phys. Chem.*, **1927**, *28*, 277.
- [II.284] Fuoss RM, *Rev. Pure Appl. Chem.*, **1968**, *18*, 125.
- [II.285] Pitts E, An Extension of the Theory of the Conductivity and Viscosity of Electrolyte Solutions, *Proc. Roy. Soc.*, **1953**, *217A*, 43-70.

- [II.286] Fuoss RM, Onsager L, Conductance of unassociated electrolytes, *J. Phys. Chem.*, **1957**, *61*, 668-682.
- [II.287] Fuoss RM, *Chemical Physics of Ionic Solutions*, Wiley: New York, **1966**.
- [II.288] Pitts E, Tabor RE, Daly J, Concentration dependence of electrolyte conductance. Part 1.-Comparison of the fuoss-Onsager and Pitts Treatments, *Trans. Faraday Soc.*, **1969**, *65*, 849-862.
- [II.289] (a) Fuoss RM, Hsia KL, Association of 1-1 salts in water, *Proc. Natl. Acad. Sci.*, **1967**, *57*, 1550-1555.
(b) Fuoss RM, Hsia KL, Conductance of the alkali halides. XI. Cesium bromide and iodide in water at 25.deg. *J. Am. Chem. Soc.*, **1968**, *90*, 3055-3060.
- [II.290] Fernandez-Prini R, Prue JE. *Z. Phys. Chem.*, **1965**, *228*, 373.
- [II.291] Fernandez-Prini R, Prue JE. *Z. Phys. Chem.*, **1965**, *228*, 473.
- [II.292] Evans DF, Kay RL, The conductance behavior of the symmetrical tetraalkylammonium halides in aqueous solution at 25 and 10°, *J. Phys. Chem.*, **1966**, *70*, 366-374.
- [II.293] Arrington DF, Griswold E, Conductance study of quaternary ammonium halides in dimethyl sulfoxide at 25.deg. *J. Phys. Chem.*, **1970**, *74*, 123-128.
- [II.294] Fuoss RM, Kraus CA. Properties of electrolytic solutions. II. The evaluation of Λ_0 and of K for incompletely dissociated electrolytes, *J. Am. Chem. Soc.*, **1933**, *55*, 476-488.
- [II.295] Shedlovsky T, Franklin J, *Instt.*, **1938**, *225*, 739.
- [II.296] (a) Justice JC, *J. Chem. Phys.*, **1968**, *65*, 353.
(b) Justice JC, Bury R, Treiner C, *J. Chem. Phys.*, **1968**, *65*, 1708.
- [II.297] Fuoss RM, Accascina F, *Electrolytic Conductance*, Wiley: New York, **1959**.
- [II.298] Bjerrum NK. *Dan Vidensk Selek. Mat.Fys.Medd*, **1926**, *7*, 9.
- [II.299] Tissier M, Douheret G, The conductance of tetrabutylammonium salts in water-methanol mixtures, *J. Soln. Chem.*, **1978**, *7*, 87-98.
- [II.300] Fernandez-Prini R, Conductance measurements on solutions of salts in sulpholane and their interpretation, *Trans. Faraday Soc.*, **1966**, *62*, 1257-1264.
- [II.301] (a) Fuoss RM, Onsager L. The conductance of symmetrical electrolytes. I. Potential of total force, *J. Phys. Chem.*, **1962**, *66*, 1722-1726.
(b) Fuoss RM, Onsager L. The conductance of symmetrical electrolytes. II. The relaxation field, *J. Phys. Chem.*, **1963**, *67*, 621-628.
- [II.302] Fuoss RM, Conductance-concentration function for associated symmetrical electrolyte, *J. Phys. Chem.*, **1975**, *79*, 525-540.
- [II.303] Carman PC, Laurie DP, Calculation of relaxation effects in electrolyte conductance by numerical analysis, *J. Sol. Chem.*, **1976**, *5*, 457-468.

- [II.304] Fuoss RM, *J. Phys. Chem.*, An examination of the limiting laws of polyelectrolytes and counterion condensation, **1977**, *81*, 1829-1833.
- [II.305] Fuoss RM, Paired ions: Dipolar paired as subset of diffusion paired, *Proc. Nat. Acad. Sci.*, **1978**, *75*, 16-21.
- [II.306] Fuoss RM, Conductance-concentration function for the paired ion model, *J. Phys. Chem.*, **1978**, *82*, 2427-2440.
- [II.307] (a) Lee WH, Wheaton RJ, Conductance of symmetrical, unsymmetrical and mixed electrolytes. Part 1.-Relaxation terms, *J. Chem. Soc. Faraday II*, **1978**, *74*, 743-766.
(b) Lee WH, Wheaton RJ, Conductance of symmetrical, unsymmetrical and mixed electrolytes. Part 2.-Hydrodynamic terms and complete conductance equation, *J. Chem. Soc. Faraday Trans. II*, **1978**, *74*, 1456-1482.
- [II.308] Lee WH, Wheaton RJ, Conductance of symmetrical, unsymmetrical and mixed electrolytes. Part 3.-Examination of new model and analysis of data for symmetrical electrolytes, *J. Chem. Soc. Faraday Trans. I*, **1979**, *75*, 1128-1145.
- [II.309] Lee WH, Wheaton RJ, Conductance of symmetrical, unsymmetrical and mixed electrolytes. Part 2.-Hydrodynamic terms and complete conductance equation, *J. Chem. Soc. Faraday Trans. II*, **1978**, *74*, 1456-1482.
- [II.310] Pethybridge AD, Taba SS, Precise conductimetric studies on aqueous solutions of 2:2 electrolytes. Part 2.-Analysis of data for $MgSO_4$ in terms of new equations from Fuoss and from Lee Wheaton, *J. Chem. Soc. Faraday I*, **1980**, *76*, 368-376.
- [II.311] Bester-Rogac M, Neueder R, Barthel J, Conductivity of Sodium chloride in water+1,4-dioxolane mixtures at temperatures from 5 to 35°C I. Dilute solutions, *J. Solution Chem.*, **1999**, *28*, 1071-1086.
- [II.312] Harned HS, Owen BB, *The Physical Chemistry of Electrolytic Solutions*, Reinhold Publishing Corporation:New York, **1964**.
- [II.313] Balaguruswami E, *Numerical Methods*, Tata McGraw-Hill Publishing Company: New Delhi, **2007**.
- [II.314] Roy MN, Sinha B, Dakua VK, *Pak. J. Sci. Ind. Res.*, **2006**, *49*, 153.
- [II.315] (a) Krumgalz BS, Separation of limiting equivalent conductances into ionic conductances in non-aqueous by indirect methods, *J. Chem. Soc. Faraday I*, **1983**, *79*, 571-587.
(b) Krumgalz BS, Comments on Gill's approach to the evaluation of single limiting ionic conductances in organic solvents, *J. Chem. Soc. Faraday I*, **1985**, *81*, 241-243.
- [II.316] Walden P, Ulich H, Bush D, *Z. Phys. Chem.*, **1926**, *123*, 429.
- [II.317] Fuoss RM, Hirsch E, Electrolyte-solvent interaction. VIII. Tetrabutyl-ammonium salts in nitrobenzene-carbon tetrachloride mixtures at 25°, *J. Am. Chem. Soc.*, **1960**, *82*, 1018-1022.

- [II.318] Takezawa S, Kondo Y, Tokura N, Conductance of electrolytes in liquid sulfur dioxide at 25.deg., *J. Phys. Chem.*, **1973**, *77*, 2133-2137.
- [II.319] (a) Gill DS, New approach for the evaluation of single-ion conductances in pure and mixed non-aqueous solvents, *J. Chem. Soc. Faraday I*, **1981**, *77*, 751-758.
(b) Gill DS, Kumari N, Chauhan MS, Preferential solvation of ions in mixed solvents. Part 4.-Preferential solvation of Cu⁺ in acetone+acetonitrile and N,N-dimethylacetamide+acetonitrile mixtures using conductance measurements, *J. Chem. Soc. Farada Trans I*, **1985**, *81*, 687-693.
- [II.320] Coplan MA, Fuoss RM, Single ion conductances in nonaqueous solvents, *J. Phys. Chem.*, **1964**, *68*, 1177-1180.
- [II.321] Coetzee JE, Cunningham GP, Evaluation of single ion conductivities in acetonitrile, nitromethane, and nitrobenzene using tetraisoamylammonium tetraisoamylboride as reference electrolyte, *J. Am. Chem. Soc.*, **1965**, *87*, 2529-2534.
- [II.322] Stokes RH, Robinson RA, The application of volume fraction statistics to the calculation of activities of hydrated electrolytes, *Trans. Faraday Soc.*, **1957**, *53*, 301-304.
- [II.323] Born M, *Z. Phys. Chem.*, **1920**, *1*, 221.
- [II.324] Boyd RH, Extension of Stokes' law for ionic motion to include the effect of dielectric relaxation, *J. Chem. Phys.*, **1961**, *35*, 1281-1286.
- [II.325] Zwanzig R. Dielectric friction on a moving ion, *J. Chem. Phys.*, **1963**, *38*, 1603-1605.
- [II.326] Passeron EJ, Stokes' law correction factors for ionic motion in aqueous solution, *J. Phys. Chem.*, **1964**, *68*, 2728-2730.
- [II.327] (a) Walden P. *Z. Phys. Chem.*, **1906**, *55*, 207.
(b) Walden P. *Z. Phys. Chem.* **1912**, *78*, 257
- [II.328] Robinson RA, Stokes RH, *Electrolyte Solutions*, Butterworths: London, **1959**.
- [II.329] Gopal R, Hussain MM, *J. Ind. Chem. Soc.*, **1963**, *40*, 981.
- [II.330] Longworth LG, Diffusion in the water-methanol system and the walden product, *J. Phys. Chem.*, **1963**, *67*, 689-693.
- [II.331] Monica MD, Lamauna U., Seutatore L, Transport numbers and ionic conductances in sulfolane at 30.deg., *J. Phys. Chem.*, **1968**, *72*, 2124-2126.
- [II.332] Broersma S. Stokes' and Einstein's law for nonuniform viscosity, *J. Chem. Phys.*, **1958**, *28*, 1158-1161.
- [II.333] Miller DG, Certain transport properties of binary electrolyte solutions and their relation to the thermodynamics of irreversible processes, *J. Phys. Chem.*, **1960**, *64*, 1598-1599.
- [II.334] Hills GJ, *Chemical Physics of Ionic Solutions*, Wiley: New York, **1966**.

- [II.335] Stokes RH, Weeks IA, Conductances of electrolytes in solutions of the sucrose polymer Ficoll, *Australian J. Chem.*, **1964**, *17*, 304.
- [II.336] Stokes RH, *The Structure of Electrolytic Solutions*, Wiley: New York, **1959**.
- [II.337] Gill DS, New approach for the evaluation of single-ion conductances in pure and mixed non-aqueous solvents, *J. Chem. Soc. Faraday I*, **1981**, *77*, 751-758.
- [II.338] Zwanzig R. Dielectric friction on a moving ion. II. Revised theory, *J. Chem. Phys.*, **1970**, *52*, 3625-3628.
- [II.339] Franks HS, *Chemical Physics of Ionic Solutions*, Wiley; New York, **1966**.
- [II.340] Atkinson G, Kor SK, The kinetics of ion-association in manganese sulfate solutions. I. Results in water, dioxane-water mixtures, and methanol-water mixtures at 25°, *J. Phys. Chem.*, **1965**, *69*, 128-133.
- [II.341] Kay RL, Cunningham GP, Evans DF, *Hydrogen bonded Solvent Systems*, Taylor and Francis: London, **1968**.
- [II.342] Kay RL, Hales BJ, Cunningham GP, Conductance and association behavior of the alkali metal perchlorates and tetraphenylborates in anhydrous acetonitrile, *J. Phys. Chem.*, **1967**, *71*, 3925-3930.
- [II.343] Kay RL, Zawoyski C, Evans DF, The conductance of the symmetrical tetrabutylammonium halides and picrates in methanol at 25 and 10°, *J. Phys. Chem.*, **1965**, *69*, 4208-4215.
- [II.344] Evans DF, Broadwater JL, Conductance of the trialkylsulfonium iodides in water, methanol, and acetonitrile at 10 and 25.degree, *J. Phys. Chem.*, **1968**, *72*, 1037-1041.
- [II.345] Spiro M, *Physical Chemistry of Organic Solvent Systems*, Plenum Press: New York, **1973**.
- [II.346] Fernandez-Prini R, Atkinson G. Examination of the Zwanzig theory of dielectric friction. II, *J. Phys. Chem.*, **1971**, *75*, 239-244.
- [II.347] Bahadur L, Ramanamurti MV, Conductance studies in amide+water mixtures. Part 5.- Tetra-alkylammonium bromides in N,N-dimethyl acetamide+water mixtures at 35° C, *J. Chem. Soc. Faraday I*, **1980**, *76*, 1409-1418.
- [II.348] Bahadur L, Ramanamurti MV, Conductance studies in amide-water mixtures, V. Lithium and cesium bromides in formamide-water mixtures at 25°C, *J. Electrochem. Soc.*, **1981**, *128*, 339-343.
- [II.349] Bahadur L, Ramanamurti MV, Conductance studies in amide-water mixtures. VI. Nitrates of sodium, potassium, and ammonium in N,N-dimethylformamide-water mixtures at 25°C, *Can. J. Chem.*, **1984**, *62*, 1051-1056.
- [II.350] Broadwater JL, Kay RL, Solvent structure in aqueous mixtures. II. Ionic mobilities in tert-butyl alcohol-water mixtures at 25.deg. *J. Phys. Chem.*, **1970**, *74*, 3802-3812.
- [II.351] Das S, Hazra DK, *Indian J. Chem.*, **1988**, *274*, 1073.

- [II.352] Das S, Hazra DK, *J. Ind. Chem. Soc.*, **1988**, *LXV*, 100.
- [II.353] (a) Kay RL, Broadwater JL, Solvation structure in aqueous mixtures-I. ionic mobilities in dioxane-water mixtures at 25° C, *Electrochim. Acta.*, **1971**, *16*, 667-676.
(b) Kay RL, Broadwater JL, Specific ion-molecule interactions of imidazole and 1-methylimidazole in nitrobenzene, *J. Sol. Chem.*, **1976**, *5*, 57-76.
- [II.354] Aprano AD, Fuoss RM, Electrolyte-solvent interaction. XI. Conductance in isodielectric mixtures, *J. Phys. Chem.*, **1963**, *67*, 1704-1706.
- [II.355] Hemmes P, Influence of true chemical equilibrium on the viscosity-mobility product of electrolytes, *J. Phys. Chem.*, **1974**, *78*, 907-909.
- [II.356] Hubbard J, Onsager L, Dielectric dispersion and dielectric friction in electrolyte solution. I., *J. Chem. Phys.*, **1977**, *67*, 4850-4855.
- [II.357] Islam N, Islam MR, Ahmed M, *Z. Phys. Chem.*, **1981**, *262*, 129.
- [II.358] Gill DS, Sharma AN, Schneider H, Acetone+NN-dimethylformamide solvent system. Part 2.-Conductance studies of some electrolytes in acetone+NN-dimethylformamide mixtures at 25°C, *J. Chem. Soc. Faraday I*, **1982**, *78*, 465-474.
- [II.359] Kablukov, Hydrogen chloride in ether and in benzene, *Z. physik. Chem.*, **1889**, *4*, 430.
- [II.360] Plotnikov, Complexes in ether, *Z. physik. Chem.*, **1906**, *67*, 502; Ussanowitsch, *ibid.*, **1926**, *124*, 427.
- [II.361] Walden P, *Bull. Acad. Imp. Sci. Sf. Pet.* **1913**, *7*, 934; Walden, *Z. physik. Chem.*, **1930**, *147*, 1.
- [II.362] Fuoss RM, Accascina F, *Electrolytic Conductance*, Interscience: New York, **1959**.
- [II.363] Fuoss RM, Kraus CA, Properties of Electrolytic Solutions. IV. The Conductance Minimum and the Formation of Triple Ions Due to the Action of Coulomb Forces. *J. Am. Chem. Soc.* **1933**, *55*, 2387-2399.
- [II.364] Fuoss RM, Hirsch E, Single Ion Conductances in Non-aqueous Solvents. *J. Am. Chem. Soc.* **1960**, *82*, 1013-1017.
- [II.365] Sinha A, Roy MN, Conductivity studies of sodium iodide in pure tetrahydrofuran and aqueous binary mixtures of tetrahydrofuran and 1,4-dioxane at 298.15 K. *Phys. Chem. Liq.* **2007**, *45*, 67-77.
- [II.366] Delsignore M, Farber H, Petrucci S, Ionic Conductivity and Microwave Dielectric Relaxation of LiAsF₆ and LiClO₄ in Dimethyl Carbonate, *J. Phys. Chem.* **1985**, *89*, 4968-4973.
- [II.367] Cramer CJ, Truhlar DG, General parameterized SCF model for free energies of solvation in aqueous solution, *J. Am. Chem. Soc.*, **1991**, *113*, 8305-8311.

- [II.368] Giesen DJ, Stores JW, Cramer CJ, Truhlar DG, General Semiempirical Quantum Mechanical Salvation Model for nonpolar solvation free energies. N-Hexadecane, *J. Am. Chem. Soc.*, **1995**, *117*, 1057-1068.
- [II.369] (a) Cramer CJ, Truhlar DG, A universal organic salvation model, *J. Org. Chem.*, **1996**, *61*, 8720-8721.
(b) Cramer CJ, Truhlar DG, *Erratum.*, **1999**, *101*, 309.
- [II.370] Hawkins GD, Cramer CJ, Truhlar DG, Parametrized model for aqueous free energies of solvation using geometry-dependence atomic surface tensions with implicit electrostatics, *J. Phys. Chem. B*, **1997**, *101*, 7147-7157.
- [II.371] Hawkins GD, Cramer CJ, Truhlar DG, Universal quantum mechanical model for solvation free energies based on gas-phase geometries, *J. Phys. Chem. B*, **1998**, *102*, 3257-3271.
- [II.372] Gil-Villegas A, Galindo A, Whitehead PJ, Mills SJ, Jackson G, Burgess AN, Statistical associating fluid theory for chain molecules with attractive potentials of variable range, *J. Chem. Phys.*, **1997**, *106*, 4168-4170.
- [II.373] Galindo A, Davies LA, Gil-Villegas A, Jackson G, The thermodynamics of mixtures and the corresponding mixing rules in the SAFT-VR approach for potentials of variable range, *Mol. Phys.*, **1998**, *93*, 241-252.
- [II.374] Roses M, Rafols C, Ortega J, Bosch E, Solute-solvent and solvent-solvent interactions in binary solvent mixtures. Part 1. A comparison of several preferential salvation models for describing E_T (30) polarity of bipolar hydrogen bond acceptor-cosolvent mixtures, *J. Chem. Soc. Perkin Trans. 2*, **1995**, 1607-1616.
- [II.375] Bernard O, Kunz W, Turq P, Blum L, Conductance in electrolyte solutions using the mean spherical approximation, *J. Phys. Chem.*, **1992**, *96*, 3833-3840.
- [II.376] Durand-Vidal S, Turq P, Bernard O, Model for the conductivity of ionic mixtures within the mean spherical approximation. 1. Three simple ionic species, *J. Phys. Chem.*, **1996**, *100*, 17345-17350.
- [II.377] Bianchi HL, Dujovne I, Fernandez-Prini R, Comparison of electrolytic conductivity theories: Performance of classical and new theories, *J. Sol. Chem.*, **2000**, *29*, 237-253.
- [II.378] Chandra A, Bagchi B, Beyond the classical transport laws of electrochemistry: New microscopic approach to ionic conductance and viscosity, *J. Phys. Chem. B*, **2000**, *104*, 9067-9080.
- [II.379] Fialkov YY, Fenerly GN, *Russ. Inorg. Chem.*, **1964**, *9*, 1205.
- [II.380] Fialkov YY, *Russ. J. Phys. Chem*, **1967**, *41*, 398
- [II.381] Ali A, Tariq M, Deviation in refractive index parameters and applicability of mixing rules in binary mixtures of benzene+1,2-dichloroethane at different temperatures, *Chem. Eng. Comm.*, **2007**, *195*, 43-56,

- [II.382] Bhatia SC, Bhatia R, Dubuey GP, Refractive properties and internal pressure of binary mixtures of octane-1-ol with chloroform, 1,2-dichloroethane and 1,1,2,2-tetrachloroethane at 289.15 and 308.15 K, *J. Mol. Liqs.* **2009**, *145*, 88-102.
- [II.383] Oswal SL, Palsanwala PP, *Acoust. Lett.* **1989**, *13*, 66,
- [II.384] Pandey JD, Jain P, Vyas V, Speed of sound, viscosity, and refractive index of multicomponent systems: analysis of experimental data from the Bertrand-Acree-Burchfield equation, *Can. J. Chem.* **1994**, *72*, 2486-2492.
- [II.385] Heller W. Remarks on refractive index mixture rules, *J. Phys. Chem.* **1965**, *69*, 1123-1129.
- [II.386] Minkin V, Osipov O, Zhdanov Y. *Dipole Moments in Organic Chemistry*, Plenum Press: New York, **1970**.
- [II.387] Redlich O, Kister A. Algebraic representation of thermodynamic properties and classification of solutions, *Ind. Eng. Chem.* **1948**, *40*, 345-348.
- [II.388] Comesaña JF, Otero JJ, Camesella E, Correa A, Densities and viscosities of ternary systems of water+fructose+sodium chloride from 20 to 40° C, *J. Chem. Eng. Data* **2001**, *46*, 1153-1155.

CHAPTER: III

- [III.1] Saha N, Das B, Apparent molar volumes of some symmetrical tetraalkylammonium bromides in acetonitrile at (298.15, 308.15 and 318.15)K. *J. Chem. Eng. Data.* **1997**, *42*, 227-229
- [III.2] Prolongo MG, Masegosa RM, Fuentes IH, Horta A. Viscosities and excess volumes of binary mixtures formed by the liquids acetonitrile, pentyl acetate, 1-chlorobutane, and carbon tetrachloride at 25°C. *J. Phys. Chem.* **1984**, *88*, 2163-2167
- [III.3] Roy MN, Nandi D, Hazra DK. Conductance studies of alkali metal chlorides and bromides in aqueous binary mixtures of tetrahydrofuran at 25°C. *J. Indian Chem. Soc.* **1993**, *70*, 123-126.
- [III.4] Roy MN, Dey R, Jha A. Study of ion-solvent interactions of some alkali metal chlorides in tetrahydrofuran+water mixture at different temperatures. *J. Chem. Eng. Data.* **2001**, *46*, 1327-1329.
- [III.5] Sinha A, Roy MN. Studies of Viscous Antagonism, Excess Molar Volume and Isentropic Compressibility in Aqueous Mixed Solvent Systems at Different Temperatures. *Phys. Chem. Liq.* **2006**, *44*, 303-314.
- [III.6] Perrin DD, Armarego WLF. *Purification of Laboratory Chemicals*, 3rd Ed., Pergamon Press: Oxford, England, **1988**.

- [III.7] Booth G. "Nitro Compounds, Aromatic". In: *Ullmann's Encyclopedia of Industrial Chemistry*. John Wiley & Sons: New York, 2007.
- [III.8] Bhattacharya A, Purohit VC, Suarez V, Tichkule R, Parmer G, Rinaldi F, *Tetrahedron Letters*, 2006, 47, 1861.
- [III.9] Redlich C, Beckett WS, Sparer J, Barwick KW, Riely CA, Miller H, Sigal SL, Shalat SL, Cullen MR. *Annals of Internal Medicine*, 1988, 108, 680.
- [III.10] Clayden, *Organic Chemistry*. Oxford: Oxford University Press, 2001.
- [III.11] Zen S, Kaji E, *Org. Synth*, 1988, 6, 503.
- [III.12] Geiss J, *The century of space science*, Kluwer Academic, 2001, p 20.
- [III.13] Rebsdatt S, Mayer D, "Ethylene Glycol", *Ullmann's Encyclopedia of Industrial Chemistry*, Weinheim: Wiley-VCH, 2005.
- [III.14] Lind Jr. JE, Zwolenik JJ, Fuoss RM. Calibration of conductance cells at 25° with aqueous solutions of potassium chloride. *J. Am. Chem. Soc.* 1959, 81, 1557-1559.
- [III.15] Roy MN, Banerjee A, Das RK. Conductometric study of some alkali metal halides in dimethyl sulfoxide + acetonitrile at T = 298.15 K. *J. Chem. Thermodyncs.*, 2009, 41, 1187-1192.
- [III.16] B. Das, N. Saha, *J. Chem. Eng. Data* 45(2000) 2.
- [III.17] Abdulagatov IM, Azizov ND. Viscosity of aqueous calcium chloride solutions at high temperatures and high pressures. *Fluid Phase Equilibria*, 2006, 240, 204-219.
- [III.18] *Refractometry: Theory*, Electronic document, www2.ups.edu/faculty/hanson/labtechniques/.../theory.htm. Accessed January 21, 2010.

CHAPTER: IV

- [IV.1] Welton T. Room-temperature ionic liquids. Solvents for synthesis and catalysis. *Chem. Rev.* 1999, 99, 2071-2084.
- [IV.2] Earle MJ, Seddon KR. Ionic liquids. Green solvents for the future. *Pure Appl. Chem.* 2000, 72, 1391-1398.
- [IV.3] Dupont J, de Souza RF, Suarez PAZ. Ionic liquid (molten salt) phase organometallic, catalysis. *Chem. Rev.* 2002, 102, 3667-3692.
- [IV.4] Plechkova NV, Seddon KR, Plechkova NV, Seddon KR. Applications of ionic liquids in the chemical industry. *Chem. Soc. Rev.* 2008, 37, 123-150.
- [IV.5] Endres F, El Abedin SZ. Air and water stable ionic liquids in physical chemistry. *Phys. Chem. Chem. Phys.* 2006, 8, 2101-2116.
- [IV.6] Wang P, Zakeeruddin SM, Moser JE, Grätzel M. A new ionic liquid electrolyte enhances the conversion efficiency of dye-sensitized solar cells. *J. Phys. Chem. B*, 2003, 107, 13280-13285.

- [IV.7] Janz CG, Tomkins RPT. *Non-aqueous Electrolytes Handbook*, Academic Press: New York, **1973**, Vol. 2.
- [IV.8] Aurbach, D. *Non-aqueous Electrochemistry*, Marcel Dekker, Inc: New York, **1999**.
- [IV.9] Krom, J. A.; Petty, J. T.; Streitwieser, A. Lithium and Cesium Ion-Pair Acidities of Diphenylamine in Tetrahydrofuran. The Aggregation of Lithium and Cesium Diphenylamide. A New Method for the Determination of Aggregation Constants in Dilute Solution. *J. Am. Chem. Soc.* **1993**, *115*, 8024–8030.
- [IV.10] Das D, Das B, Hazra DK. Conductance of some 1:1 electrolytes in N,N-dimethylacetamide at 25°C. *J. Solution Chem.* **2002**, *31*, 425– 431.
- [IV.11] Guha C, Chakraborty JM, Karanjai S, Das B. The structure and thermodynamics of ion association and solvation of some thiocyanates and nitrates in 2- methoxyethanol studied by conductometry and FTIR spectroscopy. *J. Phys. Chem. B*, **2003**, *107*, 12814–12819.
- [IV.12] Das D, Das B, Hazra DK. Electrical conductance of some symmetrical tetraalkylammonium and alkali salts in N, N-dimethylacetamide at 25°C. *J. Solution Chem.* **2003**, *32*, 77–83.
- [IV.13] Roy MN, Nandi D, Hazra DK. Conductance studies of alkali metal chlorides and bromides in aqueous binary mixtures of tetrahydrofuran at 25°C. *J. Indian Chem. Soc.* **1993**, *70*, 123–126.
- [IV.14] Popvyeh O, Tomkins RPT. *Nonaqueous Solution Chemistry*, Wiley-Interscience: New York, **1981**, Chapter 4.
- [IV.15] Matheson AJ. *Molecular Acoustics*, Wiley-Interscience: London, **1971**.
- [IV.16] Das B, Saha N. Electrical conductances of some symmetrical tetraalkylammonium salts in methanol, acetonitrile, and methanol (1)+acetonitrile (2) mixtures at 298.15 K. *J. Chem. Eng. Data.* **2000**, *44*, 2–5.
- [IV.17] Roy MN, Pradhan P, Das RK, Guha PG, Sinha B. Ion-pair and triple-ion formation by some tetraalkylammonium iodides in binary mixtures of 1,4-dioxane+tetrahydrofuran. *J. Chem. Eng. Data.* **2008**, *53*, 1417–1420.
- [IV.18] Chanda R, Roy MN. Study of ion-solvent interactions of some tetraalkylammonium halides in THF+CCl₄ mixtures by conductance measurements. *Fluid Phase Equilib.* **2008**, *269*, 134–138.
- [IV.19] Chen Z, Hojo M. Relationship between triple ion formation constants and the salt concentration of the minimum in the conductometric curves in low-permittivity solvents. *J. Phys. Chem. B* **1997**, *101*, 10896–10902.

- [IV.20] Parvatalu D, Srivastava AK. Ionic conductivity in binary solvent mixtures. 6. behavior of selected 1:1 electrolytes in 80 mass propylene carbonate+p-xylene at 25°C. *J. Chem. Eng. Data.* **2003**, *48*, 608–611.
- [IV.21] Roy MN, Sinha B, Dakua VK, Sinha A. Electrical conductances of some ammonium and tetraalkylammonium halides in aqueous binary mixtures of 1,4-dioxane at 298.15K. *Pak. J. Sci. Ind. Res.* **2006**, *49*, 153–159.
- [IV.22] Saha N, Das B, Apparent molar volumes of some symmetrical tetraalkylammonium bromides in acetonitrile at (298.15, 308.15, and 318.15)K. *J. Chem. Eng. Data.* **1997**, *42*, 227-229.
- [IV.23] Prolongo MG, Masegosa RM, Fuentes IH, Horta A. Viscosities and excess volumes of binary mixtures formed by the liquids acetonitrile, pentyl acetate, 1-chlorobutane, and carbon tetrachloride at 25°C. *J. Phys. Chem.* **1984**, *88*, 2163-2167.
- [IV.24] Roy MN, Dey R, Jha A. Study of ion-solvent interactions of some alkali metal chlorides in tetrahydrofuran+water mixture at different temperatures. *J. Chem. Eng. Data.* **2001**, *46*, 1327-1329.
- [IV.25] Sinha, A.; Roy, M. N.; Studies of Viscous Antagonism, Excess Molar Volume and Isentropic Compressibility in Aqueous Mixed Solvent Systems at Different Temperatures. *Phys. Chem. Liq.* **2006**, *44*, 303-314.
- [IV.26] Roy MN, Sinha A. Viscous synergy and antagonism and isentropic compressibility of ternary mixtures containing 1,3-dioxolane, water and monoalkanols at 303.15 K. *Fluid Phase Equilib.* **2006**, *243*, 133-141.
- [IV.27] Roy MN, Ekka D, Dewan R. Ionic solvation of tetrabutylammonium hexafluorophosphate in pure nitromethane, 1,3-dioxolane and nitrobenzene: A comparative physicochemical study. *Fluid Phase Equilibria.* **2012**, *314*, 113– 120.
- [IV.28] Roy MN, Dewan R, Sarkar L. Ion-solvent interactions of some halides of common cations with organic solvent mixtures by conductometric, volumetric, viscometric, and refractometric techniques. *J. Chem. Eng. Data.* **2010**, *55*, 1347–1353.
- [IV.29] Sinha B, Sarkar BK, Roy MN. Apparent molar volumes and viscosity *B*-coefficients of nicotinamide in aqueous tetrabutylammonium bromide solutions at *T*= (298.15, 308.15, and 318.15) K. *J. Chem. Thermodyn.* **2008**, *40*, 394–400.
- [IV.30] Bhattacharjee A, Roy MN. Ion Association and Solvation Behavior of Tetraalkylammonium Iodides in Binary Mixtures of Dichloromethane + N, N-Dimethylformamide Probed by a Conductometric Study. *Phys. Chem. Chem. Phys.* **2010**, *12*, 14534–14542.
- [IV.31] Lind Jr. JE, Zwolenik JJ, Fuoss RM. Calibration of conductance cells at 25° with aqueous solutions of potassium chloride. *J. Am. Chem. Soc.* **1959**, *81*, 1557-1559.

- [IV.32] Roy MN, Banerjee A, Das RK. Conductometric study of some alkali metal halides in dimethyl sulfoxide + acetonitrile at $T = 298.15$ K. *J. Chem. Thermodynamics*, **2009**, *41*, 1187-1192.
- [IV.33] Rohdewald P, Moldner M. Dielectric Constants of Amide-Water Systems. *J. Phys. Chem.* **1973**, *77*, 373-377.
- [IV.34] El-Dossoki FI, Effect of hydrogen bond, relative permittivity and temperature on the transport properties and the association behavior of some 1:1 electrolytes in some binary mixed solvents. *J. Mol. Liquids*. **2010**, *151*, 1-8.
- [IV.35] Fuoss RM. Paired ions: Dipolar pairs as subset of diffusion pairs. *Proc. Natl. Acad. Sci. U.S.A.* **1978**, *75*, 16-20.
- [IV.36] Fuoss RM. Conductance-concentration function for the paired ion model. *J. Phys. Chem.* **1978**, *82*, 2427-2440.
- [IV.37] Fuoss RM, Accascina F. *Electrolytic Conductance*, Interscience: New York, **1959**.
- [IV.38] Covington AK, Dickinson T. *Physical chemistry of organic solvent systems*, Plenum: New York, **1973**.
- [IV.39] Bockris JO, Reddy AN. *Modern Electrochemistry*, 2nd Ed. Plenum Press: New York, **1998**, p 552.
- [IV.40] Bhat JI, Bindu P. Effect of temperature on the conductance of Chloramine-T and Bromamine-T in different compositions of solvent mixtures. *J. Ind. Chem. Soc.* **1995**, *72*, 783-790.
- [IV.41] Sinha A, Roy MN. Conductivity studies of sodium iodide in pure tetrahydrofuran and aqueous binary mixtures of tetrahydrofuran and 1,4-dioxane at 298.15 K. *Phys. Chem. Liq.* **2007**, *45*, 67-77.
- [IV.42] Inoue N, Xu M, Petrucci S. Temperature dependence of ionic association and of molecular relaxation dynamics of lithium hexafluoroarsenate in 2-methyltetrahydrofuran. *J. Phys. Chem.* **1987**, *91*, 4628-4635.
- [IV.43] Chakraborty JM, Das B. Electrical conductances and viscosities of tetrabutylammonium thiocyanate in acetonitrile in the temperature range 25-45°C. *Z. Phys. Chem.* **2004**, *218*, 219-230.
- [IV.44] Fuoss RM, Hirsch E. Single Ion Conductances in Non-aqueous Solvents. *J. Am. Chem. Soc.* **1960**, *82*, 1013-1017.
- [IV.45] Robinson RA, Stokes RH. *Electrolyte Solutions*, Butterworth: London, **1959**, Ch 6, p 130.
- [IV.46] Fuoss RM, Kraus CA, Properties of electrolytic solutions. IV. The conductance minimum and the formation of triple ions due to the action of coulomb forces. *J. Am. Chem. Soc.* **1933**, *55*, 2387-2399.

- [IV.47] Harada Y, Salamon M, Petrucci S. Molecular dynamics and ionic associations of LiAsF₆ in 4-butyrdactone mixtures with 2-methyltetrahydrofuran. *J. Phys. Chem.* **1985**, *89*, 2006–2010.
- [IV.48] Krumgalz BS. Separation of limiting equivalent conductances into ionic contributions in non-aqueous solutions by indirect methods. *J. Chem. Soc, Faraday Trans. I*, **1983**, *79*, 571–587.
- [IV.49] Delsignore M, Farber H. Ionic conductivity and microwave dielectric relaxation of LiAsF₆ and LiClO₄ in dimethyl carbonate. *J. Phys. Chem.*, **1985**, *89*, 4968–4973.
- [IV.50] Nandi D, Roy MN, Hazra DK. Electrical conductances for tetraalkylammonium bromides, LiBF₄ and LiAsF₆ in tetrahydrofuran at 25°C. *J. Indian Chem. Soc.* **1993**, *70*, 305-310.
- [IV.51] Nandi D, Das S, Hazra DK. *Ind. J. Chem. A.* **1988**, *27*, 574–580.
- [IV.52] Philip PR, Jolicoeur C. Near-infrared study of the state of water in aqueous solutions of tetraalkylammonium and -phosphonium bromides and alkali halides at 10, 25, and 40.deg. *J. Phy. Chem.* **1973**, *77(26)*, 3071-3077.
- [IV.53] Libus W, Chachulski B, Fraczyk L. Electrical conductance and ionic association of the bivalent transition metal tetrafluoroborates in acetonitrile solution. *J. Sol. Chem.* **1980**, *9(5)*, 355-369.

CHAPTER: V

- [V.1] Welton T. Room-temperature ionic liquids. Solvents for synthesis and catalysis. *Chem. Rev.* **1999**, *99*, 2071-2084.
- [V.2] Plechkova NV, Seddon KR. Applications of ionic liquids in the chemical industry. *Chem. Soc. Rev.* **2008**, *37*, 123-150.
- [V.3] Ye C, Liu W, Chen Y, Yu L. Room-temperature ionic liquids: a novel versatile lubricant. *Chem. Commun.* **2001**, 2244-2245.
- [V.4] Endres F, El Abedin SZ. Air and water stable ionic liquids in physical chemistry, *Phys. Chem. Chem. Phys.* **2006**, *8*, 2101-2116.
- [V.5] Wang P, Zakeeruddin SM, Moser JE, Grätzel M. A New Ionic Liquid Electrolyte Enhances the Conversion Efficiency of Dye-Sensitized Solar Cells. *J. Phys. Chem. B.* **2003**, *107*, 13280-13285.
- [V.6] Dupont J, de Souza RF, Suarez PAZ. Ionic Liquid (Molten Salt) Phase organometallic, Catalysis. *Chem. Rev.* **2002**, *102*, 3667-3692.
- [V.7] Greaves TL, Drummond CJ. Protic ionic liquids: Properties and applications. *Chem. Rev.* **2008**, *108*, 206-237.

- [V.8] Greaves TL, Weerawardena A, Fong C, Krodkiewska I, Drummond CJ. Protic Ionic Liquids: Solvents with Tunable Phase Behavior and Physicochemical Properties. *J. Phys. Chem. B.* **2006**, *110*, 22479-22487.
- [V.9] Timperman L, Anouti M. Transport Properties of Tributylphosphonium Tetrafluoroborate Protic Ionic Liquid. *Ind. Eng. Chem. Res.* **2012**, *51*, 3170-3178
- [V.10] Zhang S, Sun N, He X, Lu X, Zhang X. Physical Properties of Ionic Liquids: Database and Evaluation. *J. Phys. Chem. Ref. Data.* **2006**, *35*, 1475-1517.
- [V.11] Crosthwaite JM, Aki SNVK, Maginn EJ, Brennecke JF. Liquid Phase Behavior of Imidazolium-Based Ionic Liquids with Alcohols. *J. Phys. Chem. B.* **2004**, *108*, 5113-5119.
- [V.12] Cadena C, Anthony JL, Shah JK, Morrow TI, Brennecke JF, Maginn EJ. Why Is CO₂ So Soluble in Imidazolium-Based Ionic Liquids? *J. Am. Chem. Soc.* **2004**, *126*, 5300-5308.
- [V.13] Janz CG, Tomkins RPT. *Non-aqueous Electrolytes Handbook*, Academic Press: New York, **1973**, Vol. 2.
- [V.14] Ekka D, Roy MN. Conductance, a Contrivance to Explore Ion Association and Solvation Behavior of an Ionic Liquid (Tetrabutylphosphonium Tetrafluoroborate) in Acetonitrile, Tetrahydrofuran, 1,3-Dioxolane, and Their Binaries. *J. Phys. Chem B*, **2012**, *116*, 11687-11694.
- [V.15] Aurbach D. *Non-aqueous Electrochemistry*, Marcel Dekker, Inc: New York, **1999**.
- [V.16] Krom JA, Petty JT, Streitwieser A. Lithium and Cesium Ion-Pair Acidities of Diphenylamine in Tetrahydrofuran. The Aggregation of Lithium and Cesium Diphenylamide. A New Method for the Determination of Aggregation Constants in Dilute Solution. *J. Am. Chem. Soc.* **1993**, *115*, 8024-8030.
- [V.17] Banik I, Roy MN. Probing subsistence of ion-pair and triple-ion of an ionic salt in liquid environments by means of conductometric contrivance, *J. Chem. Thermodynamics*, **2013**, *63*, 52-59.
- [V.18] Popvyeh O, Tomkins RPT. *Nonaqueous Solution Chemistry*, Wiley-Interscience: New York, **1981**, Chapter 4.
- [V.19] Covington AK, Dickinson T. *Physical chemistry of organic solvent systems*, Plenum: New York, **1973**.
- [V.20] Lind Jr JE, Zwolenik JJ, Fuoss RM. Calibration of conductance cells at 25° with aqueous solutions of potassium chloride. *J. Am. Chem. Soc.* **1959**, *81*, 1557-1559.
- [V.21] Abdulagatov IM, Azizov ND. Viscosity of aqueous calcium chloride solutions at high temperatures and high pressures. *Fluid Phase Equilibria*, **2006**, *240*, 204-219.

- [V.22] Sinha A, Bhattacharjee A, Roy MN. Ion-Solvent Interactions in Acrylonitrile Solutions of Some Tetraalkylammonium Halides Using FTIR Spectroscopy. *J. Disp. Sc. and Techn.* **2009**, *30*, 1003-1007.
- [V.23] El-Dossoki FI. Effect of hydrogen bond, relative permittivity and temperature on the transport properties and the association behavior of some 1:1 electrolytes in some binary mixed solvents. *J. Mol. Liquids.* **2010**, *151*, 1-8.
- [V.24] Fuoss RM. Paired ions: Dipolar pairs as subset of diffusion pairs, *Proc. Natl. Acad. Sci., U.S.A.* **1978**, *75*, 16-20.
- [V.25] Fuoss RM. Conductance-concentration function for the paired ion model, *J. Phys. Chem.* **1978**, *82*, 2427-2440.
- [V.26] Fuoss RM, Accascina F. *Electrolytic Conductance*, Interscience: New York, 1959.
- [V.27] Wang H, Wang J, Zhang S, Pei Y, Zhuo K. Ionic association of the ionic liquids [C₄mim][BF₄], [C₄mim][PF₆], and [C_nmim]Br in molecular solvents. *ChemPhysChem*, **2009**, *10*, 2516 – 2523.
- [V.28] Bester-Rogac M, Hunger J, Stoppa A, Buchner R. 1-ethyl-3-methylimidazolium Ethylsulfate in water, acetonitrile, and dichloromethane: molar conductivities and association constants. *J. Chem. Eng. Data*, **2011**, *56*, 1261-1267.
- [V.29] Bockris JO, Reddy AN. *Modern Electrochemistry*, 2nd Ed. Plenum Press: New York, 1998, p 552.
- [V.30] Bhat JI, Bindu P. Effect of temperature on the conductance of chloramine-T and bromamine-T in different compositions of solvent mixtures. *J. Ind. Chem. Soc.* **1995**, *72*, 783-790.
- [V.31] Yamdagni R, Kebarle P. Solvation of negative ions by protic and aprotic solvents. Gas-phase solvation of halide ions by acetonitrile and water molecules. *J. Am. Chem. Soc.* **1972**, *94*(9), 2940-2943.
- [V.32] Chakraborty JM, Das B. Electrical conductances and viscosities of tetrabutylammonium thiocyanate in acetonitrile in the temperature range 25-45°C. *Z. Phys. Chem.* **2004**, *218*, 219-230.
- [V.33] Fuoss RM, Hirsch E. Single ion conductances in non-aqueous solvents. *J. Am. Chem. Soc.* **1960**, *82*, 1013-1017.
- [V.34] Hanke CG, Atamas NA, Lynden-Bell RM, Solvation of small molecules in imidazolium ionic liquids: a simulation study, *Green Chem.* **2002**, *4*, 107-111.
- [V.35] Robinson RA, Stokes RH. *Electrolyte Solutions*, Butterworth: London, 1959, Ch 6, p 130.
- [V.36] Fuoss RM, Kraus CA. Properties of electrolytic solutions. iv. the conductance minimum and the formation of triple ions due to the action of coulomb forces. *J. Am. Chem. Soc.* **1933**, *55*, 2387-2399.

- [V.37] Debye P, Hückel E. Zur Theorie der Elektrolyte. I. Gefrierpunktserniedrigung und verwandte Erscheinungen. *Phys. Z.* **1923**, *24*, 185-206.
- [V.38] Falkenhagen H, Vernon EL. The viscosity of strong electrolyte solutions according to electrostatic theory, *Phil. Mag.* **1983**, *14*, 537-565.
- [V.39] Roy MN, Dewan R, Ekka D, Banik I. Probing molecular interactions of ionic liquid in industrially important solvents by means of conductometric and spectroscopic approach. *Thermochimica Acta* **2013**, *559*, 46-51.
- [V.40] Harada Y, Salamon M, Petrucci S. Molecular dynamics and ionic associations of LiAsF₆ in 4-butyrdactone mixtures with 2-methyltetrahydrofuran. *J. Phys. Chem.* **1985**, *89*, 2006-2010.
- [V.41] Krumgalz BS. Separation of limiting equivalent conductances into ionic contributions in non-aqueous solutions by indirect methods. *J. Chem. Soc, Faraday Trans. I.* **1983**, *79*, 571-587.
- [V.42] Delsignore M, Farber H, Petrucci S. Ionic Conductivity and Microwave Dielectric Relaxation of LiAsF₆ and LiClO₄ in Dimethyl Carbonate, *J. Phys. Chem.* **1985**, *89*, 4968-4973.
- [V.43] Nandi D, Roy MN, Hazra DK. Electrical conductances for tetraalkylammonium bromides, LiBF₄ and LiAsF₆ in tetrahydrofuran at 25°C. *J. Indian Chem. Soc.* **1993**, *70*, 305-311.
- [V.44] Sinha A, Roy MN. Conductivity studies of sodium iodide in pure tetrahydrofuran and aqueous binary mixtures of tetrahydrofuran and 1,4-dioxane at 298.15 K. *Phys. Chem. Liq.* **2007**, *45*, 67-77.
- [V.45] Fuoss RM, Krauss CA. Properties of electrolytic solutions. III. The dissociation constant. *J. Am. Chem. Soc.* **1933**, *55*, 1019-1028.
- [V.46] Abbott AP, Schiffrin DJ. Conductivity of tetra-alkylammonium salts in polyaromatic solvents. *J. Chem. Soc. Faraday Trans.* **1990**, *86*, 1453-1459.
- [V.47] Pagliai M, Cardini G, Righini R, Schettino V. Hydrogen bond dynamics in liquid methanol. *J. Chem. Phys.* **2003**, *119*, 6655-6662.
- [V.48] Li J, Zhao F, Jing F. An *ab initio* study of intermolecular interactions of nitromethane dimer and nitromethane trimer. *J. Comp. Chem.* **2003**, *24*, 345-252.
- [V.49] Cabaleiro-Lago EM, Ríos MA. *Ab initio* study of interactions in methylamine clusters. The significance of cooperative effects. *J. Chem. Phys.* **2000**, *112*, 2155-2163.
- [V.50] Saha N, Das B. Apparent molar volumes of some symmetrical tetraalkylammonium bromides in acetonitrile at (298.15, 308.15, and 318.15) K. *J. Chem. Eng. Data.* **1997**, *42*, 227-229.
- [V.51] Catalogue of the product from Sigma Aldrich.

- [V.52] Stairs RA. Viscosity of associated liquids. 2. Methylamine. *J. Chem. Eng. Data.* **1980**, *25*, 379-379.
- [V.53] Ramana CVV, Kiran Kumar ABV, Moodley MK. *Journal of Chemistry*, <http://dx.doi.org/10.1155/2013/687106>.

CHAPTER: VI

- [VI.1] Popvyeh O, Tomkins RPT. *Nonaqueous Solution Chemistry*, Wiley-Interscience: New York, **1981**, Chapter 4.
- [VI.2] Das B, Hazra Dk. Apparent and Partial molar volumes of selected symmetrical tetraalkylammonium bromides in 2-methoxy-1-ethanol at 25°C. *J. Chem. Eng. Data.* **1991**, *36*, 403-405.
- [VI.3] Lawrence KG, Sacco A. Preferential solvation of ions in mixed solvents. *J. Chem. Soc., Faraday Trans. 1* **1983**, *79*, 615-619.
- [VI.4] Pogue R, Atkinson G. Solution thermodynamics of first-row transition elements. 1. Apparent molal volumes of aqueous nickel dichloride, nickel diperchlorate, cupric chloride and cupric perchlorate from 15 to 55°C. *J. Chem. Eng. Data* **1988**, *33*, 370-376.
- [VI.5] Marcus Y, Hefter G, Pang TS, Ionic partial molar volumes in non-aqueous solvents. *J. Chem. Soc., Faraday Trans.* **1994**, 1899-103.
- [VI.6] Moumouzas G, Panopoulos DK, Ritzoulis G, Excess properties of the binary liquid system propylene carbonate + acetonitrile. *J. Chem. Eng. Data* **1991**, *36*, 20-23.
- [VI.7] Shoemaker DP, Garland CW. *Experiments in Physical Chemistry*, McGraw-Hill: New York, **1967**; pp 131-138.
- [VI.8] Bhattacharjee A, Roy MN. Ion association and solvation behavior of tetraalkyl ammonium iodides in binary mixtures of dichloromethane+N,N-dimethylformamide probed by a conductometric study. *Phys. Chem. Chem. Phys.* **2010**, *12*, 1-9.
- [VI.9] Suindells JR, Godfray TB, Absolute viscosity of water at 20°C. *J. Res. Natl. Bur. Stand.* **1952**, *1*, 48-52.
- [VI.10] Ayranci E. Apparent Molar Volume and Viscosity of Compounds with Asymmetric Carbon Atoms. *J. Chem. Eng. Data* **1997**, *42*, 934-937.
- [VI.11] Kundu A, Kishore N. Apparent molar heat capacities and apparent molar volumes of aqueous nicotinamide at different temperatures. *J. Solution Chem.* **2003**, *32*, 703-717.
- [VI.12] Sah RS, Pradhan P, Roy MN. Solute-solvent and solvent-solvent interactions of menthol in isopropyl alcohol and its binary mixtures with methyl salicylate by

- volumetric, viscometric, interferometric and refractive index techniques. *Thermochim. Acta* **2010**, 499, 149–154.
- [VI.13] Jones G, Dole M. Density and Viscosity studies on some R_4NX in DME+water mixtures at different temperatures. *J. Am. Chem. Soc.* **1929**, 51, 2950–2964.
- [VI.14] Millero FJ. The Molal Volumes of Electrolytes. *Chem. Rev.* **1971**, 71, 147–176.
- [VI.15] Millero FJ, Lo Surdo A, Shin C. The apparent molal volumes and adiabatic compressibilities of aqueous amino acids at 25°C. *J. Phys. Chem.* **1978**, 82, 784–792.
- [VI.16] Gopal R, Siddique MA. A study of ion-solvent interactions of some tetraalkylammonium and common ions in N-methyl acetamide from apparent molar volume data. *J. Phys. Chem.* **1969**, 72, 1814–1817.
- [VI.17] Saha N, Das B. Apparent molar volumes of some symmetrical tetraalkylammonium bromides in acetonitrile at (298.15, 308.15 and 318.15) K. *J. Chem. Eng. Data* **1997**, 42, 227–229.
- [VI.18] Feakins D, Freemantle DJ, Lawrence KG, Transition state treatment of the relative viscosity of electrolytic solutions. Applications to aqueous, non-aqueous and methanol + water systems. *J. Chem. Soc., Faraday Trans. 1* **1974**, 70, 795–806.
- [VI.19] Friedman HL, Krishnan CV, *Water: A Comprehensive Treatise*, Plenum Press: New York, **1973**.
- [VI.20] Dash UN, Samantaray B, Mishra S. Volumetric and viscometric studies of sodium nitroprusside in aqueous solutions at different temperatures. *J. Teach. Res. Chem.* **2005**, 11, 87–90.

CHAPTER: VII

- [VII.1] Kim NH, Malhotra SV, Xanthos M. Modification of cationic nanoclays with ionic liquids. *Microporous and Mesoporous Materials*. **2006**, 96, 29–35.
- [VII.2] Plechkova NV, Seddon KR, Plechkova NV, Seddon KR. Applications of ionic liquids in the chemical industry. *Chem. Soc. Rev.* **2008**, 37, 123–150.
- [VII.3] Reich RA, Atewart PA, Bohaychick J, Urbansky JA. Base oil Properties of Ionic Liquids. *Lubr. Eng.* **2003**, 59, 16–21.
- [VII.4] MacFarlane DR, Forsyth M. et. al. Ionic Liquids in Electrochemical Devices and Processes: Managing Interfacial Electrochemistry. *Acc Chem Res*, **2007**, 40, 1165–1173.
- [VII.5] Janz CG, Tomkins RPT. *Non-aqueous Electrolytes Handbook*, Academic Press: New York, **1973**, Vol. 2.
- [VII.6] Aurbach D. *Non-aqueous Electrochemistry*, Marcel Dekker, Inc: New York, **1999**.

- [VII.7] Krom JA, Petty JT, Streitwieser A. Lithium and cesium ion-pair acidities of diphenylamine in tetrahydrofuran. The aggregation of lithium and cesium diphenylamide. A new method for the determination of aggregation constants in dilute solution. *J. Am. Chem. Soc.* **1993**, *115*, 8024-8030.
- [VII.8] Millero FJ. Structure and transport process in water and aqueous solutions, Horne RA. Ed. Wiley, New York, **1972**.
- [VII.9] Ekka D, Roy MN. Conductance, a contrivation to explore ion association and solvation behavior of an ionic liquid (tetrabutylphosphonium tetrafluoroborate) in acetonitrile, tetrahydrofuran, 1,3-dioxolane, and their binaries. *J. Phy. Chem. B*, **2012**, *116*, 11687-11694.
- [VII.10] Perrin DD, Armarego WLF. Purification of laboratory chemicals, 2nd Ed., Pergamon Press: Oxford, **1988**.
- [VII.11] Saha N, Das B, Apparent molar volumes of some symmetrical tetraalkylammonium bromides in acetonitrile at (298.15, 308.15, and 318.15)K. *J. Chem. Eng. Data*. **1997**, *42*, 227-229.
- [VII.12] Roy MN, Dey R, Jha A. Study of ion-solvent interactions of some alkali metal chlorides in tetrahydrofuran+water mixture at different temperatures. *J. Chem. Eng. Data*. **2001**, *46*, 1327-1329.
- [VII.13] Sinha A, Roy MN. Studies of viscous antagonism, excess molar volume and isentropic compressibility in aqueous mixed solvent systems at different temperatures. *Phys. Chem. Liqs*. **2006**, *44*, 303-314.
- [VII.14] Roy MN, Ekka D, Dewan R. Ionic Solvation of Tetrabutylammonium Hexafluorophosphate in Pure Nitromethane, 1,3-Dioxolane and Nitrobenzene: A Comparative Physicochemical Study. *Fluid Phase Equilibria*, **2012**, *314*: 113-120.
- [VII.15] Roy MN, Jha A, Choudhury A. Densities, viscosities and adiabatic compressibilities of some mineral salts in water at different temperatures. *J. Chem. Eng. Data*. **2004**, *49*, 291-296.
- [VII.16] Freyer EB, Hubbard JD, Andrews DH. Sonic studies of the physical properties of liquids. I. the sonic interferometer. The velocity of sound in some organic liquids and their compressibilities. *J. Am. Chem. Soc.* **1929**, *51*: 759-770.
- [VII.17] Kiyohara O, Grolier JPE, Benson GC. Excess volumes, ultrasonic velocities, and adiabatic compressibilities for binary cycloalkanol mixtures at 25°C. *Can. J. Chem.* **1974**, *52*: 2287-2293.
- [VII.18] Murthy NM, Subrahmanyam SV. Structure of Aqueous Isomeric Butyl Alcohols-Sound Velocity Studies. *Bull. Chem. Soc. Jpn.* **1977**, *50*, 2589-2593.
- [VII.19] Masson DO. Ion-solvent interactions. *Phil. Mag.* **1929**, *8*, 218-226.

- [VII.20] Millero FJ. The molal volumes of electrolytes. *Chem. Rev.* **1971**, *71*, 147-176.
- [VII.21] Marcus Y, Hefter G. standard partial molar volumes of electrolytes and ions in nonaqueous solvents. *Chem. Rev.* **2004**, *104*, 3405-3452.
- [VII.22] Yamdagni R, Kebarle P. Solvation of negative ions by protic and aprotic solvents. Gas-phase solvation of halide ions by acetonitrile and water molecules. *J. Am. Chem. Soc.* **1972**, *94*, 2940.
- [VII.23] Covington AK, Dickinson T. *Physical chemistry of organic solvent systems*, Plenum: New York, **1973**.
- [VII.24] Bockris JO, Reddy AN. *Modern Electrochemistry*. 2nd Ed. Plenum Press: New York, **1998**, p-552.
- [VII.25] Jones G, Dole M. The Viscosity of aqueous solutions of strong electrolytes with special reference to barium chloride. *J. Am. Chem. Soc.* **1929**, *51*, 2950-2956.
- [VII.26] Roy MN, Ekka D, Dewan R. Physico-chemical studies of some bio-active solutes in pure methanoic acid. *Acta Chim. Slovenica.* **2011**, *58*, 792-796.
- [VII.27] Hedwig GR, Hakin AW. Partial molar volumes and heat capacities of single ions in aqueous solution over the temperature range 288.15 to 328.15 K. *Phys. Chem. Chem. Phys.* **2004**, *6*, 4690-4700.
- [VII.28] Lawrence K, Sacco A. Separation of viscosity *B*-coefficients into ionic contributions. Part 1. Tetrabutylammonium tetrabutylborate and tetraphenylphosphonium tetraphenylborate in dimethylsulphoxide. *J. Chem. Soc. Faraday Trans 1.* **1983**, *79*, 615-624.

CHAPTER: VIII

- [VIII.1] Kertes AS, King CJ. Extraction chemistry of fermentation product carboxylic acids. *Biotechnol. Bioeng.* **1986**, *28*, 269-282.
- [VIII.2] Wardell JM, King CJ. Solvent equilibria for extraction of carboxylic acids from water. *J. Chem. Eng. Data* **1978**, *23*, 144-153.
- [VIII.3] McDowall JM, Vincent CA, Viscosity behaviour of some simple electrolytes in formamide solution. *J. Chem. Soc. Faraday Trans 1.* **1974**, *70*, 1862-1868.
- [VIII.4] Deck MRJ, Bird KJ, Parker AJ. Solvation of ions. XXV. Partial molal volumes of single ions in protic and dipolar aprotic solvents. *Aust. J. Chem.* **1975**, *28*, 955-963.
- [VIII.5] Roy MN, Sinha B, Dey R, Sinha A. Solute-solvent and solute-solute interactions of resorcinol in mixed 1,4-dioxane-water systems at different temperatures. *Int. J. Thermophys.* **2005**, *26*, 1549-1563.

- [VIII.6] Roy MN, Dewan R, Roy PK, Biswas D, Apparent molar volumes and viscosity-coefficients of carbohydrates in aqueous cetrimonium bromide solutions at (298.15, 308.15, and 318.15) K. *J. Chem. Eng. Data* **2010**, *55*, 3617-3624.
- [VIII.7] Roy MN, Bhattacharjee A, Chakraborti P. Investigation on molecular interactions of nicotinamide in aqueous citric acid monohydrate solutions with reference to manifestation of partial molar volume and viscosity *B*-coefficient measurements. *Thermochim. Acta* **2010**, *507-508*, 135-141.
- [VIII.8] Perrin DD, Armarego WLF. *Purification of Laboratory Chemicals*, 3rd Ed. Pergamon Press: Oxford, **1988**.
- [VIII.9] Freyer EB, Hubbard JD, Andrews DH, Sonic studies of the physical properties of liquids. I. the sonic interferometer. The velocity of sound in some organic liquids and their compressibilities. *J. Am. Chem. Soc.* **1929**, *51*, 759-770.
- [VIII.10] Kiyohara O, Arakawa K, Ultrasonic and thermodynamic study on solute-solvent interaction. Binary mixtures of 1,2-dichloroethane with benzene, toluene, p-xylene and cyclohexane. *Bull. Chem. Soc. Jpn.*, **1970**, *43*, 3037-3043.
- [VIII.11] Kiyohara O, Grolier JPE, Benson GC. Excess Volumes, Ultrasonic Velocities, and Adiabatic Compressibilities for Binary Cycloalkanol Mixtures at 25°C. *Can. J. Chem.* **1974**, *52*, 2287-2293.
- [VIII.12] Murthy NM, Subrahmanyam SV. Structure of Aqueous Isomeric Butyl Alcohols-Sound Velocity Studies. *Bull. Chem. Soc. Jpn.* **1977**, *50*, 2589-2593.
- [VIII.13] Masson DO. Ion-solvent interaction. *Phil. Mag.* **1929**, *8*, 218-226.
- [VIII.14] Jones G, Dole M. Density and viscosity studies on some R_4NX in DME + water mixtures at different temperatures. *J. Am. Chem. Soc.* **1929**, *51*, 2950-2964.
- [VIII.15] Millero FJ. The molar volumes of electrolytes. *Chem. Rev.* **1971**, *71*, 147-176.
- [VIII.16] F. J. Millero, A. Losurdo, C. Shin. The apparent molal volumes and adiabatic compressibilities of aqueous amino acids at 25°C. *J. Phys. Chem.* **1978**, *82*, 784-792.
- [VIII.17] V. Minkin, O. Osipov, Y. Zhdanov (eds.), *Dipole Moments in Organic Chemistry* Plenum Press: London, New York, **1970**.
- [VIII.18] M. Born, E. Wolf, *Principles of Optics: Electromagnetic Theory of Propagation, Interference and Diffraction of Light*, Cambridge University Press: London, 7th Ed., **1999**.
- [VIII.19] Deetlefs M, Seddon K, Shara M. Predicting physical properties of ionic liquids. *Phys. Chem. Chem. Phys.* **2006**, *8*, 642-649.
- [VIII.20] Riddick JA, Bunger WB, Sakano TK. *Organic Solvents, Physical Properties and Methods of Purification*, 4th Ed. Wiley-Interscience: New York, **1986**.

- [VIII.21] Cases AM, Marigliano ACG, Bonatti CM, So'limo HN. Density, viscosity, and refractive index of formamide, three carboxylic acids, and formamide + carboxylic acid binary mixtures. *J. Chem. Eng. Data* **2001**, *46*, 712-715.
- [VIII.22] Goodman MA, Whittenburg SL. Sound velocity in simple carboxylic acids, *J. Chem. Eng. Data*. **1983**, *28*, 350-351.

CHAPTER: IX

- [IX.1] Li S, Purdy WC. Cyclodextrins and Their Applications in Analytical-Chemistry. *Chem. Rev.*, **1992**, *92*, 1457-1470
- [IX.2] Rafatia AA, Bagheria A, Iloukhanian H, Zarinehzad M. Study of inclusion complex formation between a homologous series of n-alkyltrimethylammonium bromides and β -cyclodextrin, using conductometric technique. *J. Mol. Liquids*, **2005**, *116*, 37-47.
- [IX.3] Szejtli J, Comprehensive Supramolecular Chemistry: Cyclodextrins., in Attwood J L, Davies JED, Macnicol DD, Vogtle F, Elsevier: Oxford, **1996**, vol. 3.
- [IX.4] Disouza VT, Lipkowitz KB. Cyclodextrins: Introduction. *Chem. Rev.*, **1998**, *98*, 1741-1750.
- [IX.5] Thoma JT, Steward L. Starch: Chemistry and Technology, in Whistler RL, Paschall EF Edn., Academic Press: New York, **1965**, Vol. 1, pp-209.
- [IX.6] Ribeiro ACF, Estes MA, Lobo VMM, Valente AJM, Simões SMN, Sobral AJFN, Ramos ML, Burrows HD, Amado AM, D'Costa A. Interactions of Copper (II) Chloride with Cyclodextrin in Aqueous Solutions at 25 and 37°C. *J. Carbohydr. Chem.*, **2006**, *25*, 173-185.
- [IX.7] Clarke R], Coates JH, Lincoln SF. Inclusion Complexes of the Cyclomalto-Oligosaccharides (Cyclodextrins). *Advance Carbohydr. Chem. and Biochem.* **1988**, *46*: 205-211.
- [IX.8] Szejtli J. The Cyclodextrins and Their Inclusion Complexes. *Academiai Kiad: Budapest, Hungary*, **1982**.
- [IX.9] VanEtten RL, Sebastian JF, Clowes GA, Bender ML. Acceleration of Phenyl Ester Cleavage by Cycloamyloses. A Model for Enzymatic Specificity. *J. Am. Chem. Soc.* **1967**, *89*, 3242-3249.
- [IX.10] Vanetten RL, Clowee GA, Sebastian JF, Bender ML. The mechanism of the cycloamylose-accelerated cleavage of phenyl esters. *J. Am. Chem. Soc.* **1967**, *89*, 3253-3260.

- [IX.11] Kumar A, Venkatesu P. Overview of the Stability of α -Chymotrypsin in Different Solvent Media. *Chem. Rev.* **2012**, *112*, 4283-4289.
- [IX.12] Hippel PHV, Schleich T. The effects of neutral salts on the structure and conformational stability of macromolecules in solution. In Timasheff SN, Fasman GD Edn., *Structure and Stability of Biological Macromolecules*. Marcel Dekker Inc: New York, **1969**, p 417-574.
- [IX.13] Jencks WP. *Catalysis in Chemistry and Enzymology*. Dover Publications: New York, **1969**.
- [IX.14] Enea O, Jolicoeur C. Heat capacities and volumes of several oligopeptides in urea-water mixtures at 25.degree.C. Some implications for protein unfolding. *J. Phys. Chem.* **1982**, *86*, 3870-3881.
- [IX.15] Kauzmann W. Some factors in the interpretation of protein denaturation. *Adv Protein Chem.* **1979**, *14*, 1-63.
- [IX.16] Roy MN, Ekka D, Dewan R. Ionic solvation of tetrabutylammonium hexafluorophosphate in pure nitromethane, 1,3-dioxolane and nitrobenzene: A comparative physicochemical study. *Fluid Phase Equilibria*, **2012**, *314*, 113-120.
- [IX.17] Freyer EB, Hubbard JD, Andrews DH, Sonic Studies of the Physical Properties of Liquids. I. the Sonic Interferometer. The Velocity of Sound in Some Organic Liquids and Their Compressibilities. *J. Am. Chem. Soc.* **1929**, *51*, 759-770
- [IX.18] Kiyohara O, Grolier JPE, Benson GC. Excess Volumes, Ultrasonic Velocities, and Adiabatic Compressibilities for Binary Cycloalkanol Mixtures at 25°C. *Can. J. Chem.* **1974**, *52*, 2287-2293.
- [IX.19] Murthy NM, Subrahmanyam SV. Structure of Aqueous Isomeric Butyl Alcohols-Sound Velocity Studies. *Bull. Chem. Soc. Jpn.* **1977**, *50*, 2589-2593.
- [IX.20] Masson DO. Ion-Solvent Interactions. *Phil. Mag.* **1929**, *8*, 218-226.
- [IX.21] Millero FJ. The molal volumes of electrolytes. *Chem. Rev.* **1971**, *71*, 147-176.
- [IX.22] Marcus Y, Hefter G. Standard Partial Molar Volumes of Electrolytes and Ions in Nonaqueous Solvents. *Chem. Rev.* **2004**, *104*, 3405-3452.
- [IX.23] Marcus Y. Thermodynamics of solvation of ions: Part 6. The standard of partial volumes of aqueous ions at 298.15 K. *J. Chem. Soc. Faraday Trans.* **1993**, *89*, 713-718.
- [IX.24] Millero FJ. The partial molal volumes of electrolytes in aqueous solutions, in: R.A. Horne Edn., *Water and Aqueous Solutions: Structure, Thermodynamics, and Transport Processes*, Wiley Interscience: New York, **1972**, p 519-595.
- [IX.25] Belibagli K, Agranci E. Viscosities and apparent molar volumes of some amino acids in water and 6 M Guanidine hydrochloride at 25°C. *J. Sol. Chem.* **1990**, *19*, 867-882.

- [IX.26] Friedman HL, Krishnan CV, Inclusion in Water: A comprehensive Treatise. In Franks F Edn., Plenum: New York, 1973, Vol. 3, Chapter 1.
- [IX.27] Mishra AK, Prasad KP, Ahluwalia JC. Apparent molar volumes of some amino acids and peptides in aqueous urea solutions *Biopolymers*. 1983, 22, 2397-2409.
- [IX.28] Millero FJ, Surdo AL, Shin C. The apparent molal volumes and adiabatic compressibilities of aqueous amino acids at 25 °C. *J. Phys. Chem.* 1978, 82, 784-792.
- [IX.29] Xu Li, Ding C, Lin R. Transfer volumes of Glycine, L-alanine, and L-serine from water to 1,2-butanediol-water mixtures at 298.15 K. *J. Sol. Chem.* 2006, 35, 191-200.
- [IX.30] Wadi RK, Ramasami P. Partial molal volumes and adiabatic compressibilities of transfer of Glycine and DL-alanine from water to aqueous sodium sulfate at 288.15, 298.15 and 308.15 K. *J. Chem. Soc. Faraday Trans.* 1997, 93, 243-247.
- [IX.31] Banipal TS, Kaur D, Banipal PK. Apparent molar volumes and viscosities of some amino acids in aqueous sodium acetate solutions at 298.15 K. *J. Chem. Eng. Data.* 2004, 49, 1236-1246.
- [IX.32] Banerjee T, Kishore N. Interactions of some amino acids with aqueous tetraethylammonium bromide at 298.15 K: A volumetric approach. *J. Sol. Chem.* 2005, 35: 137-153.
- [IX.33] Wang J, Yan Z, Zhao Y, Cui F. Partial Molar Volumes and Viscosities of Some α -Amino Acids in Micellar Solutions of Sodium Caprylate. *J. Chem. Eng. Data.* 2004, 49, 1354-1358.
- [IX.34] Natarajan M, Wadi RK. Apparent molar volumes and viscosities of some R- and R_o-amino acids in aqueous ammonium chloride solutions at 298.15 K. *J. Chem. Eng. Data.* 1990, 35, 87-93.
- [IX.35] Bhat R, Ahluwalia JC. Partial molar heat capacities and volumes of transfer of some amino acids and peptides from water to aqueous sodium chloride solutions at 298.15 K. *J. Phys. Chem.* 1985, 89, 1099-1105.
- [IX.36] Mishra AK, Ahluwalia JC. Enthalpies, heat capacities and apparent molar volumes of transfer of some amino acids from water to aqueous t-butanol. *J. Chem. Soc. Faraday Trans I*, 1981, 77, 1469-1483.
- [IX.37] Banipal TS, Singh G, Lark BS, Partial Molar Volumes of Transfer of Some Amino Acids from Water to Aqueous Glycerol Solutions at 25°C. *J. Sol. Chem.* 2001, 30, 675-670.
- [IX.38] Li S, Hu X, Lin R, Sang W, Fang W. Transfer Volumes of Glycine, L-Alanine and L-Serine in Glycerol-Water Mixtures at 25°C. *J. Sol. Chem.* 2001, 30, 365-373.
- [IX.39] Berlin E, Pallansch MJ. Densities of several proteins and L-amino acids in the dry state. *J. Phys. Chem.* 1968, 72, 1887-1889.

- [IX.40] Gucker FT, Ford WL, Moser CE. The apparent and partial molal heat capacities and volumes of Glycine and Glycolamide. *J. Phys. Chem.* **1939**, *43*, 153-168.
- [IX.41] Franks F, Quickenden MA, Reid DS, Watson B. Calorimetric and volumetric studies of dilute aqueous solutions of cyclic ethers derivatives. *Trans. Faraday Soc.* **1970**, *66*, 582-589.
- [IX.42] Owaga T, Mizutami K, Yasuda M. The volume, adiabatic compressibility and viscosity of amino acids in aqueous alkali chloride solutions. *Bull. Chem. Soc. Jpn.* **1984**, *57*, 2064-2068.
- [IX.43] Helper LG. Studies on viscosities and densities of R4NX in ME+ water mixtures of different temperatures. *Can. J. Chem.* **1969**, *47*, 4613-4616.
- [IX.44] Roy MN, Dakua VK, Sinha B, Partial Molar Volumes, Viscosity B-Coefficients, and Adiabatic Compressibilities of Sodium Molybdate in Aqueous 1,3-Dioxolane Mixtures from 303.15 to 323.15 K. *Int. J. Thermophys.* **2007**, *28*, 1275-1284.
- [IX.45] Jones G, Dole D. The viscosity of aqueous solutions of strong electrolytes with special reference to barium chloride. *J. Am. Chem. Soc.* **1929**, *51*, 2950-2964.
- [IX.46] Yan Z, Wang J, Lu J. Viscosity behavior of some α -amino acids and their groups in water-sodium acetate mixtures. *Biophys. Chem.* **2002**, *99*, 199-207.
- [IX.47] Roy MN, Ekka D, Dewan R. Physico-Chemical Studies of Some Bio-active Solutes in Pure Methanoic Acid. *Acta Chim. Slov.* **2011**, *58*, 792-796.
- [IX.48] Mathieson JG, Conway BE. H₂O-D₂O solvent isotope effect in the apparent molal volume and compressibility of urea. *J. Sol. Chem.* **1974**, *3*, 781-788.
- [IX.49] Glasstone S, Laidler K J, Eyring H. The Theory of Rate Processes. McGraw Hill: New York, **1941**.
- [IX.50] Feakins D, Freemantle DJ, Lawrence KG. Transition state treatment of the relative viscosity of electrolytic solutions. Applications to aqueous, non-aqueous and methanol + water systems. *J. Chem. Soc. Faraday Trans I*, **1974**, *70*, 795-806.
- [IX.51] Liu L, Guo QX. The Driving Forces in the Inclusion Complexation of Cyclodextrins. *J. Inclus. Phen. Macrocycl. Chem.* **2002**, *42*, 1-8.
- [IX.52] Betzel C, Saenger W, Hingerty BE, Brown GM. Topography of cyclodextrin inclusion complexes, part 20. Circular and flip-flop hydrogen bonding in beta-cyclodextrin undecahydrate: a neutron diffraction study. *J. Am. Chem. Soc.* **1984**, *106*, 7545-7557.
- [IX.53] Loftsson T. Cyclodextrins in drug delivery. *Expert Opinion Drug Delivery*, **2005**, *2(2)*, 335-351.