

C O N T E N T S

	Page
ACKNOWLEDGEMENT ..	(I)
SUMMARY ..	(III)
Introduction ..	1
Applications of Organotin Compounds	2
Environmental aspects ..	6
Organotin adducts ..	10
Organotin Coordination Complexes	17
Hydroxamic acids and organotin hydroxamates	35
Scope and Objectives ..	48
<u>Experimental</u>	
Methods & materials ..	55
<u>Preparation of starting materials</u>	
1. Tribenzyl tin chloride ..	57
2. <u>bis</u> (Tribenzyl tin oxide) ..	57
3. Dibenzyl tin dichloride ..	57
4. Oxalyl <u>bis</u> -N-phenyl hydroxamic acid	58
5. Succinyl <u>bis</u> -N-phenyl hydroxamic acid	58
6. Adipyl <u>bis</u> -N-phenyl hydroxamic acid	59
7. Succinyl <u>bis</u> -N-p-tolyl hydroxamic acid	59
8. Glutaryl <u>bis</u> -N-phenyl hydroxamic acid	61
9. Adipyl <u>bis</u> -N-p-tolyl hydroxamic acid	62

PREPARATION OF ORGANOTIN HYDROXAMATES

10.	Dibutyl tin succinyl <u>bis-N-phenyl</u> hydroxamate ..	63
11.	Dibenzyltin succinyl <u>bis-N-phenyl</u> hydroxamate ..	64
12.	Dimethyl tin succinyl <u>bis-N-phenyl</u> hydroxamate ..	65
13.	Diphenyl tin succinyl <u>bis-N-phenyl</u> hydroxamate ..	66
14.	Reaction of dibenzyl tin dichloride with succinyl <u>bis-N-phenyl</u> hydroxamic acid	67
15.	<u>bis</u> (Dimethyl chlorotin) succinyl <u>bis-N-phenyl</u> hydroxamate ..	68
16.	Phenyl chlorotin succinyl <u>bis-N-phenyl</u> hydroxamate ..	69
17.	<u>bis</u> (Tricyclohexyl tin) succinyl <u>bis-N-</u> <u>phenyl</u> hydroxamate ..	70
18.	<u>bis</u> (Tributyl tin) succinyl <u>bis-N-phenyl</u> hydroxamate ..	71
19.	Reaction of dioctyl tin oxide with succinyl <u>bis-N-phenyl</u> hydroxamic acid	71
20.	Reaction of some triorganotin chlorides with succinyl <u>bis-N-phenyl</u> hydroxamic acid	72
21.	(a) Reaction of phenyl chlorotin succinyl <u>bis-N-phenyl</u> hydroxamate with potassium thiocyanate ..	72
	(b) Treatment of <u>bis</u> (dimethyl chlorotin) succinyl <u>bis-N-phenyl</u> hydroxamate with methanol ..	72
22.	Reaction of diphenyl tin succinyl <u>bis-N-</u> <u>phenyl</u> hydroxamate with $HgCl_2$	73
23.	Dibutyl tin succinyl <u>bis-N-p-tolyl</u> hydroxamate ..	73
24.	Dimethyl tin succinyl <u>bis-N-p-tolyl</u> hydroxamate ..	74

	Page
25. Diphenyl tin succinyl <u>big-N-p-tolyl</u> hydroxamate ..	75
26. Benzyl chlorotin succinyl <u>big-N-p-tolyl</u> hydroxamate ..	76
27. Phenyl chlorotin succinyl <u>big-N-p-tolyl</u> hydroxamate ..	77
28. Dibenzyl tin succinyl <u>big-N-p-tolyl</u> hydroxamate ..	77
29. Reaction of succinyl <u>big-N-p-tolyl</u> hydroxamic acid with tricyclohexyl tin hydroxide ..	78
30. Reaction of dimethyl tin dichloride with succinyl <u>big-N-p-tolyl</u> hydroxamate ..	78
31. Reaction of di-octyl tin oxide with succinyl <u>big-N-p-tolyl</u> hydroxamic acid ..	79
32. Dimethyl tin glutaryl <u>big-N-phenyl</u> hydroxamate ..	79
33. <u>big</u> (Tricyclohexyl tin) glutaryl <u>big-N-phenyl</u> hydroxamate ..	80
34. Dimethyl tin adipyl <u>big-N-phenyl</u> hydroxamate ..	81
35. Dimethyl tin adipyl <u>big-N-p-tolyl</u> hydroxamate ..	82
36. Dicyclohexyltin oxalyl <u>big-N-phenyl</u> hydroxamate ..	83
37. Reactions of glutaryl <u>big-N-phenyl</u> hydroxamic acid, adipyl <u>big-N-phenyl</u> hydroxamic acid and adipyl <u>big-N-p-tolyl</u> hydroxamic acid with dibutyl tin oxide, diphenyl tin oxide, dibenzyl tin dichloride, <u>big</u> (Tribenzyl tin) oxide. ..	84
DISCUSSION ..	85
REFERENCES ..	127
