

TABLE OF CONTENTS

	Page No.
Abstract	i-iii
Preface	iv
List of Tables	x
List of Schemes	xi-xv
List of Figures	xvi-xvii
List of Appendices	xviii
Appendix A: List of Research Publications	xix
Appendix B: Poster & Oral Presentations	xix
Abbreviation	xx-xxi

Chapter I

A brief review on the approaches towards the synthesis of heterocyclic compounds

I.1. Introduction	2
I.2. Approach towards the synthesis of heterocyclic compounds	4
I.2.1. Synthesis of <i>N</i> -containing heterocyclic compounds	4
I.2.2. Synthesis of <i>O</i> -containing heterocyclic compounds	10
I.2.3. Synthesis of <i>S</i> -containing heterocyclic compounds	12
I.2.4. Synthesis of <i>Se</i> -containing heterocyclic compounds	14
I.3. Conclusion	15
I.4. References	15

Chapter II

Section A

One-pot three-component solvent-free tandem annulations for synthesis of tetrazolo[1,2-*a*]pyrimidine

II.A.1. Introduction	17
II.A.2. Background and Objectives	18
II.A.2.1. Modern methods for synthesis of tetrazolo[1,2- <i>a</i>]pyrimidine	18
II.A.3. Present Work	20
II.A.3.1. Result and Discussion	21
II.A.3.2. Mechanism	24
II.A.4. Conclusion	25
II.A.5. Experimental section	25
II.A.5.1. General Information	25
II.A.5.2. General Procedure for the synthesis of tetrazolo[1,2- <i>a</i>]pyrimidine	26
II.A.5.3. Spectroscopy data of various tetrazolo derivatives	26
II.A.5.4. Scanned copies of ¹ H and ¹³ C NMR spectra of the ethyl 5-methyl-7-(3-nitrophenyl)-4,7-dihydropyrimidin-6-carboxylate	30
II.A.6. References	31

Section B

β-cyclodextrin mediated solvent-free synthesis of [1,2,4]triazolo[1,5-*a*]pyrimidine

II.B.1. Introduction	33
II.B.2. Background and Objectives	33
II.B.2.1. Modern method for synthesis of [1,2,4]triazolo[1,5- <i>a</i>]pyrimidines	33
II.B.2.2. β-Cyclodextrin mediated organic synthesis	35
II.B.2.3. Solvent-free protocols in organic synthesis	36
II.B.3. Present Work	37

II.B.3.1. Result and Discussion	37
II.B.3.2. Mechanism	40
II.B.4. Conclusion	41
II.B.5. Experimental Section	41
II.B.5.1. General Information	41
II.B.5.2. General Procedure for the synthesis of [1,2,4]triazolo[1,5- <i>a</i>]pyrimidine	41
II.B.5.3. Spectroscopy data of various triazolo derivatives	42
II.B.5.4. Scanned copies of ¹ H and ¹³ C spectra of the Ethyl 5-methyl-7-(3-nitrophenyl)-4,7-dihydro-[1,2,4]triazolo[1,5- <i>a</i>]pyrimidine-6-carboxylate	44
II.B.6. References	45

Chapter III

Humic Acid: A green-catalyst-mediated solvent-free synthesis of functionalized diethyl(phenyl(phenylamino)methyl)phosphonate

III.1. Introduction	47
III.2. Background and Objectives	48
III.2.1. Modern methods for synthesis of α -amino phosphonate	48
III.2.2. Application of Humic acid in organic synthesis	52
III.2.3. Solvent-free protocols in organic synthesis	53
III.3. Present Work	54
III.3.1. Result and Discussion	55
III.3.2. Mechanism	59
III.4. Conclusion	60
III.5. Experimental Section	61
III.5.1. General Information	61
III.5.2. General Procedure for the synthesis of diethyl (phenyl(phenylamino)methyl)phosphonate	61
III.5.3. Spectroscopy data of functionalized diethyl (phenyl(phenylamino)methyl)phosphonatederivatives and Intermediate	61

III.5.4. Scanned copies of ^1H , ^{13}C , ^{19}F NMR and ^{31}P NMR spectra of diethyl((3-fluorophenyl)(phenylamino)methyl)phosphonate	71
III.5.5. Mass spectra of Diethyl([1,1'-biphenyl]-4-yl(phenylamino)methyl)phosphonate	75
III.6. References	75

Chapter IV

KI mediated one-pot cascade reaction for synthesis of 1,3,4-selenadiazoles

IV.1. Introduction	77
IV.2. Background and Objectives	77
IV.2.1. Classic methods for synthesis of 1,3,4-selenadiazoles	77
IV.2.2. Modern methods for synthesis of 1,3,4-selenadiazoles	78
IV.2.3. Synthesis of 1,3,4-selenadiazoles through one-pot three-component Reaction	78
IV.2.4. KI mediated organic reaction	79
IV.2.5. Organic reaction in DMSO solvent	79
IV.2.6. Oxidant $\text{K}_2\text{S}_2\text{O}_8$ mediated organic reaction	80
IV.2.7. Multi-component reactions in organic synthesis	81
IV.3. Present Work	82
IV.3.1. Result and Discussion	82
IV.3.2. Mechanism for the synthesis of 2,5-diphenyl-1,3,4-selenadiazole Derivative	86
IV.4. Conclusion	87
IV.5. Experimental Section	87
IV.5.1. General Information	87
IV.5.2. General Procedure for the synthesis of functionalized 2,5-diphenyl-1,3,4-Selenadiazole	88
IV.5.3. Spectroscopy data of functionalized 2,5-diphenyl-1,3,4-selenadiazole	88
IV.5.4. Scanned copies of ^1H , ^{13}C NMR spectra of the 2,5-bis(4-nitrophenyl)-1,3,4-	

Selenadiazole	92
IV.6. References	93

Chapter V

Eucalyptol mediated synthesis of Bis-Coumarine	
V.1. Introduction	95
V.2. Background and Objectives	95
III.2.1. Modern methods for synthesis of bis-coumarine	95
V.2.2. Eucalyptol mediated organic synthesis	100
V.3. Present Work	101
V.3.1. Result and Discussion	101
V.4. Conclusion	103
V.5. Experimental Section	104
V.5.1. General Information	104
V.5.2. General Procedure for the synthesis of functionalized bis-coumarine	104
V.5.3. Spectroscopy data of bis-coumarine derivatives	104
V.5.4. Scanned copy of ¹ H and ¹³ C NMR spectra of 3,3'-((4-methoxyphenyl)methylene)bis(4-hydroxy-2 <i>H</i> -chromen-2-one)	107
V.6. References	108