

Contents

1. Introduction	1
2. Review of literature	10
2.1. History of <i>Frankia</i> research	10
2.2. <i>Frankia</i> -the microsymbiont	12
2.2.1. Taxonomy of the genus <i>Frankia</i>	12
2.2.2. Taxonomy of the species	15
2.3. Actinorhizal plants-the host	19
2.3.1. Taxonomy of the host plant	20
2.4. Actinomycetes symbiosis	22
2.4.1. Role of host in symbiosis	23
2.4.2. <i>Alnus-Frankia</i> versus legume- <i>Rhizobium</i> symbiosis	25
2.4.3. Importance of Alder- <i>Frankia</i> symbiosis	26
2.5. <i>Frankia</i> Physiology	27
2.6. <i>Frankia</i> in pure culture	28
2.6.1. Morphology of <i>Frankia</i> in pure culture	28
2.6.1.1. Hyphae	28
2.6.1.2. Sporangia	29
2.6.1.3. Vesicles	30
2.7. Nodule development	31
2.7.1. Nodule morphology	31
2.7.2. Conditions for infection	32
2.7.3. Infection Pathways	33
2.7.4. Infection Process	33
2.7.4.1. Root hair deformation	33
2.7.4.2. Prenodule growth and infection	34
2.7.4.3. Intercellular colonization	35
2.8. Regulation of infection and nodule development	35
2.8.1. Regulation of early infections	36
2.8.2. Control of cell division centers and cell expansion	37

2.8.3. The host cell wall and <i>Frankia</i> penetration	37
2.9. Phylogenetic studies on actinorhizal plants and <i>Frankia</i>	38
3. Materials and methods	45
3.1. Isolation and Identification of <i>Frankia</i>	45
3.1.1. Germplasm collection	45
3.1.2. Isolation of endophyte- the microsymbiont	46
3.1.2.1. Nodule sterilization	46
3.1.2.2. Isolation of <i>Frankia</i> in liquid culture	46
3.1.2.3. Common media for isolation	46
3.2. Plant infectivity tests	47
3.2.1. Germination of seed and seedling cultivation	47
3.3. Nitrogenase activity of <i>Frankia</i> in pure culture	47
3.4. Post isolation workup	48
3.4.1. Incubation and sub culturing	48
3.4.2. Maintenance of culture	48
3.4.3. Decontamination	48
3.5. Structure and ultra structure	49
3.5.1. Light Microscopy	49
3.5.2. Scanning Electron Microscopy (SEM) of <i>Frankia</i> <i>in vivo</i> & <i>in vitro</i>	49
3.5.2.1. Chemical fixation	49
3.5.2.1.1 For <i>Frankia</i> in pure culture	49
3.5.2.1.2. For <i>Frankia</i> inside nodules	50
3.5.2.2. Dehydration	50
3.5.2.3. Critical point drying	50
3.5.2.4. Coating	51
3.5.2.5. Gold sputtering	51
3.6. Isolation of genomic DNA	51
3.6.1. Isolation of genomic DNA from pure culture	51
3.6.2. Isolation of genomic DNA from Alder root nodules	52
3.7. RNase treatment of genomic DNA	54
3.8. Agarose Gel Electrophoresis of Genomic DNA	54

3.9. DNA estimation	55
3.10. PCR Amplification of genomic DNA from the nodules	55
3.10.1. DNA Amplification	55
3.10.2. Gel electrophoresis	56
3.10.3. Gel documentation	56
3.11. Purification of amplified PCR products	56
3.12. Cloning of PCR products	56
3.12.1. Properties of T vector	56
3.12.2. Ligation into T-Vector	57
3.12.3. Ligation of reaction	57
3.12.4. Preparation of Bacterial Transformation	57
3.12.4.1. Preparation of competent cells	57
3.12.4.2. Bacterial Transformation	58
3.12.5. Screening and analysis	58
3.13. Restriction digestion of amplified regions	59
3.13.1. Preparation of Restriction digestion reaction mix	59
3.13.2. Analysis of restriction fragments (RFLP)	59
3.13.3. Scoring of data	60
3.14. The influence of host on nitrogenase activity	60
4. Results and discussion	68
4.1. Isolation of endophyte	68
4.2. Plant Infectivity test	69
4.3. Nitrogenase activity of <i>Frankia</i> in pure culture	70
4.4. Post isolation workup	70
4.5. Structure and ultra-structure of <i>Frankia</i>	70
4.6. Study of genetic diversity of <i>Frankia</i> found in Darjeeling region	72
4.7. Cloning of PCR products	74
4.8. Study of host's influence on nitrogenase activity of ' <i>in-nodule</i> ' <i>Frankia</i>	75
5. Conclusion	83
6. References	84
7. Appendix	i