

CHAPTER VI:

Bibliography

- [1] Gao, B. C., Montes, M. J., Ahmed, Z., Davis, C. O., Atmospheric correction algorithm for hyperspectral remote sensing of ocean colour from space. *Applied Optics*, 39(6), 887–896, (2000).
- [2] Hamilton, M. K., Davis, C.O., Rhea, W. J., Pilorz, S. H., Carder, K. L., Estimating Chlorophyll content and bathymetry of Lake Tahoe using AVIRIS data, *Remote Sensing of Environment*, 44: 217–230, (1993).
- [3] Houghton, J. T., Meira Filho, L. G., Callander, B. A. Harris, N., Kattenberg, A., and Maskell, K., Eds.: *Climate Change 1995: The Science of Climate Change*, Cambridge University Press, 572 pp, (1996).
- [4] Kinne, S., Bergstrom, R., Toon, O. B., Dutton, E., and Shiobara, M., Clear-sky atmospheric solar transmission: An analysis based on FIRE 1991 field experiment data, *J. Geophys. Res.*, 103, 19 709–19 720, (1998).
- [5] Conant, W. C., Ramanathan, V, Valero, F. P. J., Meywerk, J., An examination of the clear sky solar absorption over the central equatorial pacific, observations versus models. *Conant*, *Climate*, 10, 1874–1884, (1997).
- [6] Chou, M. D. and Zhao, W., Estimation and model validation of surface solar radiation and cloud radiative forcing using TOGA COARE measurements, *J. Climate*, 10, 610–620, (1997).
- [7] Charlock, T. P., Alberta, T. L., The CERES/ARM/GEWEX Experiment (CGAGEX) for the retrieval of radiative fluxes with satellite data, *Bull. Amer. Meteor. Soc.*, 77, 2673–2683, (1996).
- [8] Kato, S., Ackerman, T. P., Clothiaux, E. E., Murcray, F., and Michalsky, J., Uncertainties in modeled and measured clear sky surface shortwave irradiances, *J. Geophys. Res.*, 102, 25 881–25 898, (1997).

- [9] Goloub, P., Tanre, D., Deuze, J. L., Herman, M., Marchand, A., and Breon, F. M., Validation of the first algorithm applied for deriving aerosol properties over the ocean using the POLDER/ADEOS measurements, *IEEE Trans. Geosci. Remote Sens.*, 37, 1586–1596, (1999).
- [10] Chowdhury, J., Cairns, B., and Travis, L. D., Case studies of aerosols retrievals over the ocean from multiangle, multispectral photopolarimetric remote sensing data, *J. Atmos. Sci.*, 59, 383–397, (2002).
- [11] Li, Z., Goloub, P., Devaux, C., Gu, X., Deuze, J. L., Xiao, Y., and Zhao, F., Retrieval of aerosol optical and Physical properties from ground based spectral, multi-angular and polarized sun-photometer measurements, *Remote Sens., Environ.*, 101, 519–533, (2006).
- [12] Waterman, T. H., Polarization of scattered sunlight in deep waters, *Deep Sea Res.*, 3, Suppl., 426–434, (1955).
- [13] Waterman, T. H., Polarization patterns in submarine illumination, *Science*, 120, 927–932, (1954).
- [14] Ivanoff, A., and Waterman, T. H., Factors, mainly depth and wave length, affecting the degree of underwater light polarization, *J. Mar. Res.*, 16, 283–307, (1958).
- [15] Beardsley, G. F., Mueller Scattering matrix of sea water, *J. Opt. Soc. Am.*, 58, 52–57, (1968).
- [16] Lundgren, B., and Hojerslev, N. K., Daylight measurements in the Sargasso Sea: Results from the "DANA" expedition January–April (1966), Rep. 14, Dept. Of Phys., Oceanogr. Univ. of Copenhagen, Copenhagen, Denmark, (1971).
- [17] Voss, K. J., and Fry, E. S., Measurements of the Mueller matrix for ocean water, *Appl. Opt.*, 23(23), 4427–4439, (1984).
- [18] Wing, G. M., Invariant imbedding and transport theory – A unified approach, *J. Math. Anal. Appl.* 2, 277, (1961).

- [19] Chami, M., Santer, R., and Dilligeard, E., Radiative transfer model for the Computation of radiance and polarization in an ocean atmosphere system: polarization properties of suspended matter for remote sensing, *Appl. Opt.*, 40(15), 2398–2416, (2001).
- [20] Bohren, C. F., "Multiple scattering of light and some of its observable consequences," *Am. J. Physics*, 55(6), 524 – 33, (1987).
- [21] Waterman T.H, Polarization of marine light fields and animal Orientation, *SPIE* 925, 431 – 437, (1988).
- [22] Waterman, T. H., and Westell W. F., Quantitative effects of the Sun's position on submarine light polarization, *J. Mar. Res.*, 15, 149 – 169, (1956).
- [23] Tyler J. E., Estimation of percent polarization in deep oceanic water, *J. Mar., Res.*, 21, 102 – 109, (1963).
- [24] Timofeyeva, V. A., Plane of vibrations of polarized light in turbid media, *J Atmos. Ocean Physics* 5, 603 – 607, (1969).
- [25] Timofeeva V. A., The degree of polarization of light in turbid media, *Izvestiya Atmos. Ocean. Physics* 5, 513–522, (1970).
- [26] Novales – Flamarique, I., and Hawryshyn, C. W., Is the use of underwater polarized light by fish restricted to crepuscular time periods? *Vision Res.* 37, 975 – 989, (1997).
- [27] Cronin, T. W., and Shashar. N., The linearly polarized light field in Clear, tropical marine waters, Spatial & temporal variation of light intensity, degree of polarization & e-vector angle, *Exp. Biol.* 204, 2461 – 2467, (2001).
- [28] Waterman T. H., Polarization patterns in sublimine illumination, *Science* 120, 927–932, (1954).
- [29] Waterman, T. H., Polarization Sensitivity, In *comparative Physiology & Evolution of vision in Invertebrates* (ed. H. Autrum), pp 281 – 463, Berlin Springer-verlag (1981).
- [30] Eddington, A. S., "On the radiative equilibrium of the stars," *Monthly Notices of the Royal Astronomical Society*, 77, 16 – 35, (1916).

- [31] Horvath, G., and Varju, D., Underwater refraction-polarization patterns of sky light perceived by aquatic animals through Snell's window of a flat water surface, *Vision Res.* 35, 1651 – 1666, (1995).
- [32] Sehunck, H., On the focusing of Sunlight by ocean waves, *J. opt. Soc. Am.* 47, 653 – 657, (1957).
- [33] Snyder, R. L and Dera. J., Wave-induced light field fluctuations in the sea. *J. Opt. Soc. Am.* 6, 1072 – 1079, (1970).
- [34] Stramska, M., and Dickey, T. D., Short-term variability of the underwater light field in the oligotrophic ocean in response to surface waves and clouds, *Deep Sea Res. I* 45, 1393 – 1410, (1998).
- [35] Maximov V. V., Environment factors which may have led to the appearance of colour vision. *Environ. Biol. Fish.* 8, 173 – 184, (2000).
- [36] Kuscer, I., and Ribaric, M., *Optica Acta* 6, 42, (1959)
- [37] Ivanoff, A., and Waterman, J. H., Factors mainly depth and wavelength affecting the degree of underwater light polarization, *J. Mar. Res.* 16, 283 – 307, (1958).
- [38] Schwind, R., *Daphnia pulex* swims towards the most strongly polarized light a response that leads to 'Shore flight', *J. Exp, Biol.* 202, 3631 – 3635, (1999).
- [39] Bellman, R. E., Kalaba, R. E., and Wing, G. M., Invariant imbedding and mathematical physics: I. Particle processes, *J. Math. Phys.* 1, 280, (1960).
- [40] Timofeyeva, V. A., Optics of turbid waters, In *optical Aspects of oceanography* (ed. N. Jerlov & E. Steeman –Nielsen), pp. 177 – 218, New York, Academic Press (1974).
- [41] Schuster, A., "Radiation through a foggy atmosphere," *Astrophysical Journal*, 21, 1 – 22, (1905).
- [42] Hawryshyn, C. W, Polarization vision in fish, *Am. Sci* 80, 164 – 175, (1992).

- [43] Schwarzschild, K., "On the equilibrium of the Sun's atmosphere," Nachrichten von der Koniglichen Gesellschaft der Wissenschaften zu Gottingen, Math. Phys. Klasse, 195, 41 – 53, (1905).
- [44] Chai, J. C., Lee, H. S., and Patankar, S. V., "Ray effect and false scattering in the discrete ordinates method," Numer. Heat Transfer Part B 24, 373–389, (1993).
- [45] Lenoble, J., C. R. Acad. Sci. Paris 252, 3562, (1961).
- [46] Barichello, L. B., Camargo, M., Rodrigues, P., and Siewert, C. E., Unified solutions to classical flow problems based on the BGK model, ZAMP, 52, 517, (2001).
- [47] Stokes, G. G., Trans. Camb. Philos. Soc. 9, 399; also 1901 Mathematical and physical papers of Sir George Stokes (Cambridge, England: Cambridge Univ. Press), 3, 233, (1852).
- [48] Bailey, P. B., and Wing, G. M., Some recent developments in invariant imbedding with applications, J. Math Phys. 6, 453, (1965).
- [49] McCormick, N. J., Transport theory for Optical Oceanography, University of Washington, Mechanical Engineering Department, Seattle, Washington, (2004).
- [50] Eddington, A. S., The Internal Constitution of Stars, Cambridge University Press, Cambridge, (1926).
- [51] Milne, E. A., Handbuch der Astrophysik, 3(1), 114, pp. 65 – 173, (1930).
- [51a] Milne, E. A., Z. f. Ap., 1, 90, (1930a).
- [52] Hopf, E., Mathematical Problems of Radiative Equilibrium, Cambridge Mathematical Tract 31, Cambridge, (1934).
- [53] Unsold, A., Physik der Sternatmosphären, pp-89–104, (1938).
- [54] Chandrasekhar, S., Radiative Transfer (R.T), Dover, (1950).
- [55] Bailey, P. B., and Wing, G. M., A rigorous derivation of some invariant equations of transport theory, J. Math. Anal Appl. 8, 144, (1964).

- [56] Liou, K.N, An Introduction to Atmospheric Radiation, (Academic Press, Orlando, FL, 392pp. 1980).
- [57] Liou, K.N, An Introduction to Atmospheric Radiation, 2d ed. Academic Press, 583 pp. (2002).
- [58] Lenoble, J., Radiative Transfer in Scattering and Absorbing Atmospheres: Standard Computational Procedures. A. Deepak, Hampton, VA, 300pp. (1985).
- [59] Stamnes, K., "The Theory of Multiple Scattering of Radiation in Plane Parallel atmospheres", Rev. Geophys. 24, 299–310, (1986).
- [60] Hovenier, J. W., and Van der Mee, C. V. M., Astron. Astrophys. 128, 1, (1983).
- [61] Jin, Z., and Stamnes, K., Radiative transfer in non-uniformly refracting layered media: atmosphere-ocean system, Applied Optics, Optical society of America, vol. 33, No. 3, (1994).
- [62] Ambartsumian, V. A., C. R. (Doklady), Acad, URSS, 38, 257, (1943).
- [63] Sobolev, V. V., A Treatise on Radiative Transfer, translated by S.I. Gaposchkin, Van Nostrand, New York, (1963).
- [64] Kourganoff. V., Basic Methods in Transfer Problems, (Dover, New York), (1963).
- [65] Wing, G. M., "An Introduction to Transport Theory," John Wiley, New York, (1962).
- [66] Preisendorfer, R. W., Radiative Transfer on Discrete Spaces, Pergomon Press, Oxford (1965).
- [67] Ambarzumian, V. A., J. Phys., Acad. Sci., USSR, 8, 65, (1944).
- [68] Grant & Hunt, Proc. Roy, Soc. Loud A, 313, 183, (1969a).
- [69] Hottel, H. C, and Sarofim, A. F., McGraw Hill, Radiative Transfer, New York, (1967).
- [70] Barichello, L. B., Garcia, RDM, Siewert, C.E., JQSRT, in press.
- [71] Redheffer, R.M, J. Math. Phys., 41, 1, (1962).

- [72] Andrew Fischer, Department of Earth and Atmospheric Sciences, Cornell University, (internet).
- [73] Grant, I. P., & Hunt, G. E., Proc. Roy. Soc. Lond A 313, 199, (1969b).
- [74] Schwarzschild, Gottingen Nachrichten, Math-Phys. Klasse, p.41 (1906).
- [75] Preisendorfer, R. W., Hydrologic optics, vol. 5, NTIS PB-259 797/9ST. NTIS, Springfield, (1976).
- [76] Bellman, R. E., and Kalaba, R. E., On the principle of invariant imbedding and propagation through inhomogeneous media, Proc. Nat. Acad. Sci. USA, 42, 629, (1956).
- [77] Bellman, R. E., Dynamic Programming, Princeton University Press, Princeton, N. J., (1957).
- [78] Bronstein, Zs.f.Physik, 58, 696 (1929); see also Zs.f.Physik, 59, 144 (1929)
- [79] Rosescu, T., Invariant imbedding in neutron transport theory, Academia Republicii Socialiste Romania, Institutul de Fizica Atomica, FR-57, (1966).
- [80] Dodson, D. S., and Mingle, J. O., Escape probabilities by the method of invariant imbedding, Trans. Amer. Nucl. Soc. 7, 26, (1964).
- [81] Mingle, J. O., Reflection and transmission intensities from gray slabs utilizing invariant imbedding methods, C.E.P. Symposium Series 62, No. 64, 250, (1966).
- [82] Mingle, J. O., Application of the invariant imbedding method to mono-energetic neutron transport theory in slab geometry, Nucl. Sci. Eng. 28, 177, (1967).
- [83] Timmons, D. H., and Mingle, J. O., The application of invariant imbedding to Green's function, Trans. Amer. Nucl. Soc. 9, 437, (1967).
- [84] Kaiser, R. E., and Mingle, J. O., "Reflection of high-energy photons from semi-infinite homogeneous slabs by invariant imbedding techniques," Trans. Amer. Nucl. Soc. 10, 733, (1967).
- [85] Shimizu, A., and Mizuta, H., Application of invariant imbedding to the reflection and transmission problem of gamma rays, J. Nucl. Sci. Techn. (Japan) 3, 57, (1966).

- [86] Bellman, K., and Kalaba, R., and Prestrud, M., "Invariant Imbedding and Radiative Transfer in Slabs of Finite Thickness," American Elsevier, New York, (1963).
- [87] Bellman, R. E., Kagiwada, H. H., and Kalaba, R. E., Invariant imbedding and radiative transfer in spherical shells, J. Comput. Phys. 1, 245, (1966).
- [88] Schwarzschild, K., Sitzungsberichte d. Preuss. Akad. Berlin 1183, (1914)
- [89] Kagiwada, H. H, Kalaba, R. E., and Segerblom, R., RM- 5537 PR, R and Corporation Report, [1968].
- [90] Kagiwada, H. H., and Kalaba, R. E., J. Quant. Spectr. Rad. Transfer 7, 295, (1967).
- [91] Chandrashekhar. S, Astrophys. J. 100, 76 (1944)
- [92] Mingle, (1973).
- [93] Chandrashekhar. S, Astrophys. J. 103, 165 (1946)
- [94] Bailey, P. B., and Wing, G. M., A correction to some invariant imbedding equations of transport theory obtained by 'Particle Counting', J. Math. Anal. Appl. 8, 170, (1964A).
- [95] Bellman, R. E., "Introduction to the Mathematical Theory of control Processes," Vol. 1, Academic Press, New York., (1967).
- [96] Denman, E. D., "Coupled Modes in Plasmas, Elastic Media and Parametric Amplifiers." American Elsevier, New York, (1970).
- [97] Jeans J.H, Monthly Notices Roy. Astron. Soc. London, 78, 28 (1917).
- [98] Wiener, N., and Hopf, E., Berliner Ber., Math. Phys, Klasse, P. 696, (1931).
- [99] Vestrucci, P., and Siewert, C. E., A numerical evaluation of an analytical representation of the components in a Fourier decomposition of the phase matrix for the scattering of polarized light, JQSRT, Vol. 31, no. 2, pp. 177 – 183, (1984).
- [100] Munch, G., Astrophys. J., 108, 116, 1948.

- [101] Stamens, K. Tsay, S.C Wiscombe, W., and Jayaweera, K., "Numerically stable algorithm for discrete ordinate method radiative transfer in multiple scattering and emitting layered media," *Appl. Opt.* 27, 2502 – 2509, (1988).
- [102] Thomas, G. E., Stamnes, K., *Radiative Transfer in the Atmosphere and Ocean*, Cambridge University Press, (1st edition 1999).
- [103] Liou, K. N., Analytic two Stream and four stream solutions for radiative transfer, *J. Atmos. Sci*, 31: 1473 – 1475, (1974).
- [104] Stamnes, K., and Swanson, R. A., "A new look at the discrete-ordinate method for radiative transfer calculations in an isotropically scattering atmospheres," *J. Atmos. Sci*, 38: 387-399, (1981).
- [105] Stamnes, K., and Dale, H., "A new look at the discrete ordinate method for radiative transfer calculations in an isotropically scattering atmospheres II: Intensity Computations," *J. Atmos. Sci.* 38, 2696 – 2706, (1981).
- [106] Stamnes, K., On the Computation of angular distributions of radiation in planetary atmospheres, *J. Quant. Spectrosc. Radiat. Transfer.* 28: 47, (1982).
- [107] Stamnes, K., Reflection and transmission by a vertically inhomogeneous planetary atmosphere, *Planet. Space, Sci*, 30: 727, (1982).
- [108] Stamnes, K., and Conklin, P., "A new multilayer discrete ordinate approach to radiative transfer in vertically inhomogeneous atmospheres," *J. Quant. Spectrosc. Radiat Transfer*, 31: 273, (1984).
- [109] Stamnes, K., The theory of multiple scattering of radiation in plane parallel atmospheres, *Rev. Geophys*, 24: 299, (1962).
- [110] Stamnes, K., and Dahlback, A., A new spherical model for computing the radiative field available for photolysis and heating at twilight, *Planet. Space Sci*, 39: 671 – 683, (1991).

- [111] Briegleb, B. P., Minnis, P., Ramanathan, V. and Harrison, E., Comparison of regional clear-sky albedos inferred from satellite observations and model computations. *J. Climate Appl. Meteor.*, 25, 214–226, (1986).
- [112] Nakajima, T., and Tanaka, M., Algorithms for radiative intensity calculations in moderately thick atmospheres using a truncation approximation, *J. Quant. Spectrosc. Radiat. Transfer*, 40: 51 – 69, (1988).
- [113] Jin, Z and Stamnes, J. K., Radiative transfer in non-uniformly refracting layered media: atmosphere ocean system, *Applied Optics*, 33: 431– 442, (1994).
- [114] Modest, M. F., *Radiative Heat Transfer*, (McGraw Hill, New York), Chap. 15, (1993).
- [115] Fireland, W.A., “The selection of discrete ordinate quadrature sets for anisotropic scattering” *American Society of Mechanical Engineers Heat Transfer Division* 72, 89 – 96, (1991).
- [116] Lathrop, K. D., “Spatial differencing of the transport equation: positive vs. accuracy”, *J. Comput., Phys.* 4, 475–498, (1968).
- [117] Lathrop, K. D, and Brinkley, F. W., “TWOTRAN – II Code”, Los Alamos Scientific Laboratory Rep. #LA – 4848 – MS (Los Alamos Scientific Laboratory, Los Alamos, N. Mex, 1973).
- [118] Kumar, S., and Mitra, K., “Microscale aspects of thermal radiation transport and laser applications”, *Adv. Heat, Transfer* 33, 187 – 294, (1998).
- [119] Mitra, K & Kumar, “Development and Comparison of models for light-pulse transport through scattering- absorbing media”, *S Appl. Opt.* 38, 188 – 196, (1999).
- [120] Guo, Z., and Kumar, S., Discrete-ordinates solution of short pulsed layer transport in two dimensional turbid media, *Appl. Opt.* 40, 3156 – 3163, (2001).
- [121] Guo, Z & Kumar, S, “Three-dimensional discrete ordinates method in transient radiant transfer”, *J. Therophysc. Heat Transfer* 16, 289 – 296, (2002).
- [122] Klose, A. D., Netz, U, Beuthan, J and Hielsher, A. H., “Optical tomography using the time independent equation of radiative transfer 1. Forward model” *J. Quant Spectroce Radiat. Transfer*, 72, 691 – 713, (2002).

- [123]Zhixiong Guo & Kyunghan Kim, Optical society of America, (2003).
- [124]Van de Hulst, H.C.: Light Scattering by small particles, Wiley, New York; also Dover, New York, 1981 (1957).
- [125]Van der Mee, C. V. M., and Hovenier, J. W., Expansion coefficients in polarized light transfer, Free University, De Boelelaan 1081, NL-1081 HV Amsterdam, The Netherlands, *Astron. Astrophys.* 228, 559 – 568, (1990).
- [126]Taylor, J. P., Edwards, J. M., Glew, M. D., Hignett, P., and Slingo, A., Studies with a flexible new radiation code. II: Comparisons with aircraft short-wave observations. *Quart. J. Roy. Meteor. Soc.*, 122, 839–861, (1996).
- [127]Carlson, B.G., *Math. Computational Phys.*, 1, 1. (1963).
- [128]Lathrop, K., Carlson, B. G., *J. Comp. Phys.*, 2, 173, (1967).
- [129]Ueno, S., *J. Math. Anal. Applics.*, 11,11 (1965).
- [130]Rybicki, G. B., and Usher, P. D., *Astrophys. J.* 146, 871, (1966).
- [131]Van de Hulst, Multiple Light Scattering; Tables, Formulas and Applications Vol. 1, Academic Press, New York, (1980).
- [132]Kattawar, G. W., Selected Papers on Multiple Scattering in Plane Parallel Atmospheres and Oceans: Methods, SPIE Milestone Series, vol. MS42, (1991).
- [133]Lyzenga, D. R., "Note on the modified two-stream approximation of Sagan and Pollack," *Icarus*, 19, 240 – 3, (1973).
- [134]Van Kampen, N G., *Physkica*, 21 949, (1955).
- [135]Case, K. M., Zweifel, P. F., *Linear Transport Theory*, (Reading Massachusetts: Addison-Wesley), (1967).
- [136]Case, K. M., Elementary solutions of the transport equation and their applications, *Ann. Phys.* 9, 1 – 23, (1960).

- [137]Siewert, C. E., and McCormick, N. J., On an exact solution in the theory of line formation in stellar atmospheres, *Astrophys. J.* 149, 649 – 653, (1967).
- [138]McCormick, N. J., and Mendelson, M. R., Transport solutions of the one-speed slab albedo problem, *Nucl. Sci. Engng* 20, 462 – 467, (1964).
- [139]Ferziger, J. H., and Simmons, G. M., Application of Case's method to plane parallel radiative transfer, *Int. J. Heat Mass Transfer* 9, 987 – 992 (1966).
- [140]Heaslet, M. A., and Warming, R. F., Radiative source function predictions for finite and semi-infinite non-conservative atmospheres, *Astrophys. Space Sci.* 1, 460 – 498 (1968).
- [141]Siewert, C. E. and Benoist, P.: *Nuclear Sci. Eng.* (in Press), (1978).
- [142]Grandjean, P. and Siewert, C. E.: *Nuclear Sci. Eng.* (in press), (1978).
- [143]Devaux, C. and Grandjean, P.: Private Communication, (1978).
- [144]Siewert, C. E., *Astrophys. Space Sci.* in press, (1979).
- [145]Grandjean, P., and Siewert, C. E., *Nucl. Sci. Eng.*, 69, 161 (1979).
- [146]Lewis, E. E., and Miller Jr., W. F. *Computational Methods of Neutron Transport*, John Wiley & Sons, New York, USA, (1984).
- [147]Barichello, L. B., and Siewert, C. E. A discrete-ordinates solution for a non-grey model with complete frequency redistribution. *J. Quant. Spectros. Radiat. Transfer* 62, 665 – 675, (1999a).
- [148]Barichello, L. B., and Siewert, C. E. A discrete-ordinates solution for a polarization model with complete frequency redistribution. *The Astrophysical J.* 513, 370 – 382, (1999c).
- [149]Barichello, L. B., and Siewert, C. E. A discrete-ordinates solution for Poiseuille flow in a plane channel. *Z. Angew. Math. Phys.* 50, 972 – 981, (1999c).
- [150]Siewert, C. E., *J. Quant. Spectrosc. Radiat. Transfer* Vol. 21, pp. 35 – 39 (1979).

- [151]Siewert, C. E., and P. B. Benoist, Nucl. Sci. Engng in press (1979).
- [152]Garcia, R. D. M., and Siewert, C. E., The transport of neutral hydrogen atoms in a hydrogen plasma. Nuclear Sci. Eng. 136, 140–149, (2000).
- [153]Siewert, C. E., and Valougeorgis, D., An analytical discrete-ordinates solution of the S-model kinetic equations for flow in a cylindrical tube. J. Quant. Spectrosc. Radiat. Transfer, 72, 531-550, (2002).
- [154]Siewert, C. E., and Valougeorgis, D., The temperature-jump problem for a mixture of two gases. J. Quant. Spectrosc. Radiat. Transfer 70, 307 – 319, (2001b).
- [155]Barichello, L. B., and Siewert, C. E., The search light problem for radiative transfer in a finite slab. J. Computational Phys. 157, 707 – 726, (2000a).
- [156]Barichello, L. B., and Siewert, C. E. The temperature-jump problem in rarefied gas dynamics. Euro. J. Applied Math. 11, 353 – 364, (2000b).
- [157]Siewert, C. E. Poiseuille and thermal-creep flow in a cylindrical tube. J. Computational Phys. 160, 470 – 480, (2000d).
- [158]Siewert, C. E., Couette flow for a binary gas mixture. J. Quant. Spectrosc. Radiat. Transfer 70, 321–332, (2001a).
- [159]Siewert, C. E., Generalized boundary conditions for the S-model kinetic equations basic to flow in a plane channel, J. Quant. Spectrosc. Radiat. Transfer in Press, (2001b).
- [160]Siewert, C. E., Kramer's problem for a variable collision frequency model. Euro. J Applied Math. 12, 179 – 191, (2001c).
- [161]Siewert, C. E. A discrete-ordinates solution for multi-group transport theory with upscattering. J. Quant. Spectrosc. Radiat. Transfer 64, 255 – 273, (2000b).
- [162]Siewert, C. E. A concise and accurate solution to Chandrasekhar's basic problem in radiative transfer. J. Quant. Spectrosc. Radiat. Transfer 64, 109 – 130, (2000a).
- [163]Siewert, C. E. A discrete-ordinates solution for radiative-transfer models that include polarization effects. J. Quant. Spectrosc. Radiat. Transfer 64, 227 – 254, (2000c).

- [164]Barichello, L. B., and Siewert, C. E. On the equivalence between the discrete-ordinates and the spherical-harmonics methods in radiative transfer. *Nuclear Sci. Eng.* 130, 79 – 84, (1998).
- [165]Siewert, C. E. A discrete-ordinates solution for heat transfer in a plane channel. *J Computational Phys.* 152, 251 – 263, (1999b)
- [166]Barichello, L. B., Rodrigues, P., and Siewert, C. E. A discrete-ordinates solution for dual-mode heat transfer in a cylinder. *J. Quant. Spectros. Radiat. Transfer* in press, Vo. 73, pp. 583- 602, (2002).
- [167]Bellman, R. E., Wing, G. M., *An Introduction to Invariant Imbedding*, (New York: Wiley) (1975).
- [168]Wick, G. C., *Zs. f. Phys.*, 121,702, (1943).
- [169]Siewert, C. E., *On the Phase Matrix Basic to the Scattering of Polarized Light*, Department of Physics and Astronomy, Free University, De Boelelaan 1081, 1081 HV Amsterdam, The Netherlands, *Astron. Astrophys.* 109, 195 – 200, (1982).
- [170]McFarlane, N. A., Boer, G. J., Blanchet, J.-P., and Lazare, M., The Canadian Climate Centre second-generation general circulation model and its equilibrium climate. *J. Climate*, 5, 1013–1044, (1992).
- [171]McFarlane, N. A., Scinocca, J. F., Lazare, M., Harvey, R., Versegny, D., and Li, J., The CCCma third generation atmospheric general circulation model. *CCCma Internal Rep.*, 25 pp, (2005).
- [172]Hansen, J., Russell, G., Rind, D., Stone, P., Lacis, A., Lebedeff, S., Ruedy, R., and Travis, L., Efficient three-dimensional global models for climate studies: Models I and II. *Mon. Wea. Rev.*, 111, 609–662, (1983).
- [173]Mihalas, D., Freeman, *Stellar atmosphere*, San Francisco., (1978).
- [174]Cannon, C.J.,*The transfer of spectral line radiation*, Cambridge University Press, Cambridge, (1984).
- [175]Wehrse, R., Beckman, Crivellari. L., *Progress in Stellar spectral line formation theory*, eds. Reidel, Dordrecht, (1985).

- [176]Wehrse, R and Kalkophen, W, *Astron. Astrophys*, 147, 71, (1985).
- [177]Schmidt, M and Wehrse, R., *Discrete ordinate matrix method, Numerical radiative transfer*, edited by W. Kolkophen Cambridge University Press, Cambridge, (1987).
- [178]Wiscombe, W. J., and Joseph, J. H., "The range of validity of the Eddington approximation," *Icarus*, 32, 362 – 77, (1977).
- [179]Mobley, C., "A numerical model for the computation of radiance distributions in natural waters with wind-roughened surfaces," *Limnol. Oceanogr.* 34, 1473 – 1483, (1989).
- [180]Gordon, H., and Wang, M., "Surface-roughness considerations for atmospheric correction of ocean color sensor. I. The Rayleigh-scattering component," *Appl. Opt.* 31, 4247 – 4260, (1992).
- [181]Kattawar, G., and Adams, C., "Stokes vector calculations of the submarine light field in an atmosphere-ocean with scattering according to a Rayleigh phase matrix: effect of interface refractive index on radiance and polarization," *Limnol. Oceanogr.* 34, 1453-1472, (1989).
- [182]Morel, A., and Gentili, A., "Diffuse reflectance of oceanic waters: its dependence on Sun angle as influenced by the molecular-scattering contribution," *Appl. Opt.* 30, 4427 – 4438, (1991).
- [183]Kirk, J., "Monte Carlo procedure for simulating the penetration of light into natural waters," *Division of Plant Industry Tech. Paper 36 (Commonwealth Scientific and Industrial Research Organization, Canberra, Australia)*, p. 16, (1981).
- [184]Nakajima, T., and Tanaka, M., "Effect of wind-generated waves on the transfer of solar radiation in the atmosphere ocean system," *J. Quant. Spectrosc. Radiat. Transfer* 29, 521-537, (1983).
- [185] Denman, K. L., A time-dependent model of the upper ocean. *J. Phys. Oceanogr.*, 3, 173–184, (1973).
- [186] Simpson, and T. D. Dickey, The relationship between downward irradiance and upper ocean structure. *J. Phys. Oceanogr.*, 11, 309–323, (1981).
- [187]Charlock, T. P., Mid-latitude model analysis of solar radiation, the upper layers of the sea, and seasonal climate. *J. Geophys. Res.*, 87, 8923–8930, (1982).

- [188]Kantha, L. H., and Clayson, C. A., An improved mixed-layer model for geophysical applications. *J. Geophys. Res.*, 99, 25 235–25 266, (1994).
- [189]Schneider, N., Barnett, T., Latif, M., and Stockdale, T., Warm pool physics in a coupled GCM. *J. Climate*, 9, 219–239, (1996).
- [190]Brainerd, K. E., and Gregg, M. C., Turbulence and stratification on the Tropical Ocean–Global Atmosphere–Coupled Ocean Atmosphere Response Experiment microstructure pilot cruise. *J. Geophys. Res.*, 102, 10 437–10 455, (1997).
- [191]Ohlmann, J. C., Siegel, D. A., and Washburn, L., Siegel, D. A., Radiant heating of the western equatorial Pacific during TOGA-COARE. *J. Geophys. Res.*, 103, 5379–5395, (1998).
- [192]Jerlov, N. G., *Marine Optics*. Elsevier, 229 pp., (1976).
- [193]Kraus, E. B., *Atmosphere–Ocean Interaction*. Clarendon, 275 pp. (1972).
- [194]Paulson, C. A., and Simpson, J. J., Irradiance measurements in the upper ocean. *J. Phys. Oceanogr.*, 7, 953–956, (1977).
- [195]Zaneveld, J. R., and Spinrad, R. W., An arc tangent model of irradiance in the sea. *J. Geophys. Res.*, 85, 4919 – 4922, (1980).
- [196]Paulson, C. A., and Simpson, J. J., The temperature difference across the cool skin of the ocean. *J. Geophys. Res.*, 86, 11 044–11 054, (1981).
- [197]Woods, J. D., Barkmann, W., and Horch, A., Solar heating of the oceans—Diurnal, seasonal and meridional variation. *Quart. J. Roy. Meteor., Soc.*, 110, 633–656, (1984).
- [198]Simonot, J. Y., and Treut, H. Le, A climatological field of mean optical properties of the world ocean. *J. Geophys. Res.*, 91, 6642– 6646, (1986).
- [199]Morel, A., Optical modeling of the upper ocean in relation to its biogenous matter content (case I waters). *J. Geophys. Res.*, 93, 10 749–10 768, (1988).
- [200]Morel, A., and Antoine, D., Heating rate within the upper ocean in relation to its bio-optical state. *J. Phys. Oceanogr.*, 24, 1652– 1665, (1994).

- [201]Ohlmann, J. C., Siegel, D. A., and Gautier, C., Ocean mixed layer radiant heating and solar penetration: A global analysis. *J. Climate*, 9, 2265–2280, (1996).
- [202]Smith, R. C., and K. S. Baker, Optical classification of natural waters. *Limnol. Oceanogr.*, 23, 260 – 267, (1978).
- [203]Siegel, D. A., and Dickey, T. D., On the parameterization of irradiance for open ocean photoprocesses. *J. Geophys. Res.*, 92, 14 648 –14 662, (1987).
- [204]Lewis, M. R., Carr, M. –E., Feldman, G. C., Esaias, W., and McClain, C., Influence of penetrating solar radiation on the heat budget of the equatorial Pacific Ocean. *Nature*, 347, 543 – 545, (1990).
- [205]Siegel, J. C. Ohlmann, L. Washburn, R. R. Bidigare, C. Nosse, E. Fields, and Y. Zhou, Solar radiation, phytoplankton pigments and radiant heating of the equatorial Pacific warm pool. *J. Geophys. Res.*, 100, 4885 – 4891, (1995).
- [206]Nann, S., and Riordan, C., Solar spectral irradiance under clear and cloudy skies: measurements and a semi-empirical model. *J. Appl. Meteor.*, 30, 447–462 (1991).
- [207]Siegel, D. A., Westberry, T., and Ohlmann, J. C., Cloud color and ocean radiant heating. *J. Climate*, 12, 1101–1116, (1999).
- [208]Liou, K. N., *An Introduction to Atmospheric Radiation*. Academic Press, 392 pp., (1980).
- [209]Kirk, J. T. O., Dependence of relationship between inherent and apparent optical properties of water on solar altitude. *Limnol. Oceanogr.*, 29, 350–356, (1984).
- [210]Gordon, H., "Dependence of the diffuse reflectance of natural waters on the sun angle," *Limnol. Oceanogr.* 34, 1484–1489, (1989).
- [211]Payne, R. E., Albedo of the sea surface. *J. Atmos. Sci.*, 29, 959–970, (1972).
- [212]Katsaros, K. B., McMurdie, L. A., Lind, R. J., and DeVault, J. E., Albedo of a water surface, spectral variation, effects of atmospheric transmittance, sun angle and wind speed. *J. Geophys. Res.*, 90, 7313–7321, (1985).
- [213]Preisendorfer, R. W., and Mobley, C. D., Albedos and glitter patterns of a wind roughened sea surface. *J. Phys. Oceanogr.*, 16, 1293 –1316, (1986).

- [214]Simpson, J. J., and Paulson, C. A., Mid-ocean observations of atmospheric radiation. *Quart. J. Roy. Meteor. Soc.*, 105, 487– 502, (1979).
- [215]Cox, C., and Munk, W., "Measurement of the roughness of the sea surface from photographs of the sun's glitter," *J. Opt. Soc. Amer.*, 44, 838–850, (1954).
- [216]Plass, G. N., Kattawar, G. W., and Guinn, J. Jr., "Radiative transfer in the earth's atmosphere and ocean: influence of ocean waves," *Appl. Opt.* 14, 1924 – 1936, (1975).
- [217]Kirk, J. T. O., "The upwelling light stream in natural waters," *Limnol. Oceanogr.* 34, 1410 – 1425, (1989).
- [218]Gordon, H., and Wang, M., "Surface-roughness considerations for atmospheric correction of ocean color sensors. I. The Rayleigh-scattering component," *Appl. Opt.* 31, 4247 – 4260, (1992).
- [219]Barker, H. W., and Li, Z., Improved simulation of clear-sky shortwave radiative transfer in the CCC-GCM. *J. Climate*, 8, 2213–2223, (1995).
- [220]Deuze, J. L., Herman, M., and Santer, R., "Fourier series expansion of the transfer equation in the atmosphere-ocean system," *J. Quant. Spectrosc. Radiat. Transfer* 41, 483–494, (1989).
- [221]Mobley, C. D., A numerical model for the computation of radiance distributions in natural waters with wind roughened surfaces. *Limnol. Oceanogr.* 34, 1473–1483, (1989).
- [222]Mobley, C. D., *Light and Water: Radiative Transfer in Natural Waters*. Academic Press, 592 pp., (1994).
- [223]Mobley, C. D., Gentili, B., Gordon, H. R., Jin, Z., Kattawar, G. W., Morel, A., Reinersman, P., Stamnes, K., and Stavn, R. H., "Comparison of numerical models for computing underwater light fields," *Appl. Opt.* 32, 7484–7504, (1993).
- [224]Mobley, C., "A numerical model for the computation of radiance distributions in natural waters with wind-roughened surface, Part-II: users' guide and code listing," NOAA Tech. Memo, ERL PMEL-81 (NTIS PB88-246871) (Pacific Marine Environmental Laboratory, Seattle, Wash.), (1988).
- [225]Liou, K. N., Analytic two-stream and four-stream solutions for radiative transfer, *J. Atmos. Sci.*, 31, 1473 – 1475, (1974).

- [226] Liou, K. N., Fu, Q., and Ackerman, T. P., A simple formulation of the delta-four-stream approximation for radiative transfer parameterizations, *J. Atmos. Sci.*, 45, 1940-1948, (1988).
- [227] Fraser, R. S., and Walker, W. H., *JOSA* 58, 636, (1968).
- [228] Dave, J. V., Tech. Report, Contract No. NAS5-21680, NASA-Goddard Space Flight Center, Greenbelt, MD, (1972).
- [229] Kattawar, G. W., Plass, G. N., and Guinn, J. A., Jr., *J. Phys. Oceanogr.* 3, 353 (1973).
- [230] Raschke, E., *Beitr. Phys. Atmos.* 45, 1 (1972).
- [231] Busbridge, I. W., *The mathematics of radiative transfer*, Cambridge University, Press, Cambridge, (1960).
- [232] Quenzel, H., and Kaestner, M., *Appl. Opt.* 19, 1338 (1980).
- [233] Ahmad, Z., and Fraser, R. S., *J. Atmos. Sci.* 39, 656, (1982).
- [234] Takashima, T., and Masuda, K., *Appl. Opt.* 24, 2423, (1985).
- [235] Liu, Q., and Weng, F., A microwave polarimetric two-stream radiative transfer model, *Journal of Atmospheric Sciences*, Vol. 59, 2396–2220, (2002).
- [236] Van der Mee, C. V. M. *Integral Eqs. Oper. Th.* 5, 573, (1982).
- [237] Weng, F., A multi-layer discrete-ordinate method for vector radiative transfer in a vertically-inhomogeneous, emitting and scattering atmosphere I: Theory. *J. Quant. Spec. Radiat. Transfer*, 47, 19–33, (1992).
- [238] Gordon, H. R., O. B. Brown, R. H. Evans, J. W. Brown, r. C. Smith, K. S. Baker, and D. K. Clark, A semi-analytic radiance model of ocean color. *J. Geophys. Res.*, 93, 10-909 – 10-924, (1988).
- [239] Hovenier, J. W., *J. Atmospheric Sci.* 26, 488, (1969).

- [240]Seigel, D. A., J. C. Ohlmann, L. Washburn, R. R. Bidigare, C. Nosse, E. Field, and Y. Zhou, Solar radiation, phytoplankton pigments, and radiant heating of the equatorial Pacific warm pool. *J. Geophys. Res.*, 100, 4885 – 4891, (1995).
- [241]Schultz, F. M., Stamnes, K., and Weng, F., An improved and generalized discrete ordinate radiative transfer model for polarized (vector) radiative transfer computations. *Quant. Spectrosc. Radiat. Transfer*, 61, 105–122, (1999).
- [242]Evans, K. F., and G. L. Stephens, A new polarized atmospheric radiative transfer model. *J. Quant. Spectrosc. Radiat. Transfer*, 46, 413–423, (1991).
- [243]Waterman, P. C., Matrix-exponential description of radiative transfer. *J. Opt. Amer.*, 27, 410–422, (1981).
- [244]Liu, Q., and Ruprecht, E., A radiative transfer model: Matrix operator method. *Appl. Opt.*, 35, 4229–4237, (1996).
- [245]Coakley, J., and Chylek, P., The two-stream approximation in radiative transfer: Including the angle of the incident radiation. *J. Atmos. Sci.*, 32, 409 – 418, (1975).
- [246]Kerschgens, M., Pilz, U., and Raschke, E., A modified two-stream approximation for computations of the solar radiation budget in the cloudy atmosphere. *Tellus*, 30, 429–435, (1978).
- [247]Schmetz, J., Operational calibration of the METEOSAT water vapor channel by calculated radiances. *Appl. Opt.*, 28, 3030–3038, (1989).
- [248]Weng, F., and Grody, N. C., Retrieval of ice cloud parameters using a microwave imaging radiometer. *J. Atmos. Sci.*, 57, 1069 – 1081, (2000).
- [249]O'Brien, D. M., "Accelerated quasi Monte Carlo integration of the radiative transfer equation," *J. Quant. Spectrosc. Radiat. Transfer* 48, 41 – 59, (1992).
- [250]Evans, K. F., "The spherical harmonic discrete ordinate method for three-dimensional atmospheric radiative transfer," *J. Atmos. Sci.* 55, 429 – 446, (1998).
- [251]Sanchez, A., Smith, T. F., and Krajewski, W. F., "A three-dimensional atmospheric radiative transfer model based on the discrete-ordinates method," *Atmos. Res.* 33, 283 – 308, (1994).

- [252]Haferman, J. L., Smith, T. F., and Krajewski, W. F., "A multidimensional discrete-ordinates method for polarized radiative transfer. Part I: validation for randomly oriented axisymmetric particles," *J. Quant. Spectrosc. Radiat. Transfer* 58, 379 – 398, (1997).
- [253]Gu, Y., and Liou, K. N., "Radiation parameterization for three-dimensional inhomogeneous cirrus clouds: application to climate models," *J. Clim.* 14, 2443 – 2457, (2001).
- [254]Marshak, A., and Davis, A. B., eds., *3D Radiative Transfer in Cloudy Atmospheres*, Springer, (2005).
- [255]Chen, Y., Liou, K. N., and Gu, Y., "A efficient diffusion approximation for 3D radiative transfer parameterization: application to cloudy atmospheres," *J. Quant. Spectrosc. Radiat. Transfer* 92, 189 – 200, (2005).
- [256]Stenholm, L. G., Storzer, H., and Wehrse, R., "An efficient method for the solution of 3-D radiative transfer problems," *J. Quant. Spectrosc. Radiat. Transfer* 45, 47 – 56, (1991).
- [257]I3RC group, "I3RC Monte Carlo community model of 3D radiative transfer," <http://i3rc.gsfc.nasa.gov/I3RC-intro.html>.
- [258]Pincus, R., Barker, H. W., and Morcrette, J. J., "A fast, flexible, approximate technique for computing radiative transfer in inhomogeneous cloud fields," *J. Geophys. Res.* 108, 4376 – 4381, (2003).
- [259]Jin, Z., Charlok, P., Rutledge, K., Stamnes, K., Wang, Y., Analytical solution of radiative transfer in the coupled atmosphere-ocean system with rough Surface, *Applied optics*, vol. 45, no. 28, 7443 – 7455, (2006).
- [260]Haltrin, V. I., One Parameter Sea Water Light Scattering Phase Function in the Form of Legendre Polynomial Series. *OCEANS 2003 MTS-IEEE Conference Proceedings on CD-ROM*, pp. 2842-2844, San Diego, California, September 22-26, (2003).
- [261]Gordon, H. R., "Ship perturbation of irradiance measurements at sea. 1: Monte Carlo simulations," *Appl. Opt.* 24, 4172 – 4182, (1985).
- [262]Reinersman, P. N., and Carder, K. L., "Monte Carlo simulation of the atmospheric point-spread function with an application to correction for the adjacency effect," *Appl. Opt.* 34, 4453 – 4471, (1995).

- [263]Peng-Wang Zhai, Kattawar, G. W., and Yang, P., "Impulse response solution to the three-dimensional vector radiative transfer equation in atmosphere–ocean systems. II., The hybrid matrix operator—Monte Carlo method," Vol. 47, No. 8, Appl. Opt., p – 1063, (2008).
- [264]Minnaert, M., "The Nature of Light and Colour in the Open Air," Dover, New York, (1954).
- [265]Jerlov, N. G., Optical Oceanography, Elsevier, New York, (1968).
- [266]Jerlov, N. G., and Nielsen, E. S., Eds., Optical Aspects of Oceanography, Academic, New York, (1974).
- [267]Plass, G. N., and Kattawar, G. W., Appl. Opt. 7, 415, (1968).
- [268]Plass, G. N., and Kattawar, G. W., J. Atmos. Sci. 28, 1187, (1971).
- [269]Plass, G. N., and Kattawar, G. W., Appl. Opt. 8, 455, (1969).
- [270]Plass, G. N., and Kattawar, G. W., J. Phys. Oceanogr. 2, 249, (1972).
- [271]Kattawar, G. W., and Plass, G. N., J. Phys. Oceanogr. 2, 146, (1972).
- [272]Feldman, I.A. Matem. Issled. Kishinev 10(3), 226, (1975)
- [273]Raschke, E., Beitr. Phys. Atmos. 45, 1, (1972).
- [274]Gordon, H. R., and Brown, "Irradiance reflectivity of a flat ocean as a function of its optical properties," Appl. Opt. 12, 1549–1551,(1973).
- [275]Haltrin. V. I., "One-parameter two-term Henyey-Greenstein phase function for light scattering in sea water," Applied Optics, 41, 1022-1028, (2002).
- [276]Karp, A. H., Greenstadt, J., and J. A. Fillmore, Radiative Transfer through an Arbitrarily Thick, Scattering Atmosphere, J. Quant. Spectrosc. Radiat. Transfer, 24, pp. 391 – 406, (1980).
- [276a] Karp, A. H., The recent advances in spherical-harmonics methods, Personal Communication, (1997).
- [277]Karp, A. H., Computing the Angular Dependence of the Radiation of a Planetary Atmosphere, J. Quant. Spectrosc. Radiat. Transfer, 25, pp. 403 – 412, (1981).

- [278] Benassi, M., Garcia, R. D. M., Karp, A. H., and Siewert, C. E., A High-Order Spherical harmonics Solution to the Standard Problem in Radiative Transfer, *Astrophys. J.*, 280, pp. 853 – 864, (1984).
- [279] McCormick, N. J., and Siewert, C. E., Particular Solutions for the Radiative Transfer Equation, *J. Quant. Spectrosc. Radiat. Transfer*, 46, pp. 519 – 522, (1991).
- [280] Barichello, L. B., Garcia, R. D. M., and Siewert, C. E., A Spherical Harmonics Solution for Radiative Transfer Problems with Reflecting Boundaries and Internal Sources. Preprint, (1996).
- [281] Siewert, C. E., and McCormick, N. J., A Particular Solution for Polarization Calculations in Radiative Transfer, *J. Quant. Spectrosc. Radiat. Transfer*, 50, pp. 531 – 540, (1993).
- [282] Siewert, C. E., and Thomas, J. R. Jr., On Coupled Conductive – Radiative Heat Transfer in a Sphere, *J. Quant. Spectrosc. Radiat. Transfer*, 45, pp. 63 – 72, (1991).
- [283] Wells, W. H., and Sidorowich, J. J., Computational Techniques for Radiative Transfer by Spherical Harmonics, *J. Quant. Spectrosc. Radiat. Transfer*, 33, pp. 347 – 363, (1985).
- [284] Takeuchi, Y., Use of Spherical Harmonics in the Solution of the Radiative Transfer Problem, *J. Quant. Spectrosc. Radiat. Transfer*, 39, pp. 237 – 245, (1988).
- [285] Dave, J. V., A Direct Solution of the Spherical Harmonics Approximation to the Transfer Equation for a Plane Parallel, Non-homogeneous Atmosphere, *J. Atmos. Sci.*, 32, (1975).
- [286] Settle, J. J., Some Properties of an Integral that Occurs in Problems of Radiative Transfer, *J. Quant. Spectrosc. Radiat. Transfer*, 52, pp. 195 – 206, (1994).
- [287] Gander, M. J., Numerical Evaluation of a Particular Integral. Unpublished, (January 1996).
- [288] Gautschi, W., ORTHPOL – A Package of Routines for Generating Orthogonal Polynomials and Gauss-type Quadrature Rules, *ACM Trans. Math. Software*, 20 (1994).
- [289] Dehesa, J. S., Zarzo, A., Yanez, R. J., Germano, B., and Ricci, P. E., Orthogonal Polynomials and Differential Equations in Neutron Transport and Radiative Transfer Theories, *J. Computational and Applied Math.*, 50, pp. 197 – 206, (1994).

- [290]Siewert, C. E., and McCormick, N. J., Some Identities for Chandrasekhar Polynomials. preprint, (1996).
- [291]Garcia, R. D. M., and Siewert, C. E., On Computing the Chandrasekhar Polynomials in High Order and High Degree, *J. Quant. Spectrosc. Radiat. Transfer*, 43, pp. 201 – 205, (1990).
- [292]Siewert, C. E., A Spherical Harmonics Method for Multi-group or Non-gray Radiation Transport, *J. Quant. Spectrosc. Radiat. Transfer*, 49, pp. 95 – 106, (1993).
- [293]Garcia, R. D. M., and Siewert, C. E., A Generalized Spherical Harmonics Solution for Radiative Transfer Models that Include Polarization Effects, *J. Quant. Spectrosc. Radiat. Transfer*, 36, pp. 401 – 423, (1986).
- [294]Li, W., and Tong, W., Radiative Heat Transfer in Isothermal Spherical Media, *J. Quant. Spectrosc. Radiat. Transfer*, 43, pp. 239 – 251, (1990).
- [295]Siewert, C. E., and J. R. Thomas, Jr., A Particular Solution for the P_n Method in Spherical Geometry, *J. Quant. Spectrosc. Radiat. Transfer*, 46, pp. 459 – 462, (1991).
- [296]Tine, S., Aiello, S., Bellini, A., and Pestellini, C. C., A Solution to the Problem of Radiative Transfer in Inhomogeneous Media Using the SHM, *J. Quant. Spectrosc. Radiat. Transfer*, 47, pp. 95 – 102, (1992).
- [297]Evans, K. F., Two Dimensional Radiative Transfer in Cloudy Atmospheres: The Spherical Harmonic Spatial Grid Method, *J. Atmos. Sci.*, 50, pp. 3111 – 3124, (1993).
- [298]Evans, K. F., The Spherical Harmonics Discrete Ordinate Method for Three Dimensional Atmospheric Radiative Transfer. Submitted to *J. Atmos. Sci.*, (July 1996).
- [299]Gordon, H., Brown, O., and Jacobs, M., "Computed relationships between the inherent and apparent optical properties of a flat homogeneous ocean," *Appl. Opt.* 14, 417–427, (1975).
- [300]Gordon, H., "A bio-optical model describing the distribution of irradiance at the sea surface resulting from a point source embedded in the ocean," *Appl. Opt.* 26, 4133–4148, (1987).
- [301]Gordon, H., "Can the Lambert-Beer law be applied to the diffuse attenuation coefficient of ocean water?" *Limnol. Oceanogr.* 34, 1389–1409, (1989).
- [302]Gordon, H., "Diffuse reflectance of the ocean: influence of non-uniform phytoplankton pigment profile," *Appl. Opt.* 31, 2116–2129, (1992).

- [303]Ge, Y., Gordon, H., and Voss, K., "Simulation of inelastic-scattering contributions to the irradiance field in the oceanic variation in Fraunhofer line depths," *Appl. Opt.* 32, 4028–4036, (1993).
- [304]Cox, C., and Munk, M., "Statistics of the sea surface derived from sun glitter," *J. Mar. Res.* 13, 198–227, (1954).
- [305]Elterman, L., "UV, visible, and IR attenuation for altitudes to 50 km," Rep. AFCRL-68-0153 (U. S. Air Force Cambridge Research Laboratory, Bedford, Mass.), (1968).
- [306]Mie, G., "Beitrage zur Optik truber Medien, speziell Kolloidalen Metall-Losungen," *Ann. Phys.* 25, 377 – 445, (1908).
- [307]Deirmendjian, D., "Scattering and polarization properties of polydisperse suspensions with partial absorption," in *Electromagnetic Scattering*, M. Kerker, ed. (Pergamon, New York), pp. 171 – 189, (1963).
- [308]Kattawar, G and Xu, X., "Filling-in of Fraunhofer lines in the ocean by Raman scattering," *Appl. Opt.* 31, 1055–1065, (1992).
- [309] Kattawar, G., and Adams, C., "Errors in radiance calculations induced by using scalar rather than Stokes vector theory in a realistic atmosphere-ocean system," in *Ocean Optics X*, R. W. Spinrad, ed., *Proc. Soc. Photo-Opt. Instrum. Eng.* 1302, 2 – 2, (1990).
- [310]Adams, C., and Kattawar, G., "Effect of volume scattering function on the errors induced when polarization is neglected in radiance calculations in an atmosphere-ocean system," *Appl. Opt.* 20, 4610–4617, (1993).
- [311]Kattawar, G., and Adams, C., "Errors induced when polarization is neglected in radiance calculations for an atmosphere-ocean system," in *Optics of the Air-Sea Interface: Theory and Measurement*, L. Estep, ed., *Proc. Soc. Photo-Opt. Instrum. Eng.* 1749, 2 – 22, (1992).
- [312]Morel, A., and Gentili, B., "Diffuse reflectance of oceanic waters II. Bidirectional aspects," *Appl. Opt.* 32, 6864 – 6879, (1993).
- [313]Tanre, D., Herman, M., Deschamps, R., and deLeffe, A., "Atmospheric modeling for space measurements of ground reflectances including bidirectional properties," *Appl. Opt.* 18, 3587 – 3594, (1979).

- [314] Baker, K., and Frouin, R., "Relation between photosynthetically available radiation and total insolation at the ocean surface under clear skies," *Limnol. Oceanogr.* 32, 1370 – 1377, (1987).
- [315] Gordon, H., and Castano, D., "Coastal zone color scanner atmospheric correction algorithm: multiple scattering effects," *Appl. Opt.* 26, 2111, (1987).
- [316] Blatter, W., Horak, H., Collins, D., and Wells, M., "Monte Carlo studies of the sky radiation at twilight," *Appl. Opt.* 13, 534, (1974).
- [317] Stavn, R., and Weidemann, A., "Optical modeling of clear oceanlight fields: Raman scattering effects," *Appl. Opt.* 27, 4002 – 4011, (1988).
- [318] Stavn, R., and Weidemann, A., "Raman scattering in ocean optics: quantitative assessment of internal radiant emission," *Appl. Opt.* 31, 1294–1303, (1992).
- [319] Brine, D., and Iqbal, M., "Diffuse and global solar spectral irradiance under cloudless skies," *Sol. Energy* 30, 447–453, (1983).
- [320] Harrison, A., Coombes, C., "Angular distribution of clear sky short wavelength radiance," *Sol. Energy* 40, 57–69, (1988).
- [321] Bukata, R. P., Jerome, J. H., Kondratyev, K. Ya., and Pozdnyakov, D. V.: *Optical Properties and Remote Sensing of Inland and Coastal Waters* CRC Press, Boca Raton, (1995).
- [322] Gordon, H. R.: Inverse methods in hydrologic optics. *Oceanologia* 44, 9 – 58, (2002).
- [323] Kirk, J.T.O.: *Light & Photosynthesis in Aquatic Ecosystems*, 2nd ed. Cambridge, Cambridge, (1994).
- [324] Petzold, T. J.: Volume scattering functions for selected ocean waters, SIO Ref. 71 – 78, Scripps Institution of Oceanography, San Diego, Calif. (1972).
- [325] Walker, R. E.: *Marine Light Field Statistics*, Wiley, New York, (1994).
- [326] Shettle, E. P., and Weinman, J. A., "The transfer of solar irradiance through inhomogeneous turbid atmospheres evaluated by Eddington's approximation," *J. Atmos. Sci.*, 27, 1048 – 55, (1970).

- [327]Toon, O. B., McKay, C. P., Ackerman, T. P., and Santhanam, K., "Rapid calculation of radiative heating rates and photo dissociation rates in inhomogeneous multiple scattering atmospheres," *J. Geophys. Res.*, 94, 16287 – 301, (1989).
- [328]Kylling, A., Stamnes, K., and Tsay, S. C., "A reliable and efficient two-stream algorithm for radiative transfer: Documentation of accuracy in realistic layered media," *J. Atmos. Chem.*, 21, 115 – 50, (1995).
- [329]Meador, W. E. and Weaver, W. R., "Two-stream approximations to radiative transfer in planetary atmospheres: A unified description," *J. Atmos. Sci.*, 37, 630 – 43, (1980).
- [330]Zdunkowski, W. G., Welch, R. M., and Korb, G., "An investigation of the structure of typical two-stream methods for the calculation of solar fluxes and heating rates in clouds," *Contrib. Atmos. Phys.*, 53, 147 – 66, (1980).
- [331]King, M. D., and Harshvardhan, "Comparative accuracy of selected multiple scattering approximations," *J. Atmos. Sci.*, 43, 784 – 801, (1986).
- [332]Harshvardhan and King, M. D., "Comparative accuracy of diffuse radiative properties computed using selected multiple scattering approximations," *J. Atmos. Sci.*, 50, 247 – 59, (1993).
- [333]Stokes, G., "On the intensity of the light reflected from or transmitted through a pile of plates," *Proc. R. Soc. London*, 11, 545 – 56, (1862).
- [334] Twomey, S., Jacobowitz, H., and Howell, J., "Matrix methods for multiple scattering problems," *J. Atmos. Sci.*, 23, 289 – 96, (1966).
- [335]Van de Hulst, H. C., and Grossman, K., "Multiple light scattering in planetary atmospheres," in *The Atmospheres of Venus and Mars*, edited by J. C. Brandt and M. V. McElroy, Gordon and Breach, New York, (1968).
- [336]Hunt, G. E., and Grant, I. P., "Discrete space theory of radiative transfer and its application to problems in planetary atmospheres," *J. Atmos. Sci.*, 26, 963 – 72, (1969).
- [337]Wiscombe, W. J., "Atmospheric radiation: 1975–1983," *Rev. Geophys.*, 21, 997 – 1021, (1983).
- [338]Feautrier, P., "Sur la resolution numerique de l'equation de transfert," *C. R. Acad. Sci Paris*, 258, 3189 – 91, (1964).

- [339]Mihalas, D., "The computation of radiation transport using Feautrier variables, 1, Static media," *J. Comput. Phys.*, 57, 1 – 25, (1985).
- [340]Kalkofen, W. (ed.), *Methods in Transfer Problems*, Cambridge University Press, New York, (1984).
- [341]Cheyney, H., and Arking, A., "A new formulation for anisotropic radiative transfer problems, I, Solution with a variational technique," *Astrophys. J.*, 207, 808 – 19, (1976).
- [342] Anderson, D. E., "The troposphere-stratosphere radiation field at twilight: A spherical model." *Planet. Space Sci.*, 31, 1517 – 23, (1983).
- [343]Rybicki, G. B., and Hummer, D. G., *Astrophys. J.* 150, 607, (1967).
- [344]Strickland, D. J., "The transport of the resonance radiation in a non-isothermal medium: The effect of a varying Doppler width," *J. Geophys. Res.*, 84, 5890 – 96, (1979).
- [345]Strickland, D. J., and Donahue, T. M., "Excitation and radiative transport of OI 1304 Å radiation, 1, the dayglow," *Planet. Space Sci.*, 18, 661 – 89, (1970).
- [346]Chandrasekhar, S., *Radiative Transfer*. Dover, 393 pp, (1960).
- [347]Dera, J., *Marine Physics*, Elsevier, Amsterdam, (1992).
- [348]Preisendorfer, R. W., Direct and inverse irradiance models in hydrologic optics. *Limnol. Oceanogr.* 29: 903 – 929, (1984).
- [349]Prieur, L., Transfert radiatif dans les eaux de mer. D. S. thesis, 3rd cycle. Univ. Pierre-et-Marie-Curie, Paris. 243 p., (1976).
- [350]Tyler, J. E., and Smith, R. C., *Measurements of spectral irradiance underwater*, Gordon and Breach, (1970).
- [351]Spitzer, D., and Wernand, M. R., In situ measurements of absorption spectra in the sea, *Deep-Sea Res.* 28: 165 – 174, (1981).
- [352]Preisendorfer, R. W., Empirical determinations of the local and global optical properties of irradiance fields in the sea, p. 56 – 59, In *Ocean Optics 6. Proc. Soc. Photo-opt. Instr. Eng.* (SPIE), V. 208, (1979).

- [353]Kishino, M., Sugihara, S., and Okami, N., Influence of fluorescence of chlorophyll a on underwater upward irradiance spectrum. *La Mer* 22: 224 – 232, (1984a).
- [354]Spitzer, D., and Wernand, M. R., Multi-spectral remote sensing of fluorescent tracers: Theory and experiments. *Oceanol. Acta* 6: 201 – 210, (1983).
- [355]Dirks, R. W. J., and Spitzer, D., On the radiative transfer in the sea, including fluorescence and stratification effects, *Limnol. Oceanogr*, 32(4), 942 – 953, (1987).
- [356]Haltrin, V. I., "Theoretical and empirical phase functions for Monte Carlo calculations of light scattering in seawater," in *Proceedings of the Fourth International Conference Remote Sensing for Marine and Coastal Environments, I*, pp.509-518, (Envir. Res. Inst. Of Michigan, Ann Arbor, MI, USA, (1997).
- [357]Kattawar, G. W., "A three-parameter analytic phase function for multiple scattering calculations," *J. Quant. Spectrosc. Radiat. Transfer* 15, 839 – 849, (1975).
- [358]Timofeyeva. V. A., "Relation between light-field parameters and between scattering phase function characteristics of turbid media, including seawater," *Izv. Acad. Sci. USSR Atmos. Ocean Phys.* 14, 843 – 848, (1978)
- [359]Fournier, G. R., and Forand, J. L., "Analytic phase function for ocean water," *SPIE, Vol. 2258, Ocean Optics XII*, J. S. Jaffe, ed., pp. 194 – 201, (1994).
- [360]Born, M., and Wolf, E., *Principles of optics*. Pergamon, (1975).
- [361]Mobley, C., and Preisendorfer, R., "A numerical model for the computation of radiance distributions in natural waters with wind-roughened surfaces," *NOAA Tech. Memo. ERL PMEL – 75 (NTIS PB88- 192703) (Pacific Marine Environmental Laboratory, Seattle, Wash.)*, (1988).
- [362]Fireland, W. A., "The selection of discrete ordinate quadrature sets for anisotropic scattering," *American Society of Mechanical Engineers, Heat Transfer Division* 72, 89–96, (1991).
- [363]Lathrop, K. D., "Spatial differencing of the transport equation: positive vs. accuracy," *J. Comput. Phys.* 4, 475–498, (1968).
- [364]Lathrop, K. D., and Brinkley, F. W., "TWOTRAN-II code," *Los Alamos Scientific Laboratory Rep. LA-4848-MS* _Los Alamos Scientific Laboratory, Los Alamos, N. Mex., (1973).

- [365]Wiscombe, W. U., NCAR Tech. Note NCAR/TN-121+STR, (1979).
- [366] Lee, W. L., and Liou, K. N., A Coupled Atmosphere-Ocean Radiative Transfer System Using the Analytic Four-Stream Approximation Department of Atmospheric and oceanic Sciences, University of California, Los Angeles, Los Angeles, California, (2007)
- [367]Chami, M., Importance of the polarization in the retrieval of oceanic constituents from the remote sensing reflectance, *Journal of Geophysical Research*. Vol. 112, C05026, doi: 10.1029 / 2006 JC003843, (2007).
- [368]Gordon, H. A., "Dependence of the diffuse reflectance of natural waters on the sun angle", *Limnol, Oceanogr.*34, 1484-1489, (1989).
- [369]Haltrin, V. I., Analytical one-parameter sea water light scattering phase function with integral properties of experimental phase functions, *Proceedings of the II International Conference "Current Problems in Optics of Natural Waters,"ONW'2003*, Eds. Iosif Levin and Gary Gilbert, St. Petersburg, Russia, pp. 383, (2003).
- [370]Morel, A., and Gentili, B., Diffuse reflectance of oceanic waters, III, Implication of bidirectionality for the remote sensing problem, *Appl. Opt*, 35, 4850-4862.(1996).
- [371]Haltrin, V. I., An analytic Fournier Forand scattering phase function was derived by Haltrin as an alternative to the HG phase functions in hydrologic optics, *IEEE International Geoscience and Remote Sensing Symposium Proceedings*, Vol. II, T.I.Sein, Ed., IEEE cat. 98CH36174, Libr. Of Congr. 97-80873, IEEE, Picataway, NJ, USA, (1998).
- [372]Jin, Z., Charlock, T. P., and Rutledge, K., Analysis of broadband solar radiation and albedo over the ocean surface at COVE. *J. Atmos. Oceanic Technol.*, 19, 1585-1601, (2002).
- [373]L. B. Barichello, R. D. M. Garcia and C. E. Siewert, "Particular Solutions for the Discrete-Ordinates Method," *Journal of Quantitative Spectroscopy and Radiative Transfer*, 64, 219-226, (2000).
- [374]Siewert, C. E., "A Concise and Accurate Solution for a Polarization Model in Radiative Transfer," *Journal of Quantitative Spectroscopy and Radiative Transfer*, 62, 677-684, (1999).

- [375]Barichello, L. B., and Siewert, C. E., "A New Version of the Discrete-Ordinates Method," Proceedings: Computational Heat and Mass Transfer-2001, Rio de Janeiro, I, 340 – 347, (2002).
- [376]Wauben, W. M. F., and Hovenier, J. W., JQSRT, 47: 491, (1992).
- [377]Sobolev. V., Soviet Astron. 1, 678, (1957).
- [378]Li, J, Scinocca, J, Lazare. M., McFarland, N., Von Salzen and Solhelm. L; Ocean surface albedo and its impact on radiation balance in climate models; Canadian centre for climate modeling and analysis, Meteorological service of Canada, Victoria, British Columbia, Canada, (2006).

