

Contents

Contents	Page No.
Chapter 1. Introduction	01-07
1.1 <i>Panax sokpayensis</i> Shiva K. Sharma & Pandit	01-02
1.2 Biosynthesis of ginsenosides	02-05
1.3 Global status of research in <i>P. sokpayensis</i>	05-07
Chapter 2. Literature Review	08-34
2.1 Classification of plant secondary metabolites	08-10
2.2 Biosynthesis of secondary metabolites	10-11
2.3 Ginsenosides	11-13
2.4 Biosynthesis of ginsenosides	15-26
2.4.1 <i>Mevalonate Pathway</i>	15-18
2.4.1.1 Acetyl-CoA C-Acetyltransferase (AACT)	15
2.4.1.2 3-Hydroxy-3-methylglutaryl coenzyme A synthase (HMGS)	15-16
2.4.1.3 3-Hydroxy-3-methylglutaryl coenzyme A reductase (HMGR)	16-17
2.4.1.4 Mevalonate kinase (MVK)	17
2.4.1.5 Phosphomevalonate Kinase (PMVK)	17
2.4.1.6 Mevalonate diphosphate decarboxylase (MVD)	18
2.4.1.7 Isopentenyl diphosphate isomerase (IDI)	18
2.4.2 <i>MEP pathway</i>	19-22
2.4.2.1 1-Deoxy-D-xylulose-5-phosphate synthase (DXS)	19
2.4.2.2 1-Deoxy-D-xylulose 5-phosphate reductoisomerase (DXR)	19-20
2.4.2.3 2-C-methyl-D-erythritol 4-phosphate cytidyltransferase (CMS)	20
2.4.2.4 4-(cytidine 5'-diphospho)-2-C-methyl-D-erythritol kinase (CMK)	20
2.4.2.5 2-C-methyl-D-erythritol 2,4-cyclodiphosphate synthase (MCS)	21
2.4.2.6 4-Hydroxy-3-methylbut-2-en-1-yl diphosphate synthase (HDS)	21
2.4.2.7 4-Hydroxy-3-methylbut-2-enyl diphosphate reductase (HDR)	21-22
2.4.3 Ginsenoside biosynthetic pathway	22-26
2.4.3.1 Geranyl pyrophosphate synthase (GPS)	22
2.4.3.2 Farnesyl pyrophosphate synthase (FPS)	22-23

2.4.3.3 Squalene synthase (SS)	23
2.4.3.4 Squalene epoxidase (SE)	23
2.4.3.5 Dammarenediol synthase (DS)	23-24
2.4.3.6 Protopanaxadiol synthase (PPDS)	24
2.4.3.7 Protopanaxatriol synthase (PPTS)	24
2.4.3.8 β -amyrin synthase (β -AS)	24-25
2.4.3.9 Glycosylation of ginsenoside aglycones	25-26
2.5 Regulation of gene expression of ginsenoside biosynthetic pathway genes	26-29
2.6 Metabolic engineering of ginsenoside biosynthesis	30-31
2.7 Transgenic plants for enhanced production of ginsenosides	32-34
Chapter 3. Materials and Methods	35-67
3.1 Reagents and equipments	35
3.2 Investigation of major ginsenosides in rhizomes of <i>Panax sokpayensis</i> from Sikkim Himalaya	35-38
3.2.1 Plant materials and chemicals	35
3.2.2 Preparation of calibration curve	35-36
3.2.3 Sample preparation and extraction	37
3.2.4 Quantification of ginsenosides in <i>P. sokpayensis</i>	37-38
3.2.5 Statistical analysis	38
3.3 Plant materials for molecular biological studies	38
3.4 Identification of differentially expressed genes using Suppression Subtractive Hybridization (SSH) cDNA libraries	39-53
3.4.1 Isolation of total ribonucleic acid (RNA)	39-40
3.4.1.1 Solutions and reagents	39
3.4.1.2 Protocol	39-40
3.4.2 Quantitation and electrophoresis of RNA	40
3.4.3 Purification of mRNA from total RNA	40-41
3.4.4 Ethanol precipitation of mRNA	41
3.4.5 Construction of cDNA SSH library	42-50
3.4.5.1 First strand cDNA synthesis	42
3.4.5.2 Second strand synthesis	42-44
3.4.5.3 <i>Rsa I</i> digestion	44-45
3.4.5.4 Adaptor ligation	45-46
3.4.5.5 First hybridization	46-47
3.4.5.6 Second hybridization	47-48
3.4.5.7 PCR amplification	48-50
3.4.6 Cloning of cDNA products	50-52
3.4.6.1 Ligation	50-51
3.4.6.2 Transformation	51-52
3.4.6.3 Selection of transformants	52

	3.4.6.4 Colony PCR	52
	3.4.7 Preparation of glycerol stock and plasmid isolation	53
	3.4.8 Sequencing of ESTs	53
	3.4.9 Pre – processing of reads, sequence assembly and functional annotation	53
	3.5 Degenerate primer based amplification of genes	54-56
	3.5.1 First strand cDNA synthesis	54-55
	3.5.1.1 Removal of genomic DNA contamination from RNA	54
	3.5.1.2 Priming	54
	3.5.1.3 First strand cDNA synthesis	54-55
	3.5.2 Polymerase chain reaction (PCR) using degenerate primers	55
	3.5.3 Electrophoresis of PCR products	55
	3.5.4 DNA extraction from gel	55
	3.5.5 DNA quantitation	55
	3.5.6 Cloning	55
	3.5.7 Plasmid isolation	55
	3.5.8 Sequencing	56
	3.5.9 Bioinformatics	56
	3.6 Rapid Amplification of cDNA ends (RACE)	56-58
	3.6.1 Primer designing for RACE	56
	3.6.2 Preparation of 5' and 3' RACE Ready cDNA	56-57
	3.6.3 Primary PCR for RACE	57
	3.6.4 Secondary (nested) PCR for RACE	57-58
	3.6.5 Cloning, sequencing and analysis of RACE products	58
	3.7 Gene expression studies	59-60
	3.7.1 Semi – quantitative reverse transcription PCR (Semi – quantitative RT – PCR)	59
	3.7.2 Quantitative real – time PCR (qRT – PCR)	59-60
	3.8 <i>In silico</i> comparative analysis of all the unigenes against available <i>Panax</i> transcriptomes	60
	3.9 Heterologous expression of plant protein in <i>E. coli</i>	60-67
	3.9.1 The QIA expressionist system	60-61
	3.9.2 Cloning of genes using pQE30 vector	
	3.9.2.1 Preparation of pQE30 vector for cloning	61-62
	3.9.2.2 Preparation of insert for cloning	
	3.9.2.2.1 Cloning of open reading frame (ORF)	63
	3.9.2.2.2 Introduction of cloning sites flanking ORF	63-64

	3.9.2.2.3 Restriction digestion of the insert to create cohesive ends	64-65
	3.9.2.3 Ligation of insert in expression vector pQE30	65
	3.9.2.4 Transformation in M15 [pREP4] cells	
	3.9.2.4.1 Preparation of M15 competent cells	65
	3.9.2.4.2 Transformation and selection	65
	3.9.2.4.3 Confirmation of insert through colony PCR and sequencing	65
	3.9.3 Protein expression	
	3.9.3.1 Time course analysis of induction of expression of heterologous protein	66
	3.9.3.2 SDS PAGE of heterologously expressed protein	66
	3.10 Bioinformatics tools used in the current work	66-67
Chapter 4: Results		68-146
	4.1 Major ginsenosides in rhizome of <i>Panax sokpayensis</i>	68
	4.2 Cloning and analysis of genes involved in ginsenoside biosynthetic pathway	68-101
	4.2.1 Genes cloned through Suppression Subtractive Hybridization (SSH) cDNA libraries	69-98
	4.2.1.1 SSH cDNA libraries, sequencing and assembly of ESTs	69
	4.2.1.2 Functional annotation of the ESTs	69-83
	4.2.1.3 Gene ontology (GO) annotation of ESTs	84-86
	4.2.1.4 InterPro Scan analysis of ESTs	86-87
	4.2.1.5 KEGG analysis of ESTs	87
	4.2.1.6 Validation of subtractive cDNA libraries by semiquantitative RT-PCR	88
	4.2.1.7 Identification of rare and novel transcripts by comparing all the unigenes with the available <i>Panax</i> transcriptomes	89-98
	4.2.2 Genes cloned through degenerate primer approach	99-101
	4.3 Cloning and characterization of full length genes through RACE	102-
	4.3.1 <i>Farnesyl pyrophosphate synthase (FPS)</i>	102-107
	4.3.1.1 Construction of full length <i>FPS</i> using RACE	102
	4.3.1.2 <i>In silico</i> analysis of full length cDNA of <i>PsFPS</i>	102-107
	4.3.2 <i>Squalene synthase (SS)</i>	108-112
	4.3.2.1 Construction of full length <i>SS</i> using RACE	108
	4.3.2.2 <i>In silico</i> analysis of full length cDNA of <i>PsSS</i>	108-112

4.3.3 <i>Dammarenediol synthase (DS)</i>	113-119
4.3.3.1 Construction of full length <i>DS</i> using RACE	13
4.3.3.2 <i>In silico</i> analysis of full length cDNA of <i>PsDS</i>	113-119
4.3.4 <i>Squalene epoxidase</i>	20-125
4.3.4.1 Construction of full length <i>SE</i> using RACE	120
4.3.4.2 <i>In silico</i> analysis of full length cDNA of <i>PsSE</i>	120-125
4.3.5 <i>Cycloartenol synthase (CS)</i>	126-132
4.3.5.1 Construction of full length <i>CS</i> using RACE	126
4.3.5.2 <i>In silico</i> analysis of full length cDNA of <i>PsCS</i>	126-132
4.3.6. <i>Phosphomevalonate kinase (PMVK)</i>	133-37
4.3.6.1 Construction of full length <i>PMVK</i> using RACE	133
4.3.6.2 <i>In silico</i> analysis of full length cDNA of <i>PsPMVK</i>	133-137
4.3.7 <i>4-(cytidine 5'-diphospho)-2-C-methyl-D-erythritol kinase (CMK)</i>	138-142
4.3.7.1 Construction of full length <i>CMK</i> using RACE	138
4.3.7.2 <i>In silico</i> analysis of <i>PsCMK</i>	138-142
4.4 Gene expression analysis of key genes of ginsenoside biosynthetic pathway	143
4.5 Genes expression analysis of other differentially expressed genes obtained through SSH	143-144
4.6 Heterologous expression of <i>PsFPS</i> in <i>E. coli</i>	144-146
Chapter 5: Discussion	147-175
5.1 Major ginsenosides quantification in <i>Panax sokpayensis</i>	148-149
5.2 Identification of differentially expressed genes	149-154
5.2.1 Suppression Subtractive Hybridization (SSH) mediated identification and cloning of <i>FPS</i> , <i>SS</i> and <i>DS</i> involved in ginsenoside biosynthetic pathway	149-151
5.2.2 Gene ontology (GO) based classification of ESTs	151-152
5.2.3 Detection of protein domains using InterPro Scan	152-153
5.2.4 KEGG analysis of ESTs	153
5.2.5 Other differentially expressed genes with possible roles in ginsenoside biosynthesis	153-154
5.3 Degenerate primers approach to clone <i>AACT</i> , <i>HMGS</i> , <i>MVK</i> , <i>PMVK</i> , <i>DXS</i> , <i>DXR</i> , <i>CMS</i> , <i>CMK</i> , <i>MCS</i> , <i>HDS</i> , <i>HDR</i> , <i>IDI</i> , <i>SE</i> , β -AS, <i>PPDS</i> , <i>PPTS</i> and <i>CS</i>	154-160
5.3.1 <i>Acetyl-CoA C-acetyltransferase (AACT)</i>	155
5.3.2 <i>3-Hydroxy-3-methylglutaryl coenzyme A synthase (HMGS)</i>	155
5.3.3 <i>Mevalonate kinase (MVK)</i>	156
5.3.4 <i>1-Deoxy-D-xylulose-5-phosphate synthase (DXS)</i>	156
5.3.5 <i>1-Deoxy-D-xylulose 5-phosphate reductoisomerase</i>	156-157

	(DXR)	
	5.3.6 2-C-methyl-D-erythritol 4-phosphate cytidyltransferase (CMS)	157
	5.3.7 2-C-methyl-D-erythritol 2,4-cyclodiphosphate synthase (MCS)	157
	5.3.8 4-Hydroxy-3-methylbut-2-en-1-yl diphosphate synthase (HDS)	157-158
	5.3.9 4-Hydroxy-3-methylbut-2-enyl diphosphate reductase (HDR)	158
	5.3.10 Isopentenyl diphosphate isomerase (IDI)	158
	5.3.11 β -amyryn synthase (β -AS)	158-159
	5.3.12 Protopanaxadiol synthase (PPDS)	159
	5.3.13 Protopanaxatriol synthase (PPTS)	160
	5.4 Characterization of full length genes from MVA and MEP pathways	160-162
	5.4.1 Phosphomevalonate kinase (PMVK)	160
	5.4.1.1 Full-length cloning and <i>in silico</i> analysis of PsPMVK	161
	5.4.2 4-(cytidine 5'-diphospho)-2-C-methyl-D-erythritol kinase (CMK)	161-162
	5.4.2.1 Full-length cloning and <i>in silico</i> analysis of PsCMK	161-162
	5.5 Characterization of full length genes (FPS, SS, SE, DS and CS) from ginsenoside biosynthetic pathway	162-168
	5.5.1 Farnesyl pyrophosphate synthase (FPS)	162-163
	5.5.1.1 Full-length cloning and <i>in silico</i> analysis of PsFPS	163
	5.5.2 Squalene synthase (SS)	163-164
	5.5.2.1 Full-length cloning and <i>in silico</i> analysis of PsSS	163-164
	5.5.3 Squalene epoxidase (SE)	165-166
	5.5.3.1 Full-length cloning and <i>in silico</i> analysis of PsSE	165-166
	5.5.4 Dammarenediol synthase (DS)	166-167
	5.5.4.1 Full-length cloning and <i>in silico</i> analysis of PsDS	166-167
	5.5.5 Cycloartenol synthase (CS)	167-168
	5.5.5.1 Full-length cloning and <i>in silico</i> analysis of PsCS	167-168
	5.6 Key genes involved in ginsenoside biosynthesis exhibit differential expression in leaf, stem and rhizome	168-173
	5.6.1 PsFPS	168-169

5.6.2 <i>PsSS</i>	169
5.6.2 <i>PsSE</i>	169
5.6.3 <i>PsDS</i>	169-170
5.6.4 <i>PsCS</i>	170
5.7 Differential expression in leaf, stem and rhizome of other genes obtained through SSH suggests their roles in plant growth and development, defense and ginsenoside biosynthesis	170-173
5.8 Heterologous expression of <i>PsFPS</i> in <i>E. coli</i>	174
5.9 Future works	174-175
Summary	176-177
Bibliography	178-213
Appendices	214-231
Appendix A: Chemicals and equipments	214-221
Appendix B: Preparation of reagents	222-224
Appendix C: Primers and PCR parameters	225-231
Appendix D: List of thesis related publications	232