

## Bibliography

- Abedin, S., Michel, J. J., Lemster, B., Vallejo, A. N.** 2005. Diversity of NKR expression in aging T cells and in T cells of the aged: the new frontier into the exploration of protective immunity in the elderly. *Exp Gerontol* 40 (7): 537-48.
- Abi-Rached, L., Moesta, A. K., Rajalingam, R., Guethlein, L. A., Parham, P.** 2010. Human-specific evolution and adaptation led to major qualitative differences in the variable receptors of human and chimpanzee natural killer cells. *PLoS Genet* 6 (11): e1001192.
- Abi-Rached, L., Parham, P.** 2005. Natural selection drives recurrent formation of activating killer cell immunoglobulin-like receptor and Ly49 from inhibitory homologues. *J Exp Med* 201 (8): 1319-32.
- Ahern, D. J., Brennan, F. M.** 2011. The role of Natural Killer cells in the pathogenesis of rheumatoid arthritis: major contributors or essential homeostatic modulators? *Immunol Lett* 136 (2): 115-21.
- Al-Timimi, D. J., Dormandy, T. L.** 1977. The inhibition of lipid autoxidation by human caeruloplasmin. *Biochem J* 168 (2): 283-8.
- Alamanos, Y., Drosos, A. A.** 2005. Epidemiology of adult rheumatoid arthritis. *Autoimmun Rev* 4 (3): 130-6.
- Albani, S., Keystone, E. C., Nelson, J. L., Ollier, W. E., La Cava, A., Montemayor, A. C., Weber, D. A., Montecucco, C., Martini, A., Carson, D. A.** 1995. Positive selection in autoimmunity: abnormal immune responses to a bacterial dnaJ antigenic determinant in patients with early rheumatoid arthritis. *Nat Med* 1 (5): 448-52.
- Aletaha, D., Nell, V. P., Stamm, T., Uffmann, M., Pflugbeil, S., Machold, K., Smolen, J. S.** 2005. Acute phase reactants add little to composite disease activity indices for rheumatoid arthritis: validation of a clinical activity score. *Arthritis Res Ther* 7 (4): R796-806.
- Aletaha, D., Neogi, T., Silman, A. J., Funovits, J., Felson, D. T., Bingham, C. O., 3rd, Birnbaum, N. S., Burmester, G. R., Bykerk, V. P., Cohen, M. D., Combe, B., Costenbader, K. H., Dougados, M., Emery, P., Ferraccioli, G., Hazes, J. M., Hobbs, K., Huizinga, T. W., Kavanaugh, A., Kay, J., Kvien, T. K., Laing, T., Mease, P., Menard, H. A., Moreland, L. W., Naden, R. L., Pincus, T., Smolen, J. S., Stanislawska-Biernat, E., Symmons, D., Tak, P. P., Upchurch, K. S., Vencovsky, J., Wolfe, F., Hawker, G.** 2010. 2010 rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. *Ann Rheum Dis* 69 (9): 1580-8.

- Aletaha, D., Smolen, J., Ward, M. M.** 2006. Measuring function in rheumatoid arthritis: Identifying reversible and irreversible components. *Arthritis Rheum* 54 (9): 2784-92.
- Aletaha, D., Smolen, J. S.** 2006. The definition and measurement of disease modification in inflammatory rheumatic diseases. *Rheum Dis Clin North Am* 32 (1): 9-44, vii.
- Alter, G., Rihn, S., Streeck, H., Teigen, N., Piechocka-Trocha, A., Moss, K., Cohen, K., Meier, A., Pereyra, F., Walker, B., Altfeld, M.** 2008. Ligand-independent exhaustion of killer immunoglobulin-like receptor-positive CD8+ T cells in human immunodeficiency virus type 1 infection. *J Virol* 82 (19): 9668-77.
- Alter, H. J., Seeff, L. B.** 2000. Recovery, persistence, and sequelae in hepatitis C virus infection: a perspective on long-term outcome. *Semin Liver Dis* 20 (1): 17-35.
- Altman, D. G.** 1991. Practical statistics for medical research. London. Chapman and Hall.
- Anderson, D. L.** 2004. TNF inhibitors: a new age in rheumatoid arthritis treatment. *Am J Nurs* 104 (2): 60-8; quiz 68-9.
- Anderson, S. K., Ortaldo, J. R., McVicar, D. W.** 2001. The ever-expanding Ly49 gene family: repertoire and signaling. *Immunol Rev* 181 79-89.
- Andersson, S., Fauriat, C., Malmberg, J. A., Ljunggren, H. G., Malmberg, K. J.** 2009. KIR acquisition probabilities are independent of self-HLA class I ligands and increase with cellular KIR expression. *Blood* 114 (1): 95-104.
- Andre, P., Biassoni, R., Colonna, M., Cosman, D., Lanier, L. L., Long, E. O., Lopez-Botet, M., Moretta, A., Moretta, L., Parham, P., Trowsdale, J., Vivier, E., Wagtmann, N., Wilson, M. J.** 2001. New nomenclature for MHC receptors. *Nat Immunol* 2 (8): 661.
- Anfossi, N., Andre, P., Guia, S., Falk, C. S., Roetynck, S., Stewart, C. A., Bresó, V., Frassati, C., Reviron, D., Middleton, D., Romagne, F., Ugolini, S., Vivier, E.** 2006. Human NK cell education by inhibitory receptors for MHC class I. *Immunity* 25 (2): 331-42.
- Anfossi, N., Doisne, J. M., Peyrat, M. A., Ugolini, S., Bonnaud, O., Bossy, D., Pitard, V., Merville, P., Moreau, J. F., Delfraissy, J. F., Dechanet-Merville, J., Bonneville, M., Venet, A., Vivier, E.** 2004. Coordinated expression of Ig-like inhibitory MHC class I receptors and acquisition of cytotoxic function in human CD8+ T cells. *J Immunol* 173 (12): 7223-9.
- Anfossi, N., Pascal, V., Vivier, E., Ugolini, S.** 2001. Biology of T memory type 1 cells. *Immunol Rev* 181 269-78.

- Anolik, J. H., Looney, R. J., Lund, F. E., Randall, T. D., Sanz, I.** 2009. Insights into the heterogeneity of human B cells: diverse functions, roles in autoimmunity, and use as therapeutic targets. *Immunol Res* 45 (2-3): 144-58.
- Appelbaum, F. R.** 2003. The current status of hematopoietic cell transplantation. *Annu Rev Med* 54 491-512.
- Aramaki, T., Ida, H., Izumi, Y., Fujikawa, K., Huang, M., Arima, K., Tamai, M., Kamachi, M., Nakamura, H., Kawakami, A., Origuchi, T., Matsuoka, N., Eguchi, K.** 2009. A significantly impaired natural killer cell activity due to a low activity on a per-cell basis in rheumatoid arthritis. *Mod Rheumatol* 19 (3): 245-52.
- Armitage, J. O.** 1994. Bone marrow transplantation. *N Engl J Med* 330 (12): 827-38.
- Arnett, F. C., Edworthy, S. M., Bloch, D. A., McShane, D. J., Fries, J. F., Cooper, N. S., Healey, L. A., Kaplan, S. R., Liang, M. H., Luthra, H. S., et al.** 1988. The American Rheumatism Association 1987 revised criteria for the classification of rheumatoid arthritis. *Arthritis Rheum* 31 (3): 315-24.
- Ashouri, E., Farjadian, S., Reed, E. F., Ghaderi, A., Rajalingam, R.** 2009. KIR gene content diversity in four Iranian populations. *Immunogenetics* 61 (7): 483-92.
- Balsa, A., Carmona, L., Gonzalez-Alvaro, I., Belmonte, M. A., Tena, X., Sanmarti, R.** 2004. Value of Disease Activity Score 28 (DAS28) and DAS28-3 compared to American College of Rheumatology-defined remission in rheumatoid arthritis. *J Rheumatol* 31 (1): 40-6.
- Bamshad, M., Kivisild, T., Watkins, W. S., Dixon, M. E., Ricker, C. E., Rao, B. B., Naidu, J. M., Prasad, B. V., Reddy, P. G., Rasanayagam, A., Papiha, S. S., Villems, R., Redd, A. J., Hammer, M. F., Nguyen, S. V., Carroll, M. L., Batzer, M. A., Jorde, L. B.** 2001. Genetic evidence on the origins of Indian caste populations. *Genome Res* 11 (6): 994-1004.
- Bancroft, G. J.** 1993. The role of natural killer cells in innate resistance to infection. *Curr Opin Immunol* 5 (4): 503-10.
- Barman, R. K.** 2012. Partition of india and its impact on the scheduled castes of Bengal. New Delhi. Abhijeet Publications.
- Barrett, E. M., Scott, D. G., Wiles, N. J., Symmons, D. P.** 2000. The impact of rheumatoid arthritis on employment status in the early years of disease: a UK community-based study. *Rheumatology (Oxford)* 39 (12): 1403-9.
- Barten, R., Torkar, M., Haude, A., Trowsdale, J., Wilson, M. J.** 2001. Divergent and convergent evolution of NK-cell receptors. *Trends Immunol* 22 (1): 52-7.

- Bartok, B., Firestein, G. S.** 2010. Fibroblast-like synoviocytes: key effector cells in rheumatoid arthritis. *Immunol Rev* 233 (1): 233-55.
- Bergthorsson, U., Adams, K. L., Thomason, B., Palmer, J. D.** 2003. Widespread horizontal transfer of mitochondrial genes in flowering plants. *Nature* 424 (6945): 197-201.
- Betsler-Cohen, G., Katz, G., Gonen-Gross, T., Stern, N., Arnon, T. I., Achdout, H., Gazit, R., Mandelboim, O.** 2006. Reduced KIR2DL1 recognition of MHC class I molecules presenting phosphorylated peptides. *J Immunol* 176 (11): 6762-9.
- Bharadwaj, D., Stein, M. P., Volzer, M., Mold, C., Du Clos, T. W.** 1999. The major receptor for C-reactive protein on leukocytes is fcgamma receptor II. *J Exp Med* 190 (4): 585-90.
- Biassoni, R., Falco, M., Cambiaggi, A., Costa, P., Verdiani, S., Pende, D., Conte, R., Di Donato, C., Parham, P., Moretta, L.** 1995. Amino acid substitutions can influence the natural killer (NK)-mediated recognition of HLA-C molecules. Role of serine-77 and lysine-80 in the target cell protection from lysis mediated by "group 2" or "group 1" NK clones. *J Exp Med* 182 (2): 605-9.
- Biassoni, R., Pessino, A., Malaspina, A., Cantoni, C., Bottino, C., Sivori, S., Moretta, L., Moretta, A.** 1997. Role of amino acid position 70 in the binding affinity of p50.1 and p58.1 receptors for HLA-Cw4 molecules. *Eur J Immunol* 27 (12): 3095-9.
- Billadeau, D. D., Upshaw, J. L., Schoon, R. A., Dick, C. J., Leibson, P. J.** 2003. NKG2D-DAP10 triggers human NK cell-mediated killing via a Syk-independent regulatory pathway. *Nat Immunol* 4 (6): 557-64.
- Binesh, F., Salehabadi, H. S., Behniafard, N., Ranginkaman, K., Behniafard, N.** 2014. A Comparative Assessment of the Diagnostic Value of Anti-cyclic Citrullinated Peptide Antibodies and Rheumatoid Factor in Rheumatoid Arthritis. *J Clin Exp Pathol* 4 (2): 158.
- Biron, C. A., Nguyen, K. B., Pien, G. C., Cousens, L. P., Salazar-Mather, T. P.** 1999. Natural killer cells in antiviral defense: function and regulation by innate cytokines. *Annu Rev Immunol* 17 189-220.
- Bjorkstrom, N. K., Beziat, V., Cichocki, F., Liu, L. L., Levine, J., Larsson, S., Koup, R. A., Anderson, S. K., Ljunggren, H. G., Malmberg, K. J.** 2012. CD8 T cells express randomly selected KIRs with distinct specificities compared with NK cells. *Blood* 120 (17): 3455-65.
- Blass, S., Engel, J. M., Burmester, G. R.** 1999. The immunologic homunculus in rheumatoid arthritis. *Arthritis Rheum* 42 (12): 2499-506.

- Boers, M., Tugwell, P., Felson, D. T., van Riel, P. L., Kirwan, J. R., Edmonds, J. P., Smolen, J. S., Khaltsev, N., Muirden, K. D.** 1994. World Health Organization and International League of Associations for Rheumatology core endpoints for symptom modifying antirheumatic drugs in rheumatoid arthritis clinical trials. *J Rheumatol Suppl* 41 86-9.
- Bonagura, V. R., Du, Z., Ashouri, E., Luo, L., Hatam, L. J., DeVoti, J. A., Rosenthal, D. W., Steinberg, B. M., Abramson, A. L., Gjertson, D. W., Reed, E. F., Rajalingam, R.** 2010. Activating killer cell immunoglobulin-like receptors 3DS1 and 2DS1 protect against developing the severe form of recurrent respiratory papillomatosis. *Hum Immunol* 71 (2): 212-9.
- Bonorino, P., Leroy, V., Dufeu-Duchesne, T., Tongiani-Dashan, S., Sturm, N., Pernollet, M., Vivier, E., Zarski, J. P., Marche, P. N., Jouvin-Marche, E.** 2007. Features and distribution of CD8 T cells with human leukocyte antigen class I-specific receptor expression in chronic hepatitis C. *Hepatology* 46 (5): 1375-86.
- Bowness, P.** 2002. HLA B27 in health and disease: a double-edged sword? *Rheumatology (Oxford)* 41 (8): 857-68.
- Boyington, J. C., Motyka, S. A., Schuck, P., Brooks, A. G., Sun, P. D.** 2000. Crystal structure of an NK cell immunoglobulin-like receptor in complex with its class I MHC ligand. *Nature* 405 (6786): 537-43.
- Boyton, R. J., Altmann, D. M.** 2007. Natural killer cells, killer immunoglobulin-like receptors and human leukocyte antigen class I in disease. *Clin Exp Immunol* 149 (1): 1-8.
- Bruhns, P., Marchetti, P., Fridman, W. H., Vivier, E., Daeron, M.** 1999. Differential roles of N- and C-terminal immunoreceptor tyrosine-based inhibition motifs during inhibition of cell activation by killer cell inhibitory receptors. *J Immunol* 162 (6): 3168-75.
- Brumbaugh, K. M., Binstadt, B. A., Billadeau, D. D., Schoon, R. A., Dick, C. J., Ten, R. M., Leibson, P. J.** 1997. Functional role for Syk tyrosine kinase in natural killer cell-mediated natural cytotoxicity. *J Exp Med* 186 (12): 1965-74.
- Bruynesteyn, K., van der Heijde, D., Boers, M., Saudan, A., Peloso, P., Paulus, H., Houben, H., Griffiths, B., Edmonds, J., Bresnihan, B., Boonen, A., van der Linden, S.** 2002. Determination of the minimal clinically important difference in rheumatoid arthritis joint damage of the Sharp/van der Heijde and Larsen/Scott scoring methods by clinical experts and comparison with the smallest detectable difference. *Arthritis Rheum* 46 (4): 913-20.
- Bruynesteyn, K., van der Heijde, D., Boers, M., van der Linden, S., Lassere, M., van der Vleuten, C.** 2004. The Sharp/van der Heijde method out-performed the

Larsen/Scott method on the individual patient level in assessing radiographs in early rheumatoid arthritis. *J Clin Epidemiol* 57 (5): 502-12.

- Bryceson, Y. T., March, M. E., Ljunggren, H. G., Long, E. O.** 2006. Synergy among receptors on resting NK cells for the activation of natural cytotoxicity and cytokine secretion. *Blood* 107 (1): 159-66.
- Buchanan, H. M., Preston, S. J., Brooks, P. M., Buchanan, W. W.** 1991. Is diet important in rheumatoid arthritis? *Br J Rheumatol* 30 (2): 125-34.
- Burshtyn, D. N., Scharenberg, A. M., Wagtmann, N., Rajagopalan, S., Berrada, K., Yi, T., Kinet, J. P., Long, E. O.** 1996. Recruitment of tyrosine phosphatase HCP by the killer cell inhibitor receptor. *Immunity* 4 (1): 77-85.
- Burshtyn, D. N., Shin, J., Stebbins, C., Long, E. O.** 2000. Adhesion to target cells is disrupted by the killer cell inhibitory receptor. *Curr Biol* 10 (13): 777-80.
- Butcher, S., Arney, K. L., Cook, G. P.** 1998. MAFA-L, an ITIM-containing receptor encoded by the human NK cell gene complex and expressed by basophils and NK cells. *Eur J Immunol* 28 (11): 3755-62.
- Butler, J. M.** 2007. Short tandem repeat typing technologies used in human identity testing. *Biotechniques* 43 (4): ii-v.
- Caligiuri, M. A.** 2008. Human natural killer cells. *Blood* 112 (3): 461-9.
- Campbell, K. S., Cella, M., Carretero, M., Lopez-Botet, M., Colonna, M.** 1998. Signaling through human killer cell activating receptors triggers tyrosine phosphorylation of an associated protein complex. *Eur J Immunol* 28 (2): 599-609.
- Campbell, K. S., Dessing, M., Lopez-Botet, M., Cella, M., Colonna, M.** 1996. Tyrosine phosphorylation of a human killer inhibitory receptor recruits protein tyrosine phosphatase 1C. *J Exp Med* 184 (1): 93-100.
- Cantoni, C., Verdiani, S., Falco, M., Pessino, A., Cilli, M., Conte, R., Pende, D., Ponte, M., Mikaelsson, M. S., Moretta, L., Biassoni, R.** 1998. p49, a putative HLA class I-specific inhibitory NK receptor belonging to the immunoglobulin superfamily. *Eur J Immunol* 28 (6): 1980-90.
- Carneiro, V. L., Lemaire, D. C., Bendicho, M. T., Souza, S. L., Cavalcante, L. N., Angelo, A. L., Freire, S. M., Mendes, C. M., Santana, N., Lyra, L. G., Lyra, A. C.** 2010. Natural killer cell receptor and HLA-C gene polymorphisms among patients with hepatitis C: a comparison between sustained virological responders and non-responders. *Liver Int* 30 (4): 567-73.

- Carr, W. H., Pando, M. J., Parham, P.** 2005. KIR3DL1 polymorphisms that affect NK cell inhibition by HLA-Bw4 ligand. *J Immunol* 175 (8): 5222-9.
- Carrington, M.** 1999. Recombination within the human MHC. *Immunol Rev* 167 245-56.
- Carrington, M., Nelson, G. W., Martin, M. P., Kissner, T., Vlahov, D., Goedert, J. J., Kaslow, R., Buchbinder, S., Hoots, K., O'Brien, S. J.** 1999. HLA and HIV-1: heterozygote advantage and B\*35-Cw\*04 disadvantage. *Science* 283 (5408): 1748-52.
- Carrington, M., Wang, S., Martin, M. P., Gao, X., Schiffman, M., Cheng, J., Herrero, R., Rodriguez, A. C., Kurman, R., Mortel, R., Schwartz, P., Glass, A., Hildesheim, A.** 2005. Hierarchy of resistance to cervical neoplasia mediated by combinations of killer immunoglobulin-like receptor and human leukocyte antigen loci. *J Exp Med* 201 (7): 1069-75.
- Carson, D. A.** 1993. Rheumatoid factor. In Kelley WN, Harris ED, Ruddy S, Sledge CB (ed):(eds). Textbook of Rheumatology.vol Philadelphia, Saunders, 1993.
- Cascao, R., Rosario, H. S., Souto-Carneiro, M. M., Fonseca, J. E.** 2010. Neutrophils in rheumatoid arthritis: More than simple final effectors. *Autoimmun Rev* 9 (8): 531-5.
- Cavalli-Sforza, L. L., Menozzi, P., Piazza, A.** 1993. Demic expansions and human evolution. *Science* 259 (5095): 639-46.
- Cavalli-Sforza, L. L., Piazza, A.** 1975. Analysis of evolution: evolutionary rates, independence and treeness. *Theor Popul Biol* 8 (2): 127-65.
- Cerwenka, A., Baron, J. L., Lanier, L. L.** 2001. Ectopic expression of retinoic acid early inducible-1 gene (RAE-1) permits natural killer cell-mediated rejection of a MHC class I-bearing tumor in vivo. *Proc Natl Acad Sci U S A* 98 (20): 11521-6.
- Cerwenka, A., Lanier, L. L.** 2001. Natural killer cells, viruses and cancer. *Nat Rev Immunol* 1 (1): 41-9.
- Chakraborty, K.** 2013. Rights of the Rites: A Case Study of Rabhas of North Bengal. *Int J Sci Res* 2 (5): 345-46.
- Chakraborty, R., Walter, H., Mukherjee, B. N., Malhotra, K. C., Sauber, P., Banerjee, S., Roy, M.** 1986. Gene Differentiation Among Ten Endogamous Groups of West Bengal, India. *Am J Phy Anthropol.* 71 295-309.
- Chakravarti, A., Raquil, M. A., Tessier, P., Poubelle, P. E.** 2009. Surface RANKL of Toll-like receptor 4-stimulated human neutrophils activates osteoclastic bone resorption. *Blood* 114 (8): 1633-44.

- Chakravartty, G.** 2005. Coming out of partition : refugee women of Bengal. New Delhi. Bluejay Books.
- Chan, H. W., Kurago, Z. B., Stewart, C. A., Wilson, M. J., Martin, M. P., Mace, B. E., Carrington, M., Trowsdale, J., Lutz, C. T.** 2003. DNA methylation maintains allele-specific KIR gene expression in human natural killer cells. *J Exp Med* 197 (2): 245-55.
- Chang, Y. T., Chou, C. T., Shiao, Y. M., Lin, M. W., Yu, C. W., Chen, C. C., Huang, C. H., Lee, D. D., Liu, H. N., Wang, W. J., Tsai, S. F.** 2006. The killer cell immunoglobulin-like receptor genes do not confer susceptibility to psoriasis vulgaris independently in Chinese. *J Invest Dermatol* 126 (10): 2335-8.
- Chapman, T. L., Heikema, A. P., West, A. P., Jr., Bjorkman, P. J.** 2000. Crystal structure and ligand binding properties of the D1D2 region of the inhibitory receptor LIR-1 (ILT2). *Immunity* 13 (5): 727-36.
- Chari, P. R., Joseph, M., Suba Chandran, D.** 2003. Missing boundaries : refugees, migrants, stateless, and internally displaced persons in South Asia. New Delhi. Manohar Publishers & Distributors.
- Chatterjee, S. K.** 1974. Kirata-Jana-Krti, The Indo-Mongoloids: Their Contribution to the History and Culture of India. 2 ed. Calcutta. Asiatic Society.
- Choy, E. H., Panayi, G. S.** 2001. Cytokine pathways and joint inflammation in rheumatoid arthritis. *N Engl J Med* 344 (12): 907-16.
- Chwae, Y. J., Chang, M. J., Park, S. M., Yoon, H., Park, H. J., Kim, S. J., Kim, J.** 2002. Molecular mechanism of the activation-induced cell death inhibition mediated by a p70 inhibitory killer cell Ig-like receptor in Jurkat T cells. *J Immunol* 169 (7): 3726-35.
- Colonna, M., Samaridis, J.** 1995. Cloning of immunoglobulin-superfamily members associated with HLA-C and HLA-B recognition by human natural killer cells. *Science* 268 (5209): 405-8.
- Colucci, F., Di Santo, J. P., Leibson, P. J.** 2002. Natural killer cell activation in mice and men: different triggers for similar weapons? *Nat Immunol* 3 (9): 807-13.
- Cooley, S., Weisdorf, D. J., Guethlein, L. A., Klein, J. P., Wang, T., Le, C. T., Marsh, S. G., Geraghty, D., Spellman, S., Haagensohn, M. D., Ladner, M., Trachtenberg, E., Parham, P., Miller, J. S.** 2010. Donor selection for natural killer cell receptor genes leads to superior survival after unrelated transplantation for acute myelogenous leukemia. *Blood* 116 (14): 2411-9.
- Cope, A. P.** 2002. Studies of T-cell activation in chronic inflammation. *Arthritis Res* 4 Suppl 3 S197-211.

- Croft, M., Carter, L., Swain, S. L., Dutton, R. W.** 1994. Generation of polarized antigen-specific CD8 effector populations: reciprocal action of interleukin (IL)-4 and IL-12 in promoting type 2 versus type 1 cytokine profiles. *J Exp Med* 180 (5): 1715-28.
- Crum, K. A., Logue, S. E., Curran, M. D., Middleton, D.** 2000. Development of a PCR-SSOP approach capable of defining the natural killer cell inhibitory receptor (KIR) gene sequence repertoires. *Tissue Antigens* 56 (4): 313-26.
- Cua, D. J., Tato, C. M.** 2010. Innate IL-17-producing cells: the sentinels of the immune system. *Nat Rev Immunol* 10 (7): 479-89.
- D'Andrea, A., Chang, C., Franz-Bacon, K., McClanahan, T., Phillips, J. H., Lanier, L. L.** 1995. Molecular cloning of NKB1. A natural killer cell receptor for HLA-B allotypes. *J Immunol* 155 (5): 2306-10.
- Dalbeth, N., Callan, M. F.** 2002. A subset of natural killer cells is greatly expanded within inflamed joints. *Arthritis Rheum* 46 (7): 1763-72.
- Das, H., Atsumi, T., Fukushima, Y., Shibuya, H., Ito, K., Yamada, Y., Amasaki, Y., Ichikawa, K., Amengual, O., Koike, T.** 2004. Diagnostic value of antiagalactosyl IgG antibodies in rheumatoid arthritis. *Clin Rheumatol* 23 (3): 218-22.
- Datta, A.** 2013. Refugees and borders in South Asia : the great exodus of 1971. New York. Routledge.
- Davies, S. M., Ruggieri, L., DeFor, T., Wagner, J. E., Weisdorf, D. J., Miller, J. S., Velardi, A., Blazar, B. R.** 2002. Evaluation of KIR ligand incompatibility in mismatched unrelated donor hematopoietic transplants. Killer immunoglobulin-like receptor. *Blood* 100 (10): 3825-7.
- Davignon, J. L., Hayder, M., Baron, M., Boyer, J. F., Constantin, A., Apparailly, F., Poupot, R., Cantagrel, A.** 2013. Targeting monocytes/macrophages in the treatment of rheumatoid arthritis. *Rheumatology (Oxford)* 52 (4): 590-8.
- Dawes, P. T., Fowler, P. D., Clarke, S., Fisher, J., Lawton, A., Shadforth, M. F.** 1986. Rheumatoid arthritis: treatment which controls the C-reactive protein and erythrocyte sedimentation rate reduces radiological progression. *Br J Rheumatol* 25 (1): 44-9.
- De Re, V., Caggiari, L., De Zorzi, M., Toffoli, G.** 2011. KIR molecules: recent patents of interest for the diagnosis and treatment of several autoimmune diseases, chronic inflammation, and B-cell malignancies. *Recent Pat DNA Gene Seq* 5 (3): 169-74.

- de Souza, S. J., Long, M., Schoenbach, L., Roy, S. W., Gilbert, W.** 1996. Intron positions correlate with module boundaries in ancient proteins. *Proc Natl Acad Sci U S A* 93 (25): 14632-6.
- Debnath, M., Chaudhuri, T. K.** 2006. Study of Genetic Relationships of Indian Gurkha Population on the Basis of HLA - A and B Loci Antigens. *Int J Hum Genet* 6 (2): 159-62.
- Debnath, M., Palanichamy, M. G., Mitra, B., Jin, J. Q., Chaudhuri, T. K., Zhang, Y. P.** 2011. Y-chromosome haplogroup diversity in the sub-Himalayan Terai and Duars population of East India. *J Hum Genet* 56 765-71.
- Debnath, M., Palanichamy, M. G., Mitra, B., Jin, J. Q., Chaudhuri, T. K., Zhang, Y. P.** 2011. Y-chromosome haplogroup diversity in the sub-Himalayan Terai and Duars populations of East India. *J Hum Genet* 56 (11): 765-71.
- Dejaco, C., Klotz, W., Larcher, H., Duftner, C., Schirmer, M., Herold, M.** 2006. Diagnostic value of antibodies against a modified citrullinated vimentin in rheumatoid arthritis. *Arthritis Res Ther* 8 (4): R119.
- Del Rincon, I., Battafarano, D. F., Arroyo, R. A., Murphy, F. T., Fischbach, M., Escalante, A.** 2003. Ethnic variation in the clinical manifestations of rheumatoid arthritis: role of HLA-DRB1 alleles. *Arthritis Rheum* 49 (2): 200-8.
- Denis, L., Sivula, J., Gourraud, P. A., Kerdudou, N., Chout, R., Ricard, C., Moisan, J. P., Gagne, K., Partanen, J., Bignon, J. D.** 2005. Genetic diversity of KIR natural killer cell markers in populations from France, Guadeloupe, Finland, Senegal and Reunion. *Tissue Antigens* 66 (4): 267-76.
- Devlin, B., Risch, N.** 1995. A comparison of linkage disequilibrium measures for fine-scale mapping. *Genomics* 29 (2): 311-22.
- Di Santo, J. P.** 2006. Natural killer cell developmental pathways: a question of balance. *Annu Rev Immunol* 24 257-86.
- Diefenbach, A., Jensen, E. R., Jamieson, A. M., Raulet, D. H.** 2001. Rae1 and H60 ligands of the NKG2D receptor stimulate tumour immunity. *Nature* 413 (6852): 165-71.
- Diefenbach, A., Raulet, D. H.** 2002. The innate immune response to tumors and its role in the induction of T-cell immunity. *Immunol Rev* 188 9-21.
- Dohring, C., Samaridis, J., Colonna, M.** 1996. Alternatively spliced forms of human killer inhibitory receptors. *Immunogenetics* 44 (3): 227-30.
- Dohring, C., Scheidegger, D., Samaridis, J., Cella, M., Colonna, M.** 1996. A human killer inhibitory receptor specific for HLA-A1,2. *J Immunol* 156 (9): 3098-101.

- Drossaers-Bakker, K. W., Amesz, E., Zwinderman, A. H., Breedveld, F. C., Hazes, J. M.** 2000. A comparison of three radiologic scoring systems for the long-term assessment of rheumatoid arthritis: findings of an ongoing prospective inception cohort study of 132 women followed up for a median of twelve years. *Arthritis Rheum* 43 (7): 1465-72.
- Drossaers-Bakker, K. W., Kroon, H. M., Zwinderman, A. H., Breedveld, F. C., Hazes, J. M.** 2000. Radiographic damage of large joints in long-term rheumatoid arthritis and its relation to function. *Rheumatology (Oxford)* 39 (9): 998-1003.
- Du, Z., Gjertson, D. W., Reed, E. F., Rajalingam, R.** 2007. Receptor-ligand analyses define minimal killer cell Ig-like receptor (KIR) in humans. *Immunogenetics* 59 (1): 1-15.
- Eaaswarkhanth, M., Dubey, B., Meganathan, P. R., Ravesh, Z., Khan, F. A., Singh, L., Thangaraj, K., Haque, I.** 2009. Diverse genetic origin of Indian Muslims: evidence from autosomal STR loci. *J Hum Genet* 54 (6): 340-8.
- Eaaswarkhanth, M., Haque, I., Ravesh, Z., Romero, I. G., Meganathan, P. R., Dubey, B., Khan, F. A., Chaubey, G., Kivisild, T., Tyler-Smith, C., Singh, L., Thangaraj, K.** 2010. Traces of sub-Saharan and Middle Eastern lineages in Indian Muslim populations. *Eur J Hum Genet* 18 (3): 354-63.
- Eaton, R. M.** 1993. *The Rise of Islam and the Bengal Frontier, 1204-1760*. Berkeley. University of California Press.
- Ebringer, A., Khalafpour, S., Wilson, C.** 1989. Rheumatoid arthritis and Proteus: a possible aetiological association. *Rheumatol Int* 9 (3-5): 223-8.
- Egger, M. J., Huth, D. A., Ward, J. R., Reading, J. C., Williams, H. J.** 1985. Reduced joint count indices in the evaluation of rheumatoid arthritis. *Arthritis Rheum* 28 (6): 613-9.
- Elliott, J. M., Yokoyama, W. M.** 2011. Unifying concepts of MHC-dependent natural killer cell education. *Trends Immunol* 32 (8): 364-72.
- Enzer, I., Dunn, G., Jacobsson, L., Bennett, P. H., Knowler, W. C., Silman, A.** 2002. An epidemiologic study of trends in prevalence of rheumatoid factor seropositivity in Pima Indians: evidence of a decline due to both secular and birth-cohort influences. *Arthritis Rheum* 46 (7): 1729-34.
- Esnault, C., Maestre, J., Heidmann, T.** 2000. Human LINE retrotransposons generate processed pseudogenes. *Nat Genet* 24 (4): 363-7.
- Esposito, J. L.** 2003. *Unholy war : terror in the name of Islam*. New York. Oxford University Press.

- Estefania, E., Gomez-Lozano, N., Portero, F., de Pablo, R., Solis, R., Sepulveda, S., Vaquero, M., Gonzalez, M. A., Suarez, E., Roustan, G., Vilches, C.** 2007. Influence of KIR gene diversity on the course of HSV-1 infection: resistance to the disease is associated with the absence of KIR2DL2 and KIR2DS2. *Tissue Antigens* 70 (1): 34-41.
- Ewerton, P. D., Leite Mde, M., Magalhaes, M., Sena, L., Melo dos Santos, E. J.** 2007. Amazonian Amerindians exhibit high variability of KIR profiles. *Immunogenetics* 59 (8): 625-30.
- Excoffier, L., Lischer, H. E.** 2010. Arlequin suite ver 3.5: a new series of programs to perform population genetics analyses under Linux and Windows. *Mol Ecol Resour* 10 (3): 564-7.
- Fadda, L., Borhis, G., Ahmed, P., Cheent, K., Pagon, S. V., Cazaly, A., Stathopoulos, S., Middleton, D., Mulder, A., Claas, F. H., Elliott, T., Davis, D. M., Purbhoo, M. A., Khakoo, S. I.** 2010. Peptide antagonism as a mechanism for NK cell activation. *Proc Natl Acad Sci U S A* 107 (22): 10160-5.
- Fan, L., Wang, Q., Liu, R., Zong, M., He, D., Zhang, H., Ding, Y., Ma, J.** 2012. Citrullinated fibronectin inhibits apoptosis and promotes the secretion of pro-inflammatory cytokines in fibroblast-like synoviocytes in rheumatoid arthritis. *Arthritis Res Ther* 14 (6): R266.
- Fan, Q. R., Long, E. O., Wiley, D. C.** 2001. Crystal structure of the human natural killer cell inhibitory receptor KIR2DL1-HLA-Cw4 complex. *Nat Immunol* 2 (5): 452-60.
- Farag, S. S., VanDeusen, J. B., Fehniger, T. A., Caligiuri, M. A.** 2003. Biology and clinical impact of human natural killer cells. *Int J Hematol* 78 (1): 7-17.
- Faure, M., Long, E. O.** 2002. KIR2DL4 (CD158d), an NK cell-activating receptor with inhibitory potential. *J Immunol* 168 (12): 6208-14.
- Feldmann, M.** 1989. Molecular mechanisms involved in human autoimmune diseases: relevance of chronic antigen presentation. Class II expression and cytokine production. *Immunol Suppl* 2 66-71; discussion 72-3.
- Feldmann, M., Brennan, F. M., Maini, R. N.** 1996. Role of cytokines in rheumatoid arthritis. *Annu Rev Immunol* 14 397-440.
- Feldmann, M., Maini, R. N.** 2001. Anti-TNF alpha therapy of rheumatoid arthritis: what have we learned? *Annu Rev Immunol* 19 163-96.
- Felsenstein, J.** 1989. PHYLIP- Phylogeny Inference Package (Version 3.2). *Cladistics* 5 164-66.

- Felson, D. T., Anderson, J. J., Boers, M., Bombardier, C., Chernoff, M., Fried, B., Furst, D., Goldsmith, C., Kieszak, S., Lightfoot, R., et al.** 1993. The American College of Rheumatology preliminary core set of disease activity measures for rheumatoid arthritis clinical trials. The Committee on Outcome Measures in Rheumatoid Arthritis Clinical Trials. *Arthritis Rheum* 36 (6): 729-40.
- Ferlazzo, G., Thomas, D., Lin, S. L., Goodman, K., Morandi, B., Muller, W. A., Moretta, A., Munz, C.** 2004. The abundant NK cells in human secondary lymphoid tissues require activation to express killer cell Ig-like receptors and become cytolytic. *J Immunol* 172 (3): 1455-62.
- Ferrini, S., Cambiaggi, A., Meazza, R., Sforzini, S., Marciano, S., Mingari, M. C., Moretta, L.** 1994. T cell clones expressing the natural killer cell-related p58 receptor molecule display heterogeneity in phenotypic properties and p58 function. *Eur J Immunol* 24 (10): 2294-8.
- Fisher, R. A.** 1935. The sheltering of lethals. *Am Nat* 69 446-55.
- Flodstrom-Tullberg, M., Bryceson, Y. T., Shi, F. D., Hoglund, P., Ljunggren, H. G.** 2009. Natural killer cells in human autoimmunity. *Curr Opin Immunol* 21 (6): 634-40.
- Flores, A. C., Marcos, C. Y., Paladino, N., Capucchio, M., Theiler, G., Arruvito, L., Pardo, R., Habegger, A., Williams, F., Middleton, D., Fainboim, L.** 2007. KIR genes polymorphism in Argentinean Caucasoid and Amerindian populations. *Tissue Antigens* 69 (6): 568-76.
- Foley, B. A., De Santis, D., Van Beelen, E., Lathbury, L. J., Christiansen, F. T., Witt, C. S.** 2008. The reactivity of Bw4+ HLA-B and HLA-A alleles with KIR3DL1: implications for patient and donor suitability for haploidentical stem cell transplantations. *Blood* 112 (2): 435-43.
- Fort, M. M., Leach, M. W., Rennick, D. M.** 1998. A role for NK cells as regulators of CD4+ T cells in a transfer model of colitis. *J Immunol* 161 (7): 3256-61.
- Fourmentraux-Neves, E., Jalil, A., Da Rocha, S., Pichon, C., Chouaib, S., Bismuth, G., Caignard, A.** 2008. Two opposite signaling outputs are driven by the KIR2DL1 receptor in human CD4+ T cells. *Blood* 112 (6): 2381-9.
- Fox, D. A.** 1997. The role of T cells in the immunopathogenesis of rheumatoid arthritis: new perspectives. *Arthritis Rheum* 40 (4): 598-609.
- Francois, R. J.** 1965. Beta-haemolytic streptococci and antistreptolysin-O titres in patients with rheumatoid arthritis and a matched control group. *Ann Rheum Dis* 24 (4): 369-77.

- Fransen, J., Creemers, M. C., Van Riel, P. L.** 2004. Remission in rheumatoid arthritis: agreement of the disease activity score (DAS28) with the ARA preliminary remission criteria. *Rheumatology (Oxford)* 43 (10): 1252-5.
- Fransen, J., van Riel, P. L.** 2005. The Disease Activity Score and the EULAR response criteria. *Clin Exp Rheumatol* 23 (5 Suppl 39): S93-9.
- Fraser, B., Sengupta, S.** 2006. Bengal partition stories : an unclosed chapter. London ; New York. Anthem Press.
- Fries, J. F., Bloch, D. A., Sharp, J. T., McShane, D. J., Spitz, P., Bluhm, G. B., Forrester, D., Genant, H., Gofton, P., Richman, S., et al.** 1986. Assessment of radiologic progression in rheumatoid arthritis. A randomized, controlled trial. *Arthritis Rheum* 29 (1): 1-9.
- Fries, J. F., Spitz, P., Kraines, R. G., Holman, H. R.** 1980. Measurement of patient outcome in arthritis. *Arthritis Rheum* 23 (2): 137-45.
- Fuchs, H. A., Brooks, R. H., Callahan, L. F., Pincus, T.** 1989. A simplified twenty-eight-joint quantitative articular index in rheumatoid arthritis. *Arthritis Rheum* 32 (5): 531-7.
- Futterer, K., Wong, J., Gruzca, R. A., Chan, A. C., Waksman, G.** 1998. Structural basis for Syk tyrosine kinase ubiquity in signal transduction pathways revealed by the crystal structure of its regulatory SH2 domains bound to a dually phosphorylated ITAM peptide. *J Mol Biol* 281 (3): 523-37.
- Gaffen, S. L.** 2009. The role of interleukin-17 in the pathogenesis of rheumatoid arthritis. *Curr Rheumatol Rep* 11 (5): 365-70.
- Galarraga, B., Khan, F., Kumar, P., Pullar, T., Belch, J. J.** 2008. C-reactive protein: the underlying cause of microvascular dysfunction in rheumatoid arthritis. *Rheumatology (Oxford)* 47 (12): 1780-4.
- Gao, X., Jiao, Y., Wang, L., Liu, X., Sun, W., Cui, B., Chen, Z., Zhao, Y.** 2010. Inhibitory KIR and specific HLA-C gene combinations confer susceptibility to or protection against chronic hepatitis B. *Clin Immunol* 137 (1): 139-46.
- Garcia, C. A., Robinson, J., Guethlein, L. A., Parham, P., Madrigal, J. A., Marsh, S. G.** 2003. Human KIR sequences 2003. *Immunogenetics* 55 (4): 227-39.
- Gardiner, C. M., Guethlein, L. A., Shilling, H. G., Pando, M., Carr, W. H., Rajalingam, R., Vilches, C., Parham, P.** 2001. Different NK cell surface phenotypes defined by the DX9 antibody are due to KIR3DL1 gene polymorphism. *J Immunol* 166 (5): 2992-3001.

- Gati, A., Guerra, N., Gaudin, C., Da Rocha, S., Escudier, B., Lecluse, Y., Bettaieb, A., Chouaib, S., Caignard, A.** 2003. CD158 receptor controls cytotoxic T-lymphocyte susceptibility to tumor-mediated activation-induced cell death by interfering with Fas signaling. *Cancer Res* 63 (21): 7475-82.
- Gayden, T., Cadenas, A. M., Regueiro, M., Singh, N. B., Zhivotovsky, L. A., Underhill, P. A., Cavalli-Sforza, L. L., Herrera, R. J.** 2007. The Himalayas as a directional barrier to gene flow. *Am J Hum Genet* 80 (5): 884-94.
- Gayden, T., Chennakrishnaiah, S., La Salvia, J., Jimenez, S., Regueiro, M., Maloney, T., Persad, P. J., Bukhari, A., Perez, A., Stojkovic, O., Herrera, R. J.** 2011. Y-STR diversity in the Himalayas. *Int J Legal Med* 125 (3): 367-75.
- Gayden, T., Mirabal, S., Cadenas, A. M., Lacau, H., Simms, T. M., Morlote, D., Chennakrishnaiah, S., Herrera, R. J.** 2009. Genetic insights into the origins of Tibeto-Burman populations in the Himalayas. *J Hum Genet* 54 (4): 216-23.
- Gazi, N. N., Tamang, R., Singh, V. K., Ferdous, A., Pathak, A. K., Singh, M., Anugula, S., Veeraiah, P., Kadarkaraisamy, S., Yadav, B. K., Reddy, A. G., Rani, D. S., Qadri, S. S., Singh, L., Chaubey, G., Thangaraj, K.** 2013. Genetic structure of Tibeto-Burman populations of Bangladesh: evaluating the gene flow along the sides of Bay-of-Bengal. *PLoS One* 8 (10): e75064.
- Gendzekhadze, K., Norman, P. J., Abi-Rached, L., Graef, T., Moesta, A. K., Layrisse, Z., Parham, P.** 2009. Co-evolution of KIR2DL3 with HLA-C in a human population retaining minimal essential diversity of KIR and HLA class I ligands. *Proc Natl Acad Sci U S A* 106 (44): 18692-7.
- Gendzekhadze, K., Norman, P. J., Abi-Rached, L., Layrisse, Z., Parham, P.** 2006. High KIR diversity in Amerindians is maintained using few gene-content haplotypes. *Immunogenetics* 58 (5-6): 474-80.
- Geng, Y., Zhou, W., Zhang, Z. L.** 2012. A comparative study on the diversity of clinical features between the sero-negative and sero-positive rheumatoid arthritis patients. *Rheumatol Int* 32 (12): 3897-901.
- Gerosa, F., Baldani-Guerra, B., Nisii, C., Marchesini, V., Carra, G., Trinchieri, G.** 2002. Reciprocal activating interaction between natural killer cells and dendritic cells. *J Exp Med* 195 (3): 327-33.
- Ghosh, S. K., Indian Academy of Social Sciences.** 2002. The tragic partition of Bengal. 1st ed. Allahabad. Indian Academy of Social Sciences.
- Gibbons, A.** 2011. Anthropology. A new view of the birth of Homo sapiens. *Science* 331 (6016): 392-4.

- Giebel, S., Locatelli, F., Lamparelli, T., Velardi, A., Davies, S., Frumento, G., Maccario, R., Bonetti, F., Wojnar, J., Martinetti, M., Frassoni, F., Giorgiani, G., Bacigalupo, A., Holowiecki, J.** 2003. Survival advantage with KIR ligand incompatibility in hematopoietic stem cell transplantation from unrelated donors. *Blood* 102 (3): 814-9.
- Gilbert, W.** 1978. Why genes in pieces? *Nature* 271 (5645): 501.
- Gillespie, G. M., Bashirova, A., Dong, T., McVicar, D. W., Rowland-Jones, S. L., Carrington, M.** 2007. Lack of KIR3DS1 binding to MHC class I Bw4 tetramers in complex with CD8+ T cell epitopes. *AIDS Res Hum Retroviruses* 23 (3): 451-5.
- Goldbach-Mansky, R., Lee, J., McCoy, A., Hoxworth, J., Yarboro, C., Smolen, J. S., Steiner, G., Rosen, A., Zhang, C., Menard, H. A., Zhou, Z. J., Palosuo, T., Van Venrooij, W. J., Wilder, R. L., Klippel, J. H., Schumacher, H. R., Jr., El-Gabalawy, H. S.** 2000. Rheumatoid arthritis associated autoantibodies in patients with synovitis of recent onset. *Arthritis Res* 2 (3): 236-43.
- Goldring, S. R., Gravallesse, E. M.** 2000. Pathogenesis of bone erosions in rheumatoid arthritis. *Curr Opin Rheumatol* 12 (3): 195-9.
- Gomez-Lozano, N., Estefania, E., Williams, F., Halfpenny, I., Middleton, D., Solis, R., Vilches, C.** 2005. The silent KIR3DP1 gene (CD158c) is transcribed and might encode a secreted receptor in a minority of humans, in whom the KIR3DP1, KIR2DL4 and KIR3DL1/KIR3DS1 genes are duplicated. *Eur J Immunol* 35 (1): 16-24.
- Gomez-Lozano, N., Gardiner, C. M., Parham, P., Vilches, C.** 2002. Some human KIR haplotypes contain two KIR2DL5 genes: KIR2DL5A and KIR2DL5B. *Immunogenetics* 54 (5): 314-9.
- Gonzalez-Galarza, F. F., Christmas, S., Middleton, D., Jones, A. R.** 2011. Allele frequency net: a database and online repository for immune gene frequencies in worldwide populations. *Nucleic Acid Res* 39 D913-D19.
- Gonzalez-Galarza, F. F., Takeshita, L. Y., Santos, E. J., Kempson, F., Maia, M. H., da Silva, A. L., Teles e Silva, A. L., Ghataoraya, G. S., Alfirevic, A., Jones, A. R., Middleton, D.** 2015. Allele frequency net 2015 update: new features for HLA epitopes, KIR and disease and HLA adverse drug reaction associations. *Nucleic Acids Res* 43 (Database issue): D784-8.
- Gorman, J. D., Lum, R. F., Chen, J. J., Suarez-Almazor, M. E., Thomson, G., Criswell, L. A.** 2004. Impact of shared epitope genotype and ethnicity on erosive disease: a meta-analysis of 3,240 rheumatoid arthritis patients. *Arthritis Rheum* 50 (2): 400-12.

- Gourraud, P. A., Meenagh, A., Cambon-Thomsen, A., Middleton, D.** 2010. Linkage disequilibrium organization of the human KIR superlocus: implications for KIR data analyses. *Immunogenetics* 62 (11-12): 729-40.
- Gravallese, E. M., Goldring, S. R.** 2000. Cellular mechanisms and the role of cytokines in bone erosions in rheumatoid arthritis. *Arthritis Rheum* 43 (10): 2143-51.
- Greenblatt, M. B., Aliprantis, A., Hu, B., Glimcher, L. H.** 2010. Calcineurin regulates innate antifungal immunity in neutrophils. *J Exp Med* 207 (5): 923-31.
- Gregersen, P. K., Silver, J., Winchester, R. J.** 1987. The shared epitope hypothesis. An approach to understanding the molecular genetics of susceptibility to rheumatoid arthritis. *Arthritis Rheum* 30 (11): 1205-13.
- Grendell, R. L., Hughes, A. L., Golos, T. G.** 2001. Cloning of rhesus monkey killer-cell Ig-like receptors (KIRs) from early pregnancy decidua. *Tissue Antigens* 58 (5): 329-34.
- Groh, V., Rhinehart, R., Randolph-Habecker, J., Topp, M. S., Riddell, S. R., Spies, T.** 2001. Costimulation of CD8 $\alpha$ beta T cells by NKG2D via engagement by MIC induced on virus-infected cells. *Nat Immunol* 2 (3): 255-60.
- Guerra, N., Michel, F., Gati, A., Gaudin, C., Mishal, Z., Escudier, B., Acuto, O., Chouaib, S., Caignard, A.** 2002. Engagement of the inhibitory receptor CD158a interrupts TCR signaling, preventing dynamic membrane reorganization in CTL/tumor cell interaction. *Blood* 100 (8): 2874-81.
- Guerra, R., Wan, Y., Jia, A., Amos, C. I., Cohen, J. C.** 1999. Testing for linkage under robust genetic models. *Hum Hered* 49 (3): 146-53.
- Guethlein, L. A., Flodin, L. R., Adams, E. J., Parham, P.** 2002. NK cell receptors of the orangutan (*Pongo pygmaeus*): a pivotal species for tracking the coevolution of killer cell Ig-like receptors with MHC-C. *J Immunol* 169 (1): 220-9.
- Guha, P., Bhattacharjee, S., Nayak, C., Chaudhuri, T. K.** 2013. Study of the KIR gene profiles and analysis of the phylogenetic relationships of Rajbanshi population of West Bengal, India. *Hum Immunol* 74 (5): 673-80.
- Guillemin, F., Billot, L., Boini, S., Gerard, N., Odegaard, S., Kvien, T. K.** 2005. Reproducibility and sensitivity to change of 5 methods for scoring hand radiographic damage in patients with rheumatoid arthritis. *J Rheumatol* 32 (5): 778-86.
- Gumperz, J. E., Paterson, J. C., Litwin, V., Valiante, N., Lanier, L. L., Parham, P., Little, A. M.** 1996. Specificity of two anti-class I HLA monoclonal antibodies that block class I recognition by the NKB1 killer cell inhibitory receptor. *Tissue Antigens* 48 (4 Pt 1): 278-84.

- Gutala, R., Carvalho-Silva, D. R., Jin, L., Yngvadottir, B., Avadhanula, V., Nanne, K., Singh, L., Chakraborty, R., Tyler-Smith, C.** 2006. A shared Y-chromosomal heritage between Muslims and Hindus in India. *Hum Genet* 120 (4): 543-51.
- Gutierrez-Rodriguez, M. E., Sandoval-Ramirez, L., Diaz-Flores, M., Marsh, S. G., Valladares-Salgado, A., Madrigal, J. A., Mejia-Arangure, J. M., Garcia, C. A., Huerta-Zepeda, A., Ibarra-Cortes, B., Ortega-Camarillo, C., Cruz, M.** 2006. KIR gene in ethnic and Mestizo populations from Mexico. *Hum Immunol* 67 (1-2): 85-93.
- Haldane, J. B. S.** 1933. The Part Played by Recurrent Mutation in Evolution. *Am Nat* 67 5-19.
- Halldorsdottir, H. D., Jonsson, T., Thorsteinsson, J., Valdimarsson, H.** 2000. A prospective study on the incidence of rheumatoid arthritis among people with persistent increase of rheumatoid factor. *Ann Rheum Dis* 59 (2): 149-51.
- Hanna, J., Gonen-Gross, T., Fitchett, J., Rowe, T., Daniels, M., Arnon, T. I., Gazit, R., Joseph, A., Schjetne, K. W., Steinle, A., Porgador, A., Mevorach, D., Goldman-Wohl, D., Yagel, S., LaBarre, M. J., Buckner, J. H., Mandelboim, O.** 2004. Novel APC-like properties of human NK cells directly regulate T cell activation. *J Clin Invest* 114 (11): 1612-23.
- Hansasuta, P., Dong, T., Thananchai, H., Weekes, M., Willberg, C., Aldemir, H., Rowland-Jones, S., Braud, V. M.** 2004. Recognition of HLA-A3 and HLA-A11 by KIR3DL2 is peptide-specific. *Eur J Immunol* 34 (6): 1673-9.
- Haringman, J. J., Gerlag, D. M., Zwinderman, A. H., Smeets, T. J., Kraan, M. C., Baeten, D., McInnes, I. B., Bresnihan, B., Tak, P. P.** 2005. Synovial tissue macrophages: a sensitive biomarker for response to treatment in patients with rheumatoid arthritis. *Ann Rheum Dis* 64 (6): 834-8.
- Harpending, H., Rogers, A.** 2000. Genetic perspectives on human origins and differentiation. *Annu Rev Genomics Hum Genet* 1 361-85.
- Hayashi, F., Means, T. K., Luster, A. D.** 2003. Toll-like receptors stimulate human neutrophil function. *Blood* 102 (7): 2660-9.
- Hayer, S., Tohidast-Akrad, M., Haralambous, S., Jahn-Schmid, B., Skriner, K., Trembleau, S., Dumortier, H., Pinol-Roma, S., Redlich, K., Schett, G., Muller, S., Kollias, G., Smolen, J., Steiner, G.** 2005. Aberrant expression of the autoantigen heterogeneous nuclear ribonucleoprotein-A2 (RA33) and spontaneous formation of rheumatoid arthritis-associated anti-RA33 autoantibodies in TNF-alpha transgenic mice. *J Immunol* 175 (12): 8327-36.

- Henel, G., Singh, K., Cui, D., Pryshchep, S., Lee, W. W., Weyand, C. M., Goronzy, J. J.** 2006. Uncoupling of T-cell effector functions by inhibitory killer immunoglobulin-like receptors. *Blood* 107 (11): 4449-57.
- Hershberger, K. L., Shyam, R., Miura, A., Letvin, N. L.** 2001. Diversity of the killer cell Ig-like receptors of rhesus monkeys. *J Immunol* 166 (7): 4380-90.
- Hetherington, R., Reid, R. G. B.** 2010. The climate connection : climate change and modern human evolution. Cambridge ; New York. Cambridge University Press.
- Hiby, S. E., Regan, L., Lo, W., Farrell, L., Carrington, M., Moffett, A.** 2008. Association of maternal killer-cell immunoglobulin-like receptors and parental HLA-C genotypes with recurrent miscarriage. *Hum Reprod* 23 (4): 972-6.
- Hill, A. V., Allsopp, C. E., Kwiatkowski, D., Anstey, N. M., Twumasi, P., Rowe, P. A., Bennett, S., Brewster, D., McMichael, A. J., Greenwood, B. M.** 1991. Common west African HLA antigens are associated with protection from severe malaria. *Nature* 352 (6336): 595-600.
- Hirohata, S., Yanagida, T., Koda, M., Koiwa, M., Yoshino, S., Ochi, T.** 1995. Selective induction of IgM rheumatoid factors by CD14+ monocyte-lineage cells generated from bone marrow of patients with rheumatoid arthritis. *Arthritis Rheum* 38 (3): 384-8.
- Holm, S. J., Sakuraba, K., Mallbris, L., Wolk, K., Stahle, M., Sanchez, F. O.** 2005. Distinct HLA-C/KIR genotype profile associates with guttate psoriasis. *J Invest Dermatol* 125 (4): 721-30.
- Holoshitz, J., Klajman, A., Drucker, I., Lapidot, Z., Yaretzky, A., Frenkel, A., van Eden, W., Cohen, I. R.** 1986. T lymphocytes of rheumatoid arthritis patients show augmented reactivity to a fraction of mycobacteria cross-reactive with cartilage. *Lancet* 2 (8502): 305-9.
- Hossain, T., Hasan, M. M., Mazumder, A. K., Momtaz, P., Sharmin, T., Sufian, A., Das, S. A., Akhteruzzaman, S.** 2014. Population genetic data on 15 autosomal STR loci in Bangladeshi population. *Forensic Sci Int Genet* 13 e4-5.
- Hsu, K. C., Chida, S., Geraghty, D. E., Dupont, B.** 2002. The killer cell immunoglobulin-like receptor (KIR) genomic region: gene-order, haplotypes and allelic polymorphism. *Immunol Rev* 190 40-52.
- Hsu, K. C., Liu, X. R., Selvakumar, A., Mickelson, E., O'Reilly, R. J., Dupont, B.** 2002. Killer Ig-like receptor haplotype analysis by gene content: evidence for genomic diversity with a minimum of six basic framework haplotypes, each with multiple subsets. *J Immunol* 169 (9): 5118-29.

- Ingman, M., Kaessmann, H., Paabo, S., Gyllensten, U.** 2000. Mitochondrial genome variation and the origin of modern humans. *Nature* 408 (6813): 708-13.
- Isaacs, J. D., Moreland, L. W.** 2011. Fast facts : rheumatoid arthritis. 2nd ed. Abingdon. Health Press.
- Iwamoto, T., Ikari, K., Nakamura, T., Kuwahara, M., Toyama, Y., Tomatsu, T., Momohara, S., Kamatani, N.** 2006. Association between PADI4 and rheumatoid arthritis: a meta-analysis. *Rheumatology (Oxford)* 45 (7): 804-7.
- James, D., Young, A., Kulinskaya, E., Knight, E., Thompson, W., Ollier, W., Dixey, J.** 2004. Orthopaedic intervention in early rheumatoid arthritis. Occurrence and predictive factors in an inception cohort of 1064 patients followed for 5 years. *Rheumatology (Oxford)* 43 (3): 369-76.
- Jantti, J., Kaarela, K., Kautiainen, H., Isomaki, H., Aho, K.** 2001. Radiographic remission in seropositive rheumatoid arthritis. A 20-year follow-up study. *Clin Exp Rheumatol* 19 (5): 573-6.
- Jawaheer, D., Lum, R. F., Amos, C. I., Gregersen, P. K., Criswell, L. A.** 2004. Clustering of disease features within 512 multicase rheumatoid arthritis families. *Arthritis Rheum* 50 (3): 736-41.
- Jensen, A. F.** 1991. India: Its Culture and People. New York. Longman.
- Jiang, K., Zhu, F. M., Lv, Q. F., Yan, L. X.** 2005. Distribution of killer cell immunoglobulin-like receptor genes in the Chinese Han population. *Tissue Antigens* 65 (6): 556-63.
- Jobling, M. A., Tyler-Smith, C.** 2003. The human Y chromosome: an evolutionary marker comes of age. *Nature Reviews Genetics* 4 (8): 598-612.
- Jones, E., Hanly, J. G., Mooney, R., Rand, L. L., Spurway, P. M., Eastwood, B. J., Jones, J. V.** 1991. Strength and function in the normal and rheumatoid hand. *J Rheumatol* 18 (9): 1313-8.
- Jorde, L. B.** 2000. Linkage disequilibrium and the search for complex disease genes. *Genome Res* 10 (10): 1435-44.
- Jorde, L. B., Bamshad, M., Rogers, A. R.** 1998. Using mitochondrial and nuclear DNA markers to reconstruct human evolution. *Bioessays* 20 (2): 126-36.
- Kaessmann, H., Heissig, F., von Haeseler, A., Paabo, S.** 1999. DNA sequence variation in a non-coding region of low recombination on the human X chromosome. *Nat Genet* 22 (1): 78-81.

- Kaessmann, H., Zollner, S., Nekrutenko, A., Li, W. H.** 2002. Signatures of domain shuffling in the human genome. *Genome Res* 12 (11): 1642-50.
- Kamali, S., Polat, N. G., Kasapoglu, E., Gul, A., Ocal, L., Aral, O., Konice, M., Badur, S., Inanc, M.** 2005. Anti-CCP and antikeratin antibodies in rheumatoid arthritis, primary Sjogren's syndrome, and Wegener's granulomatosis. *Clin Rheumatol* 24 (6): 673-6.
- Karre, K.** 2008. Natural killer cell recognition of missing self. *Nat Immunol* 9 (5): 477-80.
- Katz, G., Gazit, R., Arnon, T. I., Gonen-Gross, T., Tarcic, G., Markel, G., Gruda, R., Achdout, H., Drize, O., Merims, S., Mandelboim, O.** 2004. MHC class I-independent recognition of NK-activating receptor KIR2DS4. *J Immunol* 173 (3): 1819-25.
- Kellgren, J. H.** 1956. Radiological signs of rheumatoid arthritis; a study of observer differences in the reading of hand films. *Ann Rheum Dis* 15 (1): 55-60.
- Kerrigan, A. M., Dennehy, K. M., Mourao-Sa, D., Faro-Trindade, I., Willment, J. A., Taylor, P. R., Eble, J. A., Reis e Sousa, C., Brown, G. D.** 2009. CLEC-2 is a phagocytic activation receptor expressed on murine peripheral blood neutrophils. *J Immunol* 182 (7): 4150-7.
- Khakoo, S. I., Carrington, M.** 2006. KIR and disease: a model system or system of models? *Immunol Rev* 214 186-201.
- Khakoo, S. I., Rajalingam, R., Shum, B. P., Weidenbach, K., Flodin, L., Muir, D. G., Canavez, F., Cooper, S. L., Valiante, N. M., Lanier, L. L., Parham, P.** 2000. Rapid evolution of NK cell receptor systems demonstrated by comparison of chimpanzees and humans. *Immunity* 12 (6): 687-98.
- Khakoo, S. I., Thio, C. L., Martin, M. P., Brooks, C. R., Gao, X., Astemborski, J., Cheng, J., Goedert, J. J., Vlahov, D., Hilgartner, M., Cox, S., Little, A. M., Alexander, G. J., Cramp, M. E., O'Brien, S. J., Rosenberg, W. M., Thomas, D. L., Carrington, M.** 2004. HLA and NK cell inhibitory receptor genes in resolving hepatitis C virus infection. *Science* 305 (5685): 872-4.
- Kikuchi-Maki, A., Catina, T. L., Campbell, K. S.** 2005. Cutting edge: KIR2DL4 transduces signals into human NK cells through association with the Fc receptor gamma protein. *J Immunol* 174 (7): 3859-63.
- Kikuchi-Maki, A., Yusa, S., Catina, T. L., Campbell, K. S.** 2003. KIR2DL4 is an IL-2-regulated NK cell receptor that exhibits limited expression in humans but triggers strong IFN-gamma production. *J Immunol* 171 (7): 3415-25.

- Kim, S., Poursine-Laurent, J., Truscott, S. M., Lybarger, L., Song, Y. J., Yang, L., French, A. R., Sunwoo, J. B., Lemieux, S., Hansen, T. H., Yokoyama, W. M.** 2005. Licensing of natural killer cells by host major histocompatibility complex class I molecules. *Nature* 436 (7051): 709-13.
- Kim, S., Sunwoo, J. B., Yang, L., Choi, T., Song, Y. J., French, A. R., Vlahiotis, A., Piccirillo, J. F., Cella, M., Colonna, M., Mohanakumar, T., Hsu, K. C., Dupont, B., Yokoyama, W. M.** 2008. HLA alleles determine differences in human natural killer cell responsiveness and potency. *Proc Natl Acad Sci U S A* 105 (8): 3053-8.
- Kimura, M.** 1983. The neutral theory of molecular evolution. Cambridge. Cambridge University Press.
- Kinne, R. W., Stuhlmuller, B., Burmester, G. R.** 2007. Cells of the synovium in rheumatoid arthritis. Macrophages. *Arthritis Res Ther* 9 (6): 224.
- Klareskog, L., Catrina, A. I., Paget, S.** 2009. Rheumatoid arthritis. *Lancet* 373 (9664): 659-72.
- Klein, R. G.** 1999. The human career : human biological and cultural origins. 2nd ed. Chicago ; London. University of Chicago Press.
- Kubota, A., Kubota, S., Lohwasser, S., Mager, D. L., Takei, F.** 1999. Diversity of NK cell receptor repertoire in adult and neonatal mice. *J Immunol* 163 (1): 212-6.
- Kulkarni, S., Single, R. M., Martin, M. P., Rajalingam, R., Badwe, R., Joshi, N., Carrington, M.** 2008. Comparison of the rapidly evolving KIR locus in Parsis and natives of India. *Immunogenetics* 60 (3-4): 121-9.
- Kumar, V., Basu, D., Reddy, B. M.** 2004. Genetic heterogeneity in northeastern India: reflection of Tribe-Caste continuum in the genetic structure. *Am J Hum Biol* 16 (3): 334-45.
- Kunz, R., Kreutz, R., Beige, J., Distler, A., Sharma, A. M.** 1997. Association between the angiotensinogen 235T-variant and essential hypertension in whites: a systematic review and methodological appraisal. *Hypertension* 30 (6): 1331-7.
- Kurien, P. A.** 2002. Kaleidoscopic ethnicity : international migration and the reconstruction of community identities in India. New Delhi ; Oxford. Oxford University Press.
- Lahita, R. G.** 1990. Sex hormones and the immune system--Part 1. Human data. *Baillieres Clin Rheumatol* 4 (1): 1-12.

- Lahr, M. M., Foley, R. A.** 1998. Towards a theory of modern human origins: geography, demography, and diversity in recent human evolution. *American Journal of Physical Anthropology* suppl 27 137-76.
- Lahr, M. M. n.** 1996. The evolution of modern human diversity : a study on cranial variation. New York ; Cambridge. Cambridge University Press.
- Landsteiner, K.** 1961. On agglutination of normal human blood. *Transfusion* 1 5-8.
- Lanier, L. L.** 1997. Natural killer cells: from no receptors to too many. *Immunity* 6 (4): 371-8.
- Lanier, L. L.** 2005. NK cell recognition. *Annu Rev Immunol* 23 225-74.
- Lanier, L. L., Corliss, B., Phillips, J. H.** 1997. Arousal and inhibition of human NK cells. *Immunol Rev* 155 145-54.
- Lassere, M., Boers, M., van der Heijde, D., Boonen, A., Edmonds, J., Saudan, A., Verhoeven, A. C.** 1999. Smallest detectable difference in radiological progression. *J Rheumatol* 26 (3): 731-9.
- Lawrence, J. S.** 1970. Heberden Oration, 1969. Rheumatoid arthritis--nature or nurture? *Ann Rheum Dis* 29 (4): 357-79.
- Lebre, M. C., Tak, P. P.** 2009. Dendritic cells in rheumatoid arthritis: Which subset should be used as a tool to induce tolerance? *Hum Immunol* 70 (5): 321-4.
- Lee, D. M., Schur, P. H.** 2003. Clinical utility of the anti-CCP assay in patients with rheumatic diseases. *Ann Rheum Dis* 62 (9): 870-4.
- Lee, H. L., Woo, K. M., Ryoo, H. M., Baek, J. H.** 2010. Tumor necrosis factor-alpha increases alkaline phosphatase expression in vascular smooth muscle cells via MSX2 induction. *Biochem Biophys Res Commun* 391 (1): 1087-92.
- Lee, I. F., Qin, H., Trudeau, J., Dutz, J., Tan, R.** 2004. Regulation of autoimmune diabetes by complete Freund's adjuvant is mediated by NK cells. *J Immunol* 172 (2): 937-42.
- Lee, Y. C., Chan, S. H., Ren, E. C.** 2008. Asian population frequencies and haplotype distribution of killer cell immunoglobulin-like receptor (KIR) genes among Chinese, Malay, and Indian in Singapore. *Immunogenetics* 60 (11): 645-54.
- Lefevre, S., Knedla, A., Tennie, C., Kampmann, A., Wunrau, C., Dinser, R., Korb, A., Schnaker, E. M., Tarner, I. H., Robbins, P. D., Evans, C. H., Sturz, H., Steinmeyer, J., Gay, S., Scholmerich, J., Pap, T., Muller-Ladner, U., Neumann, E.** 2009. Synovial fibroblasts spread rheumatoid arthritis to unaffected joints. *Nat Med* 15 (12): 1414-20.

- Leibson, P. J.** 1997. Signal transduction during natural killer cell activation: inside the mind of a killer. *Immunity* 6 (6): 655-61.
- Levinson, R. D., Du, Z., Luo, L., Monnet, D., Tabary, T., Brezin, A. P., Zhao, L., Gjertson, D. W., Holland, G. N., Reed, E. F., Cohen, J. H., Rajalingam, R.** 2008. Combination of KIR and HLA gene variants augments the risk of developing birdshot chorioretinopathy in HLA-A\*29-positive individuals. *Genes Immun* 9 (3): 249-58.
- Levinson, R. D., Martin, T. M., Luo, L., Ashouri, E., Rosenbaum, J. T., Smith, J. R., Austin, C. R., Lutt, J. R., Rajalingam, R.** 2010. Killer cell immunoglobulin-like receptors in HLA-B27-associated acute anterior uveitis, with and without axial spondyloarthritis. *Invest Ophthalmol Vis Sci* 51 (3): 1505-10.
- Levinson, R. D., Okada, A. A., Ashouri, E., Keino, H., Rajalingam, R.** 2010. Killer cell immunoglobulin-like receptor gene-cluster 3DS1-2DL5-2DS1-2DS5 predisposes susceptibility to Vogt-Koyanagi-Harada syndrome in Japanese individuals. *Hum Immunol* 71 (2): 192-4.
- Lewontin, R. C.** 1974. The genetic basis of evolutionary change. New York,. Columbia University Press.
- Li, G., Yu, M., Weyand, C. M., Goronzy, J. J.** 2009. Epigenetic regulation of killer immunoglobulin-like receptor expression in T cells. *Blood* 114 (16): 3422-30.
- Liao, H. X., Haynes, B. F.** 1995. Role of adhesion molecules in the pathogenesis of rheumatoid arthritis. *Rheum Dis Clin North Am* 21 (3): 715-40.
- Lin, H.-K., Lan, J.-L., Chen, D.-Y., Chen, Y.-H., Huang, W.-N., Hsieh, T.-Y., Hsieh, C.-W., Chen, H.-H.** 2008. The diagnostic value of anti-cyclic citrullinated peptide antibodies and rheumatoid factor in patients with rheumatoid arthritis. *Formos J Rheumatol* 22 68-73.
- Lindqvist, E., Eberhardt, K., Bendtzen, K., Heinegard, D., Saxne, T.** 2005. Prognostic laboratory markers of joint damage in rheumatoid arthritis. *Ann Rheum Dis* 64 (2): 196-201.
- Ljunggren, H. G., Karre, K.** 1990. In search of the 'missing self': MHC molecules and NK cell recognition. *Immunol Today* 11 (7): 237-44.
- Loetscher, P., Seitz, M., Clark-Lewis, I., Baggiolini, M., Moser, B.** 1996. Activation of NK cells by CC chemokines. Chemotaxis, Ca<sup>2+</sup> mobilization, and enzyme release. *J Immunol* 156 (1): 322-7.
- Long, E. O., Burshtyn, D. N., Clark, W. P., Peruzzi, M., Rajagopalan, S., Rojo, S., Wagtmann, N., Winter, C. C.** 1997. Killer cell inhibitory receptors: diversity, specificity, and function. *Immunol Rev* 155 135-44.

- Long, M., Betran, E., Thornton, K., Wang, W.** 2003. The origin of new genes: glimpses from the young and old. *Nat Rev Genet* 4 (11): 865-75.
- Lorenc, A., Makalowski, W.** 2003. Transposable elements and vertebrate protein diversity. *Genetica* 118 (2-3): 183-91.
- Lustgarten, J. A., Wenk, R. E.** 1972. Simple, rapid, kinetic method for serum creatinine measurement. *Clin Chem* 18 (11): 1419-22.
- Luszczek, W., Kubicka, W., Cislo, M., Nockowski, P., Manczak, M., Woszczek, G., Baran, E., Kusnierczyk, P.** 2003. Strong association of HLA-Cw6 allele with juvenile psoriasis in Polish patients. *Immunol Lett* 85 (1): 59-64.
- Luszczek, W., Manczak, M., Cislo, M., Nockowski, P., Wisniewski, A., Jasek, M., Kusnierczyk, P.** 2004. Gene for the activating natural killer cell receptor, KIR2DS1, is associated with susceptibility to psoriasis vulgaris. *Hum Immunol* 65 (7): 758-66.
- Mager, D. L., McQueen, K. L., Wee, V., Freeman, J. D.** 2001. Evolution of natural killer cell receptors: coexistence of functional Ly49 and KIR genes in baboons. *Curr Biol* 11 (8): 626-30.
- Majorczyk, E., Pawlik, A., Luszczek, W., Nowak, I., Wisniewski, A., Jasek, M., Kusnierczyk, P.** 2007. Associations of killer cell immunoglobulin-like receptor genes with complications of rheumatoid arthritis. *Genes Immun* 8 (8): 678-83.
- Makalowski, W., Mitchell, G. A., Labuda, D.** 1994. Alu sequences in the coding regions of mRNA: a source of protein variability. *Trends in Genet* 10 (6): 188-93.
- Makinen, H., Kautiainen, H., Hannonen, P., Sokka, T.** 2005. Frequency of remissions in early rheumatoid arthritis defined by 3 sets of criteria. a 5-year followup study. *J Rheumatol* 32 (5): 796-800.
- Malnati, M. S., Peruzzi, M., Parker, K. C., Biddison, W. E., Ciccone, E., Moretta, A., Long, E. O.** 1995. Peptide specificity in the recognition of MHC class I by natural killer cell clones. *Science* 267 (5200): 1016-8.
- Maraina, C. H., Nurdayana, A. K., Rusni, D., Azwany, Y.** 2010. Diagnostic value of anti-modified citrullinated vimentin in rheumatoid arthritis. *Int J Rheum Dis* 13 (4): 335-9.
- Marsh, S. G., Parham, P., Dupont, B., Geraghty, D. E., Trowsdale, J., Middleton, D., Vilches, C., Carrington, M., Witt, C., Guethlein, L. A., Shilling, H., Garcia, C. A., Hsu, K. C., Wain, H.** 2003. Killer-cell immunoglobulin-like receptor (KIR) nomenclature report, 2002. *Hum Immunol* 64 (6): 648-54.

- Marston, B., Palanichamy, A., Anolik, J. H.** 2010. B cells in the pathogenesis and treatment of rheumatoid arthritis. *Curr Opin Rheumatol* 22 (3): 307-15.
- Martin, A. M., Freitas, E. M., Witt, C. S., Christiansen, F. T.** 2000. The genomic organization and evolution of the natural killer immunoglobulin-like receptor (KIR) gene cluster. *Immunogenetics* 51 (4-5): 268-80.
- Martin, A. M., Kulski, J. K., Gaudieri, S., Witt, C. S., Freitas, E. M., Trowsdale, J., Christiansen, F. T.** 2004. Comparative genomic analysis, diversity and evolution of two KIR haplotypes A and B. *Gene* 335 121-31.
- Martin, M. P., Bashirova, A., Traherne, J., Trowsdale, J., Carrington, M.** 2003. Cutting edge: expansion of the KIR locus by unequal crossing over. *J Immunol* 171 (5): 2192-5.
- Martin, M. P., Gao, X., Lee, J. H., Nelson, G. W., Detels, R., Goedert, J. J., Buchbinder, S., Hoots, K., Vlahov, D., Trowsdale, J., Wilson, M., O'Brien, S. J., Carrington, M.** 2002. Epistatic interaction between KIR3DS1 and HLA-B delays the progression to AIDS. *Nat Genet* 31 (4): 429-34.
- Masel, J.** 2011. Genetic drift. *Curr Biol* 21 (20): R837-8.
- Masson-Bessiere, C., Sebbag, M., Girbal-Neuhauser, E., Nogueira, L., Vincent, C., Senshu, T., Serre, G.** 2001. The major synovial targets of the rheumatoid arthritis-specific antifilaggrin autoantibodies are deiminated forms of the alpha- and beta-chains of fibrin. *J Immunol* 166 (6): 4177-84.
- Matsui, T., Otsuka, M., Maenaka, K., Furukawa, H., Yabe, T., Yamamoto, K., Nishioka, K., Kato, T.** 2001. Detection of autoantibodies to killer immunoglobulin-like receptors using recombinant fusion proteins for two killer immunoglobulin-like receptors in patients with systemic autoimmune diseases. *Arthritis Rheum* 44 (2): 384-8.
- Mattey, D. L., Dawes, P. T., Clarke, S., Fisher, J., Brownfield, A., Thomson, W., Hajeer, A. H., Ollier, W. E.** 2002. Relationship among the HLA-DRB1 shared epitope, smoking, and rheumatoid factor production in rheumatoid arthritis. *Arthritis Rheum* 47 (4): 403-7.
- Maxwell, K. F., Powell, M. S., Hulett, M. D., Barton, P. A., McKenzie, I. F., Garrett, T. P., Hogarth, P. M.** 1999. Crystal structure of the human leukocyte Fc receptor, Fc gammaRIIa. *Nat Struct Biol* 6 (5): 437-42.
- Maxwell, L. D., Wallace, A., Middleton, D., Curran, M. D.** 2002. A common KIR2DS4 deletion variant in the human that predicts a soluble KIR molecule analogous to the KIR1D molecule observed in the rhesus monkey. *Tissue Antigens* 60 (3): 254-8.

- Mayhew, A.** 1929. Christianity and the government of India; an examination of the Christian forces at work in the administration of India and of the mutual relations of the British government and Christian missions, 1600-1920. London. Faber & Gwyer limited.
- McCrinkle, J. W., Arrian, Curtius Rufus, Q., Diodorus, Plutarch, Justinus, M. J.** 1896. The invasion of India by Alexander the Great as described by Arrian, Q. Curtius, Diodoros, Plutarch and Justin : being translations of such portions of the works of these and other classical authors as describe Alexander's campaigns in Afghanistan, the Punjab, Sindh, Gedrosia and Karmania. New ed. Westminster. A. Constable and Co.
- McDougall, I., Brown, F. H., Fleagle, J. G.** 2005. Stratigraphic placement and age of modern humans from Kibish, Ethiopia. *Nature* 433 (7027): 733-6.
- McGeough, C. M., Berrar, D., Wright, G., Mathews, C., Gilmore, P., Cunningham, R. T., Bjourson, A. J.** 2012. Killer immunoglobulin-like receptor and human leukocyte antigen-C genotypes in rheumatoid arthritis primary responders and non-responders to anti-TNF-alpha therapy. *Rheumatol Int* 32 (6): 1647-53.
- McQueen, K. L., Parham, P.** 2002. Variable receptors controlling activation and inhibition of NK cells. *Curr Opin Immunol* 14 (5): 615-21.
- McQueen, K. L., Wilhelm, B. T., Harden, K. D., Mager, D. L.** 2002. Evolution of NK receptors: a single Ly49 and multiple KIR genes in the cow. *Eur J Immunol* 32 (3): 810-7.
- Meenan, R. F., Gertman, P. M., Mason, J. H.** 1980. Measuring health status in arthritis. The arthritis impact measurement scales. *Arthritis Rheum* 23 (2): 146-52.
- Mehra, N. K., Taneja, V., Kailash, S., Raizada, N., Vaidya, M. C.** 1986. Distribution of HLA antigens in a sample of the North Indian Hindu population. *Tissue Antigens* 27 (2): 64-74.
- Melero, I., Salmeron, A., Balboa, M. A., Aramburu, J., Lopez-Botet, M.** 1994. Tyrosine kinase-dependent activation of human NK cell functions upon stimulation through a 58-kDa surface antigen selectively expressed on discrete subsets of NK cells and T lymphocytes. *J Immunol* 152 (4): 1662-73.
- Metspalu, M., Kivisild, T., Metspalu, E., Parik, J., Hudjashov, G., Kaldma, K., Serk, P., Karmin, M., Behar, D. M., Gilbert, M. T., Endicott, P., Mastana, S., Papiha, S. S., Skorecki, K., Torroni, A., Villems, R.** 2004. Most of the extant mtDNA boundaries in south and southwest Asia were likely shaped during the initial settlement of Eurasia by anatomically modern humans. *BMC Genet* 5 26.

- Mewa, A. A., Pui, M., Cockshott, W. P., Buchanan, W. W.** 1983. Observer differences in detecting erosions in radiographs of rheumatoid arthritis. A comparison of posteroanterior, Norgaard and Brewerton views. *J Rheumatol* 10 (2): 216-21.
- Middleton, D., Gonzelez, F.** 2010. The extensive polymorphism of KIR genes. *Immunology* 129 (1): 8-19.
- Middleton, D., Meenagh, A., Gourraud, P. A.** 2007. KIR haplotype content at the allele level in 77 Northern Irish families. *Immunogenetics* 59 (2): 145-58.
- Middleton, D., Meenagh, A., Wright, G. D.** 2007. No association in frequency of KIR receptors in patients with rheumatoid arthritis from Northern Ireland. *Tissue Antigens* 69 (6): 577-82.
- Middleton, D., Menchaca, L., Rood, H., Komerofsky, R.** 2003. New allele frequency database: <http://www.allelefreqencies.net>. *Tissue Antigens* 61 (5): 403-7.
- Mimori, T.** 2005. Clinical significance of anti-CCP antibodies in rheumatoid arthritis. *Intern Med* 44 (11): 1122-6.
- Mingari, M. C., Schiavetti, F., Ponte, M., Vitale, C., Maggi, E., Romagnani, S., Demarest, J., Pantaleo, G., Fauci, A. S., Moretta, L.** 1996. Human CD8+ T lymphocyte subsets that express HLA class I-specific inhibitory receptors represent oligoclonally or monoclonally expanded cell populations. *Proc Natl Acad Sci U S A* 93 (22): 12433-8.
- Moesta, A. K., Norman, P. J., Yawata, M., Yawata, N., Gleimer, M., Parham, P.** 2008. Synergistic polymorphism at two positions distal to the ligand-binding site makes KIR2DL2 a stronger receptor for HLA-C than KIR2DL3. *J Immunol* 180 (6): 3969-79.
- Moffett-King, A.** 2002. Natural killer cells and pregnancy. *Nat Rev Immunol* 2 (9): 656-63.
- Mohyuddin, A., Ayub, Q., Khaliq, S., Mansoor, A., Mazhar, K., Rehman, S., Mehdi, S. Q.** 2002. HLA polymorphism in six ethnic groups from Pakistan. *Tissue Antigens* 59 (6): 492-501.
- Momot, T., Koch, S., Hunzelmann, N., Krieg, T., Ulbricht, K., Schmidt, R. E., Witte, T.** 2004. Association of killer cell immunoglobulin-like receptors with scleroderma. *Arthritis Rheum* 50 (5): 1561-5.
- Moran, J. V., DeBerardinis, R. J., Kazazian, H. H., Jr.** 1999. Exon shuffling by L1 retrotransposition. *Science* 283 (5407): 1530-4.
- Moretta, A., Bottino, C., Pende, D., Tripodi, G., Tambussi, G., Viale, O., Orengo, A., Barbaresi, M., Merli, A., Ciccone, E., et al.** 1990. Identification of four subsets

of human CD3-CD16+ natural killer (NK) cells by the expression of clonally distributed functional surface molecules: correlation between subset assignment of NK clones and ability to mediate specific alloantigen recognition. *J Exp Med* 172 (6): 1589-98.

**Moretta, A., Bottino, C., Vitale, M., Pende, D., Cantoni, C., Mingari, M. C., Biassoni, R., Moretta, L.** 2001. Activating receptors and coreceptors involved in human natural killer cell-mediated cytotoxicity. *Annu Rev Immunol* 19 197-223.

**Moretta, A., Vitale, M., Bottino, C., Orengo, A. M., Morelli, L., Augugliaro, R., Barbaresi, M., Ciccone, E., Moretta, L.** 1993. P58 molecules as putative receptors for major histocompatibility complex (MHC) class I molecules in human natural killer (NK) cells. Anti-p58 antibodies reconstitute lysis of MHC class I-protected cells in NK clones displaying different specificities. *J Exp Med* 178 (2): 597-604.

**Moretta, L., Ferlazzo, G., Bottino, C., Vitale, M., Pende, D., Mingari, M. C., Moretta, A.** 2006. Effector and regulatory events during natural killer-dendritic cell interactions. *Immunol Rev* 214 219-28.

**Mosmann, T. R., Cherwinski, H., Bond, M. W., Giedlin, M. A., Coffman, R. L.** 2005. Two types of murine helper T cell clone. I. Definition according to profiles of lymphokine activities and secreted proteins. 1986. *J Immunol* 175 (1): 5-14.

**Murphy, W. J., Kumar, V., Bennett, M.** 1987. Rejection of bone marrow allografts by mice with severe combined immune deficiency (SCID). Evidence that natural killer cells can mediate the specificity of marrow graft rejection. *J Exp Med* 165 (4): 1212-7.

**Naipaul, V. S.** 2010. India : a million mutinies now. London. Picador.

**Nair, R. P., Stuart, P. E., Nistor, I., Hiremagalore, R., Chia, N. V., Jenisch, S., Weichenthal, M., Abecasis, G. R., Lim, H. W., Christophers, E., Voorhees, J. J., Elder, J. T.** 2006. Sequence and haplotype analysis supports HLA-C as the psoriasis susceptibility 1 gene. *Am J Hum Genet* 78 (5): 827-51.

**Nakajima, T., Wooding, S., Sakagami, T., Emi, M., Tokunaga, K., Tamiya, G., Ishigami, T., Umemura, S., Munkhbat, B., Jin, F., Guan-Jun, J., Hayasaka, I., Ishida, T., Saitou, N., Pavelka, K., Lalouel, J. M., Jorde, L. B., Inoue, I.** 2004. Natural selection and population history in the human angiotensinogen gene (AGT): 736 complete AGT sequences in chromosomes from around the world. *Am J Hum Genet* 74 (5): 898-916.

**Namekawa, T., Snyder, M. R., Yen, J. H., Goehring, B. E., Leibson, P. J., Weyand, C. M., Goronzy, J. J.** 2000. Killer cell activating receptors function as costimulatory molecules on CD4+CD28null T cells clonally expanded in rheumatoid arthritis. *J Immunol* 165 (2): 1138-45.

- Nazari, M., Mahmoudi, M., Rahmani, F., Akhlaghi, M., Beigy, M., Azarian, M., Shamsian, E., Akhtari, M., Mansouri, R.** 2015. Association of Killer Cell Immunoglobulin- Like Receptor Genes in Iranian Patients with Rheumatoid Arthritis. *PLoS One* 10 (12): e0143757.
- Nei, M.** 1972. Genetic Distance between populations. *Am Nat* 106 283-92.
- Nei, M.** 2005. Selectionism and neutralism in molecular evolution. *Mol Biol Evol* 22 (12): 2318-42.
- Nei, M., Gu, X., Sitnikova, T.** 1997. Evolution by the birth-and-death process in multigene families of the vertebrate immune system. *Proc Natl Acad Sci U S A* 94 (15): 7799-806.
- Nekrutenko, A., Li, W. H.** 2001. Transposable elements are found in a large number of human protein-coding genes. *Trends Genet* 17 (11): 619-21.
- Nelson, G. W., Martin, M. P., Gladman, D., Wade, J., Trowsdale, J., Carrington, M.** 2004. Cutting edge: heterozygote advantage in autoimmune disease: hierarchy of protection/susceptibility conferred by HLA and killer Ig-like receptor combinations in psoriatic arthritis. *J Immunol* 173 (7): 4273-6.
- Newkirk, M. M., Goldbach-Mansky, R., Lee, J., Hoxworth, J., McCoy, A., Yarboro, C., Klippel, J., El-Gabalawy, H. S.** 2003. Advanced glycation end-product (AGE)-damaged IgG and IgM autoantibodies to IgG-AGE in patients with early synovitis. *Arthritis Res Ther* 5 (2): R82-90.
- Niokou, D., Spyropoulou-Vlachou, M., Darlamitsou, A., Stavropoulos-Giokas, C.** 2003. Distribution of killer cell immunoglobulin-like receptors in the Greek population. *Hum Immunol* 64 (12): 1167-76.
- Norman, P. J., Abi-Rached, L., Gendzekhadze, K., Korbel, D., Gleimer, M., Rowley, D., Bruno, D., Carrington, C. V., Chandanayingyong, D., Chang, Y. H., Crespi, C., Saruhan-Direskeneli, G., Fraser, P. A., Hameed, K., Kamkamidze, G., Koram, K. A., Layrisse, Z., Matamoros, N., Mila, J., Park, M. H., Pitchappan, R. M., Ramdath, D. D., Shiau, M. Y., Stephens, H. A., Struik, S., Verity, D. H., Vaughan, R. W., Tyan, D., Davis, R. W., Riley, E. M., Ronaghi, M., Parham, P.** 2007. Unusual selection on the KIR3DL1/S1 natural killer cell receptor in Africans. *Nat Genet* 39 (9): 1092-9.
- Norman, P. J., Carrington, C. V., Byng, M., Maxwell, L. D., Curran, M. D., Stephens, H. A., Chandanayingyong, D., Verity, D. H., Hameed, K., Ramdath, D. D., Vaughan, R. W.** 2002. Natural killer cell immunoglobulin-like receptor (KIR) locus profiles in African and South Asian populations. *Genes Immun* 3 (2): 86-95.

- Norman, P. J., Hollenbach, J. A., Nemat-Gorgani, N., Guethlein, L. A., Hilton, H. G., Pando, M. J., Koram, K. A., Riley, E. M., Abi-Rached, L., Parham, P.** 2013. Co-evolution of human leukocyte antigen (HLA) class I ligands with killer-cell immunoglobulin-like receptors (KIR) in a genetically diverse population of sub-Saharan Africans. *PLoS Genet* 9 (10): e1003938.
- Norman, P. J., Stephens, H. A., Verity, D. H., Chandanayingyong, D., Vaughan, R. W.** 2001. Distribution of natural killer cell immunoglobulin-like receptor sequences in three ethnic groups. *Immunogenetics* 52 (3-4): 195-205.
- O'Connor, G. M., Guinan, K. J., Cunningham, R. T., Middleton, D., Parham, P., Gardiner, C. M.** 2007. Functional polymorphism of the KIR3DL1/S1 receptor on human NK cells. *J Immunol* 178 (1): 235-41.
- O'Connor, G. M., Yamada, E., Rammersaud, A., Thomas, R., Carrington, M., McVicar, D. W.** 2011. Analysis of binding of KIR3DS1\*014 to HLA suggests distinct evolutionary history of KIR3DS1. *J Immunol* 187 (5): 2162-71.
- O'Dell, J. R., Leff, R., Paulsen, G., Haire, C., Mallek, J., Eckhoff, P. J., Fernandez, A., Blakely, K., Wees, S., Stoner, J., Hadley, S., Felt, J., Palmer, W., Waytz, P., Churchill, M., Klassen, L., Moore, G.** 2002. Treatment of rheumatoid arthritis with methotrexate and hydroxychloroquine, methotrexate and sulfasalazine, or a combination of the three medications: results of a two-year, randomized, double-blind, placebo-controlled trial. *Arthritis Rheum* 46 (5): 1164-70.
- Ochman, H.** 2001. Lateral and oblique gene transfer. *Curr Opin Genet Dev* 11 (6): 616-9.
- Ohno, S.** 1970. Evolution by gene duplication. Berlin. Springer-Verlag.
- Older Aguilar, A. M., Guethlein, L. A., Adams, E. J., Abi-Rached, L., Moesta, A. K., Parham, P.** 2010. Coevolution of killer cell Ig-like receptors with HLA-C to become the major variable regulators of human NK cells. *J Immunol* 185 (7): 4238-51.
- Ortaldo, J. R., Bere, E. W., Hodge, D., Young, H. A.** 2001. Activating Ly-49 NK receptors: central role in cytokine and chemokine production. *J Immunol* 166 (8): 4994-9.
- Padyukov, L., Silva, C., Stolt, P., Alfredsson, L., Klareskog, L.** 2004. A gene-environment interaction between smoking and shared epitope genes in HLA-DR provides a high risk of seropositive rheumatoid arthritis. *Arthritis Rheum* 50 (10): 3085-92.
- Pagano, M., Gauvreau, K.** 2000. Principles of biostatistics. 2nd ed. Pacific Grove. Duxbury.

- Paimela, L., Laasonen, L., Helve, T., Leirisalo-Repo, M.** 1998. Comparison of the original and the modified Larsen methods and the Sharp method in scoring radiographic progression in early rheumatoid arthritis. *J Rheumatol* 25 (6): 1063-6.
- Palit, C., Ray, U.** 2004. Bengal before and after the partition (1947) : the changing profile of a province. Kolkata. Corpus Research Institute.
- Palosuo, T., Lukka, M., Alenius, H., Kalkkinen, N., Aho, K., Kurki, P., Heikkila, R., Nykanen, M., von Essen, R.** 1998. Purification of filaggrin from human epidermis and measurement of antifilaggrin autoantibodies in sera from patients with rheumatoid arthritis by an enzyme-linked immunosorbent assay. *Int Arch Allergy Immunol* 115 (4): 294-302.
- Palosuo, T., Tilvis, R., Strandberg, T., Aho, K.** 2003. Filaggrin related antibodies among the aged. *Ann Rheum Dis* 62 (3): 261-3.
- Panayi, G. S., Corrigall, V. M., Pitzalis, C.** 2001. Pathogenesis of rheumatoid arthritis. The role of T cells and other beasts. *Rheum Dis Clin North Am* 27 (2): 317-34.
- Parham, P.** 2005. Immunogenetics of killer cell immunoglobulin-like receptors. *Mol Immunol* 42 (4): 459-62.
- Parham, P., Adams, E. J., Arnett, K. L.** 1995. The origins of HLA-A,B,C polymorphism. *Immunol Rev* 143 141-80.
- Parham, P., Norman, P. J., Abi-Rached, L., Guethlein, L. A.** 2011. Variable NK cell receptors exemplified by human KIR3DL1/S1. *J Immunol* 187 (1): 11-9.
- Patel, S., Farragher, T., Berry, J., Bunn, D., Silman, A., Symmons, D.** 2007. Association between serum vitamin D metabolite levels and disease activity in patients with early inflammatory polyarthritis. *Arthritis Rheum* 56 (7): 2143-9.
- Patthy, L.** 1996. Exon shuffling and other ways of module exchange. *Matrix Biol* 15 (5): 301-10; discussion 11-2.
- Pattison, D. J., Harrison, R. A., Symmons, D. P.** 2004. The role of diet in susceptibility to rheumatoid arthritis: a systematic review. *J Rheumatol* 31 (7): 1310-9.
- Pattison, D. J., Silman, A. J., Goodson, N. J., Lunt, M., Bunn, D., Luben, R., Welch, A., Bingham, S., Khaw, K. T., Day, N., Symmons, D. P.** 2004. Vitamin C and the risk of developing inflammatory polyarthritis: prospective nested case-control study. *Ann Rheum Dis* 63 (7): 843-7.
- Pattison, D. J., Symmons, D. P., Lunt, M., Welch, A., Luben, R., Bingham, S. A., Khaw, K. T., Day, N. E., Silman, A. J.** 2004. Dietary risk factors for the

development of inflammatory polyarthritis: evidence for a role of high level of red meat consumption. *Arthritis Rheum* 50 (12): 3804-12.

- Paulus, H. E.** 2004. Defining remission in rheumatoid arthritis: what is it? Does it matter? *J Rheumatol* 31 (1): 1-4.
- Pegram, H. J., Andrews, D. M., Smyth, M. J., Darcy, P. K., Kershaw, M. H.** 2011. Activating and inhibitory receptors of natural killer cells. *Immunol Cell Biol* 89 (2): 216-24.
- Pende, D., Biassoni, R., Cantoni, C., Verdiani, S., Falco, M., di Donato, C., Accame, L., Bottino, C., Moretta, A., Moretta, L.** 1996. The natural killer cell receptor specific for HLA-A allotypes: a novel member of the p58/p70 family of inhibitory receptors that is characterized by three immunoglobulin-like domains and is expressed as a 140-kD disulphide-linked dimer. *J Exp Med* 184 (2): 505-18.
- Pende, D., Marcenaro, S., Falco, M., Martini, S., Bernardo, M. E., Montagna, D., Romeo, E., Cognet, C., Martinetti, M., Maccario, R., Mingari, M. C., Vivier, E., Moretta, L., Locatelli, F., Moretta, A.** 2009. Anti-leukemia activity of alloreactive NK cells in KIR ligand-mismatched haploidentical HSCT for pediatric patients: evaluation of the functional role of activating KIR and redefinition of inhibitory KIR specificity. *Blood* 113 (13): 3119-29.
- Perez, L., Orte, J., Brieva, J. A.** 1995. Terminal differentiation of spontaneous rheumatoid factor-secreting B cells from rheumatoid arthritis patients depends on endogenous interleukin-10. *Arthritis Rheum* 38 (12): 1771-6.
- Perussia, B.** 1996. The Cytokine Profile of Resting and Activated NK Cells. *Methods* 9 (2): 370-8.
- Peruzzi, M., Parker, K. C., Long, E. O., Malnati, M. S.** 1996. Peptide sequence requirements for the recognition of HLA-B\*2705 by specific natural killer cells. *J Immunol* 157 (8): 3350-6.
- Pincus, T., Brooks, R. H., Callahan, L. F.** 1991. Reliability of grip strength, walking time and button test performed according to a standard protocol. *J Rheumatol* 18 (7): 997-1000.
- Pincus, T., Callahan, L. F.** 1992. Rheumatology function tests: grip strength, walking time, button test and questionnaires document and predict longterm morbidity and mortality in rheumatoid arthritis. *J Rheumatol* 19 (7): 1051-7.
- Pincus, T., Larsen, A., Brooks, R. H., Kaye, J., Nance, E. P., Callahan, L. F.** 1997. Comparison of 3 quantitative measures of hand radiographs in patients with rheumatoid arthritis: Steinbrocker stage, Kaye modified Sharp score, and Larsen score. *J Rheumatol* 24 (11): 2106-12.

- Pincus, T., Summey, J. A., Soraci, S. A., Jr., Wallston, K. A., Hummon, N. P.** 1983. Assessment of patient satisfaction in activities of daily living using a modified Stanford Health Assessment Questionnaire. *Arthritis Rheum* 26 (11): 1346-53.
- Pincus, T., Swearingen, C., Wolfe, F.** 1999. Toward a multidimensional Health Assessment Questionnaire (MDHAQ): assessment of advanced activities of daily living and psychological status in the patient-friendly health assessment questionnaire format. *Arthritis Rheum* 42 (10): 2220-30.
- Plant, M. J., Williams, A. L., O'Sullivan, M. M., Lewis, P. A., Coles, E. C., Jessop, J. D.** 2000. Relationship between time-integrated C-reactive protein levels and radiologic progression in patients with rheumatoid arthritis. *Arthritis Rheum* 43 (7): 1473-7.
- Pobezinskii, L. A., Pobezinskaya, E. L., Zvezdova, E. S., Petrishchev, V. N., Grinenko, T. S., Baturina, I. A., Anfalova, T. V., Khromykh, L. M., Vasil'eva, T. V., Kazanskii, D. B.** 2005. Accumulation of neutrophils in the spleen of mice immunized with cells of allogenic tumors. *Dokl Biol Sci* 402 224-9.
- Ponte, M., Cantoni, C., Biassoni, R., Tradori-Cappai, A., Bentivoglio, G., Vitale, C., Bertone, S., Moretta, A., Moretta, L., Mingari, M. C.** 1999. Inhibitory receptors sensing HLA-G1 molecules in pregnancy: decidua-associated natural killer cells express LIR-1 and CD94/NKG2A and acquire p49, an HLA-G1-specific receptor. *Proc Natl Acad Sci U S A* 96 (10): 5674-9.
- Poubelle, P. E., Chakravarti, A., Fernandes, M. J., Doiron, K., Marceau, A. A.** 2007. Differential expression of RANK, RANK-L, and osteoprotegerin by synovial fluid neutrophils from patients with rheumatoid arthritis and by healthy human blood neutrophils. *Arthritis Res Ther* 9 (2): R25.
- Prakash, S., Alam, S., Bharadwaj, U., Aggarwal, A., Mishra, R. N., Agrawal, S.** 2014. Associations of killer cell immunoglobulin like receptors with rheumatoid arthritis among North Indian population. *Hum Immunol* 75 (8): 802-7.
- Prevoo, M. L., van 't Hof, M. A., Kuper, H. H., van Leeuwen, M. A., van de Putte, L. B., van Riel, P. L.** 1995. Modified disease activity scores that include twenty-eight-joint counts. Development and validation in a prospective longitudinal study of patients with rheumatoid arthritis. *Arthritis Rheum* 38 (1): 44-8.
- Prevoo, M. L., van Riel, P. L., van 't Hof, M. A., van Rijswijk, M. H., van Leeuwen, M. A., Kuper, H. H., van de Putte, L. B.** 1993. Validity and reliability of joint indices. A longitudinal study in patients with recent onset rheumatoid arthritis. *Br J Rheumatol* 32 (7): 589-94.
- Prince, V. E., Pickett, F. B.** 2002. Splitting pairs: the diverging fates of duplicated genes. *Nat Rev Genet* 3 (11): 827-37.

- Pyo, C. W., Guethlein, L. A., Vu, Q., Wang, R., Abi-Rached, L., Norman, P. J., Marsh, S. G., Miller, J. S., Parham, P., Geraghty, D. E.** 2010. Different patterns of evolution in the centromeric and telomeric regions of group A and B haplotypes of the human killer cell Ig-like receptor locus. *PLoS One* 5 (12): e15115.
- Qi, Y., Martin, M. P., Gao, X., Jacobson, L., Goedert, J. J., Buchbinder, S., Kirk, G. D., O'Brien, S. J., Trowsdale, J., Carrington, M.** 2006. KIR/HLA pleiotropism: protection against both HIV and opportunistic infections. *PLoS Pathog* 2 (8): e79.
- Qian, Y., Qian, B., Su, B., Yu, J., Ke, Y., Chu, Z., Shi, L., Lu, D., Chu, J., Jin, L.** 2000. Multiple origins of Tibetan Y chromosomes. *Hum Genet* 106 (4): 453-4.
- Rai, B.** 1993. Demographic aggression against India : Muslim avalanche from Bangladesh. Chandigarh. B.S. Publishers.
- Rajagopalan, S., Bryceson, Y. T., Kuppusamy, S. P., Geraghty, D. E., van der Meer, A., Joosten, I., Long, E. O.** 2006. Activation of NK cells by an endocytosed receptor for soluble HLA-G. *PLoS Biol* 4 (1): e9.
- Rajagopalan, S., Long, E. O.** 1997. The direct binding of a p58 killer cell inhibitory receptor to human histocompatibility leukocyte antigen (HLA)-Cw4 exhibits peptide selectivity. *J Exp Med* 185 (8): 1523-8.
- Rajagopalan, S., Long, E. O.** 1999. A human histocompatibility leukocyte antigen (HLA)-G-specific receptor expressed on all natural killer cells. *J Exp Med* 189 (7): 1093-100.
- Rajagopalan, S., Long, E. O.** 2005. Understanding how combinations of HLA and KIR genes influence disease. *J Exp Med* 201 (7): 1025-9.
- Rajalingam, R.** 2011. Human diversity of killer cell immunoglobulin-like receptors and disease. *Korean J Hematol* 46 (4): 216-28.
- Rajalingam, R., Du, Z., Meenagh, A., Luo, L., Kavitha, V. J., Pavithra-Arulvani, R., Vidhyalakshmi, A., Sharma, S. K., Balazs, I., Reed, E. F., Pitchappan, R. M., Middleton, D.** 2008. Distinct diversity of KIR genes in three southern Indian populations: comparison with world populations revealed a link between KIR gene content and pre-historic human migrations. *Immunogenetics* 60 (5): 207-17.
- Rajalingam, R., Hong, M., Adams, E. J., Shum, B. P., Guethlein, L. A., Parham, P.** 2001. Short KIR haplotypes in pygmy chimpanzee (Bonobo) resemble the conserved framework of diverse human KIR haplotypes. *J Exp Med* 193 (1): 135-46.
- Rajalingam, R., Krausa, P., Shilling, H. G., Stein, J. B., Balamurugan, A., McGinnis, M. D., Cheng, N. W., Mehra, N. K., Parham, P.** 2002. Distinctive

- KIR and HLA diversity in a panel of north Indian Hindus. *Immunogenetics* 53 (12): 1009-19.
- Ramey, D. R., Raynauld, J. P., Fries, J. F.** 1992. The health assessment questionnaire 1992: status and review. *Arthritis Care Res* 5 (3): 119-29.
- Ramirez-De los Santos, S., Sanchez-Hernandez, P. E., Munoz-Valle, J. F., Palafox-Sanchez, C. A., Rosales-Rivera, L. Y., Garcia-Iglesias, T., Daneri-Navarro, A., Ramirez-Duenas, M. G.** 2012. Associations of killer cell immunoglobulin-like receptor genes with rheumatoid arthritis. *Dis Markers* 33 (4): 201-6.
- Rao, M. S. A.** 1986. Studies in migration : internal and international migration in India. Delhi. Manohar.
- Rashid, T., Jayakumar, K. S., Binder, A., Ellis, S., Cunningham, P., Ebringer, A.** 2007. Rheumatoid arthritis patients have elevated antibodies to cross-reactive and non cross-reactive antigens from Proteus microbes. *Clin Exp Rheumatol* 25 (2): 259-67.
- Rau, R.** 2006. Is remission in rheumatoid arthritis associated with radiographic healing? *Clin Exp Rheumatol* 24 (6 Suppl 43): S-41-4.
- Rau, R., Wassenberg, S.** 2005. Reliability of scoring methods to measure radiographic change in patients with rheumatoid arthritis. *J Rheumatol* 32 (5): 766-8.
- Raulet, D. H.** 2006. Missing self recognition and self tolerance of natural killer (NK) cells. *Semin Immunol* 18 (3): 145-50.
- Raulet, D. H., Vance, R. E.** 2006. Self-tolerance of natural killer cells. *Nat Rev Immunol* 6 (7): 520-31.
- Raulet, D. H., Vance, R. E., McMahon, C. W.** 2001. Regulation of the natural killer cell receptor repertoire. *Annu Rev Immunol* 19 291-330.
- Reveille, J. D.** 2006. The genetic basis of autoantibody production. *Autoimmun Rev* 5 (6): 389-98.
- Rifkin, I. R., Leadbetter, E. A., Busconi, L., Viglianti, G., Marshak-Rothstein, A.** 2005. Toll-like receptors, endogenous ligands, and systemic autoimmune disease. *Immunol Rev* 204 27-42.
- Rindfleisch, J. A., Muller, D.** 2005. Diagnosis and management of rheumatoid arthritis. *Am Fam Physician* 72 (6): 1037-47.
- Risley, H. H.** 1891. The Tribes and Castes of Bengal. Calcutta, The Bengal secretariat press.
- Risley, H. H.** 1891. The Tribes and Castes of Bengal. Kolkata. Bengal Secretariat Press.

- Ritchie, D. M., Boyle, J. A., McInnes, J. M., Jasani, M. K., Dalakos, T. G., Grieveison, P., Buchanan, W. W.** 1968. Clinical studies with an articular index for the assessment of joint tenderness in patients with rheumatoid arthritis. *Q J Med* 37 (147): 393-406.
- Robinson, J., Halliwell, J. A., McWilliam, H., Lopez, R., Marsh, S. G.** 2013. IPD--the Immuno Polymorphism Database. *Nucleic Acids Res* 41 (Database issue): D1234-40.
- Robinson, J., Mistry, K., McWilliam, H., Lopez, R., Marsh, S. G.** 2010. IPD--the Immuno Polymorphism Database. *Nucleic Acids Res* 38 (Database issue): D863-9.
- Romero, V., Azocar, J., Zuniga, J., Clavijo, O. P., Terreros, D., Gu, X., Husain, Z., Chung, R. T., Amos, C., Yunis, E. J.** 2008. Interaction of NK inhibitory receptor genes with HLA-C and MHC class II alleles in Hepatitis C virus infection outcome. *Mol Immunol* 45 (9): 2429-36.
- Roy, B.** 2012. Gorkhas and Gorkhaland. Darjeeling, India. Parbati Roy Research Foundation.
- Roychoudhury, A. K., Nei, M.** 1988. Human Polymorphic Genes: World Distribution. New York. Oxford University Press.
- Ruggeri, L., Capanni, M., Urbani, E., Perruccio, K., Shlomchik, W. D., Tosti, A., Posati, S., Rogaia, D., Frassoni, F., Aversa, F., Martelli, M. F., Velardi, A.** 2002. Effectiveness of donor natural killer cell alloreactivity in mismatched hematopoietic transplants. *Science* 295 (5562): 2097-100.
- Sambrook, J., Fritsch, E. F., Maniatis, T.** 1989. Molecular cloning : a laboratory manual. 2nd ed. Cold Spring Harbor. Cold Spring Harbor Laboratory Press.
- Santin, I., de Nanclares, G. P., Calvo, B., Gaafar, A., Castano, L., Bilbao, J. R.** 2006. Killer cell immunoglobulin-like receptor (KIR) genes in the Basque population: association study of KIR gene contents with type 1 diabetes mellitus. *Hum Immunol* 67 (1-2): 118-24.
- Santourlidis, S., Trompeter, H. I., Weinhold, S., Eisermann, B., Meyer, K. L., Wernet, P., Uhrberg, M.** 2002. Crucial role of DNA methylation in determination of clonally distributed killer cell Ig-like receptor expression patterns in NK cells. *J Immunol* 169 (8): 4253-61.
- Sarkar, B. C.** 2011. Geography Of Tribal People In Jalpaiguri District Of West Bengal. *Int Ref Res J* 2 (21): 101-03.
- Saxena, V. K.** 1987. The Partition of Bengal, 1905-1911 : select documents. 1st ed. Delhi. Kanishka Pub. House.

- Schellekens, G. A., de Jong, B. A., van den Hoogen, F. H., van de Putte, L. B., van Venrooij, W. J.** 1998. Citrulline is an essential constituent of antigenic determinants recognized by rheumatoid arthritis-specific autoantibodies. *J Clin Invest* 101 (1): 273-81.
- Schellekens, G. A., Visser, H., de Jong, B. A., van den Hoogen, F. H., Hazes, J. M., Breedveld, F. C., van Venrooij, W. J.** 2000. The diagnostic properties of rheumatoid arthritis antibodies recognizing a cyclic citrullinated peptide. *Arthritis Rheum* 43 (1): 155-63.
- Schonberg, K., Sribar, M., Enczmann, J., Fischer, J. C., Uhrberg, M.** 2011. Analyses of HLA-C-specific KIR repertoires in donors with group A and B haplotypes suggest a ligand-instructed model of NK cell receptor acquisition. *Blood* 117 (1): 98-107.
- Scott, D. L., Coulton, B. L., Popert, A. J.** 1986. Long term progression of joint damage in rheumatoid arthritis. *Ann Rheum Dis* 45 (5): 373-8.
- Scott, D. L., Pugner, K., Kaarela, K., Doyle, D. V., Woolf, A., Holmes, J., Hieke, K.** 2000. The links between joint damage and disability in rheumatoid arthritis. *Rheumatology (Oxford)* 39 (2): 122-32.
- Scott, D. L., Wolfe, F., Huizinga, T. W.** 2010. Rheumatoid arthritis. *Lancet* 376 (9746): 1094-108.
- Scudder, P. R., Al-Timimi, D., McMurray, W., White, A. G., Zoob, B. C., Dormandy, T. L.** 1978. Serum copper and related variables in rheumatoid arthritis. *Ann Rheum Dis* 37 (1): 67-70.
- Seaman, W. E.** 2000. Natural killer cells and natural killer T cells. *Arthritis Rheum* 43 (6): 1204-17.
- Selvakumar, A., Steffens, U., Dupont, B.** 1996. NK cell receptor gene of the KIR family with two IG domains but highest homology to KIR receptors with three IG domains. *Tissue Antigens* 48 (4 Pt 1): 285-94.
- Selvakumar, A., Steffens, U., Dupont, B.** 1997. Polymorphism and domain variability of human killer cell inhibitory receptors. *Immunol Rev* 155 183-96.
- Selvakumar, A., Steffens, U., Palanisamy, N., Chaganti, R. S., Dupont, B.** 1997. Genomic organization and allelic polymorphism of the human killer cell inhibitory receptor gene KIR103. *Tissue Antigens* 49 (6): 564-73.
- Setiady, Y. Y., Pramoenjago, P., Tung, K. S.** 2004. Requirements of NK cells and proinflammatory cytokines in T cell-dependent neonatal autoimmune ovarian disease triggered by immune complex. *J Immunol* 173 (2): 1051-8.

- Sharp, J. T., Wolfe, F., Lassere, M., Boers, M., Van Der Heijde, D., Larsen, A., Paulus, H., Rau, R., Strand, V.** 2004. Variability of precision in scoring radiographic abnormalities in rheumatoid arthritis by experienced readers. *J Rheumatol* 31 (6): 1062-72.
- Sharp, J. T., Young, D. Y., Bluhm, G. B., Brook, A., Brower, A. C., Corbett, M., Decker, J. L., Genant, H. K., Gofton, J. P., Goodman, N., et al.** 1985. How many joints in the hands and wrists should be included in a score of radiologic abnormalities used to assess rheumatoid arthritis? *Arthritis Rheum* 28 (12): 1326-35.
- Shi, F. D., Wang, H. B., Li, H., Hong, S., Taniguchi, M., Link, H., Van Kaer, L., Ljunggren, H. G.** 2000. Natural killer cells determine the outcome of B cell-mediated autoimmunity. *Nat Immunol* 1 (3): 245-51.
- Shiina, T., Hosomichi, K., Inoko, H., Kulski, J. K.** 2009. The HLA genomic loci map: expression, interaction, diversity and disease. *J Hum Genet* 54 (1): 15-39.
- Shilling, H. G., Guethlein, L. A., Cheng, N. W., Gardiner, C. M., Rodriguez, R., Tyan, D., Parham, P.** 2002. Allelic polymorphism synergizes with variable gene content to individualize human KIR genotype. *J Immunol* 168 (5): 2307-15.
- Shilling, H. G., Lienert-Weidenbach, K., Valiante, N. M., Uhrberg, M., Parham, P.** 1998. Evidence for recombination as a mechanism for KIR diversification. *Immunogenetics* 48 (6): 413-6.
- Shilling, H. G., Young, N., Guethlein, L. A., Cheng, N. W., Gardiner, C. M., Tyan, D., Parham, P.** 2002. Genetic control of human NK cell repertoire. *J Immunol* 169 (1): 239-47.
- Shimizu, Y., DeMars, R.** 1989. Demonstration by class I gene transfer that reduced susceptibility of human cells to natural killer cell-mediated lysis is inversely correlated with HLA class I antigen expression. *Eur J Immunol* 19 (3): 447-51.
- Shlomchik, M. J., Zharhary, D., Saunders, T., Camper, S. A., Weigert, M. G.** 1993. A rheumatoid factor transgenic mouse model of autoantibody regulation. *Int Immunol* 5 (10): 1329-41.
- Shmerling, R. H., Delbanco, T. L.** 1991. The rheumatoid factor: an analysis of clinical utility. *Am J Med* 91 (5): 528-34.
- Shrestha, S. S.** 2009. Ethnography of Jhapali Rajbanshi. *Occasional papers in Sociology and Anthropology* 11 38-47.
- Sigalov, A. B.** 2010. The SCHOOL of nature: I. Transmembrane signaling. *Self Nonself* 1 (1): 4-39.

- Silman, A., Ollier, B., McDermott, M.** 1988. HLA: linkage with rheumatoid arthritis or seropositivity. *J Rheumatol* 15 (8): 1189-92.
- Silman, A. J., MacGregor, A. J., Thomson, W., Holligan, S., Carthy, D., Farhan, A., Ollier, W. E.** 1993. Twin concordance rates for rheumatoid arthritis: results from a nationwide study. *Br J Rheumatol* 32 (10): 903-7.
- Singh, B., Mallick, G. C., Bandopadhyay, S., Nayak, C. R., Chaudhuri, T. K.** 2009. Study of Selected HLA-A and -B Antigens by PCR-SSP Method in Bengali Population of Siliguri and Adjoining Areas of West Bengal. *Int J Hum Genet* 9 (3-4): 245-49.
- Singh, D. K.** 2010. Stateless in South Asia : the Chakmas between Bangladesh and India. Delhi ; London. SAGE Publications.
- Single, R. M., Martin, M. P., Gao, X., Meyer, D., Yeager, M., Kidd, J. R., Kidd, K. K., Carrington, M.** 2007. Global diversity and evidence for coevolution of KIR and HLA. *Nat Genet* 39 (9): 1114-9.
- Sivori, S., Carlomagno, S., Falco, M., Romeo, E., Moretta, L., Moretta, A.** 2011. Natural killer cells expressing the KIR2DS1-activating receptor efficiently kill T-cell blasts and dendritic cells: implications in haploidentical HSCT. *Blood* 117 (16): 4284-92.
- Smith, F. H., Falsetti, A. B., Donnelly, S. M.** 1989. Modern human origins. *Yearb Phys Anthropol* 32 35-68.
- Smolen, J. S., Breedveld, F. C., Eberl, G., Jones, I., Leeming, M., Wylie, G. L., Kirkpatrick, J.** 1995. Validity and reliability of the twenty-eight-joint count for the assessment of rheumatoid arthritis activity. *Arthritis Rheum* 38 (1): 38-43.
- Smolen, J. S., Breedveld, F. C., Schiff, M. H., Kalden, J. R., Emery, P., Eberl, G., van Riel, P. L., Tugwell, P.** 2003. A simplified disease activity index for rheumatoid arthritis for use in clinical practice. *Rheumatology (Oxford)* 42 (2): 244-57.
- Speiser, D. E., Pittet, M. J., Valmori, D., Dunbar, R., Rimoldi, D., Lienard, D., MacDonald, H. R., Cerottini, J. C., Cerundolo, V., Romero, P.** 1999. In vivo expression of natural killer cell inhibitory receptors by human melanoma-specific cytolytic T lymphocytes. *J Exp Med* 190 (6): 775-82.
- Steinbrocker, O., Traeger, C. H., Batterman, R. C.** 1949. Therapeutic criteria in rheumatoid arthritis. *J Am Med Assoc* 140 (8): 659-62.
- Stern, M., Ruggeri, L., Capanni, M., Mancusi, A., Velardi, A.** 2008. Human leukocyte antigens A23, A24, and A32 but not A25 are ligands for KIR3DL1. *Blood* 112 (3): 708-10.

- Sternberg, R. J.** 2004. International handbook of intelligence. Cambridge ; New York. Cambridge University Press.
- Stewart, C. A., Laugier-Anfossi, F., Vely, F., Saulquin, X., Riedmuller, J., Tisserant, A., Gauthier, L., Romagne, F., Ferracci, G., Arosa, F. A., Moretta, A., Sun, P. D., Ugolini, S., Vivier, E.** 2005. Recognition of peptide-MHC class I complexes by activating killer immunoglobulin-like receptors. *Proc Natl Acad Sci U S A* 102 (37): 13224-9.
- Stocks, J., Gutteridge, J. M., Sharp, R. J., Dormandy, T. L.** 1974. The inhibition of lipid autoxidation by human serum and its relation to serum proteins and alpha-tocopherol. *Clin Sci Mol Med* 47 (3): 223-33.
- Storey, G. D.** 2001. Alfred Baring Garrod (1819-1907). *Rheumatology (Oxford)* 40 (10): 1189-90.
- Strecker, D., Mierzecki, A., Radomska, K.** 2013. Copper levels in patients with rheumatoid arthritis. *Ann Agric Environ Med* 20 (2): 312-6.
- Stringer, C.** 2003. Human evolution: Out of Ethiopia. *Nature* 423 (6941): 692-3, 95.
- Su, B., Xiao, C., Deka, R., Seielstad, M. T., Kangwanpong, D., Xiao, J., Lu, D., Underhill, P., Cavalli-Sforza, L., Chakraborty, R., Jin, L.** 2000. Y chromosome haplotypes reveal prehistorical migrations to the Himalayas. *Hum Genet* 107 (6): 582-90.
- Su, B., Xiao, J., Underhill, P., Deka, R., Zhang, W., Akey, J., Huang, W., Shen, D., Lu, D., Luo, J., Chu, J., Tan, J., Shen, P., Davis, R., Cavalli-Sforza, L., Chakraborty, R., Xiong, M., Du, R., Oefner, P., Chen, Z., Jin, L.** 1999. Y-Chromosome evidence for a northward migration of modern humans into Eastern Asia during the last Ice Age. *Am J Hum Genet* 65 (6): 1718-24.
- Sultana, G. N. N., Tuli, J. F., Begum, R., Tamang, R.** 2014. Mitochondrial DNA Control Region Variation from Bangladesh: Sequence Analysis for the Establishment of a Forensic Database. *Forensic Med Anat Res* 2 95-100.
- Sunderman, F. W., Jr., Nomoto, S.** 1970. Measurement of human serum ceruloplasmin by its p-phenylenediamine oxidase activity. *Clin Chem* 16 (11): 903-10.
- Suresh, E., Lambert, C. M.** 2005. Combination treatment strategies in early rheumatoid arthritis. *Ann Rheum Dis* 64 (9): 1252-6.
- Suzuki, K., Sawada, T., Murakami, A., Matsui, T., Tohma, S., Nakazono, K., Takemura, M., Takasaki, Y., Mimori, T., Yamamoto, K.** 2003. High diagnostic performance of ELISA detection of antibodies to citrullinated antigens in rheumatoid arthritis. *Scand J Rheumatol* 32 (4): 197-204.

- Suzuki, Y., Hamamoto, Y., Ogasawara, Y., Ishikawa, K., Yoshikawa, Y., Sasazuki, T., Muto, M.** 2004. Genetic polymorphisms of killer cell immunoglobulin-like receptors are associated with susceptibility to psoriasis vulgaris. *J Invest Dermatol* 122 (5): 1133-6.
- Symmons, D. P.** 2002. Epidemiology of rheumatoid arthritis: determinants of onset, persistence and outcome. *Best Pract Res Clin Rheumatol* 16 (5): 707-22.
- Symmons, D. P., Barrett, E. M., Bankhead, C. R., Scott, D. G., Silman, A. J.** 1994. The incidence of rheumatoid arthritis in the United Kingdom: results from the Norfolk Arthritis Register. *Br J Rheumatol* 33 (8): 735-9.
- Szekanecz, Z., Koch, A. E.** 2001. Chemokines and angiogenesis. *Curr Opin Rheumatol* 13 (3): 202-8.
- Tak, P. P., Bresnihan, B.** 2000. The pathogenesis and prevention of joint damage in rheumatoid arthritis: advances from synovial biopsy and tissue analysis. *Arthritis Rheum* 43 (12): 2619-33.
- Templeton, A. R.** 1980. The theory of speciation via the founder principle. *Genetics* 94 (4): 1011-38.
- Thananchai, H., Gillespie, G., Martin, M. P., Bashirova, A., Yawata, N., Yawata, M., Easterbrook, P., McVicar, D. W., Maenaka, K., Parham, P., Carrington, M., Dong, T., Rowland-Jones, S.** 2007. Cutting Edge: Allele-specific and peptide-dependent interactions between KIR3DL1 and HLA-A and HLA-B. *J Immunol* 178 (1): 33-7.
- Thangaraj, K., Chaubey, G., Kivisild, T., Selvi Rani, D., Singh, V. K., Ismail, T., Carvalho-Silva, D., Metspalu, M., Bhaskar, L. V., Reddy, A. G., Chandra, S., Pande, V., Prathap Naidu, B., Adarsh, N., Verma, A., Jyothi, I. A., Mallick, C. B., Shrivastava, N., Devasena, R., Kumari, B., Singh, A. K., Dwivedi, S. K., Singh, S., Rao, G., Gupta, P., Sonvane, V., Kumari, K., Basha, A., Bhargavi, K. R., Lalremruata, A., Gupta, A. K., Kaur, G., Reddy, K. K., Rao, A. P., Villems, R., Tyler-Smith, C., Singh, L.** 2008. Maternal footprints of Southeast Asians in North India. *Hum Hered* 66 (1): 1-9.
- Thomas, E. D.** 1995. History, current results, and research in marrow transplantation. *Perspect Biol Med* 38 (2): 230-7.
- Thomson, T. M., Lozano, J. J., Loukili, N., Carrio, R., Serras, F., Cormand, B., Valeri, M., Diaz, V. M., Abril, J., Buset, M., Merino, J., Macaya, A., Corominas, M., Guigo, R.** 2000. Fusion of the human gene for the polyubiquitination coeffector UEV1 with Kua, a newly identified gene. *Genome Res* 10 (11): 1743-56.

- Thorne, A. G., Wolpoff, M. H.** 1992. The multiregional evolution of humans. *Scientific American* 266 (4): 76-9, 82-3.
- Tiilikainen, A., Lassus, A., Karvonen, J., Vartiainen, P., Julin, M.** 1980. Psoriasis and HLA-Cw6. *Br J Dermatol* 102 (2): 179-84.
- Tishkoff, S. A., Verrelli, B. C.** 2003. Patterns of human genetic diversity: implications for human evolutionary history and disease. *Annu Rev Genomics Hum Genet* 4 293-340.
- Tishkoff, S. A., Williams, S. M.** 2002. Genetic analysis of African populations: human evolution and complex disease. *Nat Rev Genet* 3 (8): 611-21.
- Tomasello, E., Olcese, L., Vely, F., Geourgeon, C., Blery, M., Moqrich, A., Gautheret, D., Djabali, M., Mattei, M. G., Vivier, E.** 1998. Gene structure, expression pattern, and biological activity of mouse killer cell activating receptor-associated protein (KARAP)/DAP-12. *J Biol Chem* 273 (51): 34115-9.
- Toneva, M., Lepage, V., Lafay, G., Dulphy, N., Busson, M., Lester, S., Vu-Trien, A., Michaylova, A., Naumova, E., McCluskey, J., Charron, D.** 2001. Genomic diversity of natural killer cell receptor genes in three populations. *Tissue Antigens* 57 (4): 358-62.
- Torkar, M., Norgate, Z., Colonna, M., Trowsdale, J., Wilson, M. J.** 1998. Isotypic variation of novel immunoglobulin-like transcript/killer cell inhibitory receptor loci in the leukocyte receptor complex. *Eur J Immunol* 28 (12): 3959-67.
- Trinchieri, G.** 1989. Biology of natural killer cells. *Advances in Immunology* 47 187-376.
- Trowsdale, J., Barten, R., Haude, A., Stewart, C. A., Beck, S., Wilson, M. J.** 2001. The genomic context of natural killer receptor extended gene families. *Immunol Rev* 181 20-38.
- Trundley, A. E., Hiby, S. E., Chang, C., Sharkey, A. M., Santourlidis, S., Uhrberg, M., Trowsdale, J., Moffett, A.** 2006. Molecular characterization of KIR3DL3. *Immunogenetics* 57 (12): 904-16.
- Tugwell, P., Bombardier, C.** 1982. A methodologic framework for developing and selecting endpoints in clinical trials. *J Rheumatol* 9 (5): 758-62.
- Tureson, C., Weyand, C. M., Matteson, E. L.** 2004. Genetics of rheumatoid arthritis: Is there a pattern predicting extraarticular manifestations? *Arthritis Rheum* 51 (5): 853-63.
- Ugolini, S., Arpin, C., Anfossi, N., Walzer, T., Cambiaggi, A., Forster, R., Lipp, M., Toes, R. E., Melief, C. J., Marvel, J., Vivier, E.** 2001. Involvement of inhibitory

- NKRs in the survival of a subset of memory-phenotype CD8+ T cells. *Nat Immunol* 2 (5): 430-5.
- Uhrberg, M.** 2005. The KIR gene family: life in the fast lane of evolution. *Eur J Immunol* 35 (1): 10-5.
- Uhrberg, M., Parham, P., Wernet, P.** 2002. Definition of gene content for nine common group B haplotypes of the Caucasoid population: KIR haplotypes contain between seven and eleven KIR genes. *Immunogenetics* 54 (4): 221-9.
- Uhrberg, M., Valiante, N. M., Shum, B. P., Shilling, H. G., Lienert-Weidenbach, K., Corliss, B., Tyan, D., Lanier, L. L., Parham, P.** 1997. Human diversity in killer cell inhibitory receptor genes. *Immunity* 7 (6): 753-63.
- Uhrberg, M., Valiante, N. M., Young, N. T., Lanier, L. L., Phillips, J. H., Parham, P.** 2001. The repertoire of killer cell Ig-like receptor and CD94:NKG2A receptors in T cells: clones sharing identical alpha beta TCR rearrangement express highly diverse killer cell Ig-like receptor patterns. *J Immunol* 166 (6): 3923-32.
- Underhill, P. A., Shen, P., Lin, A. A., Jin, L., Passarino, G., Yang, W. H., Kauffman, E., Bonne-Tamir, B., Bertranpetit, J., Francalacci, P., Ibrahim, M., Jenkins, T., Kidd, J. R., Mehdi, S. Q., Seielstad, M. T., Wells, R. S., Piazza, A., Davis, R. W., Feldman, M. W., Cavalli-Sforza, L. L., Oefner, P. J.** 2000. Y chromosome sequence variation and the history of human populations. *Nat Genet* 26 (3): 358-61.
- Vales-Gomez, M., Reyburn, H. T., Erskine, R. A., Strominger, J.** 1998. Differential binding to HLA-C of p50-activating and p58-inhibitory natural killer cell receptors. *Proc Natl Acad Sci U S A* 95 (24): 14326-31.
- Valiante, N. M., Uhrberg, M., Shilling, H. G., Lienert-Weidenbach, K., Arnett, K. L., D'Andrea, A., Phillips, J. H., Lanier, L. L., Parham, P.** 1997. Functionally and structurally distinct NK cell receptor repertoires in the peripheral blood of two human donors. *Immunity* 7 (6): 739-51.
- van Aken, J., van Bilsen, J. H., Allaart, C. F., Huizinga, T. W., Breedveld, F. C.** 2003. The Leiden Early Arthritis Clinic. *Clin Exp Rheumatol* 21 (5 Suppl 31): S100-5.
- van Bergen, J., Koning, F.** 2010. The tortoise and the hare: slowly evolving T-cell responses take hastily evolving KIR. *Immunology* 131 (3): 301-9.
- van Bergen, J., Kooy-Winkelaar, E. M., van Dongen, H., van Gaalen, F. A., Thompson, A., Huizinga, T. W., Feltkamp, M. C., Toes, R. E., Koning, F.** 2009. Functional killer Ig-like receptors on human memory CD4+ T cells specific for cytomegalovirus. *J Immunol* 182 (7): 4175-82.

- van Bergen, J., Thompson, A., van der Slik, A., Ottenhoff, T. H., Gussekloo, J., Koning, F.** 2004. Phenotypic and functional characterization of CD4 T cells expressing killer Ig-like receptors. *J Immunol* 173 (11): 6719-26.
- van Boekel, M. A., Vossenaar, E. R., van den Hoogen, F. H., van Venrooij, W. J.** 2002. Autoantibody systems in rheumatoid arthritis: specificity, sensitivity and diagnostic value. *Arthritis Res* 4 (2): 87-93.
- van der Heijde, D., Boers, M., Lassere, M.** 1999. Methodological issues in radiographic scoring methods in rheumatoid arthritis. *J Rheumatol* 26 (3): 726-30.
- van der Heijde, D., Landewe, R.** 2003. Imaging: do erosions heal? *Ann Rheum Dis* 62 Suppl 2: ii10-12.
- van der Heijde, D. M.** 2000. Radiographic imaging: the 'gold standard' for assessment of disease progression in rheumatoid arthritis. *Rheumatology (Oxford)* 39 Suppl 1 9-16.
- van der Heijde, D. M., van't Hof, M. A., van Riel, P. L., van Leeuwen, M. A., van Rijswijk, M. H., van de Putte, L. B.** 1992. Validity of single variables and composite indices for measuring disease activity in rheumatoid arthritis. *Ann Rheum Dis* 51 (2): 177-81.
- van der Heijde, D. M., van 't Hof, M., van Riel, P. L., van de Putte, L. B.** 1993. Development of a disease activity score based on judgment in clinical practice by rheumatologists. *J Rheumatol* 20 (3): 579-81.
- van der Heijde, D. M., van 't Hof, M. A., van Riel, P. L., Theunisse, L. A., Lubberts, E. W., van Leeuwen, M. A., van Rijswijk, M. H., van de Putte, L. B.** 1990. Judging disease activity in clinical practice in rheumatoid arthritis: first step in the development of a disease activity score. *Ann Rheum Dis* 49 (11): 916-20.
- van der Slik, A. R., Koeleman, B. P., Verduijn, W., Bruining, G. J., Roep, B. O., Giphart, M. J.** 2003. KIR in type 1 diabetes: disparate distribution of activating and inhibitory natural killer cell receptors in patients versus HLA-matched control subjects. *Diabetes* 52 (10): 2639-42.
- van der Veken, L. T., Diez Campelo, M., van der Hoorn, M. A., Hagedoorn, R. S., van Egmond, H. M., van Bergen, J., Willemze, R., Falkenburg, J. H., Heemskerk, M. H.** 2009. Functional analysis of killer Ig-like receptor-expressing cytomegalovirus-specific CD8+ T cells. *J Immunol* 182 (1): 92-101.
- van Eden, W., Thole, J. E., van der Zee, R., Noordzij, A., van Embden, J. D., Hensen, E. J., Cohen, I. R.** 1988. Cloning of the mycobacterial epitope recognized by T lymphocytes in adjuvant arthritis. *Nature* 331 (6152): 171-3.

- Van Esch, W. J., Reparon-Schuijt, C. C., Hamstra, H. J., Van Kooten, C., Logtenberg, T., Breedveld, F. C., Verweij, C. L.** 2003. Human IgG Fc-binding phage antibodies constructed from synovial fluid CD38+ B cells of patients with rheumatoid arthritis show the imprints of an antigen-dependent process of somatic hypermutation and clonal selection. *Clin Exp Immunol* 131 (2): 364-76.
- van Gaalen, F. A., Linn-Rasker, S. P., van Venrooij, W. J., de Jong, B. A., Breedveld, F. C., Verweij, C. L., Toes, R. E., Huizinga, T. W.** 2004. Autoantibodies to cyclic citrullinated peptides predict progression to rheumatoid arthritis in patients with undifferentiated arthritis: a prospective cohort study. *Arthritis Rheum* 50 (3): 709-15.
- van Gestel, A. M., Prevoo, M. L., van 't Hof, M. A., van Rijswijk, M. H., van de Putte, L. B., van Riel, P. L.** 1996. Development and validation of the European League Against Rheumatism response criteria for rheumatoid arthritis. Comparison with the preliminary American College of Rheumatology and the World Health Organization/International League Against Rheumatism Criteria. *Arthritis Rheum* 39 (1): 34-40.
- van Jaarsveld, C. H., ter Borg, E. J., Jacobs, J. W., Schellekens, G. A., Gmelig-Meyling, F. H., van Booma-Frankfort, C., de Jong, B. A., van Venrooij, W. J., Bijlsma, J. W.** 1999. The prognostic value of the antiperinuclear factor, anti-citrullinated peptide antibodies and rheumatoid factor in early rheumatoid arthritis. *Clin Exp Rheumatol* 17 (6): 689-97.
- van Leeuwen, M. A., van Rijswijk, M. H., van der Heijde, D. M., Te Meerman, G. J., van Riel, P. L., Houtman, P. M., van De Putte, L. B., Limburg, P. C.** 1993. The acute-phase response in relation to radiographic progression in early rheumatoid arthritis: a prospective study during the first three years of the disease. *Br J Rheumatol* 32 Suppl 3 9-13.
- Veillette, A.** 2006. NK cell regulation by SLAM family receptors and SAP-related adapters. *Immunol Rev* 214 22-34.
- Veillette, A., Latour, S., Davidson, D.** 2002. Negative regulation of immunoreceptor signaling. *Annu Rev Immunol* 20 669-707.
- Velickovic, M., Velickovic, Z., Dunckley, H.** 2006. Diversity of killer cell immunoglobulin-like receptor genes in Pacific Islands populations. *Immunogenetics* 58 (7): 523-32.
- Vely, F., Peyrat, M., Couedel, C., Morcet, J., Halary, F., Davodeau, F., Romagne, F., Scotet, E., Saulquin, X., Houssaint, E., Schleinitz, N., Moretta, A., Vivier, E., Bonneville, M.** 2001. Regulation of inhibitory and activating killer-cell Ig-like receptor expression occurs in T cells after termination of TCR rearrangements. *J Immunol* 166 (4): 2487-94.

- Venables, P.** 1988. Epstein-Barr virus infection and autoimmunity in rheumatoid arthritis. *Ann Rheum Dis* 47 (4): 265-9.
- Venstrom, J. M., Gooley, T. A., Spellman, S., Pring, J., Malkki, M., Dupont, B., Petersdorf, E., Hsu, K. C.** 2010. Donor activating KIR3DS1 is associated with decreased acute GVHD in unrelated allogeneic hematopoietic stem cell transplantation. *Blood* 115 (15): 3162-5.
- Vilches, C., Gardiner, C. M., Parham, P.** 2000. Gene structure and promoter variation of expressed and nonexpressed variants of the KIR2DL5 gene. *J Immunol* 165 (11): 6416-21.
- Vilches, C., Pando, M. J., Parham, P.** 2000. Genes encoding human killer-cell Ig-like receptors with D1 and D2 extracellular domains all contain untranslated pseudoxons encoding a third Ig-like domain. *Immunogenetics* 51 (8-9): 639-46.
- Vilches, C., Parham, P.** 2002. KIR: diverse, rapidly evolving receptors of innate and adaptive immunity. *Annu Rev Immunol* 20 217-51.
- Visser, H., le Cessie, S., Vos, K., Breedveld, F. C., Hazes, J. M.** 2002. How to diagnose rheumatoid arthritis early: a prediction model for persistent (erosive) arthritis. *Arthritis Rheum* 46 (2): 357-65.
- Vivian, J. P., Duncan, R. C., Berry, R., O'Connor, G. M., Reid, H. H., Beddoe, T., Gras, S., Saunders, P. M., Olshina, M. A., Widjaja, J. M., Harpur, C. M., Lin, J., Maloveste, S. M., Price, D. A., Lafont, B. A., McVicar, D. W., Clements, C. S., Brooks, A. G., Rossjohn, J.** 2011. Killer cell immunoglobulin-like receptor 3DL1-mediated recognition of human leukocyte antigen B. *Nature* 479 (7373): 401-5.
- Volz, A., Wende, H., Laun, K., Ziegler, A.** 2001. Genesis of the ILT/LIR/MIR clusters within the human leukocyte receptor complex. *Immunol Rev* 181 39-51.
- Vossenaar, E. R., Despres, N., Lapointe, E., van der Heijden, A., Lora, M., Senshu, T., van Venrooij, W. J., Menard, H. A.** 2004. Rheumatoid arthritis specific anti-Sa antibodies target citrullinated vimentin. *Arthritis Res Ther* 6 (2): R142-50.
- Vossenaar, E. R., Robinson, W. H.** 2005. Citrullination and autoimmune disease: 8th Bertine Koperberg meeting. *Ann Rheum Dis* 64 (10): 1513-5.
- Vossenaar, E. R., van Venrooij, W. J.** 2004. Citrullinated proteins: sparks that may ignite the fire in rheumatoid arthritis. *Arthritis Res Ther* 6 (3): 107-11.
- Wagner, U. G., Kurtin, P. J., Wahner, A., Brackertz, M., Berry, D. J., Goronzy, J. J., Weyand, C. M.** 1998. The role of CD8+ CD40L+ T cells in the formation of germinal centers in rheumatoid synovitis. *J Immunol* 161 (11): 6390-7.

- Wagtman, N., Biassoni, R., Cantoni, C., Verdiani, S., Malnati, M. S., Vitale, M., Bottino, C., Moretta, L., Moretta, A., Long, E. O.** 1995. Molecular clones of the p58 NK cell receptor reveal immunoglobulin-related molecules with diversity in both the extra- and intracellular domains. *Immunity* 2 (5): 439-49.
- Wallace, D. C.** 1994. Mitochondrial DNA sequence variation in human evolution and disease. *Proc Natl Acad Sci U S A* 91 (19): 8739-46.
- Wang, H. D., Zhu, B. F., Shen, C. M., Fan, A. Y., Song, T. N., Liu, J. L., Qin, H. X., Deng, L. B., Fan, S. L., Huang, Q. Z., Guo, Y. F., Fang, J., Zhang, P., Yan, C. X.** 2011. Diversity distributions of killer cell immunoglobulin-like receptor genes and their ligands in the Chinese Shaanxi Han population. *Hum Immunol* 72 (9): 733-40.
- Wang, J. W., Howson, J. M., Ghansah, T., Desponts, C., Ninos, J. M., May, S. L., Nguyen, K. H., Toyama-Sorimachi, N., Kerr, W. G.** 2002. Influence of SHIP on the NK repertoire and allogeneic bone marrow transplantation. *Science* 295 (5562): 2094-7.
- Wang, S., Zhao, Y. R., Jiao, Y. L., Wang, L. C., Li, J. F., Cui, B., Xu, C. Y., Shi, Y. H., Chen, Z. J.** 2007. Increased activating killer immunoglobulin-like receptor genes and decreased specific HLA-C alleles in couples with recurrent spontaneous abortion. *Biochem Biophys Res Commun* 360 (3): 696-701.
- Watzl, C., Peterson, M., Long, E. O.** 2000. Homogenous expression of killer cell immunoglobulin-like receptors (KIR) on polyclonal natural killer cells detected by a monoclonal antibody to KIR2D. *Tissue Antigens* 56 (3): 240-7.
- Weinblatt, M. E., Schur, P. H.** 1980. Rheumatoid factor detection by nephelometry. *Arthritis Rheum* 23 (6): 777-9.
- Weisman, M. H.** 1987. Use of radiographs to measure outcome in rheumatoid arthritis. *Am J Med* 83 (4B): 96-100.
- Wende, H., Colonna, M., Ziegler, A., Volz, A.** 1999. Organization of the leukocyte receptor cluster (LRC) on human chromosome 19q13.4. *Mamm Genome* 10 (2): 154-60.
- Westergren, A.** 1957. Diagnostic tests: the erythrocyte sedimentation rate range and limitations of the technique. *Triangle* 3 (1): 20-5.
- Westergren, A.** 1926. The technique of the red cell sedimentation reaction. *Am Rev Tuberc* 14 94-101.
- Westwood, O. M., Nelson, P. N., Hay, F. C.** 2006. Rheumatoid factors: what's new? *Rheumatology (Oxford)* 45 (4): 379-85.

- Whang, D. H., Park, H., Yoon, J. A., Park, M. H.** 2005. Haplotype analysis of killer cell immunoglobulin-like receptor genes in 77 Korean families. *Hum Immunol* 66 (2): 146-54.
- White, T. D., Asfaw, B., DeGusta, D., Gilbert, H., Richards, G. D., Suwa, G., Howell, F. C.** 2003. Pleistocene *Homo sapiens* from Middle Awash, Ethiopia. *Nature* 423 (6941): 742-7.
- Williams, A. P., Bateman, A. R., Khakoo, S. I.** 2005. Hanging in the balance. KIR and their role in disease. *Mol Interv* 5 (4): 226-40.
- Williams, F., Maxwell, L. D., Halfpenny, I. A., Meenagh, A., Sleator, C., Curran, M. D., Middleton, D.** 2003. Multiple copies of KIR 3DL/S1 and KIR 2DL4 genes identified in a number of individuals. *Hum Immunol* 64 (7): 729-32.
- Williams, F., Meenagh, A., Sleator, C., Cook, D., Fernandez-Vina, M., Bowcock, A. M., Middleton, D.** 2005. Activating killer cell immunoglobulin-like receptor gene KIR2DS1 is associated with psoriatic arthritis. *Hum Immunol* 66 (7): 836-41.
- Wilson, M. J., Torkar, M., Haude, A., Milne, S., Jones, T., Sheer, D., Beck, S., Trowsdale, J.** 2000. Plasticity in the organization and sequences of human KIR/ILT gene families. *Proc Natl Acad Sci U S A* 97 (9): 4778-83.
- Wilson, M. J., Torkar, M., Trowsdale, J.** 1997. Genomic organization of a human killer cell inhibitory receptor gene. *Tissue Antigens* 49 (6): 574-9.
- Winter, C. C., Gumperz, J. E., Parham, P., Long, E. O., Wagtmann, N.** 1998. Direct binding and functional transfer of NK cell inhibitory receptors reveal novel patterns of HLA-C allotype recognition. *J Immunol* 161 (2): 571-7.
- Witt, C. S., Dewing, C., Sayer, D. C., Uhrberg, M., Parham, P., Christiansen, F. T.** 1999. Population frequencies and putative haplotypes of the killer cell immunoglobulin-like receptor sequences and evidence for recombination. *Transplantation* 68 (11): 1784-9.
- Witt, C. S., Martin, A., Christiansen, F. T.** 2000. Detection of KIR2DL4 alleles by sequencing and SSCP reveals a common allele with a shortened cytoplasmic tail. *Tissue Antigens* 56 (3): 248-57.
- Wolfe, A. M.** 1968. The epidemiology of rheumatoid arthritis: a review. I. Surveys. *Bull Rheum Dis* 19 (2): 518-23.
- Wolfe, F., Hawley, D. J.** 1998. The longterm outcomes of rheumatoid arthritis: Work disability: a prospective 18 year study of 823 patients. *J Rheumatol* 25 (11): 2108-17.

- Wolfe, F., Michaud, K., Pincus, T.** 2004. Development and validation of the health assessment questionnaire II: a revised version of the health assessment questionnaire. *Arthritis Rheum* 50 (10): 3296-305.
- Wollheim, F. A., Pettersson, H., Saxne, T., Sjoblom, K. G.** 1988. Radiographic assessment in relation to clinical and biochemical variables in rheumatoid arthritis. *Scand J Rheumatol* 17 (6): 445-53.
- Wolpert, S.** 2000. A New History of India. 6 ed. New York. Oxford University Press.
- Wolpoff, M. H., Senut, B., Pickford, M., Hawks, J.** 2002. Palaeoanthropology. Sahelanthropus or 'Sahelpithecus'? *Nature* 419 (6907): 581-2.
- Wu, G. Q., Zhao, Y. M., Lai, X. Y., Yang, K. L., Zhu, F. M., Zhang, W., Wang, W., Luo, Y., Tan, Y. M., Wang, Y. J., Cao, W. J., Huang, H.** 2009. Distribution of killer-cell immunoglobulin-like receptor genes in Eastern mainland Chinese Han and Taiwanese Han populations. *Tissue Antigens* 74 (6): 499-507.
- Xu, W., Fazekas, G., Hara, H., Tabira, T.** 2005. Mechanism of natural killer (NK) cell regulatory role in experimental autoimmune encephalomyelitis. *J Neuroimmunol* 163 (1-2): 24-30.
- Yamanishi, Y., Firestein, G. S.** 2001. Pathogenesis of rheumatoid arthritis: the role of synovial cells. *Rheum Dis Clin North Am* 27 (2): 355-71.
- Yawata, M., Yawata, N., Abi-Rached, L., Parham, P.** 2002. Variation within the human killer cell immunoglobulin-like receptor (KIR) gene family. *Crit Rev Immunol* 22 (5-6): 463-82.
- Yawata, M., Yawata, N., Draghi, M., Little, A. M., Partheniou, F., Parham, P.** 2006. Roles for HLA and KIR polymorphisms in natural killer cell repertoire selection and modulation of effector function. *J Exp Med* 203 (3): 633-45.
- Yawata, M., Yawata, N., Draghi, M., Partheniou, F., Little, A. M., Parham, P.** 2008. MHC class I-specific inhibitory receptors and their ligands structure diverse human NK-cell repertoires toward a balance of missing self-response. *Blood* 112 (6): 2369-80.
- Yawata, M., Yawata, N., McQueen, K. L., Cheng, N. W., Guethlein, L. A., Rajalingam, R., Shilling, H. G., Parham, P.** 2002. Predominance of group A KIR haplotypes in Japanese associated with diverse NK cell repertoires of KIR expression. *Immunogenetics* 54 (8): 543-50.
- Yen, J. H., Lin, C. H., Tsai, W. C., Wu, C. C., Ou, T. T., Hu, C. J., Liu, H. W.** 2006. Killer cell immunoglobulin-like receptor gene's repertoire in rheumatoid arthritis. *Scand J Rheumatol* 35 (2): 124-7.

- Yen, J. H., Moore, B. E., Nakajima, T., Scholl, D., Schaid, D. J., Weyand, C. M., Goronzy, J. J.** 2001. Major histocompatibility complex class I-recognizing receptors are disease risk genes in rheumatoid arthritis. *J Exp Med* 193 (10): 1159-67.
- Yokoyama, W. M., Kim, S.** 2006. How do natural killer cells find self to achieve tolerance? *Immunity* 24 (3): 249-57.
- Yoo, Y. J., Tang, J., Kaslow, R. A., Zhang, K.** 2007. Haplotype inference for present-absent genotype data using previously identified haplotypes and haplotype patterns. *Bioinformatics* 23 (18): 2399-406.
- Young, A., Dixey, J., Cox, N., Davies, P., Devlin, J., Emery, P., Gallivan, S., Gough, A., James, D., Prouse, P., Williams, P., Winfield, J.** 2000. How does functional disability in early rheumatoid arthritis (RA) affect patients and their lives? Results of 5 years of follow-up in 732 patients from the Early RA Study (ERAS). *Rheumatology (Oxford)* 39 (6): 603-11.
- Young, N. T., Uhrberg, M., Phillips, J. H., Lanier, L. L., Parham, P.** 2001. Differential expression of leukocyte receptor complex-encoded Ig-like receptors correlates with the transition from effector to memory CTL. *J Immunol* 166 (6): 3933-41.
- Youngblood, K., Fruchter, L., Ding, G., Lopez, J., Bonagura, V., Davidson, A.** 1994. Rheumatoid factors from the peripheral blood of two patients with rheumatoid arthritis are genetically heterogeneous and somatically mutated. *J Clin Invest* 93 (2): 852-61.
- Yu, N., Chen, F. C., Ota, S., Jorde, L. B., Pamilo, P., Patthy, L., Ramsay, M., Jenkins, T., Shyue, S. K., Li, W. H.** 2002. Larger genetic differences within africans than between Africans and Eurasians. *Genetics* 161 (1): 269-74.
- Yusa, S., Catina, T. L., Campbell, K. S.** 2002. SHP-1- and phosphotyrosine-independent inhibitory signaling by a killer cell Ig-like receptor cytoplasmic domain in human NK cells. *J Immunol* 168 (10): 5047-57.
- Zaia, J. A., Sun, J. Y., Gallez-Hawkins, G. M., Thao, L., Oki, A., Lacey, S. F., Dagis, A., Palmer, J., Diamond, D. J., Forman, S. J., Senitzer, D.** 2009. The effect of single and combined activating killer immunoglobulin-like receptor genotypes on cytomegalovirus infection and immunity after hematopoietic cell transplantation. *Biol Blood Marrow Transplant* 15 (3): 315-25.
- Zeng, X., Ai, M., Tian, X., Gan, X., Shi, Y., Song, Q., Tang, F.** 2003. Diagnostic value of anti-cyclic citrullinated Peptide antibody in patients with rheumatoid arthritis. *J Rheumatol* 30 (7): 1451-5.

- Zhang, H. X., Li, J. C., Liu, Z. J.** 2008. [Relationship between expression of inhibitory killer cell immunoglobulin-like receptor HLA-Cw ligand and susceptibility to inflammatory bowel disease]. *Zhonghua Yi Xue Za Zhi* 88 (44): 3108-11.
- Zhang, Z., Bridges, S. L., Jr.** 2001. Pathogenesis of rheumatoid arthritis. Role of B lymphocytes. *Rheum Dis Clin North Am* 27 (2): 335-53.
- Zhi-ming, L., Yu-lian, J., Zhao-lei, F., Chun-xiao, W., Zhen-fang, D., Bing-chang, Z., Yue-ran, Z.** 2007. Polymorphisms of killer cell immunoglobulin-like receptor gene: possible association with susceptibility to or clearance of hepatitis B virus infection in Chinese Han population. *Croat Med J* 48 (6): 800-6.
- Zhu, B. F., Wang, H. D., Shen, C. M., Deng, Y. J., Yang, G., Wu, Q. J., Xu, P., Qin, H. X., Fan, S. L., Huang, P., Deng, L. B., Lucas, R., Wang, Z. Y.** 2010. Killer cell immunoglobulin-like receptor gene diversity in the Tibetan ethnic minority group of China. *Hum Immunol* 71 (11): 1116-23.
- Zompi, S., Hamerman, J. A., Ogasawara, K., Schweighoffer, E., Tybulewicz, V. L., Di Santo, J. P., Lanier, L. L., Colucci, F.** 2003. NKG2D triggers cytotoxicity in mouse NK cells lacking DAP12 or Syk family kinases. *Nat Immunol* 4 (6): 565-72.