

TABLE OF CONTENTS

Contents	Page No.
TITLE PAGE	i
DEDICATION	ii
DECLARATION OF RESARCHER	iii
CERTIFICATION OF SUPERVISOR	iv
ANTI-PLAGIARISM REPORT	v
DRC CERTIFICATE	vi
ABSTRACT	vii-x
ACKNOWLEDGEMENT	xi-xiv
PREFACE	xv
TABLE OF CONTENTS	xvi-xxiv
LIST OF FIGURES	xxv-xxix
LIST OF TABLES	xxx
INTRODUCTION	1-6
CHAPTER-1: LITERATURE REVIEW	7-24
1.1 Sericulture: global, national, and state perspective	7-8
1.2 Mulberry silk	9
1.3 Importance of mulberry other than silk	9-11
1.4 Cultivation of mulberry	11-12
1.5 Mulberry propagation	12-13
1.6 Nutrients and water management – a prerequisite during mulberry propagation	13-15
1.7 Nano-fertilizer – a revolutionary discovery in sustainable agriculture	15-16
1.8 Synthesis of nano-fertilizers with particular reference to micronutrients	16-17
1.9 Application of nano-micronutrient fertilizers in plant growth and development	18
1.10 Role of nano fertilizers in plants' abiotic stress management	19-20
1.11 Slow and control release nano-fertilizers – The future trend	20-23
1.12 Toxicity concerns of the nano-fertilizers	23-24

Contents	Page No.
CHAPTER-2: OPTIMIZATION OF THE BIOINSPIRED SYNTHESIS OF CATIONIC NANO-MICRONUTRIENTS AND THEIR CHARACTERIZATION	25-65
2.1 BACKGROUND	25-26
2.2 MATERIALS AND METHODS	26-33
2.2.1 Collection of plant samples	26
2.2.2 Preparation of plant extract	27
2.2.3 Biosynthesis of iron oxide nanoparticles (FeNP)	27
2.2.4 Biosynthesis of zinc oxide nanoparticles (ZnNP)	27-28
2.2.5 Biosynthesis of copper oxide nanoparticles (CuNP)	28
2.2.6 Biosynthesis of manganese oxide nanoparticles (MnNP)	28
2.2.7 Evaluation of ideal conditions for the biosynthesis of iron, zinc, copper, and manganese oxide nanoparticles	28-31
2.2.7.1 Impact of metallic precursors	28-30
2.2.7.2 Impact of plant extract	30
2.2.7.3 Impact of the volumetric ratio of metallic precursor with plant extract	30
2.2.7.4 Impact of reaction time	30-31
2.2.7.5 Impact of reaction temperature	31
2.2.7.6 Impact of light intensity	31
2.2.7.7 Impact of pH of plant extract	31
2.2.8 Characterization of the nanoparticles prepared under optimum condition	31-33
2.2.8.1 UV-visible spectral analysis	31
2.2.8.2 Field emission gun scanning electron microscopy (FEG-SEM)	32
2.2.8.3 Transmission electron microscopy (TEM)	32
2.2.8.4 Dynamic light scattering (DLS) and zeta potential	32
2.2.8.5 Energy-dispersive X-ray spectroscopy (EDS)	32
2.2.8.6 X-ray diffraction analysis (XRD)	32-33
2.2.8.7 Fourier-transformed infrared spectroscopy (FTIR)	33
2.3 RESULTS	33-54
2.3.1 Ideal physical conditions for the synthesis of studied nanoparticles	33-41
2.3.1.1 Impact of metallic precursors	33-34
2.3.1.2 Impact of plant extract	34-36
2.3.1.3 Impact of the volumetric ratio of metallic precursor with plant extract	36-38

Contents	Page No.
2.3.1.4 Impact of reaction time	38-39
2.3.1.5 Impact of reaction temperature	39-40
2.3.1.6 Impact of light intensity and pH of plant extract	40-41
2.3.2 Characterization of studied nanoparticles prepared under optimum conditions	41-54
2.4 DISCUSSION	54-65
2.5 CONCLUSION	65
CHAPTER-3: DOSE DETERMINATION OF THE CATIONIC NANO-MICRONUTRIENTS THROUGH MULBERRY GROWTH STUDIES AND TOXICITY ANALYSIS	67-97
3.1 BACKGROUND	67-69
3.2 MATERIALS AND METHODS	69-74
3.2.1 Biosynthesis of nano-micronutrients (iron, zinc, copper, and manganese nanoparticles)	69
3.2.2 Mulberry plant growth study	69-71
3.2.2.1 Experimental location, condition, and collection of mulberry cuttings	69
3.2.2.2 Experimental design	70
3.2.2.3 Evaluation of mulberry growth attributes	70-71
3.2.3 Assessment of cytotoxicity and genotoxicity of the nanoparticles	71-74
3.2.3.1 Experimental set up	71
3.2.3.2 Morphological study	73
3.2.3.3 Chromosomal study	73-74
3.2.4 Data analysis and program used	74
3.3 RESULTS	74-92
3.3.1 Effect of applied nanomaterials on mulberry growth and propagation	74-79
3.3.2 Principal component analysis (PCA) revealed the effective dosage of applied nanomaterials for the growth and development of mulberry cuttings	80-81
3.3.3 Toxicity concern of applied nanomaterials	82-92
3.4 DISCUSSION	92-97
3.5 CONCLUSION	97

Contents	Page No.
CHAPTER-4: COMPARATIVE EVALUATION OF THE INDIVIDUAL AND COMBINED APPLICATION OF THE NANO-MICRONUTRIENTS ON MULBERRY	99-126
4.1 BACKGROUND	99-100
5.2 MATERIALS AND METHODS	100-107
4.2.1 Biosynthesis of nano-micronutrients (iron, zinc, manganese, and copper nanoparticles)	100
4.2.2 Mulberry plant growth study	100-101
4.2.2.1 Experimental location, condition, and collection of mulberry cuttings	100
4.2.2.2 Experimental design	101
4.2.3 Evaluation of mulberry growth attributes	101
4.2.4 Evaluation of biochemical attributes	101-102
4.2.4.1 Estimation of chlorophyll content	101
4.2.4.2 Estimation of total protein content	101
4.2.4.3 Estimation of total soluble sugar and reducing sugar content	102
4.2.4.4 Estimation of total phenol content	102
4.2.5 On-gel assay	102-
4.2.5.1 Extraction of mulberry leaf protein	102
4.2.5.2 Preparation of reagents and procedure followed for sodium dodecyl sulphate (SDS)–polyacrylamide gel electrophoresis (PAGE)	103-106
4.2.5.2.1 Preparation of acrylamide and bis-acrylamide	103
4.2.5.2.2 Preparation of SDS and ammonium persulfate (APS)	103
4.2.5.2.3 Preparation of Tris-HCl (pH 8.8) buffer for resolving gel	103
4.2.5.2.4 Preparation of Tris-HCl (pH 6.8) buffer for stacking gel	103
4.2.5.2.5 Preparation of sample loading buffer	104
4.2.5.2.6 Preparation of electrophoresis running buffer (pH 8.3)	104
4.2.5.2.7 Preparation of sample for SDS gel electrophoresis	104
4.2.5.2.8 Formulation and casting of gel	104
4.2.5.2.9 Electrophoresis setup	104
4.2.5.2.10 Preparation of post-electrophoresis fixative and staining solution	105

Contents	Page No.
4.2.5.2.11 Preparation of destain solution and destaining process	105
4.2.5.2.12 Documentation of protein band	105-106
4.2.5.3 Native PAGE	106-107
4.2.5.3.1 Staining procedure followed for NADPH oxidase (NOX) isozyme	106
4.2.5.3.2 Staining procedure followed for superoxide dismutase (SOD) isozyme	106
4.2.5.3.3 Staining procedure followed for guaiacol peroxidase (GPOX) isozyme	106-107
4.2.6 Data analysis and program used	107
4.3 RESULTS	107-120
4.3.1 Effect of applied nanomaterials on mulberry growth and propagation	107-111
4.3.2 Effect of applied nanomaterials on biochemical attributes	111-112
4.3.3 Effect of applied treatments on protein profile as studied through SDS-PAGE and isozyme analysis	113-118
4.3.4 Summarizing the effect of different treatments through principal component analysis (PCA)	118-120
4.4 DISCUSSION	120-126
5.5 CONCLUSION	126
CHAPTER-5: MITIGATION POTENTIAL OF THE COMBINED NANO-MICRONUTRIENTS ON DROUGHT-STRESSED MULBERRY	127-165
5.1 BACKGROUND	127-129
5.2 MATERIALS AND METHODS	129-137
5.2.1 Biosynthesis of nano-micronutrients (iron, zinc, manganese, and copper nanoparticles)	129
5.2.2 Mulberry plant growth study	129
5.2.2.1 Experimental location, condition, and collection of mulberry cuttings	129
5.2.2.2 Experimental design	130
5.2.3 Evaluation of mulberry growth attributes	130
5.2.4 Evaluation of biochemical attributes	131
5.2.5 Evaluation of non-enzymatic antioxidants	131-132
5.2.5.1 Estimation of total phenol content	131
5.2.5.2 Estimation of ortho-dihydric phenol content	131
5.2.5.3 Estimation of flavonoid content	131

Contents	Page No.
5.2.5.4 Estimation of ascorbic acid content	131-132
5.2.5.5 Estimation of glutathione accumulation	132
5.2.5.6 Estimation of free proline content	132
5.2.6 Evaluation of enzymatic antioxidants	133-134
5.2.6.1 Estimation of catalase (CAT) activity	133
5.2.6.2 Estimation of peroxidase (POD) activity	133
5.2.6.3 Estimation of glutathione reductase (GR) activity	133-134
5.2.6.4 Estimation of glutathione S-transferase (GST) activity	134
5.2.6.5 Estimation of NADPH oxidase (NOX) activity	134
5.2.7 Quantitative estimation of stress markers	135-136
5.2.7.1 Determination of reactive oxygen species (ROS)	135
5.2.7.2 Determination of lipid peroxidation	135
5.2.7.3 Determination of plasma membrane integrity	136
5.2.8 Histochemical detection of stress	136-137
5.2.8.1 Histochemical detection of superoxide	136
5.2.8.2 Histochemical detection of plasma membrane integrity	136-137
5.2.8.3 Histochemical detection of lipid peroxidation	137
5.2.9 Data analysis and program used	137
6.3 RESULTS	137-154
5.3.1 Effect of combined application of nano-micronutrients on survival percentage, sprouting percentage, and first leaf emergence	137-138
5.3.2 Effect of combined dosage on growth performance	138-142
5.3.3 Effect of combined dosage on biochemical parameters	143
5.3.4 Effect of combined dosage on non-enzymatic antioxidants	143-145
5.3.5 Effect of combined dosage on enzymatic antioxidants	145-148
5.3.6 Quantitative estimation of stress markers	148-149
5.3.7 Histochemical detection of stress	149-154
5.4 DISCUSSION	155-164
6.5 CONCLUSION	164-165
CHAPTER-6: ANALYSIS OF MICRONUTRIENT MOBILIZATION FOLLOWING THE SOIL APPLICATION OF THE NANO-MICRONUTRIENTS	167-188
6.1 BACKGROUND	167-168
6.2 MATERIALS AND METHODS	168-175
6.2.1 Collection of soil sample for physico-chemical analysis	168-169

Contents	Page No.
6.2.2 Evaluation of physico-chemical parameters of soil before and after treatment	169-171
6.2.2.1 Soil texture analysis	169-170
6.2.2.2 Soil pH and electrical conductivity (EC) determination	170
6.2.2.3 Estimation of bulk density	170
6.2.2.4 Estimation of soil moisture content	170
6.2.2.5 Estimation of soil organic carbon and organic matter	171
6.2.3 Evaluation of macro-nutrient status of soil before and after treatment	172-174
6.2.3.1 Estimation of total nitrogen (N) content	172
6.2.3.2 Estimation of phosphorus (P) content	172-173
6.2.3.3 Estimation of potassium (K) content	173
6.2.3.4 Estimation of sulphur (S) content	173-174
6.2.4 Evaluation of micronutrient status of soil before and after treatment	174
6.2.5 Evaluation of micronutrient uptake by mulberry plants	174-175
6.2.6 Bioaccumulation and translocation of micronutrients in plant body	175
6.2.7 Data analysis and program used	175
6.3 RESULTS	176-180
7.4 DISCUSSION	180-188
7.5 CONCLUSION	188
CHAPTER-7: IMPACT OF THE FEEDING OF NANO-MICRONUTRIENTS TREATED MULBERRY LEAVES ON LARVAL AND COCOON PARAMETERS OF SILKWORM	189-205
7.1 BACKGROUND	189-191
7.2 MATERIALS AND METHODS	191-196
7.2.1 Collection of silkworm larvae for growth performance study	191
7.2.2 Silkworm larvae rearing process	191-192
7.2.3 Larval growth parameters and cocoon parameters study	192-193
7.2.4 Extraction of larval protein and analysis of total protein content	195
7.2.5 Data analysis and program used	195-196
7.3 RESULTS	196-201

Contents	Page No.
7.4 DISCUSSION	201-205
7.5 CONCLUSION	205
CHAPTER-8: DEVELOPMENT OF NANO-MICRONUTRIENTS LOADED SLOW RELEASE NANO-FERTILIZER FOR IMPROVED NUTRIENT UTILIZATION	207-258
8.1 BACKGROUND	207-209
8.2 MATERIALS AND METHODS	209-217
8.2.1 Synthesis of multi-micronutrient loaded slow release nano-fertilizers	209-212
8.2.1.1 Synthesis of multi-micronutrient loaded hydroxyapatite nanocomposites (HA-SRNF)	209-210
8.2.1.2 Synthesis of multi-micronutrient loaded hydrogel nanocomposites (HG-SRNF)	210
8.2.1.3 Synthesis of multi-micronutrient loaded chitosan nanocomposites (CH-SRNF)	210-211
8.2.1.4 Synthesis of multi-micronutrient loaded graphene oxide nanocomposites (GO-SRNF)	211-212
8.2.2 Characterization of SRNFs	212-213
8.2.3 Assessment of physico-chemical properties of synthesized SRNF	213-215
8.2.3.1 Estimation of length, diameter, weight, and bulk density of the prepared SRNF granules	213
8.2.3.2 pH, EC, and TDS of the synthesized SRNF	213
8.2.3.3 Swelling ratio (SR)	213-214
8.2.3.4 Water absorption capacity (WAC)	214
8.2.3.5 Water retention capacity (WRC)	214-215
8.2.3.6 Encapsulation efficiency (EE)	215
8.2.3.7 Nutrient loading efficiency	215
8.2.4 Nutrient release study	215
8.2.4.1 Effect of temperatures on nutrient release	215-216
8.2.4.2 Effect of pH on nutrient release	216
8.2.4.3 Determination of nutrient release with time	216
8.2.5 Efficacy of synthesized SRNF on mulberry growth and propagation	216-217
8.2.5.1 Effect on biochemical parameters of mulberry cuttings	217
8.2.5.2 Determination of nutrient use efficiency (NUE)	217
8.3 RESULTS	218-243

Contents	Page No.
8.3.1 Characterization of formed SRNFs	218-230
8.3.2 Physico-chemical properties of the synthesized SRNF	230-233
8.3.3 Nutrient release pattern of the synthesized SRNF	233-239
8.3.4 Efficacy of synthesized SRNF on mulberry growth and propagation	239-242
8.3.5 Nutrient use efficiency of synthesized SRNF	242-243
8.4 DISCUSSION	243-257
8.5 CONCLUSION	257-258
SUMMARY	259-261
BIBLIOGRAPHY	263-326
APPENDICES	
APPENDIX-A: LIST OF CHEMICALS USED	A1-A4
APPENDIX-B: ABBREVIATIONS USED	A5-A11
APPENDIX-C: LIST OF THESIS RELATED PUBLICATIONS AND OFFPRINTS	A13-A122
APPENDIX D: SEMINAR/CONFERENCE: ATTENDANCE AND PRESENTATION	A123-A132