

List of figures and plates

Figures/ photoplates	Particulars	Page number
<i>Figure 3.1</i>	Location map of Khecheopalri lake and Ramam watershed	34
<i>Figure 3.2</i>	Temporal distribution of rainfall and maximum and minimum temperature at the Khecheopalri lake	35
<i>Figure 4.1</i>	Tourism growth in the Khecheopalri lake during 1997 and 1998	53
<i>Figure 4.2</i>	Solid waste deposition in the watershed from pilgrimage and tourism	54
<i>Figure 5.1</i>	Land use/cover map of Khecheopalri lake watershed for the year 1997	90
<i>Figure 5.2</i>	Extent of open water surface and peat land in 1963 and 1997 of the Khecheopalri lake	91
<i>Figure 5.3</i>	Raunkiaer's normal spectrum and biological spectrum of the Khecheopalri lake watershed	92
<i>Figure 5.4</i>	Diameter class distribution of density of some important tree species, "Other species" and "Total species" in the Khecheopalri lake watershed forest	93
<i>Figure 5.5</i>	Diameter class distribution of biomass of some important tree species in the Khecheopalri lake watershed forest	94
<i>Figure 5.6</i>	Percent density of canopy (<i>Castanopsis tribuloides</i>), middle canopy (<i>Machilus edulis</i>), sub canopy (<i>Symplocos theifolia</i> and <i>Eurya acuminata</i>), "Other species" and "Total Species" in different life stage classes	95
<i>Figure 6.1</i>	Diagrammatic sketch of peatland formation and its vertical transection of Khecheopalri lake showing profilatic pattern of sedimentation process, vegetation succession pattern and biotic interactions.	123
<i>Figure 6.2</i>	Stratigraphic boundaries of the peat strata along a transect from the Khecheopalri peatland	124
<i>Figure 6.3</i>	Bulk density and organic matter along a bog transect in the	125

	Khecheopalri peatland	
<i>Figure 6.4</i>	Diagrammatic representation of the basal coverage of different plant types in Khecheopalri peatland	126
<i>Figure 6.5</i>	Raunkiaer's normal spectrum and biological spectrum of the Khecheopalri peatland	127
<i>Figure 7.1</i>	Khecheopalri lake showing perennial inlets and outlet, and sample collection sites in disturbed and undisturbed conditions of lake and surrounding bog	174
<i>Figure 7.2</i>	Monthly precipitation, discharge and sediment concentration in inlets and outlet during 1997	175
<i>Figure 7.3</i>	Monthly precipitation, discharge and sediment concentration in inlets and outlet during 1998	176
<i>Figure 7.4</i>	Seasonal variation in pH, temperature, transparency, acidity, alkalinity and conductivity of water at six sites in the Khecheopalri lake	177
<i>Figure 7.5</i>	Seasonal variation in CO ₂ , DO, NH ₄ -N, total nitrogen, chloride and PO ₄ -P of water at six sites in the Khecheopalri lake	178
<i>Figure 7.6</i>	Seasonal composition of the phytoplankton and zooplankton at various site conditions	179
<i>Figure 7.7</i>	Seasonal variation in phytolankton and zooplankton density at various site conditions	180
<i>Figure 7.8</i>	Seasonal variation in phytolankton and zooplankton biomass at various site conditions	181
<i>Figure 7.9</i>	Dominance diversity curve of the lake phytoplankton, bog phytoplankton, lake zooplankton and bog zooplankton	182
<i>Figure 7.10</i>	Seasonal variation in GPP and respiration by plankton in the water at four sites of the Khecheopalri lake	183
<i>Figure 7.11</i>	Trophic relationship between phytoplankton, herbivores and primary carnivores in the Khecheopalri lake	184
<i>Figure 8.1</i>	Compartmental model of the Khecheopalri lake system	195
<i>Plate 1</i>	Panoramic view of Khecheopalri and Chojo lake	-

<i>Plate 2</i>	Grazing and resource extraction from the Khecheopalri lake watershed	-
<i>Plate 3</i>	Festivals, rituals and conservation efforts in the Khecheopalri area	-
<i>Plate 4</i>	The watershed forest showing rich biodiversity and experimental set ups for research work.	-
<i>Plate 5</i>	Peatland - the interlinking zone between lake and forest	-
<i>Plate 6</i>	Algae and migratory birds in the Khecheopalri lake	-
