

CONTENTS

<u>INTRODUCTION</u>	1
<u>REVIEW OF LITERATURE</u>	4
<u>MATERIALS AND METHODS</u>	
A. Plant Material	54
(a) Selection	
(b) Collection	
(c) Plantation	
(d) Growth and maintenance	
B. Fungal Culture	58
(a) Source of culture	
(b) Completion of Koch's Postulate	
(c) Maintenance of stock cultures	
(d) Assesment of mycelial growth in liquid media	
C. Chemicals	61
D. Inoculation Technique	64
(a) Whole plant	
(b) Cut shoot	
(c) Detached leaf	
E. Disease assessment	66
(a) Whole plant	
(b) Cut shoot	
(c) Detached leaf	
F. Method of application of chemicals	68
(a) Whole plant	
(b) Cut shoot	

II

- G. Extraction and estimation of phenol contents of healthy and infected tea leaves 68
- (a) Extraction
 - (b) Estimation
 - i) Total phenol
 - ii) Orthodihydroxy phenol
- H. Extraction and separation of simple phenols (By thin layer chromatography) 70
- (a) Extraction
 - (b) Separation
- I. Collection of leaf diffusates and bioassay 72
- J. Detection of antifungal compound from healthy and infected leaves 73
- (a) Extraction
 - (b) Chromatographic analysis
 - (c) Bio-assay
 - (d) UV-spectrophotometric analysis
- K. Extraction and estimation of total soluble protein content 77
- (a) Extraction of plant protein
 - (b) Extraction of mycelial protein
 - (c) Estimation of protein content
- L. Polyacrylamide gel electrophoresis of soluble protein 79
- (a) Preparation of gel solution and gel column
 - (b) Electrophoresis
- M. Source and maintenance of rabbits for immunological works 81

III

N.	Preparation of antigens	82
	(a) Plant antigens	
	(b) Fungal antigens	
O.	Preparation of antisera	84
	(a) Immunization	
	(b) Bleeding	
P.	Determination of titre value	87
Q.	Agar gel double diffusion	88
R.	Immuno-electrophoretic technique	88
	(a) Preparation of agar slides	
	(b) Electrophoretic step	
	(c) Diffusion	
S.	Washing, drying and staining of slides	90
T.	Indirect Enzyme Linked Immunosorbant Assay (ELISA)	90
U.	Fluorescent antibody staining and microscopy	92
	(a) <u>B. carbonum</u>	
	(b) Leaf of <u>C. sinensis</u> .	

EXPERIMENTAL

PART I :	Pathogenicity test of <u>Bipolaris carbonum</u> of different varieties of tea	95
	Pathogenicity test of detached leaves	95
	Pathogenicity test on cut shoots	101
	Pathogenicity test on whole plants	105
PART II:	Observations on morphology and pathogenicity of isolates of <u>B. carbonum</u>	108

IV

PART III :	Cultural conditions affecting growth and sporulation of <u>B. carbonum</u> .	113
	Effect of inoculation time	114
	Effect of pH	114
	Effect of temperature	116
	Effect of different carbon sources	120
	Effect of different nitrogen sources	121
PART IV :	Determination of the levels of phenolic compounds in tea leaves before and after inoculation with <u>B. carbonum</u>	
	A. Characterization of simple phenolics in healthy tea leaves	123
	B. Changes in phenolics of tea leaves at various times after inoculation with <u>B. carbonum</u>	124
	C. Levels of total phenols and orthodihydroxyphenols in healthy and infected tea leaf tissue	129
PART V :	Detection of antifungal compounds in tea leaves after challenge with <u>B. carbonum</u>	131
PART VI :	Experiments on the alteration of disease reaction by the application of various chemicals and their fungitoxic effects on <u>B. carbonum in vitro</u>	143
	Effect of reducing agents	145
	Effect of metabolic inhibitors	148
	Effect of amino acids	148
	Effect of growth regulators	151
	Effect of metal salts	151
PART VII:	Studies on host parasite proteins	165
	A. Comparison of protein contents of tea leaves (TV - 18) before and after treatment with nickel chloride inducing disease resistance	167

B. Comparison of protein contents of resistant and susceptible tea varieties before and after infection with <u>B. carbonum</u>	167
C. Protein content of <u>B. carbonum</u>	168
D. Analysis of protein pattern of <u>B. carbonum</u> and tea varieties before and after infection	168
PART VIII : Studies on serological relationship between tea varieties and <u>Bipolaris carbonum</u>	173
A. Immunodiffusion tests	175
B. Immunoelectrophoretic tests	181
PART IX : Detection of cross reactive antigen between host and parasite by indirect enzyme linked immunosorbent assay	188
PART X : Analysis of antigenic pattern after chemical induction of resistance in tea to <u>B. carbonum</u>	191
PART XI : Studies on the tissue and cellular location of major cross reactive antigens shared by <u>Camellia sinensis</u> and <u>Bipolaris carbonum</u>	196
DISCUSSION	203
SUMMARY	228
REFERENCES	240