

Bibliography

- Abaidoo RC, Keyser HH, Singleton PW, Borthakur D (2002) Comparison of molecular and antibiotic resistance profile methods for the population analysis of *Bradyrhizobium* spp.(TGx) isolates that nodulate the new TGx soybean cultivars in Africa. *Journal of applied microbiology* 92:109-117
- Abril A, Zurdo-Pineiro JL, Peix A, Rivas R, Velazquez E (2007) Solubilization of phosphate by a strain of *Rhizobium leguminosarum* bv. *trifolii* isolated from *Phaseolus vulgaris* in El Chaco Arido soil (Argentina). In: First international meeting on microbial phosphate solubilization. Springer, pp 135-138
- Afzal A, Bano A (2008) *Rhizobium* and phosphate solubilizing bacteria improve the yield and phosphorus uptake in wheat (*Triticum aestivum*). *International Journal of Agriculture and Biology* 10:85-88
- Agarwal L, Purohit HJ (2013) Genome sequence of *Rhizobium lupini* HPC (L) isolated from saline desert soil, Kutch (Gujarat). *Genome announcements* 1:e00071-00012
- Ahemad M, Khan MS (2010) Insecticide tolerant and plant growth promoting *Rhizobium* improves the growth of lentil (*Lens esculentus*) in insecticide stressed soils. *Pest management science* 67:423-429
- Ahemad M, Khan MS (2012) Ecological assessment of biotoxicity of pesticides towards plant growth promoting activities of pea (*Pisum sativum*)-specific *Rhizobium* sp. strain MRP1. *Emirates Journal of Food and Agriculture* 24:334
- Ahemad M, Kibret M (2014) Mechanisms and applications of plant growth promoting rhizobacteria: Current perspective. *Journal of King Saud University-Science* 26:1-20
- Ahlawat IPS (2008) Agronomy -Rabi crops French Bean.
- Ahmed THM, Abdelmageed MS (2015) Diversity of *Rhizobium leguminosarum* bv. *viceae* strains isolated from different schemes in Shendi area. *Journal of Agri-Food and Applied Sciences* 3:22-31
- Alexander DB, Zuberer DA (1991) Use of chrome azurol S reagents to evaluate siderophore production by rhizosphere bacteria. *Biology and Fertility of Soils* 12:39-45
- Alexandre A, Laranjo M, Oliveira S (2006) Natural populations of chickpea rhizobia evaluated by antibiotic resistance profiles and molecular methods. *Microbial ecology* 51:128-136
- Ali M, Lal S (1992) Technology for rajmash cultivation in the plains. *Indian Farming* 42:25-26
- Allen EK, Allen ON (1958) Biological aspects of symbiotic nitrogen fixation. Springer
- Altschul S, Gish W, Miller W, Myers EW, Lipman DJ (1990) Basic local alignment search tool. *Journal of molecular biology* 215:403-410
- Amarger N (2001) Rhizobia in the field. *Advances in Agronomy* 73:109-168
- Amarger N, Macheret V, Laguerre G (1997) *Rhizobium gallicum* sp. nov. and *Rhizobium giardinii* sp. nov., from *Phaseolus vulgaris* nodules. *International Journal of Systematic Bacteriology* 47:996-1006
- Amer MM (2008) Monitoring variation among faba bean *Rhizobium* isolates. Growth curve, exo-polysaccharides and antibiotic resistance. *Research Journal of Agriculture and Biological Sciences* 4:462-470
- An DS, Im WT, Yang HC, Lee ST (2006) *Shinella granuli* gen. nov., sp. nov., and proposal of the reclassification of *Zoogloea ramigera* ATCC 19623 as *Shinella zoogloeoides* sp. nov. *International journal of systematic and evolutionary microbiology* 56:443-448
- Aneja KR (1996) Experiments in microbiology, plant pathology, tissue culture and mushroom cultivation. 2nd edition, New Age International Publishers, New Delhi, India.
- Antoun H, Beauchamp CJ, Goussard N,

- Chabot R, Lalande R (1998) Potential of *Rhizobium* and *Bradyrhizobium* species as plant growth promoting rhizobacteria on non-legumes: effect on radishes (*Raphanus sativus* L.). *Plant and soil* 204:57-67
- Arfaoui A, Sifi B, Boudabous A, Hadrami IE, Cherif M (2006) Identification of *Rhizobium* isolates possessing antagonistic activity against *Fusarium oxysporum* f. sp. *ciceris*, the causal agent of *Fusarium* wilt of chickpea. *Journal of Plant Pathology* 88:67-75
- Arora NK, Kang SC, Maheshwari DK (2001) Isolation of siderophore-producing strains of *Rhizobium meliloti* and their biocontrol potential against *Macrophomina phaseolina* that causes charcoal rot of groundnut. *Current Science* 81:673-677
- Asati BS, Yadav DS (2004) Diversity of horticultural crops in north eastern region. *ENVIS Bulletin: Himalayan Ecology* 12:1
- Baldani JI, Weaver RW, Hynes MF, Eardly BD (1992) Utilization of carbon substrates, electrophoretic enzyme patterns, and symbiotic performance of plasmid-cured clover rhizobia. *Applied and environmental microbiology* 58:2308-2314
- Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Prjibelski AD (2012) SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *Journal of Computational Biology* 19:455-477
- BaoLing H, Cheng Qun L, Bo W, Li Qin F (2007) A rhizobia strain isolated from root nodule of gymnosperm *Podocarpus macrophyllus*. *Science in China Series C: Life Sciences* 50:228-233
- Bardin SD, Huang HC, Pinto J, Amundsen EJ, Erickson RS (2004) Biological control of *Pythium* damping-off of pea and sugar beet by *Rhizobium leguminosarum* bv. *viceae*. *Canadian journal of Botany* 82:291-296
- Bashan Y, de Bashan LE (2005) Plant growth-promoting. *Encyclopedia of soils in the environment* 1:103-115
- Bauer A, Kirby W, Sherris J, Turck M (1966) Antibiotic susceptibility testing by a standardized single disk method. *American Journal of Clinical Pathology* 45:493-496
- Beck DP, Materon LA, Afandi F (1993) Practical *Rhizobium*-legume technology manual. *Technical Manual-International Center for Agricultural Research in the Dry Areas*
- Bedi MK, Naglot A (2011) Characterization of *Rhizobium* isolated from root nodules of *Trifolium alexandrinum*. *Journal of Agricultural Technology* 7:1705-1723
- Begum A, Ahad A, Kaiser MO, Islam MM, Anam MK (2003) Morphological and reproductive attributes in French bean (*Phaseolus vulgaris*) as influenced by sowing time and fertilizer treatments. *Pakistan Journal of Biological Sciences*
- Beijerinck MW (1888) Cultur des Bacillus radicolica aus den Knollchen. *Botanische Zeitung* 46:740-750
- Beijerinck MW (1901) Äceber oligonitrophile mikroben. *Centbl. Bakt.[etc.], Abt* 2:561-582
- Belay Z (2006) Symbiotic and Phenotypic Diversity of *Rhizobium leguminosarum* var *viceae* Isolates (*Vicia faba*) from Northern Gondar, Ethiopia. In. M. sc. thesis. Addis Ababa University, Ethiopia. 1-73.
- Benedito V, Dai X, He J, Zhao X, Udvardi M (2006) Functional genomics of plant transporters in legume nodules. *Functional Plant Biology* 33
- Berg DE, Akopyants NS, Kersulyte D (1994) Fingerprinting microbial genomes using the RAPD or AP-PCR methods. *Methods in Molecular and Cellular Biology* 5:13-24
- Bernaerts MJ, De Ley J (1963) A biochemical test for crown gall bacteria. *Nature* 197:406-407
- Berrada H, Fikri-Benbrahim K (2014) Taxonomy of the rhizobia: current perspectives. *British Microbiology Research Journal* 4:616
- Bhatt S, Vyas RV, Shelat HN, Mistry SJ (2013) Isolation and Identification of Root Nodule Bacteria of Mung Bean (*Vigna radiata* L.) for Biofertilizer Production. *International Journal of Research in Pure and Applied Microbiology* 3:127-133
- Bhattacharya C, Deshpande B, Pandey B (2013) Isolation and Characterization of *Rhizobium* sp. from root of Legume plant (*Pisum sativum*) and Its Antibacterial Activity against different bacterial

- strains. *International Journal of Agricultural and Food Science* 3:138-141
- Bhawsar S (2014) Hydrogen cyanide production in soil bacteria. *Plant and soil* 255:571-586
- Biswas JC, Ladha JK, Dazzo FB (2000) Rhizobia inoculation improves nutrient uptake and growth of lowland rice. *Soil Science Society of America Journal* 64:1644-1650
- Blazinkov M, Sikora S, Uher D, Macesic D, Redzepovic S (2007) Genotypic characterisation of indigenous *Rhizobium leguminosarum* bv. *viciae* field population in Croatia. *Agriculturae Conspectus Scientificus* 72:153-158
- Bohlool BB, Ladha JK, Garrity DP, George T (1992) Biological nitrogen fixation for sustainable agriculture. *Plant and Soil*:1-11
- Boiero L, Perrig D, Masciarelli O, Penna C, Cassan F, Luna V (2007) Phytohormone production by three strains of *Bradyrhizobium japonicum* and possible physiological and technological implications. *Applied microbiology and biotechnology* 74:874-880
- Bolger AM, Lohse M, Usadel B (2014) Trimmomatic: a flexible trimmer for Illumina sequence data. *Bioinformatics*:1-7
- Borges AC, Guimaraes WV, Muchovej RMC, Gonzalez GdLR (1990) Resistance of *Bradyrhizobium japonicum* strains to selected antibiotics. *World Journal of Microbiology and Biotechnology* 6:340-342
- Bremner JM, Sparks DL, Page AL, Helmke PA, Loeppert RH, Soltanpour PN, Tabatabai MA, Johnston CT, Sumner ME (1996) Nitrogen-total. *Methods of soil analysis. Part 3-chemical methods*:1085-1121
- Bric JM, Bostock RM, Silverstone SE (1991) Rapid *in situ* assay for indoleacetic acid production by bacteria immobilized on a nitrocellulose membrane. *Applied and environmental Microbiology* 57:535-538
- Brockman FJ, Bezdicek DF (1989) Diversity within serogroups of *Rhizobium leguminosarum* biovar *viceae* in the Palouse region of eastern Washington as indicated by plasmid profiles, intrinsic antibiotic resistance, and topography. *Applied and environmental microbiology* 55:109-115
- Brom S, Girard L, Garcia-de los Santos A, Sanjuan-Pinilla JM, Olivares J, Sanjuan J (2002) Conservation of plasmid-encoded traits among bean-nodulating *Rhizobium* species. *Applied and environmental microbiology* 68:2555-2561
- Broughton WJ, Hernandez G, Blair M, Beebe S, Gepts P, Vanderleyden J (2003) Beans (*Phaseolus* spp.)-model food legumes. *Plant and soil* 252:55-128
- Bruck WM, Reed JK, McCarthy PJ (2012) The bacterial community of the lithistid sponge *Discodermia* spp. as determined by cultivation and culture-independent methods. *Marine biotechnology* 14:762-773
- Buonassisi AJ, Copeman RJ, Pepin HS, Eaton GW (1986) Effect of *Rhizobium* spp. on *Fusarium solani* f. sp. *phaseoli*. *Canadian Journal of Plant Pathology* 8:140-146
- Cao Y, Wang ET, Zhao L, Chen WM, Wei GH (2014) Diversity and distribution of rhizobia nodulated with *Phaseolus vulgaris* in two ecoregions of China. *Soil Biology and Biochemistry* 78:128-137
- Cappuccino JG, Sherman N (2008) *Microbiology: a laboratory manual*. Pearson/Benjamin Cummings
- Castric PA (1975) Hydrogen cyanide, a secondary metabolite of *Pseudomonas aeruginosa*. *Canadian Journal of Microbiology* 21:613-618
- Castro IV, Ferreira EM, McGrath SP (1997) Effectiveness and genetic diversity of *Rhizobium leguminosarum* bv. *trifolii* isolates in Portuguese soils polluted by industrial effluents. *Soil Biology and Biochemistry* 29:1209-1213
- Chabot R, Antoun H, Kloepper JW, Beauchamp CJ (1996) Root colonization of maize and lettuce by bioluminescent *Rhizobium leguminosarum* biovar *phaseoli*. *Applied and Environmental Microbiology* 62:2767-2772
- Chandra S, Choure K, Dubey RC, Maheshwari DK (2007) Rhizosphere competent *Mesorhizobium loti* MP6 induces root hair curling, inhibits *Sclerotinia sclerotiorum* and enhances growth of Indian mustard (*Brassica campestris*). *Brazilian Journal of Microbiology* 38:124-130
- Chao W (1990) Antagonistic activity of *Rhizobium* spp. against beneficial and plant

- pathogenic fungi. *Letters in applied Microbiology* 10:213-215
- Chaudhary P, Dudeja SS, Kapoor KK (2004) Effectivity of host-*Rhizobium leguminosarum* symbiosis in soils receiving sewage water containing heavy metals. *Microbiological research* 159:121-127
- Chelikani P, Fita I, Loewen PC (2004) Diversity of structures and properties among catalases. *Cellular and Molecular Life Sciences* 61:192-208
- Chen LS, Figueredo A, Pedrosa FO, Hungria M (2000) Genetic characterization of soybean rhizobia in Paraguay. *Applied and environmental microbiology* 66:5099-5103
- Chen WF, Sui XH, Wang ET, Chen WX (2011) *Rhizobium vignae* sp. nov., a symbiotic bacterium isolated from multiple legume species. *International journal of systematic and evolutionary microbiology* 61:580-586
- Cheng Q (2008) Perspectives in biological nitrogen fixation research. *Journal of integrative plant biology* 50:786-798
- Chi F, Yang P, Han F, Jing Y, Shen S (2010) Proteomic analysis of rice seedlings infected by *Sinorhizobium meliloti* 1021. *Proteomics* 10:1861-1874
- Christou P (1997) Biotechnology applied to grain legumes. *Field Crops Research* 53:83-97
- Cilia V, Lafay B, Christen R (1996) Sequence heterogeneities among 16S ribosomal RNA sequences, and their effect on phylogenetic analyses at the species level. *Molecular Biology and Evolution* 13:451-461
- Cole MA, Elkan GH (1979) Multiple antibiotic resistance in *Rhizobium japonicum*. *Applied and environmental microbiology* 37:867-870
- Comeron JM, Aguade M (1998) An evaluation of measures of synonymous codon usage bias. *Journal of molecular evolution* 47:268-274
- Cooper JE (2004) Multiple responses of rhizobia to flavonoids during legume root infection. *Advances in botanical research* 41:1-62
- Costechareyre D, Rhouma A, Lavire C, Portier P, Chapulliot D, Bertolla F, Boubaker A, Dessaux Y, Nesme X (2010) Rapid and efficient identification of *Agrobacterium* species by recA allele analysis. *Microbial Ecology* 60:862-872
- Crespi M, Galvez S (2000) Molecular mechanisms in root nodule development. *Journal of plant growth regulation* 19:155-166
- Cummings SP, Humphry DR, Andrews M (2001) A review of the current taxonomy and diversity of symbiotic rhizosphere and bulk soil nitrogen-fixing bacteria, which are beneficial to plants. *Aspects of applied biology* 63:5-18
- Dakora FD (1984) Use of intrinsic antibiotic resistance for characterisation and identification of rhizobia from nodules of *Vigna unguiculata* (L) Walp. and *Phaseolus vulgaris* (L). *Acta Microbiologica Polonica* 34:187-194
- Dall' Agnol RF, Ribeiro RA, Delamuta JRM, Ormeno-Orrillo E, Rogel MA, Andrade DS, Martinez-Romero E, Hungria M (2014) *Rhizobium paranaense* sp. nov., an effective N₂-fixing symbiont of common bean (*Phaseolus vulgaris* L.) with broad geographical distribution in Brazil. *International journal of systematic and evolutionary microbiology* 64:3222-3229
- Dall' Agnol RF, Ribeiro RA, Ormeno-Orrillo E, Rogel MA, Delamuta JRM, Andrade DS, Martinez-Romero E, Hungria M (2013) *Rhizobium freirei* sp. nov., a symbiont of *Phaseolus vulgaris* that is very effective at fixing nitrogen. *International journal of systematic and evolutionary microbiology* 63:4167-4173
- Dar GH, Zargar MY, Beigh GM (1997) Biocontrol of *Fusarium* root rot in the common bean (*Phaseolus vulgaris* L.) by using symbiotic *Glomus mosseae* and *Rhizobium leguminosarum*. *Microbial Ecology* 34:74-80
- Datta A, Singh RK, Tabassum S (2015) Isolation, Characterization and Growth of *Rhizobium* Strains under Optimum Conditions for Effective Biofertilizer Production. *International Journal of Pharmaceutical Sciences Review and Research* 32:199-208
- de Bruijn FJ (1992) Use of repetitive (repetitive extragenic palindromic and enterobacterial repetitive intergeneric consensus) sequences and the polymerase chain reaction to fingerprint the genomes of *Rhizobium meliloti* isolates and other soil bacteria. *Applied and environmental*

- microbiology* 58:2180-2187
- de Lajudie P, Laurent-Fulele E, Willems A, Terek U, Coopman R, Collins MD, Kersters K, Dreyfus B, Gillis M (1998) *Al-lorhizobium undicola* gen. nov., sp. nov., nitrogen-fixing bacteria that efficiently nodulate *Neptunia natans* in Senegal. *International Journal of Systematic and Evolutionary Microbiology* 48:1277-1290
- de Souza Moreira FM, Cruz L, De Faria SM, Marsh T, MartÁnez-Romero E, de Oliveira Pedrosa F, Pitard RM, Young JPW (2006) *Azorhizobium doebereinae* sp. nov. Microsymbiont of *Sesbania virgata* (Caz.) Pers. *Systematic and applied microbiology* 29:197-206
- De Vries GE, In't Veld P, Kijne JW (1980) Production of organic acids in *Pisum sativum* root nodules as a result of oxygen stress. *Plant Science Letters* 20:115-123
- Debouck DG (1999) Diversity in *Phaseolus species* in relation to the common bean. In: Common bean improvement in the twenty-first century. Springer, pp 25-52
- Deka AK, Azad P (2006) Isolation of *Rhizobium* strains: cultural and biochemical characteristics. *Legume Research-An International Journal* 29:209-212
- Demezas DH, Reardon TB, Watson JM, Gibson AH (1991) Genetic diversity among *Rhizobium leguminosarum* bv. *trifolii* strains revealed by allozyme and restriction fragment length polymorphism analyses. *Applied and environmental microbiology* 57:3489-3495
- Denarie J, Debelle F, Truchet G, Prome JC (1993) *Rhizobium* and legume nodulation: A molecular dialogue. In: *New Horizons in Nitrogen Fixation*. Springer, pp 19-30
- Deora GS, Singhal K (2010) Isolation, biochemical characterization and preparation of biofertilizers using *Rhizobium* strains for commercial use. *Bioscience Biotechnology Research Communications* 3:132-136
- Derylo M, Choma A, Puchalski B, Suchanek W (1994) Siderophore activity in *Rhizobium* species isolated from different legumes. *Acta Biochimica Polonica* 41:7-12
- Deshwal VK, Chaubey A (2014) Isolation and characterization of *Rhizobium leguminosarum* from root nodule of *Pisum sativum* L. *Journal of Academia and Industrial Research* 2:464-467
- Dhingra HK, Priya K (2013) Physiological and molecular identification of polyhydroxybutyrates (PHB) producing microorganisms isolated from root nodules of leguminous plants. *African Journal of Microbiology Research* 7:3961-3967
- Dilworth MJ (1966) Acetylene reduction by nitrogen-fixing preparations from *Clostridium pasteurianum*. *Biochimica et Biophysica Acta* 127:285-294
- dos Reis M, Wernisch L, Savva R (2003) Unexpected correlations between gene expression and codon usage bias from microarray data for the whole *Escherichia coli* K-12 genome. *Nucleic acids research* 31:6976-6985
- Duranti M, Gius C (1997) Legume seeds: protein content and nutritional value. *Field Crops Research* 53:31-45
- Egamberdiyeva D, Juraeva D, Poberejskaya S, Myachina O, Teryuhova P, Seydalieva L, Aliev A (2004) Improvement of wheat and cotton growth and nutrient uptake by phosphate solubilizing bacteria. In: Proceeding of 26th annual conservation tillage conference for sustainable agriculture, Auburn. Citeseer, 58-65
- El-Akhal MR, Rincon A, El Mourabit N, Pueyo JJ, Barrijal S (2009) Phenotypic and genotypic characterizations of rhizobia isolated from root nodules of peanut (*Arachis hypogaea* L.) grown in Moroccan soils. *Journal of basic microbiology* 49:415-425
- Elboutahiri N, Thami-Alami I, Zaid E, Udupa SM (2009) Genotypic characterization of indigenous *Sinorhizobium meliloti* and *Rhizobium sullae* by rep-PCR, RAPD and ARDRA analyses. *African Journal of Biotechnology* 8:979-985
- El-Deeb SM, Al-Sheri FS (2005) Role of some chemical compounds on the detoxification of *Rhizobium leguminosarum* biovar *viciae* by some heavy metals. *Pakistan Journal of Biological Sciences* 8:1693-1698
- Euzeby JP (1997) List of Bacterial Names with Standing in Nomenclature: a folder available on the Internet. *International Journal of Systematic and Evolutionary Microbiology* 47:590-592
- Faghire M, Mandri B, Oufdou K, Bargaz A,

- Ghoulam C, Ramirez-Bahena MH, Velazquez E, Peix A (2012) Identification at the species and symbiovar levels of strains nodulating *Phaseolus vulgaris* in saline soils of the Marrakech region (Morocco) and analysis of the *otsA* gene putatively involved in osmotolerance. *Systematic and applied microbiology* 35:156-164
- Fentahun M, Akhtar MS, Muleta D, Lemessa F (2013) Isolation and characterization of nitrogen deficit *Rhizobium* isolates and their effect on growth of haricot bean. *African Journal of Agricultural Research* 8:5942-5952
- Figueiredo MVB, Martinez CR, Burity HA, Chanway CP (2008) Plant growth-promoting rhizobacteria for improving nodulation and nitrogen fixation in the common bean (*Phaseolus vulgaris* L.). *World Journal of Microbiology and Biotechnology* 24:1187-1193
- Frank B (1889) Ueber die Pilzsymbiose der Leguminosen. *Berichte der Deutschen Botanischen Gesellschaft* 7:332-346
- Fred EB, Baldwin IL, McCoy E (1932) Root nodule bacteria and leguminous plants. UW-Madison Libraries Parallel Press
- Gachande BD, Khansole GS (2011) Morphological, cultural and biochemical characteristics of *Rhizobium japonicum* syn and *Bradyrhizobium japonicum* of soybean. *Bioscience Discovery* 2:1-4
- Gage DJ (2004) Infection and invasion of roots by symbiotic, nitrogen-fixing rhizobia during nodulation of temperate legumes. *Microbiology and Molecular Biology Reviews* 68:280-300
- Galardini M, Mengoni A, Brilli M, Pini F, Fioravanti A, Lucas S, Lapidus A, Cheng JF, Goodwin L, Pitluck S (2011) Exploring the symbiotic pangenome of the nitrogen-fixing bacterium *Sinorhizobium meliloti*. *BMC genomics* 12:1
- Gaur YD, Sen AN, SubbaRao NS (1974) Promiscuity in groundnut *Rhizobium* association. *Zentralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene. Zweite Naturwissenschaftliche Abteilung: Allgemeine, Landwirtschaftliche und Technische Mikrobiologie* 129:369-372
- Gepts P, Debouck DG (1991) Origin, domestication, and evolution of the common bean (*Phaseolus vulgaris* L.). *Common beans: research for crop improvement* C.A.B International In association with CiAT:7-53
- Gepts P, Osborn TC, Rashka K, Bliss FA (1986) Phaseolin-protein variability in wild forms and landraces of the common bean (*Phaseolus vulgaris*): evidence for multiple centers of domestication. *Economic botany* 40:451-468
- Ghosh S, Sengupta C, Maiti TK, Basu PS (2008) Production of 3-indolylacetic acid in root nodules and culture by a *Rhizobium* species isolated from root nodules of the leguminous pulse *Phaseolus mungo*. *Folia microbiologica* 53:351-355
- Glick BR, Cheng Z, Czarny J, Duan J (2007) Promotion of plant growth by ACC deaminase-producing soil bacteria. *European Journal of Plant Pathology* 119:329-339
- Gonzalez V, Acosta JL, Santamaria RI, Bustos P, Fernandez JL, Gonzalez ILH, Diaz R, Flores M, Palacios R, Mora J (2010) Conserved symbiotic plasmid DNA sequences in the multireplicon pangenomic structure of *Rhizobium etli*. *Applied and environmental microbiology* 76:1604-1614
- Gonzalez V, Santamaria RI, Bustos P, Hernandez-Gonzalez I, Medrano-Soto A, Moreno-Hagelsieb G, Janga SC, Ramirez MA, Jimenez-Jacinto V, Collado-Vides J (2006) The partitioned *Rhizobium etli* genome: genetic and metabolic redundancy in seven interacting replicons. *Proceedings of the National Academy of Sciences of the United States of America* 103:3834-3839
- Gopalakrishnan S, Sathya A, Vijayabharathi R, Varshney RK, Gowda CLL, Krishnamurthy L (2015) Plant growth promoting rhizobia: challenges and opportunities. *3 Biotech* 5:355-377
- Gordon SA, Weber RP (1951) Colorimetric estimation of indoleacetic acid. *Plant Physiology* 26:192
- Goris J, Konstantinidis KT, Klappenbach JA, Coenye T, Vandamme P, Tiedje JM (2007) DNA-DNA hybridization values and their relationship to whole-genome sequence similarities. *International journal of systematic and evolutionary microbiology* 57:81-91
- Graham PH (1963) Antigenic affinities of the root-nodule bacteria of legumes. *Antonie*

- van Leeuwenhoek* 29:281-291
- Graham PH (1981) Some problems of nodulation and symbiotic nitrogen fixation in *Phaseolus vulgaris* L.: a review. *Field Crops Research* 4:93-112
- Graham PH, Parker CA (1964) Diagnostic features in the characterisation of the root-nodule bacteria of legumes. *Plant and soil* 20:383-396
- Gray GS, Fitch WM (1983) Evolution of antibiotic resistance genes: the DNA sequence of a kanamycin resistance gene from *Staphylococcus aureus*. *Molecular Biology and Evolution* 1:57-66
- Gupta RP, Kaira MS, Bhandari SC, Khurana AS (1983) Intrinsic multiple antibiotic resistance markers for competitive and effectiveness studies with various strains of mung bean rhizobia. *Journal of Biosciences* 5:253-260
- Hafeez FY, Naeem FI, Naeem R, Zaidi AH, Malik KA (2005) Symbiotic effectiveness and bacteriocin production by *Rhizobium leguminosarum* bv. viciae isolated from agriculture soils in Faisalabad. *Environmental and experimental botany* 54:142-147
- Hajna AA (1945) Triple-sugar iron agar medium for the identification of the intestinal group of bacteria. *Journal of bacteriology* 49:516
- Halder AK, Mishra AK, Bhattacharyya P, Chakrabarty PK (1990) Solubilization of rock phosphate by *Rhizobium* and *Bradyrhizobium*. *The Journal of General and Applied Microbiology* 36:81-92
- Hardarson G (1993) Methods for enhancing symbiotic nitrogen fixation. In: Enhancement of Biological Nitrogen Fixation of Common Bean in Latin America. Springer, 1-17
- Hardy RWF, Holsten RD, Jackson EK, Burns RC (1968) The acetylene-ethylene assay for N₂ fixation: laboratory and field evaluation. *Plant physiology* 43:1185-1207
- Harrison SP, Mytton LR, Skot L, Dye M, Cresswell A (1992) Characterisation of *Rhizobium* isolates by amplification of DNA polymorphisms using random primers. *Canadian journal of microbiology* 38:1009-1015
- He YR, Wang JY, Wang ET, Feng G, Chang YL, Sui XH, Chen WX (2011) *Trigonella arcuata*-associated rhizobia-an *Ensifer (Sinorhizobium) meliloti* population adapted to a desert environment. *Plant and soil* 345:89-102
- Hefny M, Dolinski R, Malek W (2001) Variation in symbiotic characters of alfalfa cultivars inoculated with *Sinorhizobium meliloti* strains. *Biology and fertility of soils* 33:435-437
- Hellriegel H, Wilfarth H (1888) Untersuchungen über die Stickstoffnahrung der Gramineen und Leguminosen.
- Herrera-Cervera J, Caballero-Mellado J, Laguerre G, Tichy H-V, Requena N, Amarger N, Mart nez-Romero E, Olivares J, Sanjuan J (1999) At least five rhizobial species nodulate *Phaseolus vulgaris* in a Spanish soil. *FEMS Microbiology Ecology* 30:87-97
- Hewedy OA, Eissa RA, Elzanaty AM, Nagaty HH, Mi AE (2014) Phenotypic and Genotypic Diversity of Rhizobia Nodulating Faba Bean from Various Egyptian Locations. *Journal of Bioprocessing & Biotechniques* 4
- Hirsch AM, McKhann HI, Lobler M (1992) Bacterial-induced changes in plant form and function. *International journal of plant sciences* 153:171-181
- Hirsch PR, Jones MJ, McGrath SP, Giller KE (1993) Heavy metals from past applications of sewage sludge decrease the genetic diversity of *Rhizobium leguminosarum* biovar *trifolii* populations. *Soil Biology and Biochemistry* 25:1485-1490
- Hofer AW (1935) Methods for distinguishing between legume bacteria and their most common contaminant. *Journal of the American Society of Agronomy* 27:228-230
- Hohenberg JS, Munns DN, Tucker CL (1982) *Rhizobium*-Host Specificities in *Phaseolus coccineus* L. and *Phaseolus vulgaris* L. *Crop Science* 22:455-459
- Honma M, Shimomura T (1978) Metabolism of 1-aminocyclopropane-1-carboxylic acid. *Agricultural and Biological Chemistry* 42:1825-1831
- Hulton CSJ, Higgins CF, Sharp PM (1991) ERIC sequences: a novel family of repetitive elements in the genomes of *Escherichia coli*, *Salmonella typhimurium* and other enterobacteria. *Molecular microbiology* 5:825-834

- Hung PQ, Annapurna K (2004) Isolation and characterization of endophytic bacteria in soybean (*Glycine* sp.). *Omonrice* 12:92-101
- Hungria M, Campo RJ, Mendes IC (2003) Benefits of inoculation of the common bean (*Phaseolus vulgaris*) crop with efficient and competitive *Rhizobium tropici* strains. *Biology and Fertility of Soils* 39:88-93
- Hungria M, de O Chueire LM, Coca RG, Megias M (2001) Preliminary characterization of fast growing rhizobial strains isolated from soyabean nodules in Brazil. *Soil Biology and Biochemistry* 33:1349-1361
- Hunter WJ, Kuykendall LD, Manter DK (2007) *Rhizobium selenireducens* sp. nov.: a selenite-reducing -Proteobacteria isolated from a bioreactor. *Current microbiology* 55:455-460
- Ikemura T (1985) Codon usage and tRNA content in unicellular and multicellular organisms. *Molecular biology and evolution* 2:13-34
- Jordan DC (1982) Transfer of *Rhizobium japonicum* Buchanan 1980 to *Bradyrhizobium japonicum* gen. nov., a genus of slow growing root nodule bacteria. *International Journal of Systematic Bacteriology* 32:378-380
- Jordan DC (1984) Family II. Rhizobiaceae. In, *Bergey's manual of systematic bacteriology* 1 (eds. By N. R. Krieg and J. G. Holt Williams and Wilkins Co., Baltimore, M. D). 232-242
- Jordan DC, Allen ON (1974) Genus II. *Rhizobium*, in *Bergey's Manual of Determinative Bacteriology*, 8th edn, edited by R E Buchanan and N E Gibbons (The Williams and Wilkins Co., Baltimore). 262-264
- Kaneko T, Nakamura Y, Sato S, Minamisawa K, Uchiumi T, Sasamoto S, Watanabe A, Idesawa K, Iriguchi M, Kawashima K (2002) Complete genomic sequence of nitrogen-fixing symbiotic bacterium *Bradyrhizobium japonicum* USDA110. *DNA research* 9:189-197
- Kesari V, Ramesh AM, Rangan L (2013) *Rhizobium pongamiae* sp. nov. from root nodules of *Pongamia pinnata*. *BioMed research international* 2013
- Kinkle BK, Sadowsky MJ, Johnstone K, Koskinen WC (1994) Tellurium and selenium resistance in rhizobia and its potential use for direct isolation of *Rhizobium meliloti* from soil. *Applied and environmental microbiology* 60:1674-1677
- Klezkowska J, Nutman PS, Skinner FA, Vincent JM (1968) The identification and classification of *Rhizobium*. In: Identification methods for microbiologists. Part B. (Ed: B.W.M. Gibbs, D.A. Shapton) Acad. Press, NY. 51-65
- Kloepper JW, Schroth MN (1978) Plant growth-promoting rhizobacteria on radishes. In: Proceedings of the 4th international conference on plant pathogenic bacteria, pp 879-882
- Kneen BE, LaRue TA (1983) Congo red absorption by *Rhizobium leguminosarum*. *Applied and environmental microbiology* 45:340-342
- Knight RD, Freeland SJ, Landweber LF (2001) A simple model based on mutation and selection explains trends in codon and amino-acid usage and GC composition within and across genomes. *Genome biology* 2:1
- Kremer RJ, Souissi T (2001) Cyanide production by rhizobacteria and potential for suppression of weed seedling growth. *Current microbiology* 43:182-186
- Krishnan HB, Pueppke SG (1993) Flavonoid inducers of nodulation genes stimulate *Rhizobium fredii* USDA257 to export proteins into the environment. *Molecular Plant Microbe Interactions* 6:107-107
- Kucuk C (2013) *In vitro* antagonism of *Rhizobium* strains isolated from various legumes. *Journal of Applied Biological Sciences* 7:24-30
- Kucuk C, Kivanc M (2008) Preliminary characterization of *Rhizobium* strains isolated from chickpea nodules. *African Journal of Biotechnology* 7
- Kucuk C, Kivanc M, and Kinaci E (2006) Characterization of *Rhizobium* sp. isolated from bean. *Turkish Journal of Biology* 30:127-132
- Kuhn K, Baker SC, Chudin E, Lieu MH, Oeser S, Bennett H, Rigault P, Barker D, McDaniel TK, Chee MS (2004) A novel, high-performance random array platform for quantitative gene expression profiling. *Genome research* 14:2347-2356
- Kumar A, Kumar A, Devi S, Patil S, Payal C,

- Negi S (2012) Isolation, screening and characterization of bacteria from rhizospheric soils for different plant growth promotion (PGP) activities: an in vitro study. *Recent Research in Science and Technology* 4
- Kumari BS, Ram MR, Mallaiah KV (2009) Studies on exopolysaccharide and indole acetic acid production by *Rhizobium* strains from *Indigofera*. *African Journal of Microbiology Research* 3:10-14
- Kumari BS, Ram MR, Mallaiah KV (2010) Studies on nodulation, biochemical analysis and protein profiles of *Rhizobium* isolated from *Indigofera* species. *Malaysian Journal of Microbiology* 6:133-139
- Kurlovich BS, Repeyev SI (1995) The gene bank and breeding of grain legumes (lupine, vetch, soya, and bean). In: . Vavilov Institute of Plant Industry, St. Petersburg, p 438
- Kushwaha BL (1994) Response of frenchbean (*Phaseolus vulgaris*) to nitrogen application in North Indian plains. *Indian Journal of Agronomy* 39:34-34
- Kuykendall LD (2005) Family I. Rhizobiaceae Conn 1938, 321AL. In: Brenner DJ, Krieg NR, Stanley JT (eds). *Bergey's Manual of Systematic Bacteriology*. 2:324-361
- Labes G, Ulrich A, Lentzsch P (1996) Influence of Bovine Slurry Deposition on the Structure of Nodulating *Rhizobium leguminosarum* bv. *viciae* Soil Populations in a Natural Habitat. *Applied and environmental microbiology* 62:1717-1722
- Ladha JK, Reddy PM (1995) Extension of nitrogen fixation to rice-necessity and possibilities. *GeoJournal* 35:363-372
- Laguerre G, Mavingui P, Allard MR, Charnay MP, Louvrier P, Mazurier SI, Rigottier-Gois L, Amarger N (1996) Typing of rhizobia by PCR DNA fingerprinting and PCR-restriction fragment length polymorphism analysis of chromosomal and symbiotic gene regions: application to *Rhizobium leguminosarum* and its different biovars. *Applied and environmental microbiology* 62:2029-2036
- Lakzian A, Murphy P, Turner A, Beynon JL, Giller KE (2002) *Rhizobium leguminosarum* bv. *viciae* populations in soils with increasing heavy metal contamination: abundance, plasmid profiles, diversity and metal tolerance. *Soil Biology and Biochemistry* 34:519-529
- Leigh GJ (2002) Nitrogen fixation at the millennium. Elsevier, UK
- Leung K, Strain SR, de Bruijn FJ, Bottomley PJ (1994) Genotypic and phenotypic comparisons of chromosomal types within an indigenous soil population of *Rhizobium leguminosarum* bv. *trifolii*. *Applied and environmental microbiology* 60:416-426
- Lewis GP, Schrire B, Mackinder B, Lock M (2005) Legumes of the World. Royal Botanic Gardens Kew
- Liang B, Wang G, Zhao Y, Chen K, Li S, Jiang J (2011) Facilitation of bacterial adaptation to chlorothalonil-contaminated sites by horizontal transfer of the chlorothalonil hydrolytic dehalogenase gene. *Applied and environmental microbiology* 77:4268-4272
- Lieberman MT, Mallory LM, Simkins S, Alexander M (1985) Numerical taxonomic analysis of cross-inoculation patterns of legumes and *Rhizobium*. *Plant and soil* 84:225-244
- Lin DX, Wang ET, Tang H, Han TX, He YR, Guan SH, Chen WX (2008) *Shinella kummerowiae* sp. nov., a symbiotic bacterium isolated from root nodules of the herbal legume *Kummerowia stipulacea*. *International journal of systematic and evolutionary microbiology* 58:1409-1413
- Lindstrom K, Lipsanen P, Kaijalainen S (1990) Stability of markers used for identification of two *Rhizobium galegae* inoculant strains after five years in the field. *Applied and environmental microbiology* 56:444-450
- Louws FJ, Fulbright DW, Stephens CT, De Bruijn FJ (1994) Specific genomic fingerprints of phytopathogenic *Xanthomonas* and *Pseudomonas* pathovars and strains generated with repetitive sequences and PCR. *Applied and environmental microbiology* 60:2286-2295
- Ma Y, Prasad MNV, Rajkumar M, Freitas H (2011) Plant growth promoting rhizobacteria and endophytes accelerate phytoremediation of metalliferous soils. *Biotechnology advances* 29:248-258
- Maatallah J, Berraho EB, Munoz S, Sanjuan J, Lluch C (2002) Phenotypic and molecular characterization of chickpea rhizobia isolated from different areas of Morocco.

- Journal of applied microbiology* 93:531-540
- Mabberley D (1997) *The plant-book: a portable dictionary of the vascular plants*. Cambridge university press
- Markowitz VM, Chen IMA, Palaniappan K, Chu K, Szeto E, Grechkin Y, Ratner A, Jacob B, Huang J, Williams P (2012) IMG: the integrated microbial genomes database and comparative analysis system. *Nucleic acids research* 40:115-122
- Markowitz VM, Chen IMA, Palaniappan K, Chu K, Szeto E, Pillay M, Ratner A, Huang J, Woyke T, Huntemann M (2013) IMG 4 version of the integrated microbial genomes comparative analysis system. *Nucleic acids research*:1-8
- Martens M, Dawyndt P, Coopman R, Gillis M, De Vos P, Willems A (2008) Advantages of multilocus sequence analysis for taxonomic studies: a case study using 10 housekeeping genes in the genus *Ensifer* (including former *Sinorhizobium*). *International journal of systematic and evolutionary microbiology* 58:200-214
- Martin B, Humbert O, Camara M, Guenzi E, Walker J, Mitchell T, Andrew P, Prudhomme M, Alloing G, Hakenbeck R (1992) A highly conserved repeated DNA element located in the chromosome of *Streptococcus pneumoniae*. *Nucleic acids research* 20:3479-3483
- Martinez-Romero E, Segovia L, Mercante FM, Franco AA, Graham P, Pardo MA (1991) *Rhizobium tropici*, a novel species nodulating *Phaseolus vulgaris* L. beans and *Leucaena* sp. trees. *International Journal of Systematic Bacteriology* 41:417-426
- Mathur M, Tuli R (1991) Analysis of codon usage in genes for nitrogen fixation from phylogenetically diverse diazotrophs. *Journal of molecular evolution* 32:364-373
- Mazur A, De Meyer SE, Tian R, Wielbo J, Zebracki K, Seshadri R, Reddy TBK, Markowitz V, Ivanova NN, Pati A (2015) High-quality permanent draft genome sequence of *Rhizobium leguminosarum* bv. *viciae* strain GB30; an effective microsymbiont of *Pisum sativum* growing in Poland. *Standards in genomic sciences* 10:1
- McInerney JO (1998) Replicational and transcriptional selection on codon usage in *Borrelia burgdorferi*. *Proceedings of the National Academy of Sciences* 95:10698-10703
- Mekasha T, Fassil A, Jemaneh Z (2015) Symbiotic and phenotypic characterization of *Rhizobium* isolates nodulating fenugreek (*Trigonella foenum-graecum* L.) from North and East Shewa, Ethiopia. *International Journal of Agronomy and Agricultural Research* 7:93-104
- Menna P, Pereira AA, Bangel EV, Hungria M (2009) Rep-PCR of tropical rhizobia for strain fingerprinting, biodiversity appraisal and as a taxonomic and phylogenetic tool. *Symbiosis* 48:120-130
- Merabet C, Martens M, Mahdhi M, Zakhia F, Sy A, Le Roux C, Domergue O, Coopman R, Bekki A, Mars M (2010) Multilocus sequence analysis of root nodule isolates from *Lotus arabicus* (Senegal), *Lotus creticus*, *Argyrolobium uniflorum* and *Medicago sativa* (Tunisia) and description of *Ensifer numidicus* sp. nov. and *Ensifer garamanticus* sp. nov. *International journal of systematic and evolutionary microbiology* 60:664-674
- Michiels J, Dombrecht B, Vermeiren N, Xi C, Luyten E, Vanderleyden J (1998) *Phaseolus vulgaris* is a non-selective host for nodulation. *FEMS Microbiology Ecology* 26:193-205
- Moffett ML, Colwell RR (1968) Adansonian analysis of the Rhizobiaceae. *Microbiology* 51:245-266
- Moschetti G, Peluso A, Protopapa A, Anastasio M, Pepe O, Defez R (2005) Use of nodulation pattern, stress tolerance, nodC gene amplification, RAPD-PCR and RFLP-16S rDNA analysis to discriminate genotypes of *Rhizobium leguminosarum* biovar *viciae*. *Systematic and Applied microbiology* 28:619-631
- Mousavi SA, Osterman J, Wahlberg N, Nesme X, Lavire C, Vial L, Paulin L, De Lajudie P, Lindstrom K (2014) Phylogeny of the *Rhizobium-Allorhizobium-Agrobacterium* clade supports the delineation of *Neorhizobium* gen. nov. *Systematic and applied microbiology* 37:208-215
- Mueller JG, Skipper HD, Shipe ER, Grimes LW, Wagner SC (1988) Intrinsic antibiotic resistance in *Bradyrhizobium japonicum*. *Soil Biology and Biochemistry* 20:879-882
- Mukherjee D (2014) Climate Alteration and Sustainability of Agrodiversity in Con-

- ventional Farming of the Darjeeling Himalaya.
- Mulvaney RL, Khan SA, Ellsworth TR (2009) Synthetic nitrogen fertilizers deplete soil nitrogen: a global dilemma for sustainable cereal production. *Journal of Environmental Quality* 38:2295-2314
- Nei M, Li WH (1979) Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proceedings of the National Academy of Sciences* 76:5269-5273
- Neubauer U, Furrer G, Kayser A, Schulin R (2000) Siderophores, NTA, and citrate: potential soil amendments to enhance heavy metal mobility in phytoremediation. *International Journal of Phytoremediation* 2:353-368
- Nirmala J, Gaur YD (2000) Detection of bacteriocinogenic strains of *Cicer-Rhizobium* by modified simultaneous antagonism method. *Current Science* 79:286-287
- Novikova NI, Pavlova EA, Vorobjev NI, Limeshchenko EV (1994) Numerical taxonomy of *Rhizobium* strains from legumes of the temperate zone. *International Journal of Systematic and Evolutionary Microbiology* 44:734-742
- Nutman PS (1977) Study frameworks for symbiotic nitrogen fixation. In: Edited by Nutman WJR Postgate and (Rodriguez Barrueco (Acad. Press L (ed) Recent Developments in Nitrogen Fixation; an International Symposium, p 443
- Oliveira IA, Vasconcellos MJ, Seldin L, Paiva E, Vargas MA, So NMH (2000) Random amplified polymorphic DNA analysis of effective *Rhizobium* sp. associated with beans cultivated in Brazilian cerrado soils. *Brazilian Journal of Microbiology* 31:39-44
- Ormeno-Orrillo E, Serván-Garcidueas LE, Rogel MA, Gonzalez V, Peralta H, Mora J, Martánez-Romero J, Martánez-Romero E (2015) Taxonomy of rhizobia and agrobacteria from the Rhizobiaceae family in light of genomics. *Systematic and applied microbiology* 38:287-291
- Otieno PE, Muthomi JW, Chemining'wa GN, Nderitu JH (2007) Effect of rhizobia inoculation, farmyard manure and nitrogen fertilizer on growth, nodulation and yield of selected food grain legumes. In: African Crop Science Conference Proceedings, pp 305-312
- Ozkoc I, Deliveli MH (2001) In vitro inhibition of the mycelial growth of some root rot fungi by *Rhizobium leguminosarum* biovar *phaseoli* isolates. *Turkish Journal of Biology* 25:435-445
- Paffetti D, Scotti C, Gnocchi S, Fancelli S, Bazzicalupo M (1996) Genetic diversity of an Italian *Rhizobium meliloti* population from different Medicago sativa varieties. *Applied and environmental microbiology* 62:2279-2285
- Pagani I, Liolios K, Jansson J, Chen IMA, Smirnova T, Nosrat B, Markowitz VM, Kyrpides NC (2012) The Genomes OnLine Database (GOLD) v. 4: status of genomic and metagenomic projects and their associated metadata. *Nucleic acids research* 40:571-579
- Pallant J (2013) SPSS survival manual: a step by step guide to data analysis using IBM SPSS. McGraw Hill, Maidenhead, Berkshire, England
- Parniske M, Downie JA (2003) Plant biology: locks, keys and symbioses. *Nature* 425:569-570
- Parte AC (2014) LPSN-list of prokaryotic names with standing in nomenclature. *Nucleic acids research* 42:613-616
- Paton GI, Palmer G, Burton M, Rattray EAS, McGrath SP, Glover LA, Killham K (1997) Development of an acute and chronic ecotoxicity assay using lux-marked *Rhizobium leguminosarum* biovar *trifolii*. *Letters in applied microbiology* 24:296-300
- Peden JF (2000) Analysis of codon usage. In: Trinity college
- Peoples MB, Craswell ET (1992) Biological nitrogen fixation: investments, expectations and actual contributions to agriculture. *Plant and soil* 141:13-39
- Peoples MB, Giller KE, Herridge DF, Vessey JK (2002) Limitations to biological nitrogen fixation as a renewable source of nitrogen for agriculture. In: *Nitrogen Fixation Global Perspectives*:356-360
- Pepper IL, Upchurch RP, Skujins J (1991) Nitrogen fixation by desert legumes associated with rhizobia. *Semiarid lands and deserts: soil resource and reclamation*:443-467
- Pereira SIA, Lima AIG d, e Almeida E, Figueira P (2006a) Heavy metal toxicity in *Rhizobium leguminosarum* biovar *viciae*

- isolated from soils subjected to different sources of heavy-metal contamination: Effects on protein expression. *Applied Soil Ecology* 33:286-293
- Perret X, Broughton WJ (2001) *Rhizobium* goes genomic. *Genome biology* 2:1
- Perret X, Staehelin C, Broughton WJ (2000) Molecular basis of symbiotic promiscuity. *Microbiology and Molecular Biology Reviews* 64:180-201
- Pikovskaya RI (1948) Mobilization of phosphorus in soil in connection with vital activity of some microbial species. *Microbiologica* 17:370
- Pinto FGS, Hungria M, Mercante FM (2007) Polyphasic characterization of Brazilian *Rhizobium tropici* strains effective in fixing N₂ with common bean (*Phaseolus vulgaris* L.). *Soil Biology and Biochemistry* 39:1851-1864
- Postgate JR (1998) Nitrogen fixation Cambridge University Press, Cambridge, U.K.
- Prasuna ML (2014) Characterisation of *Rhizobium* isolates associated with wild legumes on the basis of antibiotic resistance. *Indian Journal of Scientific Research* 4 22-24
- Pratt PF (1965) Potassium. *Methods of soil analysis. Part 2. Chemical and microbiological properties*:1022-1030
- Provorov NA, Saimnazarov UB, Tanriverdiev TA, Simarov BV (1994) The contributions of plant and bacteria genotypes in the growth and nitrogen accumulation of inoculated alfalfa. *Plant and Soil* 164:213-219
- Puhler A, Arlat M, Becker A, Gottferd M, Morrissey J (2004) What can bacterial genome research teach us about bacteria-plant interactions? . *Current Opinion in Plant Biology* 7
- Qin W, Deng ZS, Xu L, Wang NN, Wei GH (2012) *Rhizobium helanshanense* sp. nov., a bacterium that nodulates *Sphaerophysa salsula* (Pall.) DC. in China. *Archives of microbiology* 194:371-378
- Rachie KO, Roberts LM (1974) Grain legumes of the lowland tropics. *Advances in agronomy* 26:1-132
- Rahmani HA, Rasanen LA, Afshari M, Lindstrom K (2011) Genetic diversity and symbiotic effectiveness of rhizobia isolated from root nodules of *Phaseolus vulgaris* L. grown in soils of Iran. *Applied Soil Ecology* 48:287-293
- Rai R, Sen A (2015) Biochemical Characterization of French Bean Associated Rhizobia found in North Bengal and Sikkim. *Journal of Academia and Industrial Research* 4:10
- Rainey FA, Wiegel J (1996) 16S ribosomal DNA sequence analysis confirms the close relationship between the genera *Xanthobacter*, *Azorhizobium*, and *Aquabacter* and reveals a lack of phylogenetic coherence among *Xanthobacter* species. *International Journal of Systematic and Evolutionary Microbiology* 46:607-610
- Rajendhran J, Gunasekaran P (2011) Microbial phylogeny and diversity: small subunit ribosomal RNA sequence analysis and beyond. *Microbiological research* 166:99-110
- Ramirez-Bahena MH, Garcia-Fraile P, Peix A, Valverde A, Rivas R, Igual JM, Mateos PF, Martinez-Molina E, Velazquez E (2008) Revision of the taxonomic status of the species *Rhizobium leguminosarum* (Frank 1879) Frank 1889AL, *Rhizobium phaseoli* Dangeard 1926AL and *Rhizobium trifolii* Dangeard 1926AL. *R. trifolii* is a later synonym of *R. leguminosarum*. Reclassification of the strain *R. leguminosarum* DSM 30132 (= NCIMB 11478) as *Rhizobium pisi* sp. nov. *International journal of systematic and evolutionary microbiology* 58:2484-2490
- Ramseier TM, Gottfert M (1991) Codon usage and G+ C content in *Bradyrhizobium japonicum* genes are not uniform. *Archives of microbiology* 156:270-276
- Rashid MH, Schafer H, Gonzalez J, Wink M (2012) Genetic diversity of rhizobia nodulating lentil (*Lens culinaris*) in Bangladesh. *Systematic and applied microbiology* 35:98-109
- Reeve W, Ardley J, Tian R, Eshragi L, Yoon JW, Ngamwisetkun P, Seshadri R, Ivanova NN, Kyrpides NC (2015) A genomic encyclopedia of the root nodule bacteria: Assessing genetic diversity through a systematic biogeographic survey. *Standards in genomic sciences* 10:1-8
- Reeve W, Hara G, Chain P, Ardley J, Brau L, Nandesena K, Tiwari R, Malfatti S, Kiss H, Lapidus A (2010) Complete genome sequence of *Rhizobium leguminosarum* bv *trifolii* strain WSM2304, an effective

- microsymbiont of the South American clover *Trifolium polymorphum*. *Standards in Genomics Sciences* 2:66-76
- Ribeiro R, Rogel MA, Lopez-Lopez A, Ormeno-Orrillo E, Barcellos F, Martinez J, Thompson F, Martinez-Romero E, Hungria M (2012) Reclassification of *Rhizobium tropici* type A strains as *Rhizobium leucaenae* sp. nov. *International journal of systematic and evolutionary microbiology* 62:1179-1184
- Ribeiro RA, Barcellos FG, Thompson FL, Hungria M (2009) Multilocus sequence analysis of Brazilian *Rhizobium* microsymbionts of common bean (*Phaseolus vulgaris* L.) reveals unexpected taxonomic diversity. *Research in microbiology* 160:297-306
- Richardson AE (2001) Prospects for using soil microorganisms to improve the acquisition of phosphorus by plants. *Functional Plant Biology* 28:897-906
- Richardson AE, Viccars LA, Watson JM, Gibson AH (1995) Differentiation of *Rhizobium* strains using the polymerase chain reaction with random and directed primers. *Soil Biology and Biochemistry* 27:515-524
- Rodrigues CS, Laranjo M, Oliveira S (2006) Effect of heat and pH stress in the growth of chickpea mesorhizobia. *Current microbiology* 53:1-7
- Rodriguez-Navarro DN, Buendia AM, Camacho M, Lucas MM, Santamaria C (2000) Characterization of *Rhizobium* spp. bean isolates from South-West Spain. *Soil Biology and Biochemistry* 32:1601-1613
- Rohlf FH (1998) NTSYS-pc version 2.0. *Numerical taxonomy and multivariate analysis system. Exeter software, Setauket, New York*
- Rudiger H, Gabius HJ (2001) Plant lectins: occurrence, biochemistry, functions and applications. *Glycoconjugate journal* 18:589-613
- Rys GJ, Bonish PM (1981) Effectiveness of *Rhizobium trifolii* populations associated with *Trifolium* species in Taranaki, New Zealand. *New Zealand journal of experimental agriculture* 9:329-335
- Safronova VI, Piluzza G, Belimov AA, Bullitta S (2004) Phenotypic and genotypic analysis of rhizobia isolated from pasture legumes native of Sardinia and Asinara Island. *Antonie van Leeuwenhoek* 85:115-127
- Saikia SP, Jain V (2007) Biological nitrogen fixation with non-legumes: an achievable target or a dogma. *Current science* 92:317-322
- Salisbury FB (1994) The role of plant hormones. *Plant-environment interactions. Marcel Dekker, New York*:39-81
- Salve PB, Gangwanae LV (1992) *Rhizobium* from wild legumes and nitrogen fixation in ground nut. *Biofertilizers Technology Transfers. Associated Publications Co., New Delhi*:95-100
- Samavat S, Samavat S, Mafakheri S, Shakouri MJ (2012) Promoting Common Bean Growth and Nitrogen Fixation by the Co-Inoculation of *Rhizobium* and *Pseudomonas fluorescens* Isolates. *Bulgarian Journal of Agricultural Science* 18:387-395
- Sanchez-Canizares C, Rey L, Duran D, Temprano F, Sanchez-Jimenez P, Navarro A, Polajnar M, Imperial J, Ruiz-Argueso T (2011) Endosymbiotic bacteria nodulating a new endemic lupine *Lupinus mariae-josephi* from alkaline soils in Eastern Spain represent a new lineage within the *Bradyrhizobium* genus. *Systematic and applied microbiology* 34:207-215
- Sanginga N, Danso SKA, Mulongoy K, Ojeifo AA (1994) Persistence and recovery of introduced *Rhizobium* ten years after inoculation on *Leucaena leucocephala* grown on an Alfisol in southwestern Nigeria. *Plant and Soil* 159:199-204
- Segovia L, Young JPW, Martinez-Romero E (1993) Reclassification of American *Rhizobium leguminosarum* biovar *phaseoli* type I strains as *Rhizobium etli* sp. nov. *International Journal of Systematic Bacteriology* 43:374-377
- Sen A, Sur S, Bothra AK, Benson DR, Normand P, Tisa LS (2008) The implication of life style on codon usage patterns and predicted highly expressed genes for three *Frankia* genomes. *Antonie Van Leeuwenhoek* 93:335-346
- Sen A, Thakur S, Bothra AK, Sur S, Tisa LS (2012) Identification of TTA codon containing genes in *Frankia* and exploration of the role of tRNA in regulating these genes. *Archives of microbiology* 194:35-45

- Sessitsch A, Ramirez-Saad H, Hardarson G, Akkermans ADL, De Vos WM (1997) Classification of Austrian rhizobia and the Mexican isolate FL27 obtained from *Phaseolus vulgaris* L. as *Rhizobium galliicum*. *International Journal of Systematic and Evolutionary Microbiology* 47:1097-1101
- Shamseldin A, Moawad H, El-Rahim WMA, Sadowsky MJ (2014) Near-full length sequencing of 16S rDNA and RFLP indicates that *Rhizobium etli* is the dominant species nodulating Egyptian winter Berseem clover (*Trifolium alexandrinum* L.). *Systematic and applied microbiology* 37:121-128
- Sharma SB, Sayyed RZ, Trivedi MH, Gobi TA (2013) Phosphate solubilizing microbes: sustainable approach for managing phosphorus deficiency in agricultural soils. *Springer Plus* 2:587
- Sharp PM, Li WH (1987) The codon adaptation index—a measure of directional synonymous codon usage bias, and its potential applications. *Nucleic acids research* 15:1281-1295
- Sharp PM, Tuohy TMF, Mosurski KR (1986) Codon usage in yeast: cluster analysis clearly differentiates highly and lowly expressed genes. *Nucleic acids research* 14:5125-5143
- Shaukat SS, Siddiqui IA (2003) The influence of mineral and carbon sources on biological control of charcoal rot fungus, *Macrophomina phaseolina* by fluorescent pseudomonads in tomato. *Letters in applied microbiology* 36:392-398
- Sikora S, Redzepovic S (2003) Genotypic characterisation of indigenous soybean rhizobia by PCR-RFLP of 16S rDNA, rep-PCR and RAPD analysis. *Food Technology and Biotechnology* 41:61-68
- Sikora S, Redzepovic S, Bradic M (2002) Genomic fingerprinting of *Bradyrhizobium japonicum* isolates by RAPD and rep-PCR. *Microbiological research* 157:213-219
- Silva C, Vinuesa P, Eguiarte LE, Martinez-Romero E, Souza V (2003) *Rhizobium etli* and *Rhizobium gallicum* nodulate common bean (*Phaseolus vulgaris*) in a traditionally managed milpa plot in Mexico: population genetics and biogeographic implications. *Applied and environmental microbiology* 69:884-893
- Singh B, Kaur R, Singh K (2008) Characterization of *Rhizobium* strain isolated from the roots of *Trigonella foenumgraecum* (fenugreek). *African journal of Biotechnology* 7
- Singh JS (2013) Plant Growth Promoting Rhizobacteria. *Resonance* 18:275-281
- Singh SP (1999) Common bean improvement in the twenty-first century. Springer Science & Business Media
- Slater SC, Goldman BS, Goodner B, Setubal JC, Farrand SK, Nester EW, Burr TJ, Banta L, Dickerman AW, Paulsen I (2009) Genome sequences of three *Agrobacterium* biovars help elucidate the evolution of multichromosome genomes in bacteria. *Journal of bacteriology* 191:2501-2511
- Smil V (1999) Nitrogen in crop production: An account of global flows. *Global biogeochemical cycles* 13:647-662
- Somasegaran P, Hoben HJ (1994) Handbook for Rhizobia. Methods in Legume Rhizobium Technology. In. Springer Verlag, New York.
- Sparrow SD, Ham GE (1983) Survival of *Rhizobium phaseoli* in six carrier materials. *Agronomy Journal* 75:181-184
- Sprent JI (2009) Legume Nodulation: A Global Perspective. New Delhi: Wiley-Blackwell.:35-50
- Sridevi M, Mallaiah KV, Yadav NCS (2007) Phosphate solubilization by *Rhizobium* isolates from *Crotalaria* species. *Journal of Plant Sciences* 2:635-639
- Stajkovic O, Delic D, Josic D, Kuzmanovic D, Rasulic N, Vukcevic JK (2011) Improvement of common bean growth by co-inoculation with *Rhizobium* and plant growth-promoting bacteria. *Romanian Biotechnological Letters* 16:5919-5926
- Stan V, Gament E, Cornea CP, Voaides C, Dusa M, Plopeanu G (2011) Effects of heavy metal from polluted soils on the *Rhizobium* diversity. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 39:88-95
- Statsoft INC (1995) *Statistica for Windows (Computer program manual)*. Tulsa, OK 74104
- Stern MJ, Ames GFL, Smith NH, Robinson EC, Higgins CF (1984) Repetitive extragenic palindromic sequences: a major

- component of the bacterial genome. *Cell* 37:1015-1026
- Stowers MD (1985) Carbon metabolism in *Rhizobium* species. *Annual Reviews in Microbiology* 39:89-108
- Suman A, Shasany AK, Singh M, Shahi HN, Gaur A, Khanuja SPS (2001) Molecular assessment of diversity among endophytic diazotrophs isolated from subtropical Indian sugarcane. *World Journal of Microbiology and Biotechnology* 17:39-45
- Sur S, Bhattacharya M, Bothra AK, Tisa LS, Sen A (2008) Bioinformatic analysis of codon usage patterns in a free-living diazotroph, *Azotobacter vinelandii*. *Biotechnology* 7:242-249
- Sur S, Bothra AK, Sen A (2010) Symbiotic Nitrogen Fixation-A Bioinformatics Perspective. *Biotechnology* 9:257-273
- Sur S, Pal A, Bothra AK, Sen A (2005) Moderate codon bias attributed to translational selection in nitrogen fixing genes of *Bradyrhizobium japonicum* USDA A110. *Bioinformatics India* 3:59-64
- Tan KZ, Radziah O, Halimi MS, Khairuddin AR, Habib SH, Shamsuddin ZH (2014) Isolation and characterization of Rhizobia and plant growth promoting rhizobacteria and their effects on growth of rice seedlings *American Journal of Agricultural and Biological Sciences* 9:342-360
- Tatusov RL, Fedorova ND, Jackson JD, Jacobs AR, Kiryutin B, Koonin EV, Krylov DM, Mazumder R, Mekhedov SL, Nikolskaya AN (2003) The COG database: an updated version includes eukaryotes. *BMC bioinformatics* 4:1
- Taylor JD, Day JM, Dudley CL (1983) The effect of *Rhizobium* inoculation and nitrogen fertiliser on nitrogen fixation and seed yield of dry beans (*Phaseolus vulgaris*). *Annals of applied biology* 103:419-429
- Thies JE, Holmes EM, Vachot A (2001) Application of molecular techniques to studies in *Rhizobium* ecology: a review. *Animal Production Science* 41:299-319
- Tilak KVBR (1991) Bacterial fertilizers. 1-53
- Toledo I, Lloret L, Martnez-Romero E (2003) *Sinorhizobium americanus* sp. nov., a new *Sinorhizobium* species nodulating native *Acacia* spp. in Mexico. *Systematic and applied microbiology* 26:54-64
- Truog E (1930) The determination of the readily available phosphorus of soils. *Agronomy Journal* 22:874-882
- Van Berkum P, Beyene D, Eardly BD (1996) Phylogenetic relationships among *Rhizobium* species nodulating the common bean (*Phaseolus vulgaris* L.). *International Journal of Systematic and Evolutionary Microbiology* 46:240-244
- Vandamme P, Pot B, Gillis M, De Vos P, Kersters K, Swings J (1996) Polyphasic taxonomy, a consensus approach to bacterial systematics. *Microbiological reviews* 60:407-438
- Versalovic J, Koeuth T, Lupski R (1991) Distribution of repetitive DNA sequences in eubacteria and application to fingerprinting of bacterial genomes. *Nucleic acids research* 19:6823-6831
- Versalovic J, Schneider M, De Bruijn FJ, Lupski JR (1994) Genomic fingerprinting of bacteria using repetitive sequence-based polymerase chain reaction. *Methods in molecular and cellular biology* 5:25-40
- Vessey JK (2003) Plant growth promoting rhizobacteria as biofertilizers. *Plant and soil* 255:571-586
- Vincent JM (1970) A manual for the practical study of the root-nodule bacteria. IBP Hand Book '5, Blackwell Scientific Publishing Company, Oxford.
- Vincent JM, Humphrey B (1970) Taxonomically significant group antigens in *Rhizobium*. *Microbiology* 63:379-382
- Vinuesa P, Silva C, Lorite MJ, Izaguirre-Mayoral ML, Bedmar EJ, Martnez-Romero E (2005) Molecular systematics of rhizobia based on maximum likelihood and Bayesian phylogenies inferred from *rrs*, *atpD*, *recA* and *nifH* sequences, and their use in the classification of *Sesbania* microsymbionts from Venezuelan wetlands. *Systematic and Applied Microbiology* 28:702-716
- Walkley A (1947) A critical examination of a rapid method for determining organic carbon in soils—Effect of variations in digestion conditions and of inorganic soil constituents. *Soil Science* 63:251-264
- Wang D, Yang S, Tang F, Zhu H (2012) Symbiosis specificity in the legume-rhizobial mutualism. *Cellular microbiology* 14:334-342

- Wang FQ, Wang ET, Liu J, Chen Q, Sui XH, Chen WF, Chen WX (2007) *Mesorhizobium albiziae* sp. nov., a novel bacterium that nodulates *Albizia kalkora* in a subtropical region of China. *International journal of systematic and evolutionary microbiology* 57:1192-1199
- Wang S, Hao B, Li J, Gu H, Peng J, Xie F, Zhao X, Frech C, Chen N, Ma B (2014) Whole-genome sequencing of *Mesorhizobium huakuii* 7653R provides molecular insights into host specificity and symbiosis island dynamics. *BMC genomics* 15:1
- Wang X, Wu L, Zhou P, Zhu S, An W, Chen Y, Zhao L (2013) Analysis of synonymous codon usage patterns in the genus *Rhizobium*. *World Journal of Microbiology and Biotechnology* 29:2015-2024
- Wei GH, Tan Z, Zhu M, Wang E, Han SZ, Chen WX (2003) Characterization of rhizobia isolated from legume species within the genera *Astragalus* and *Lespedeza* grown in the Loess Plateau of China and description of *Rhizobium loessense* sp. nov. *International journal of systematic and evolutionary microbiology* 53:1575-1583
- Weidner S, Puhler A, Kuster H (2003) Genomics insights into symbiotic nitrogen fixation. *Current opinion in biotechnology* 14:200-205
- Weyens N, van der Lelie D, Taghavi S, Vangronsveld J (2009) Phytoremediation: plant endophyte partnerships take the challenge. *Current Opinion in Biotechnology* 20:248-254
- Willems A (2006) The taxonomy of rhizobia: an overview. *Plant and Soil* 287:3-14
- Willems A, Collins MD (1992) Evidence for a close genealogical relationship between *Afipia* (the causal organism of cat scratch disease), *Bradyrhizobium japonicum* and *Blastobacter denitrificans*. *FEMS microbiology letters* 96:241-246
- William S, Feil H (2012) Bacterial genomic DNA isolation using CTAB. *Sigma* 50
- Wright F (1990) The effective number of codons used in a gene. *Gene* 87:23-29
- Wright IV, William H (2010) Isolation and Identification of the Siderophore" Vibriobactin" Produced by *Rhizobium leguminosarum* ATCC 14479.
- Wu G, Culley DE, Zhang W (2005) Predicted highly expressed genes in the genomes of *Streptomyces coelicolor* and *Streptomyces avermitilis* and the implications for their metabolism. *Microbiology* 151:2175-2187
- Xu BJ, Chang SKC (2008) Total phenolic content and antioxidant properties of eclipse black beans (*Phaseolus vulgaris* L.) as affected by processing methods. *Journal of food science* 73:19-27
- Yadegari M, Rahmani HA (2010) Evaluation of bean (*Phaseolus vulgaris*) seeds' inoculation with *Rhizobium phaseoli* and plant growth promoting rhizobacteria (PGPR) on yield and yield components. *African Journal of Agricultural Research* 5:792-799
- Yoon JH, Kang SJ, Yi HS, Oh TK, Ryu CM (2010) *Rhizobium soli* sp. nov., isolated from soil. *International journal of systematic and evolutionary microbiology* 60:1387-1393
- Yoshida T, Ancajas R (1970) Application of the acetylene reduction method in nitrogen fixation studies. *Soil Science and Plant Nutrition* 16:234-237
- Young CC, Cheng KT (1998) Genetic diversity of fast-and slow-growing soybean rhizobia determined by random amplified polymorphic DNA analysis. *Biology and fertility of soils* 26:254-256
- Young J, Haukka K (1996) Diversity and phylogeny of rhizobia. *New Phytologist* 133:87-94
- Young JM (2010) *Sinorhizobium* versus *Ensifer*: may a taxonomy subcommittee of the ICSP contradict the Judicial Commission? *International journal of systematic and evolutionary microbiology* 60:1711-1713
- Young JM, Kuykendall LD, Martinez-Romero E, Kerr A, Sawada H (2001) A revision of *Rhizobium* Frank 1889, with an emended description of the genus, and the inclusion of all species of *Agrobacterium* Conn 1942 and *Allorhizobium undicola* deLajudie et al. 1998 as new combinations: *Rhizobium radiobacter*, *R. rhizogenes*, *R. rubi*, *R. undicola* and *R. vitis*. *International Journal of Systematic and Evolutionary Microbiology* 51:89-103
- Young JPW, Crossman LC, Johnston AWB, Thomson NR, Ghazoui ZF, Hull KH, Wexler M, Curson ARJ, Todd JD, Poole PS (2006) The genome of *Rhizobium*

-
- leguminosarum* has recognizable core and accessory components. *Genome biology* 7:1
- Zahran HH (1999) *Rhizobium*-legume symbiosis and nitrogen fixation under severe conditions and in an arid climate. *Microbiology and molecular biology reviews* 63:968-989
- Zakhia F, De Lajudie P (2001) Taxonomy of rhizobia. *Agronomie* 21:569-576
- Zerhari K, Aurag J, Khbaya B, Kharchaf D, Filali -Maltouf A (2000) Phenotypic characteristics of rhizobia isolates nodulating *Acacia* species in the arid and Saharan regions of Morocco. *Letters in applied microbiology* 30:351-357