

TABLE OF CONTENTS

Acknowledgements	ii-iii
Table of contents	iv-xiii
List of tables	xiv-xvi
List of figures	xvii-xxx
List of appendices	xxxi
Abbreviation and symbols used	xxxii-xliii
GENERAL INTRODUCTION	1-8
OBJECTIVES OF RESEARCH	9
References	10-11
CHAPTER – I	12-141
Literature review	12
1.1 Introduction	13-14
1.2 Peptide: definition & concept	14-15
1.3 Brief historical perspectives	15-20
1.3.1 Concept of peptide bonds	15-16
1.3.2 Development of science of peptides	16-20
1.4 Origin of life and its relation with peptides	20-28
1.4.1 Synthesis of organic molecules in pre-biotic world	20-21
1.4.2 Formation of amino acids and nitrogenous derivatives	21-24
1.4.3 Polymerization of amino acids and development of oligopeptides in prebiotic world	24-26
1.4.4 Importance of peptides in the formation of life	26-28
1.5 Bacterial peptides	28-29
1.5.1 Oligopeptide as prokaryotic communication molecule	28-29
1.6 Antimicrobial peptides	29-31
1.7 Glimpses from vast array of bioactive animal peptides	32-34
1.8 Plant peptide hormones	34-47
1.8.1 Post-translational modification of peptide hormones	35-38
1.8.1. a Tyrosine sulfation	36
1.8.1.b Proline hydroxylation	36
1.8.1.c Hydroxyproline arabinosylation	36
1.8.1.d Cysteine-rich peptides	36
1.8.2 Systemin: wound induced systemic response peptides	38-40
1.8.3 Phytosulfokine: a peptide elicitor regulating growth and differentiation	41-42
1.8.4 SCR/SP11: Peptide mediated self perception	42-43
1.8.5 CLAVATA 3: Peptides for determining shoot apical meristem identity	43-44

1.8.6	Rapid Alkalinization Factor	44-45
1.8.7	ENOD 40: A Nodulation Factor	45-46
1.8.8	Atrial Natriuretic Peptides: For Regulating Water Homeostasis in Plants	46-47
1.9	Some recently discovered peptides participated in plant developmental programme	48-51
1.9.1	Polaris	48
1.9.2	CLE Peptides	49
1.9.3	EPF1/EPF2	49-50
1.9.4	Stomagen	50-51
1.10	Isolation & purification of peptides	51-60
1.10.1	Peptide isolation processes	51-52
1.10.2	Purification of peptides	52-55
1.10.3	Detection and profiling of peptides	55-60
1.10.3a	Paper chromatography and ninhydrin based detection	55-57
1.10.3b	Capillary electrophoresis	57-58
1.10.3c	Amino acid analysis of peptides	58-60
1.11	Role of peptides in germination and amylase induction	60-63
1.12	Peptides controlling cell division	63-68
1.12.1	Cell Cycle and its regulation	63-66
1.12.2	Role of peptides in cell cycle regulation	66-68
1.13	Stomatal guard cell regulation	68-72
1.13.1	Role of peptides in stomatal opening and closing	70-71
1.13.2	Stomatal behaviour during senescence	71-72
1.14	Role of peptides in callogenesis, morphogenesis and differentiation	73-76
1.14.1	Peptides regulating callogenesis	73-74
1.14.2	Role of peptides in morphogenesis and meristem differentiation	75-76
1.15	Peptides and regulation of oxidative stress	77-79
1.15.1	Glutathione mediated control of oxidative stress	77-78
1.15.2	Peptides as molecular alphabets of abiotic stress tolerance	78-79
1.16	Role of peptides in heavy metal stress tolerance	80-88
1.16.1	Detoxification of heavy metals with peptides	80-81
1.16.2	Peptide transporter and their role in heavy metal storage and transport	81-83
1.16.3	Seed priming and mechanism of oxidative stress tolerance	83-85
1.16.4	Peptide mediated seed priming	85-87
1.16.5	Peptide expression under heavy metal stress	87-88
1.17	Interaction of peptides with phenolic compounds	88-92
1.17.1	Phenolic compounds and seed germination	88-90
1.17.2	Phenolic compounds and peptide interaction during germinating seeds	90-91
1.17.3	Future perspective	91-92

	References	93-141
	CHAPTER – II	142-186
	Dynamic peptide profiles of germinating mung bean: in relation to their nature and separation pattern	142
2.1	Introduction	143
2.2	Materials and methods	144-149
2.2.1	Plant culture	144
2.2.2	Isolation and purification of low molecular weight peptides	144-147
2.2.2a	Extraction	144
2.2.2b	Ion exchange chromatography	145-146
2.2.2c	Ether fractionation	146-147
2.2.2d	Ultrafiltration	147
2.2.3	One dimensional paper chromatography	147
2.2.4	Purification of semi purified extracts through Sephadex LH-20 column	148
2.2.5	Two dimensional paper chromatography	148
2.2.6	Capillary zone electrophoresis	148-149
2.3	Results	149-181
2.3.1	Analysis of peptide spots of one-dimensional paper chromatography	149-150
2.3.2	Two dimensional paper chromatographic profile	150-167
2.3.3	Capillary electrophoretic profile of peptides and electropherogram	168-181
2.4	Discussion	182-183
	References	184-186
	CHAPTER – III	187-255
	Assessment of hormone related activities of peptides isolated from <i>Vigna radiata</i> seedlings	187
3.1	Introduction	188-192
3.2	Materials and methods	192-200
3.2.1	Plant culture	292-193
3.2.2	Isolation and purification of low molecular weight peptides	193-194
3.2.2a	Preparation of extraction	193
3.2.2b	Ether wash	193
3.2.2c	Ion exchange chromatography	193
3.2.2d	Ultrafiltration	193-194
3.2.3	Spectrofluorometric detection of peptides by tube-gel electrophoresis	194
3.2.4	One-dimension paper chromatography	194
3.2.5	Capillary zone electrophoresis	195
3.2.6	Demonstration of thermostability & photostability (against UV irradiation) of peptides	195
3.2.7	Amylase induction in <i>Vigna radiata</i> seedlings by hormones and peptides	195-196

3.2.7a	Culture conditions	195-196
3.2.7b	Amylase inducing assay in <i>Vigna radiata</i> seedlings	196
3.2.8	Bioassay for induction of α -amylase release test	197
3.2.8a	Materials	197
3.2.8b	Enzyme preparation and assay	197
3.2.9	Stomatal aperture, opening and closing	197-198
3.2.10	Bioassay for chlorophyll retention	198-199
3.2.10a	Plant cultivation and treatment	198
3.2.10b	Estimation of chlorophyll and pigments	198-199
3.2.11	Determination of morphometric parameters	199
3.2.11a	Seed priming	199
3.2.11b	Measurement of seedling vigour	199
3.2.12	Bioassay guided purification of isolated peptides through sephadex LH-20	199-200
3.2.13	HPLC analysis of bioactive peptide fractions	200
3.2.14	Amino acid analysis	200
3.2.15	Sequencing of peptides	200
3.3	Results and discussion	200-248
3.3.1	Alpha-amylase activities in attached and detached cotyledons	200-202
3.3.2	Changes in α -amylase activities in cultures axes with attached or detached cotyledons	200-203
3.3.3	Influence of hormones on α -amylase induction in cotyledons and embryo proper	203
3.3.4	Role of isolated peptide pool on α -amylase induction of germinating seedlings	203-204
3.3.5	Role of isolated peptides on induction of amylases in cotyledons and embryo proper	205-207
3.3.6	Amylase induction in embryoless-half wheat seeds with peptide treatment	207-209
3.3.7	Paper chromatographic separation of isolated peptides	209-211
3.3.8	Separation and electrophoretic mobility of peptides	211-213
3.3.9	Bioassay-guided purification of bioactive peptides through sephadex LH-20 column	213-217
3.3.10	HPLC of LH-20 purified bioactive fractions of F ₆	217
3.3.11	Amino acid analysis, sequencing and functional analysis of bioactive components	217-225
3.3.12	Amylase induction with peptides isolated from different germination stages of <i>Vigna radiata</i>	225-230
3.3.13	Regulation of stomatal guard cell aperture	230-236
3.3.14	Retention of chlorophyll and senescence regulation	236-241
3.3.15	Improvement of seedling vigour after priming	241-248
	References	249-255

	CHAPTER - IV	256-311
	Study of bioactivity of wheat peptides mimicking hormone action	256
4.1	Introduction	257-262
4.2	Materials and methods	262-266
4.2.1	Plant Culture	262
4.2.2	Extraction and purification of low molecular weight peptides	262
4.2.3	Spectrofluorometric detection of peptides by tube-gel electrophoresis	262
4.2.4	Two dimensional paper chromatography	263
4.2.5	Capillary zone electrophoresis	263
4.2.6	Bioassay for induction of α -amylase release test	263
4.2.7	Stomatal opening and aperture regulation	263
4.2.8	Chlorophyll retention assay	263
4.2.9	Coleoptile elongation assay	264
4.2.10	Purification of semi-purified extracts through Sephadex LH-20 column	264-265
4.2.11	In-gel assay of α -amylase activity	265-266
4.2.12	Protein determination	266
4.2.13	HPLC analysis of bioactive peptide fractions	266
4.2.14	Analysis of amino acids in bioactive fractions	266
4.3	Results and discussion	266-303
4.3.1	Induction of amylases during germination	266-274
4.3.2	Separation and electrophoretic mobility of peptides	274-277
4.3.3	Two dimensional paper chromatographic separation of isolated peptides	277
4.3.4	α -amylase activity by LH-20 purified peptide treatment through starch in-gel assay	277-280
4.3.5	HPLC analysis of LH-20 purified bioactive fractions of F ₉ , F ₁₂ and F ₁₃ and relative amylase response	280-284
4.3.6	Capillary electrophoresis and amino acid analysis of LH-20 purified bioactive fractions	284-285
4.3.7	Stomatal guard cell regulation	286-292
4.3.8	HPLC analysis of LH-20 purified bioactive fractions of F ₇ and F ₉ and relative response on stomatal guard cell aperture regulation	292-294
4.3.9	Retention of chlorophyll	294-297
4.3.10	Elongation of coleoptile	298-303
	References	304-311
	CHAPTER - V	312-359
	Evaluation of hormone-like activities of rice peptides related with germination and growth	312
5.1	Introduction	313-319
5.2	Materials and methods	319-321
5.2.1	Plant materials used for isolation of peptides	319

5.2.2	Plant materials used for bioassay	319
5.2.3	Seed germination and culture condition	320
5.2.4	Isolation and purification of peptides	320
5.2.5	Bioassays mimicking hormone action	320-321
5.2.5a	α -amylase induction/repression:	320
5.2.5b	Stomatal guard cell opening/closing:	320-321
5.2.5c	Chlorophyll retention test	321
5.2.5d	Coleoptiles' elongation assay	321
5.2.6	HPLC analysis of bioactive peptide fractions	321
5.3	Results and discussions	321-352
5.3.1	Induction of amylases during germination	321-329
5.3.2	Stomatal guard cell regulation	320-342
5.3.3	Retention of chlorophyll	342-346
5.3.4	Elongation of coleoptile	346-352
	References	353-359
	CHAPTER - VI	360-392
	Investigation of peptides of <i>Cicer arietinum</i> seedlings and their role in hormone action	360
6.1	Introduction	361-364
6.2	Materials and methods	364-366
6.2.1	Plant culture	364
6.2.2	Isolation and purification of low molecular weight peptides	365
6.2.3	Bioassay for induction of α -amylase release test	365
6.2.3a	Materials	365
6.2.3b	Enzyme preparation and assay	365
6.2.4	Stomatal aperture, opening and closing	365
6.2.5	Bioassay for chlorophyll retention	365
6.2.5a	Plant cultivation and treatment	365
6.2.5b	Estimation of chlorophyll and pigments	365
6.2.6	Determination of morphometric parameters	366
6.2.6a	Seed Priming	366
6.2.6b	Measurement of seedling vigour	366
6.2.7	Bioassay guided purification of isolated peptides through Sephadex LH-20	366
6.3	Results and discussion	366-387
6.3.1	Amylase induction and mobilization of starch	366-373
6.3.2	Retention of chlorophyll	373-378
6.3.3	Stomatal guard cell regulation	378-380
6.3.4	Improvement of seedling vigour after priming	381-387
	References	388-392

CHAPTER - VII	393-419
Basipetal action pattern of internodal peptides isolated from <i>Vigna radiata</i>	393
7.1 Introduction	394-396
7.2 Material and methods	396-398
7.2.1 Isolation and purification of peptides	396
7.2.1a Plant Material	396
7.2.1b Isolation and purification of low-molecular weight peptides	396
7.2.2 Chlorophyll degradation and senescence control	396-397
7.2.3 Regulation of stomatal guard cell aperture	397
7.2.4 Study of mitotic index and cell division	397
7.2.4a Plant material	397
7.2.4b Pre-treatment	397
7.2.4c Analysis of Mitotic Index	397
7.2.5 Inhibition of coleoptile elongation	398
7.3 Results and discussion	398-415
7.3.1 Senescence regulation and chlorophyll loss by internodal oligopeptides isolated from <i>Vigna radiata</i>	398-402
7.3.2 Isolated internodal oligopeptides of <i>Vigna radiata</i> may regulate stomatal guard cell aperture	402-408
7.3.3 Effect of oligopeptides of <i>Vigna radiata</i> on the mitotic cell division of root tip of <i>Allium cepa</i>	408-410
7.3.4 Effect of internodal oligopeptides on barley coleoptile elongation	401-415
References	416-419
CHAPTER - VIII	420-439
Role of germination induced peptide pool in plant tissue culture	420
8.1 Introduction	421-422
8.2 Material and methods	422-425
8.2.1 Plant materials for germination	422-423
8.2.2 Isolation and purification of low molecular weight peptides	423
8.2.3 Paper chromatography	423
8.2.4 Study of mitotic index and cell division	423
8.2.5 Plant materials for embryo and pith culture	424
8.2.5a Carrot pith culture	424
8.2.5b Excised and cotyledonary embryo culture of <i>Cicer arietinum</i>	424
8.2.5c Culture medium and culture conditions	424
8.2.6 Determination of peroxidase and total protein	424-425
8.3 Result and discussion	425-437
References	438-439
CHAPTER - IX	440-459

	Germination induced peptide pool regulate water homeostasis in plants	440
9.1	Introduction	441-442
9.2	Materials and methods	442-447
9.2.1	Isolation, purification and characterization of peptides	442-443
9.2.2	Measurement of transpiration	443-444
9.2.3	Protoplast isolation	444
9.2.4	Determination of protoplast swelling	444
9.2.5	Measurement of stomatal aperture	444-447
9.3	Results	447-454
9.3.1	One dimension paper chromatography of peptides	447
9.3.2	Capillary zone electrophoresis of four fractions of LH – 20 purified peptides	447
9.3.3	Amino acid analysis	447-448
9.3.4	Solute flow in plants	449
9.3.5	Absorption	449-450
9.3.6	Transpiration	451
9.3.7	Protoplast volume enlargement	451-453
9.3.8	Stomatal aperture control	453-454
9.3.9	Analysis of root and shoot length	454
9.4	Discussion	454-457
	References	458-459
	CHAPTER - X	460-502
	Effect of seed coat phenolics on germination and growth physiology and their interaction with isolated peptides	460
10.1	Introduction	461-467
10.2	Materials and methods	467-469
10.2.1	Plant culture	467
10.2.2	Isolation and purification of low molecular weight peptides	467
10.2.3	Isolation and purification of phenolic compound	467-468
10.2.4	Capillary electrophoresis of phenolics	468
10.2.5	Amylase release test	468
10.2.6	Germination percentage (g %) test	468
10.2.7	Radical emergence test	469
10.2.8	Effect on plant height	469
10.2.9	<i>In vitro</i> study for determining any possible interactions between peptides and GA	469
10.3	Results and discussion	469-496
10.3.1	Profile of phenolic acids in the seeds of <i>Vigna radiata</i>	469-484
10.3.2	Bioactivity of polyphenols and their interaction with peptides	484-496
	References	497-502

	CHAPTER - XI	503-559
	Response of heavy metal induced peptides of <i>Vigna radiata</i> on seedling tolerance and oxidative stress mitigation	503
11.1	Introduction	504-506
11.2	Materials and methods	507-514
11.2.1	Plant material	507
11.2.2	Culturing of plants	507
11.2.3	Induction of heavy metal stress	507
11.2.4	Isolation and purification of low molecular weight peptides	507
11.2.5	Aseptic culturing of <i>Vigna</i> seedlings with peptides	508-509
11.2.5a	Seed germination	508
11.2.5b	Aseptic seedling transfer to modified MS medium	508-509
11.2.5c	Maintenance of seedlings	509
11.2.6	Pre-soaking or priming of seeds of <i>Vigna radiata</i>	509-510
22.2.7	Culturing of primed seeds in heavy metal containing medium	510
11.2.8	Study of Morphological parameters	510
11.2.9	Induction/repression of antioxidative enzymes	510-512
11.2.9a	Catalase (EC 1.11.1.6)	510-511
11.2.9b	Ascorbate Peroxidase (EC 1.11.1.11)	511
11.2.9c	Guaiacol Peroxidase (EC 1.11.17)	511
11.2.9d	Glutathione Reductase (EC 1.6.4.2)	511
11.2.9e	Superoxide Dismutase (EC 1.15.1.1)	511-512
11.2.10	Estimation of total protein content	512
11.2.11	Paper chromatography	512
11.2.12	Determination of biochemical parameters	512-514
11.2.12a	MDA determination	512-513
11.2.12b	Peroxide estimation	513
11.2.12c	Estimation of proline	513
11.2.12d	Determination of ascorbic acid	513-514
12.2.12e	Determination of total soluble phenolics	514
11.2.13	Statistical analysis	514
11.3	Results and discussion	516-555
11.3.1	Paper chromatography of heavy metal stress induced peptides	516-524
11.3.2	Induction of phytotoxicity under heavy metal stress and possible remediation through application of peptides	524-555
	References	556-559
	CHAPTER - XII	560-573
	<i>In-vitro</i> free-radical scavenging potential of oligopeptides derived from wheat and mungbean	560
12.1	Introduction	561-562

12.2	Material and methods	562-566
12.2.1	Plant material and culture conditions	562
12.2.2	Extraction and purification of low molecular weight peptides	562
12.2.3	DPPH radical scavenging activity	562-563
12.2.4	ABTS ^{•+} scavenging activity	563
12.2.5	Reducing power	563-564
12.2.6	Metal chelating activity	564
12.2.7	Nitric oxide Scavenging assay	564
12.2.8	Superoxide anion radical scavenging activity	564-566
12.3	Results and discussion	566-570
12.3.1	DPPH and ABTS ^{•+} scavenging activity	566
12.3.2	Reducing power Assay	566-569
12.3.3	Metal chelating activity	569
12.3.4	Nitric oxide Scavenging assay	569
12.3.5	Superoxide scavenging assay	570
12.4	Conclusions	570
	References	571-573
	SUMMARY	574-581
	Appendix-I	582
	Appendix-II	583-588