

CONTENTS

	Page no.
Declaration	i
Certificate of Supervisor	ii
Anti-plagiarism Report	iii
DRC Certificate	iv
Abstract	v-viii
Acknowledgements	ix-x
Preface	xi
Table of Contents	xii-xvii
List of Tables	xviii
List of Figures	xix-xxiii
List of Appendices	xxiv
Introduction	1-3
Chapters	
1. Literature Review	5-19
1.1. Legumes – an important crop	5-7
1.2. Impact of salinity stress on the crops	7-8
1.3. Nanotechnology in the alleviation of salinity stress in crop plants	8-10
1.4. Silica nanoparticles in the mitigation of salinity stress	10-12
1.5. Improvement in the efficacy of nanoparticles through surface functionalization	12-16
1.5.1. Primary functionalization	14-15
1.5.2. Secondary functionalization	15-16
1.6. Toxicity assessment of nanoparticles	16-18
1.7. Slow and controlled-release nano-formulations for suitable agriculture	18-19
2. Optimization for the Synthesis of Silica Nanoparticles (SiNPs) with Desired Size and Surface Charge	21-38
2.1. Materials and Methods	22-25
2.1.1. Synthesis of SiNPs	22-23
2.1.2. Optimization of SiNPs	23-24
2.1.3. Selection and synthesis of SiNPs of desired size and surface charge	24
2.1.4. Characterization of SiNPs	25
2.2. Results	26-35
2.2.1. Optimization of SiNPs	26-31
2.2.2. Selection and characterization of SiNPs	31-35
2.3. Discussion	35-38
2.4. Conclusion	38
3. Evaluation of Silica Nanoparticles (SiNPs) in the Alleviation of Salinity Stress in the Different Growth Stages of <i>Lens culinaris</i>	39-92
3.1. Materials and Methods	40-57
3.1.1. Collection of plant material	40
3.1.2. Synthesis of silica nanoparticles	40
3.1.3. Standardization of SiNPs and NaCl concentrations	40

3.1.4. Experimental design	41-42
3.1.5. Germination parameters	42
3.1.6. Seedling and vegetative stage parameters	42-53
3.1.7. Reproductive stage parameters	53-56
3.1.8. Statistical analysis	56-57
3.2. Results	57-76
3.2.1. Germination parameters	57-58
3.2.2. Seedling and vegetative stage parameters	58-72
3.2.3. Reproductive stage parameters	73-76
3.3. Discussion	76-91
3.3.1. SiNPs improved the germination of lentil seeds exposed to NaCl	79
3.3.2. SiNPs supplementation improved physiological and biochemical attributes	79-87
3.3.3. SiNPs supplementation improved the plant physiology, total yield, and seeds' nutritional aspects during the reproductive stage	87-91
3.4. Conclusion	91-92
4. Evaluation of Silica Nanoparticles (SiNPs) in The Alleviation of Salinity Stress in The Different Growth Stages of <i>Glycine max</i>	93-126
4.1. Materials and Methods	94-96
4.1.1. Collection of plant material	94
4.1.2. Synthesis of silica nanoparticles	94
4.1.3. Standardization of SiNPs and NaCl concentrations	95
4.1.4. Experimental design	95
4.1.5. Germination stage parameters	95
4.1.6. Seedling and vegetative stage parameters	95
4.1.7. Reproductive stage parameters	96
4.1.8. Statistical analysis	96
4.2. Results	96-116
4.2.1. Germination stage parameters	96-97
4.2.2. Seedling and vegetative stage parameters	97-110
4.2.3. Reproductive stage parameters	110-116
4.3. Discussion	116-
4.3.1. SiNPs improved the germination of soybean seeds exposed to NaCl	116-118
4.3.2. SiNPs supplementation improved physiological and biochemical attributes	119-124
4.3.3. SiNPs supplementation improved the plant physiology, total yield, and seeds' nutritional aspects during the reproductive stage	124-126
4.4. Conclusion	126
5. Evaluating the Mitigation Potential of Salinity Stress in Lentil and Soybean by Glucose-Functionalized Silica Nanoparticles (GSiNPs)	127-153
5.1. Materials and Methods	129-134
5.1.1. Synthesis of SiNPs	129
5.1.2. Synthesis of glucose-functionalized SiNPs (GSiNPs)	129
5.1.3. Characterization of the nanomaterials	129-130
5.1.4. Estimation of glucose attached to the surface of GSiNPs	130
5.1.5. Experimental design	130-131
5.1.6. Experimental parameters	132-134

5.2. Results	134-148
5.2.1. Characterization of the nanoparticles to confirm the surface functionalization of SiNPs	134-136
5.2.2. Estimation of surface attached glucose	136
5.2.3. GSiNPs improve the growth of lentil and soybean seedlings exposed to NaCl	136-139
5.2.4. GSiNPs improve the physiological attributes of lentil and soybean seedlings exposed to NaCl	139-142
5.2.5. GSiNPs improve the ionic accumulation/balance of lentil and soybean seedlings exposed to NaCl	142-145
5.2.6. GSiNPs reduced the ROS accumulation of lentil and soybean seedlings exposed to NaCl	145-146
5.2.7. GSiNPs induced the enzymatic antioxidant defence of lentil and soybean seedlings exposed to NaCl	146
5.2.8. Bioassay of silica and glucose release from SiNPs/GSiNPs using lentil seedling	146-148
5.3. Discussion	149-153
5.3.1. GSiNPs improve the growth and physiology of lentil and soybean seedlings exposed to NaCl	149-150
5.3.2. GSiNPs improve the ionic accumulation/balance of lentil and soybean seedlings exposed to NaCl	150-151
5.3.3. GSiNPs improve the oxidative status by reducing the generation of reactive oxygen species (ROS) in lentil and soybean seedlings exposed to NaCl	151-152
5.3.4. Bioassay of glucose release from the GSiNPs and uptake of silica and glucose	152-153
5.4. Conclusion	153
6. Evaluating the Mitigation Potential of Salinity Stress in Lentil and Soybean by Trehalose-Functionalized Silica Nanoparticles (TSiNPs)	155-180
6.1. Materials and Methods	156-160
6.1.1. Synthesis of SiNPs	156
6.1.2. Synthesis of trehalose-functionalized SiNPs (TSiNPs)	156
6.1.3. Characterization of the nanomaterials	156
6.1.4. Estimation of trehalose attached to the surface of TSiNPs	157
6.1.5. Experimental design	157
6.1.6. Experimental parameters	157-160
6.2. Results	161-174
6.2.1. Characterization of the nanoparticles to confirm the surface functionalization of SiNPs	161-164
6.2.2. Estimation of surface attached trehalose	164
6.2.3. TSiNPs improve the growth of lentil and soybean seedlings exposed to NaCl	164-165
6.2.4. TSiNPs improve the physiological attributes of lentil and soybean seedlings exposed to NaCl	165-168
6.2.5. TSiNPs improve the ionic accumulation/balance of lentil and soybean seedlings exposed to NaCl	168-170
6.2.6. TSiNPs reduced the ROS accumulation of lentil and soybean seedlings exposed to NaCl	171

6.2.7. TSiNPs induced the enzymatic antioxidant defence of lentil and soybean seedlings exposed to NaCl	171
6.2.8. Bioassay of silica and trehalose release from SiNPs/TSiNPs using lentil seedling	171-174
6.3. Discussion	174-180
6.3.1. TSiNPs improve the growth and physiology of lentil and soybean seedlings exposed to NaCl	174-176
6.3.2. TSiNPs improve the ionic accumulation/balance of lentil and soybean seedlings exposed to NaCl	176-177
6.3.3. TSiNPs improve the oxidative status by reducing the generation of reactive oxygen species (ROS) in lentil and soybean seedlings exposed to NaCl	177-178
6.3.4. Bioassay of trehalose release from the TSiNPs and uptake of silica and trehalose	179-180
6.4. Conclusion	180
7. Transcriptome Analysis of <i>Lens culinaris</i> Seedlings under Salinity Stress for Deciphering the Mechanism of TSiNPs Mediated Stress Alleviation	181-215
7.1. Materials and Methods	183-187
7.1.1. Plant sample and functionalized nanoparticles	183
7.1.2. Experimental design	183
7.1.3. RNA-Seq analysis	183-184
7.1.4. SRA data submission	184
7.1.5. Data processing and analysis	185-187
7.1.6. RT-PCR analysis	187
7.2. Results	187-206
7.2.1. RNA and cDNA library quality check	187-188
7.2.2. Transcriptome Sequencing and Mapping	188-189
7.2.3. Identification of differential gene expressions (DGEs) and enrichment analysis	189-192
7.2.4. Diven and Heatmap Analysis	192-195
7.2.5. Transcription factor analysis	196
7.2.6. Gene regulation and pathway identification through MapMan	197-202
7.2.7. Network analysis (Sample–Gene–Pathway) and protein-protein interaction	203
7.2.8. RT-PCR analysis	203-206
7.3. Discussion	206-215
7.3.1. Study of differential gene expressions	207-208
7.3.2. GO enrichment analysis	208
7.3.3. KEGG pathway analysis	208-209
7.3.4. Cluster analysis of expressed genes through heat map analysis	209-210
7.3.5. Changes in the expression of transcription factors (TFs)	211
7.3.6. MapMan analysis of the changes in cellular function and pathway regulation	211-212
7.3.7. Network analysis and protein-protein interaction (PPI)	212-214
7.3.8. RT-PCR analysis	214-215
7.4. Conclusion	215

8. Dose- and Size-Dependent Toxicity of Silica Nanoparticles (SiNPs) and Attenuation through Surface Functionalization with Sugar Molecules	217-250
8.1. Materials and Methods	220-226
8.1.1. <i>Allium cepa</i> bulb collection and processing	220
8.1.2. Experimental design	220-222
8.1.3. Toxicity analysis of the nanomaterials on <i>Allium cepa</i> root	222-225
8.1.4. Toxicity analysis of the nanomaterials on soil microflora	225-226
8.1.5. Statistical analysis	226
8.2. Results	226-246
8.2.1. Dose-dependent toxicity assay	226-231
8.2.2. Size-dependent assay	231-235
8.2.3. Reduction of toxicity through surface functionalization of SiNPs with sugar molecules	235-239
8.2.4. Chromosomal aberrations under the effect of nanoparticles	240-243
8.2.5. Effects of SiNPs, GSiNPs, and TSiNPs on soil microflora	244-246
8.3. Discussion	246-251
8.3.1. Dose-dependent toxicity of SiNPs	248-249
8.3.2. Size-dependent toxicity of SiNPs	249-250
8.3.3. Surface functionalization of SiNPs for the reduction of toxicity level	250
8.3.4. Effects of SiNPs, GSiNPs, and TSiNPs on soil microflora	251
8.4. Conclusion	251-252
9. Preparation of Nano-formulations of SiNPs, GSiNPs, and TSiNPs for The Controlled Release of Silica and Sugar for Sustainable Agriculture	253-278
9.1. Materials and Methods	255-260
9.1.1. Synthesis of NSiNPs, NGSiNPs, and NTSiNPs	255
9.1.2. Analytical characterization of non-formulated nanoparticles (SiNPs, GSiNPs, and TSiNPs) and nano-formulations (NSiNPs, NGSiNPs, and NTSiNPs)	255
9.1.3. Physical characterization of non-formulated nanoparticles and nano-formulations	256-257
9.1.4. Release of silica and sugar from non-formulated nanoparticles and nano-formulations	257-258
9.1.5. Comparative effect of non-formulated nanoparticles and nano-formulations on lentil seedlings	259-260
9.1.6. Estimation of production cost of the non-formulated nanoparticles and nano-formulations	260
9.1.7. Statistical analysis	260
9.2. Results	260-273
9.2.1. Analytical characterization of non-formulated nanoparticles and nano-formulations	260-262
9.2.2. Physical characterization of non-formulated nanoparticles and nano-formulations	263-265
9.2.3. Release of silica and sugar from non-formulated nanoparticles and nano-formulations	266-269
9.2.4. Effect of non-formulated nanoparticles and nano-formulations on lentil seedlings	269-272
9.2.5. Production cost of formulated and non-formulated nanoparticles	272-273
9.3. Discussion	274-278

9.3.1. Characterization of non-formulated nanoparticles and nano-formulations	274
9.3.2. Physical properties of non-formulated nanoparticles and nano-formulations	274-275
9.3.3. Release of sugar and silica from non-formulated nanoparticles and nano-formulations	275-276
9.3.4. Effect of non-formulated nanoparticles and nano-formulations on lentil seedling germination and growth	277
9.3.5. Cost-effectiveness of the nanoparticles	277-278
9.3.6. Conclusion	278
Summary	279-280
Bibliography	281-314
Appendices	A 1- A 59