

# CONTENTS

Sl. No.		Page No.
CHAPTER-I		
1	<b>Introduction</b>	<b>1-10</b>
CHAPTER-II		
2	<b>Review of Literature</b>	<b>11-32</b>
2.1	Environmental effect on muga silkworm seed production	11
2.2	Effect of host plant on Seed production	17
2.3	Manipulation of abiotic factors for seed production	22
2.4	Synchronization of moth emergence and coupling for seed production	24
2.5	Characterization of Cocoon for selection of seed cocoon	27
2.6	Short-term cold preservation for seed production	29
CHAPTER-III		
3	<b>Materials and Methods</b>	<b>33-42</b>
3.1	Geographical location	33
3.2	Climate	34
3.3	Experimental Site	34
3.4	Insect	34
3.5	Food plants or host plants	35
3.6	Rearing of silkworm	35
3.7	Seasonal influence of grainage parameters of muga silkworm	35
3.8	Manipulation of abiotic factors	37
3.8.1	Manipulation of temperature	37
3.8.2	Manipulation of relative humidity (RH)	37
3.8.3	Manipulation of temperature and RH	37
3.8.4	Manipulation of temperature, humidity and photoperiod	37
3.9	Synchronization and Mating behaviour	37
3.9.1	Synchronization	37
3.9.1.1	Synchronization in normal condition	37
3.9.1.2	Synchronization by short-term cold preserved condition	38
3.9.2	Mating behaviour	39
3.9.2.1	Mating duration	39
3.9.2.2	Repeated mating	39
3.10	Characterizations of seed cocoons	39
3.11	Short term cold preservation of cocoon, moth and egg	40
3.11.1	Preservation of cocoons	40
3.11.2	Preservation of adults	41
3.11.3	Preservation of eggs	41
3.11.4	Continuous preservation cocoon, moth and egg	41
3.12	Statistical analysis	41

## CHAPTER-IV

<b>4</b>	<b>Results</b>	<b>43-112</b>
4.1	Seasonal Influences on Grainage Performances of Muga Silkworm	43
4.1.1	Environmental factors during different seed production period of muga silkworm	43
4.1.1.1	Temperature during different seed production periods	43
4.1.1.2	Relative humidity during seed production period	44
4.1.1.3	Photoperiod during different seed productive period	45
4.1.1.4	Rainfall during different seed productive period	45
4.1.2	Intrinsic factors influencing seed production of muga silkworm fed on different host plants during different seasons	46
4.1.2.1	Pupal period	46
4.1.2.1.1	On Som plant	46
4.1.2.1.2	On Soalu plant	46
4.1.2.2	Emergence period	46
4.1.2.2.1	On Som plant	46
4.1.2.2.2	On Soalu plant	47
4.1.2.3	Mating period	48
4.1.2.3.1	On Som plant	48
4.1.2.3.2	On Soalu plant	48
4.1.2.4	Oviposition period	48
4.1.2.4.1	On Som plant	48
4.1.2.4.2	On Soalu plant	48
4.1.2.5	Incubation period	49
4.1.2.5.1	On Som plant	49
4.1.2.5.2	On Soalu plant	50
4.1.3	Seed production of muga silkworm fed on different host plants during different seasons	50
4.1.3.1	Potential fecundity	51
4.1.3.1.1	On Som plant	51
4.1.3.1.2	On Soalu plant	51
4.1.3.2	Realized fecundity	51
4.1.3.2.1	On Som plant	51
4.1.3.2.2	On Soalu plant	52
4.1.3.3	Egg Retention	52
4.1.3.3.1	On Som plant	52
4.1.3.3.2	On Soalu plant	53
4.1.3.4	Hatching percentage	53
4.1.3.4.1	On Som plant	53
4.1.3.4.2	On Soalu plant	54
4.1.4	Co-relation Studies	54
4.1.4.1	On Som plant	54
4.1.4.1.1	Environmental factors with intrinsic factors	54

4.1.4.1.2	Environmental factors with seed production parameters	55
4.1.4.1.3	Intrinsic factors with seed production parameters	55
4.1.4.2	On Soalu plant	56
4.1.4.2.1	Environmental factors with intrinsic factors	56
4.1.4.2.2	Environmental factors with seed production parameters	56
4.1.4.2.3	Intrinsic factors with seed production parameters	56
4.1.5	Seasonal influence on day wise egg laying and hatching	57
4.1.5.1	Effect of season on grainage parameters	57
4.1.5.2	Day wise seasonal egg laying and hatching	58
4.1.5.2.1	Egg laying	58
4.1.5.2.1.1	Seasonal influence	58
4.1.5.2.1.2	Day-wise effect	58
4.1.5.2.1.3	Effect of season & day	59
4.1.5.2.2	Hatching	59
4.1.5.2.2.1	Effect of season	59
4.1.5.2.2.2	Effect of day	59
4.1.5.2.2.3	Effect of season and day	60
4.1.5.3	Percentage of egg laying and hatching in different days	60
4.2	4.2. Manipulation of abiotic factors to standardize the optimum combination responsible for seed production with higher hatchability	61
4.2.1	Manipulation of Temperature	62
4.2.1.1	Manipulation of temperature during April – May	62
4.2.1.2	Manipulation of temperature during August – September	63
4.2.2	Manipulation of Relative humidity (RH)	63
4.2.2.1	Manipulation of RH during April-May	64
4.2.2.2	Manipulation of RH during August-September	64
4.2.3	Manipulation of temperature and relative humidity	65
4.2.3.1	During April-May	65
4.2.3.2	During August-September	65
4.2.3.3	Rate of embryonic development	66
4.2.4	Manipulation of temperature, humidity and photoperiod	68
4.2.4.1	During April-May	68
4.2.4.2	During August-September	69
4.3	Synchronization of male and female moth emergence and mating behaviour studies for quantitative improvement of quality seed production	71
4.3.1	Synchronization in normal condition	71
4.3.1.1	Coupling efficacy	71
4.3.1.1.1	During March-April	71
4.3.1.1.2	During September - October	71
4.3.1.2	Fecundity	73
4.3.1.2.1	During March-April	73
4.3.1.2.2	During September - October	74

4.3.1.3	Hatching percentage	75
4.3.1.3.1	During March April	75
4.3.1.3.2	During September - October	75
4.3.2	Short term cold preservation of moth for synchronized mating	77
4.3.2.1	Coupling efficacy	78
4.3.2.1.1	During March-April	78
4.3.2.1.2	During September - October	78
4.3.2.2	Fecundity	79
4.3.2.2.1	During March-April	79
4.3.2.2.2	During September - October	80
4.3.2.3	Hatchability	81
4.3.2.3.1	During March-April	81
4.3.2.3.2	During September - October	82
4.3.3	Repeated Mating	83
4.3.3.1	Effect of different mating hours on egg laying and hatching	83
4.3.3.2	Effect number of mating utilizing single male moth on egg laying and hatching	84
4.3.3.2.1	During March - April	84
4.3.3.2.1.1	Egg laying	84
4.3.3.2.1.2	Egg Retention	84
4.3.3.2.1.3	Hatching	85
4.3.3.2.2	During September – October	85
4.3.3.2.2.1	Egg laying	85
4.3.3.2.2.2	Egg retention	86
4.3.3.2.2.3	Egg hatching	86
4.4	Characterization of seed Cocoon	87
4.4.1	Preliminary Screening of seed cocoon	87
4.4.1.1	Screening on the basis of cocoon weight	87
4.4.1.2	Screening on the basis of cocoon length	88
4.4.1.3	Screening on the basis of cocoon width	88
4.4.1.4	Screening on the basis of cocoon weight, length and width	89
4.4.1.5	Co-relation Study	90
4.4.2	Sex-wise distribution pattern of different cocoon weight group	91
4.4.2.1	Distribution pattern of male cocoon	91
4.4.2.2	Distribution pattern of female cocoon	92
4.4.3	Relation between pupal weight and cocoon weight	92
4.4.3.1	Male cocoon weight corresponding male pupal weight	92
4.4.3.2	Female cocoon weight corresponding female pupal weight	92
4.4.3.3	Co-relation studies between cocoon weight and corresponding pupal weight	93
4.4.4	Fecundity, egg vigour and hatchability as influenced by different combinations of male and female cocoon	94
4.4.4.1	On Fecundity	94
4.4.4.2	On Hatchability	94

4.4.4.3	On Egg Weight	94
4.4.5	Female cocoon weight groups and influence on grain age parameters	96
4.4.5.1	On Fecundity	96
4.4.5.2	On egg vigour	97
4.4.5.3	On Hatchability	97
4.4.5.4	Co-relation studies	97
4.5	Short-term cold preservation of cocoon, moth and egg of muga silkworm	99
4.5.1	Muga silkworm survivability and egg production during adverse months	99
4.5.1.1	Effective Rate of Rearing	99
4.5.1.2	Realised fecundity	99
4.5.1.3	Hatchability	99
4.5.2	Preservation of cocoon	100
4.5.2.1	Pupal period	100
4.5.2.2	Emergence percentage	100
4.5.2.3	Coupling efficacy	100
4.5.2.4	Fecundity	102
4.5.2.5	Hatchability	103
4.5.3	preservation of adult	103
4.5.3.1	Coupling Efficacy	103
4.5.3.2	Fecundity	103
4.5.3.3	Hatching percentage	104
4.5.4	Preservation of egg	104
4.5.4.1	Incubation period	105
4.5.4.2	Delay of hatching	106
4.5.4.3	Hatching percentage	107
4.5.5	Continuous preservation of cocoon, adult and egg	108
4.5.5.1	Effect of cocoon preservation on adult emergence	108
4.5.5.1.1	Pupal period	108
4.5.5.1.2	Emergence Percentage	109
4.5.5.2	Effect of adult preservation on egg production	109
4.5.5.2.1	Coupling efficacy	110
4.5.5.2.2	Fecundity	110
4.5.5.2.3	Hatchability	110
4.5.5.3	Effect of egg preservation on hatchability	111
4.5.5.3.1	Incubation Period	111
4.5.5.3.2	Days delayed	112
4.5.5.3.3	Hatching Percentage	112
<b>CHAPTER V</b>		
<b>5</b>	<b>Discussion</b>	<b>113-135</b>
5.1	Seasonal Influences on Grainage Performances of Muga Silkworm	113
5.2	Manipulation of abiotic factors to standardize the optimum combination responsible for seed production with higher hatchability	118

5.3	Synchronization of male and female moth emergence and mating behaviour studies for quantitative improvement of quality seed production	121
5.4	Characterization of seed Cocoon	126
5.5	Short-term cold preservation of cocoon, moth and egg of muga silkworm	129
CHAPTER VI		
6.	<b>Summary</b>	<b>136-143</b>
CHAPTER VII		
7	<b>References</b>	<b>144</b>
8	<b>Publications related to this work</b>	<b>-</b>