

# C O N T E N T S

	Page
INTRODUCTION	1
MATERIALS AND METHODS	12
Animals	12
Media	12
Collection of lymphocytes	12
Separation of plastic adherent cells	13
Nylon wool column separation of lymphoid cells	13
Preparation for scanning electron microscopy	15
Fixation and Dehydration	15
Critical point drying	15
Gold coating	17
Scanning electron microscopy	17
Preparation of BSA-Sepharose immunoadsorbent for isolation of bat immunoglobulins	17
Raising of bat anti-BSA serum	18
Isolation of bat anti-BSA Ig	18
Isolation of bat Ig M and Ig G by Sephadex G-200 gel filtration	19
Raising of rabbit antisera against bat Ig M and bat Ig G	20
Ammonium sulphate precipitation of Ig raised in rabbit	20

	Page
Polyacrylamide gel electrophoresis of bat Ig	... 21
Conjugation of goat anti-rabbit Ig G with fluorescent dye	... 22
Immunofluorescence microscopy for detection of Ig M and Ig G bearing cells of bat	... 22
Raising of anti-bat brain serum	... 24
Collection of guinea pig complement	... 25
<u>In vitro</u> Cytotoxicity of rabbit anti-bat brain serum	... 25
<u>In vivo</u> treatment with rabbit anti-bat brain serum	... 27
Histological study	... 27
Transmission electron microscopy	... 27
RESULTS	... 29
Plastic adherent cells from spleen and lymph nodes of bat	... 29
Nylon wool adherent and non adherent cells	... 29
SEM analysis of surface topography of plastic adherent cells	... 30
Cells from normal bats	... 30
Cells from immunized bats	... 31
Surface topography of nylon wool non adherent cells	... 31
Cells from normal bats	... 31
Cells from immunized bats	... 32
Surface topography of nylon wool adherent cells	... 32
Cells from normal bats	... 32
Cells from immunized bats	... 32

Immunofluorescence study of surface Ig bearing cells	...	33
Separation of bat Ig M and Ig G	...	33
Enumeration of surface Ig M and Ig G bearing lymphocytes	...	34
Differential susceptibility of the immunocompetent cell types to rabbit anti-bat brain serum	...	36
Effects of <u>in vivo</u> administration of rabbit anti-bat brain serum on the immunocompetent cell types	...	37
<u>In situ</u> localization of the area of anti-brain serum sensitive cells in secondary lymphoid organs	...	37
In spleen	...	37
In lymph node	...	38
Transmission electron microscopy of the immunocompetent cells in spleen and lymph nodes	...	39
Normal spleen	...	39
Spleen after immunization	...	42
Normal lymph node	...	44
Lymph node from immunized bats	...	45
DISCUSSION	...	47
SUMMARY	...	64
APPENDIX		
Figures	...	71
Tables	...	76
Plates	...	87
REFERENCES	...	112