

# CONTENTS

	<b>GENERAL INTRODUCTION</b>	1-22
I	Mineral rich acidic habitats	2
II	Geological description of the sampling site: the original habitat of the acidophilic autotrophic and heterotrophic strains used in the present study	4
III	Microbial ecology of AMD/ARD	5
IV	Physiology of Acidophilic Chemolithoheterotrophs	8
V	Sulfur Oxidizing Microorganisms	10
VI	Metal resistance/ tolerance property of acidophilic heterotrophs	11
V	<b>Objectives of the study</b>	13
VI	<b>References</b>	14

## CHAPTER-1

23-46

### Enrichment and isolation of acid-tolerant Chemolithoheterotrophic bacteria from AMD samples of Garubathan

1.1	Introduction	24
1.2	Materials and Methods	27
1.2.1	Sampling site(s) and sampling	27
1.2.2	Enrichment of AMD samples	28
1.2.2.1	Media	28
1.2.2.1.1	Modified9K medium containing ferrous sulfate	28
1.2.2.1.2	Elemental sulfur medium	28
1.2.2.1.3	Thiosulfate medium	28
1.2.2.1.4	Modified DSMZ 269 medium	29
1.2.2.1.5	Modified DSMZ 269 medium containing thiosulfate	29
1.2.2.1.6	Mixotrophic medium (MSTSY)	29
1.2.3	Preparation of solid media	29
1.2.4	Isolation and purification of acid-tolerant heterotrophic bacteria	30
1.2.5	Screening of the acid-tolerant isolates for further studies	31
1.2.5.1	Protein profiling	31
1.2.5.1.1	Reagents used	31
1.2.5.1.2	Preparing 12 % resolving gels	31
1.2.5.1.3	Preparing 5 % stacking gels	31
1.2.5.1.4	Pouring the slab gel	31
1.2.5.1.5	Preparation of samples	32
1.2.5.1.6	Estimation of protein in whole cells	32
1.2.5.1.7	Running the gel	33
1.2.5.2	Coomassie Blue Staining	33
1.2.5.2.1	Reagents used	33
1.2.5.2.2	Methods	33
1.2.5.3	Gram reaction	33
1.2.5.4	pH tolerance	34
1.2.5.5	Temperature range	34

1.2.6	Maintenance of cultures	34
<b>1.3</b>	<b>Results</b>	34
1.3.1	Sample collection	34
1.3.2	Isolation of acid-tolerant heterotrophs from <i>A. ferrooxidans</i> culture and enrichment culture media	35
1.3.3	Preliminary selection of acid-tolerant heterotrophic isolates based on total protein profile	36
1.3.4	Grouping of the selected isolates according to pH tolerance, Gram nature, temperature range for growth, and nutritional versatility	37
<b>1.4</b>	<b>Discussion</b>	38
<b>1.5</b>	<b>References</b>	42

## CHAPTER-2

47-81

<b>Facultative sulfur lithoautotrophy, organotrophy and general biochemical characterization of the acid-tolerant isolates</b>		
<b>2.1</b>	<b>Introduction</b>	47
2.1.1	Facultative sulfur lithoautotrophy	47
2.1.2	Thiosulfate oxidation	48
2.1.3	Sulfite oxidation	50
2.1.4	Organotrophy	51
<b>2.2</b>	<b>Materials and Methods</b>	52
2.2.1	Growth of acid-tolerant isolates in autotrophic thiosulfate (MST) medium	52
2.2.2	Growth of acid-tolerant isolates in autotrophic elemental sulfur medium	52
2.2.3	Growth of acid-tolerant isolates in mixotrophic (MSTSY) medium	52
2.2.4	Consumption of thiosulfate by acid-tolerant chemolithotrophic isolates	53
2.2.5	Thiosulfate and sulfite dehydrogenase assay of acid-tolerant isolates	53
2.2.5.1	Preparation of cell-free extract	53
2.2.5.2	Thiosulfate dehydrogenase (EC 1.8.2.2) assay	53
2.2.5.3	Sulfite dehydrogenase (EC 1.8.2.1) assay	54
2.2.6	Demonstration of organotrophic growth by the acid-tolerant isolates	54
2.2.6.1	Growth of acid-tolerant isolates in heterotrophic (MSSY) medium	54
2.2.6.2	Growth of acid-tolerant isolates in R2A medium	54
2.2.7	Biochemical tests	55
2.2.7.1	Indole test	56
2.2.7.2	Methyl Red test	56
2.2.7.3	Voges-Proskauer test	56
2.2.7.4	Catalase test	57
2.2.7.5	Oxidase test	57
2.2.7.6	Citrate utilization test	57
2.2.7.7	Urease test	57
2.2.7.8	Nitrate reduction test	58

2.2.7.9	Gelatin hydrolysis	58
2.2.7.10	Starch hydrolysis	58
2.2.7.11	Casein hydrolysis	59
2.2.7.12	Lipase test	59
2.2.7.13	Hydrogen Sulfide production test	59
2.2.7.14	Fermentation of sugars	59
2.2.7.15	Utilization of organic acid salts	60
<b>2.3</b>	<b>Results</b>	60
2.3.1	Demonstration of chemolithotrophic growth by the acid-tolerant isolates	60
2.3.2	Mixotrophic growth by the acid-tolerant isolates	62
2.3.3	Consumption of thiosulfate by acid-tolerant mixotrophic isolates	63
2.3.4	Thiosulfate and sulfite dehydrogenase assay of acid-tolerant isolates	64
2.3.5	Organotrophic growth by the acid-tolerant isolates	65
2.3.6	Biochemical characterization of acid-tolerant isolates and determination of similarity matching coefficient ( $S_{SM}$ ) amongst the isolates	66
<b>2.4</b>	<b>Discussion</b>	70
<b>2.5</b>	<b>References</b>	75

### CHAPTER-3

82-107

#### **Oligotrophic growth characteristics, metal and antibiotic tolerance of acid-tolerant heterotrophic isolates**

<b>3.1</b>	<b>Introduction</b>	82
3.1.1	Oligotrophy	82
3.1.2	Metal tolerance in AcidMineDrainage	84
3.1.3	Antibiotic tolerance	86
<b>3.2</b>	<b>Materials and Methods</b>	87
3.2.1	Determination of oligotrophic property of acid-tolerant heterotrophic isolates	87
3.2.2.1	Growth of acid-tolerant heterotrophic isolates in diluted LB, modified DSMZ 269, and undiluted R2A medium	87
3.2.2.2	Viability and growth of acid-tolerant heterotrophic isolates in sterile acid mine water	88
3.2.2.3	Growth of acid-tolerant heterotrophic isolates in elemental sulfur-spent medium of <i>Acidithiobacillus ferrooxidans</i> DK6.1 pure culture	88
3.2.3	Heavy metal tolerance of acid-tolerant heterotrophic isolates	89
3.2.4	Preparation of antibiotic stock solutions and determination of antibiotic tolerance of the acid-tolerant isolates	89

<b>3.3</b>	<b>Results</b>	90
3.3.1	Demonstration of oligotrophy of acid-tolerant heterotrophic isolates from AMD	90
3.3.2	Viability and growth of acid-tolerant heterotrophic isolates, GAH1 and GAH4 in sterile acid mine water (pH 1.5) and elemental sulfur spent medium of <i>Acidithiobacillus ferrooxidans</i> DK6.1 pure culture (pH 2.0)	91
3.3.3	Metal tolerance in acid-tolerant heterotrophic isolates	93
3.3.4	Determination of the antibiotic tolerance profile of the acid-tolerant heterotrophic isolates	94
<b>3.4</b>	<b>Discussion</b>	96
<b>3.5</b>	<b>References</b>	100

## CHAPTER-4

108-159

### **16S rRNA gene and soxB gene phylogeny of the acid-tolerant heterotrophic as well as thiosulfate metabolizing isolates**

<b>4.1</b>	<b>Introduction</b>	108
4.1.1	Phylogenetic analyses using 16S rRNA gene sequences	108
4.1.1.1	Molecular Phylogeny	108
4.1.1.2	DNA-DNA Hybridization	108
4.1.1.3	Phylogenies Based on Specific Genes	109
4.1.1.4	Ribosomal RNA Genes and Their Sequences	109
4.1.2	Ribosomal RNAs in Prokaryotes	109
4.1.3	Molecular Phylogenies can Reflect Genealogy and Amount of Change	111
4.1.4	soxB gene phylogeny of sulfur chemolithotrophs	112
<b>4.2</b>	<b>Materials and Methods</b>	114
4.2.1	Extraction of total genomic DNA	114
4.2.2	PCR amplification of DNA	114
4.2.2.1	Primers used	115
4.2.3	Agarose gel electrophoresis	115
4.2.4	Cloning of PCR products	116
4.2.4.1	Chemicals and reagents	116
4.2.4.2	Ligation of PCR product to the vector	116
4.2.5	Transformation of recombinant plasmids	116
4.2.5.1	Preparation of fresh competent <i>E. coli</i> cells using Calcium Chloride	116
4.2.5.2	Transformation	117
4.2.5.3	Identification of bacterial colonies that contain recombinant plasmids by $\alpha$ - complementation method	117
4.2.6	DNA sequencing	118
4.2.7	Computer analysis of the sequences	118
4.2.7.1	Similarity search	118

4.2.7.2	Restriction analysis	118
4.2.7.3	Determination of open reading frame	118
4.2.7.4	Conserve domain search (CDD)	118
4.2.8	Phylogenetic analysis of the acid-tolerant heterotrophic strains	119
<b>4.3</b>	<b>Results</b>	119
4.3.1	16S rRNA gene amplification and cloning	119
4.3.2	Nucleotide sequence accession numbers of 16S rRNA gene	121
4.3.3	16S rRNA phylogeny of acid-tolerant heterotrophic strains	129
4.3.4	Amplification, cloning and sequencing of <i>soxB</i> gene in thiosulfate metabolizing strains	141
4.3.5	Sequence analysis of the <i>soxB</i> amplicons generated with two sets of degenerate <i>soxB</i> primers	147
4.3.6	Phylogenetic analysis of <i>soxB</i> gene in thiosulfate metabolizing strains	147
<b>4.4</b>	<b>Discussion</b>	149
<b>4.5</b>	<b>References</b>	153

## CHAPTER 5

160-191

### **Characterization of indigenous plasmids in *Acidiphilium* sp. DK2AH2 and attempt to ascribe their function in relation to metal tolerance**

<b>5.1</b>	<b>Introduction</b>	160
5.1.1	Types of plasmid	160
5.1.2	Plasmid curing	161
5.1.3	Advantages of plasmid curing methods	163
5.1.4	Plasmid mediated metal resistance	164
<b>5.2</b>	<b>Materials and Methods</b>	165
5.2.1	Determination of metal tolerance profile of DK2AH2	165
5.2.2	Reagents used for plasmid preparation	165
5.2.3	Isolation of plasmid DNA (Maxi preparation)	166
5.2.4	Isolation of plasmid DNA (Mini preparation)	166
5.2.5	Agarose gel electrophoresis	167
5.2.6	Plasmid curing by acridine orange treatment	167
5.2.7	Recovery of plasmid cured colonies	168
5.2.8	Protein profiling of cured (DK2C) and uncured (DK2AH2) cultures	168
5.2.9	Detection of biofilm formation in DK2AH2 and DK2C cultures	168
5.2.10	Restriction digestion of the plasmid DNA	169
5.2.11	Elution of plasmid DNA from low melting agarose gel	170
5.2.12	Ligation of the restricted fragments into pBS vector	170
5.2.13	Preparation of competent cells and transformation of <i>E. coli</i> cells	170
5.2.14	Identification of bacterial colonies that contain recombinant plasmids by $\alpha$ - complementation method	170
5.2.15	Checking of clones for metal tolerance	171

5.2.16	Sequencing of the clones	171
5.2.17	Analysis of the sequences	171
<b>5.3</b>	<b>Results</b>	171
5.3.1	Metal resistance profile of <i>Acidiphilium</i> sp. DK2AH2	171
5.3.2	Detection of Plasmids in <i>Acidiphilium</i> sp. DK2AH2 and restriction analysis of the plasmid pDK2AH2	172
5.3.3	Curing of plasmids in <i>Acidiphilium</i> sp. DK2AH2 [using Acridine Orange (AcOr)]	174
5.3.4	Biofilm formation phenotype of <i>Acidiphilium</i> sp. DK2AH2 and DK2C	175
5.3.5	Cloning of the pDK2-5 and pDK2-9 fragments of pDK2AH2	175
5.3.6	Analyses of pDK2-3, pDK2-5, and pDK2-9 sequence	177
<b>5.4</b>	<b>Discussion</b>	183
<b>5.5</b>	<b>References</b>	188

	<b>GENERAL DISCUSSION &amp; SUMMARY</b>	192-217
--	---	---------

	<b>PUBLICATIONS</b>	218-219
--	---------------------	---------