

CONTENTS

1. INTRODUCTION	1
2. LITERATURE REVIEW	5
3. MATERIALS AND METHODS	28
3.1 Plant material	28
3.1.1. Selection	28
3.1.2. Growth and maintenance	29
3.2. Fungal culture	29
3.2.1. Source	29
3.2.2. Completion of Koch's postulate	30
3.2.3. Maintenance of stock culture	30
3.2.4. Assessment of mycelial growth	30
3.3. Inoculation technique	30
3.3.1. Detached leaf	30
3.3.2. Cut shoot	32
3.4. Disease assessment	32
3.4.1. Detached leaf	32
3.4.2. Cut shoot	32
3.5. Meteriological data	33
3.6. Extraction of phenolics	33
3.7. Estimation of phenol content	33
3.7.1. Total phenol	33
3.7.2. Orthodihydroxyphenol	34
3.8. Extraction of enzymes	34
3.8.1. Phenylalanine ammonia lyase	34
3.8.2. Peroxidase	34
3.9. Assay of enzyme activities	34
3.9.1. Phenylalanine ammonia lyase	34
3.9.2. Peroxidase	35
3.10. Collection of leaf diffusates and fungitoxic assay	35

3.11. Extraction of antifungal compound	36
3.11.1. Chromatographic analysis	36
3.11.2. Bioassay	36
3.11.2.1. Radial growth	36
3.11.2.2. Chromatogram inhibition	37
3.11.2.3. Spore germination	37
3.11.2.4. UV-spectrophotometric analysis	37
3.12. Cell wall of <i>Corticium theae</i>	38
3.12.1. Isolation	38
3.12.2. Preparation of mycelial wall extract	38
3.12.3. Estimation	38
3.12.3.1. Carbohydrate	38
3.12.3.2. Protein	39
3.12.4. Bioassay of mycelial wall extract	39
3.12.5. Characterization	39
3.13. Extraction of total soluble protein	40
3.13.1 Leaf protein	40
3.13.2 Mycelial protein	40
3.14 Estimation of total soluble protein content	40
3.15 Polyacrylamide gel electrophoresis of soluble protein	40
3.15.1 Preparation of gel solution	40
3.15.2 Preparation of gel	42
3.15.3 Sample preparation	43
3.15.4. Electrophoresis	43
3.15.5 Fixing	44
3.15.6 Staining	44
3.16 Preparation of antigen	44
3.16.1 Mycelial antigen	44
3.16.1 Leaf antigen	44
3.17 Production of polyclonal antibody	45
3.17.1 Rabbits and their maintenance	45
3.17.1 Immunization	45
3.17.2 Bleeding	45

3.18	Purification of IgG	46
3.18.1	Precipitation	46
3.18.2	Column preparation	46
3.18.3	Fraction collection	46
3.19	Immunodiffusion tests	47
3.19.1	Preparation of agarose slides	47
3.19.2	Diffusion	47
3.19.3	Washing, staining and drying of slides	47
3.20	Enzyme linked immunosorbent assay (ELISA)	47
3.21	Fluorescence antibody staining and microscopy	49
3.21.1	Mycelia and sclerotia	49
3.21.2	Cross-section of tea leaf	49
3.22	Dot blot	50
4.	EXPERIMENTAL	51-109
4.1.	Black rot disease occurrence under natural condition	51
4.2.	Correlation of weather conditions with occurrence of black rot disease	53
4.3.	Varietal resistance test of tea against <i>Corticium theae</i>	55
4.3.1.	Detached leaf	55
4.3.2.	Cut shoot	58
4.4.	Determination of levels of phenolics in healthy and <i>C theae</i> inoculated tea leaves	62
4.4.1.	Total phenols	62
4.4.2.	Orthodihydroxy phenols	62
4.5.	Determination of enzyme activity in healthy and <i>C.theae</i> inoculated tea leaves	67
4.5.1.	Peroxidase	67
4.5.2.	Phenylalanine ammonia lyase	67
4.6.	Studies on the biological activities of leaf diffusates of tea	72
4.7.		
4.7.	Characterization of simple phenolics in healthy tea leaves	73
4.8	Detection of antifungal compounds in tea leaves after challenged with <i>C. theae</i>	74
4.8.1	Radial growth bioassay	74

4.8.2. Chromogenic spray	76
4.8.3. TLC plate bioassay	77
4.8.4. Glass slide bioassay	77
4.8.5. UV-spectrophotometric analysis	78
4.9. Studies on elicitors of <i>C. theae</i>	79
4.9.1. Determination of nature of disease reaction elicited by the elicitor	80
4.9.2. Bioassay of diffusible compounds elicited by the elicitor	80
4.9.3. Con A-FITC binding	84
4.10. Analysis of host-parasite protein	84
4.10.1 Determination of levels of soluble proteins in healthy and <i>C. theae</i> inoculated tea leaves	84
4.10.2. SDS-PAGE analysis of mycelial and cell wall proteins of <i>C. theae</i>	88
4.11. Detection of cross reactive antigens (CRA) between <i>C. theae</i> and tea varieties	90
4.11.1. Immunodiffusion tests	90
4.11.2. Direct antigen coated enzyme linked immunosorbent assay (DAC-ELISA)	94
4.11.2.1. Optimization of ELISA	94
4.11.2.1.1. Enzyme dilution	94
4.11.2.1.2. Antiserum dilution	95
4.11.2.1.3. Antigen dilution	97
4.11.2.2. Comparison of ELISA reactivity among antigens of different tea varieties against antiserum of <i>C. theae</i>	99
4.11.2.3. Detection of <i>C. theae</i> in tea leaf tissue by DAC-ELISA	106
4.11.2.4. Detection of <i>C. theae</i> by Dot blot	106
4.12. Cellular location of CRA using immunofluorescence	106
4.12.1. Tea leaf tissue	107
4.12.2. Mycelia	107
4.12.3. Sclerotia	107
5. DISCUSSION	110
6. SUMMARY	121
7. REFERENCES	124