

BIBLIOGRAPHY

- Abdel Latef AA, Chaoxing H. 2011. Effect of arbuscular mycorrhizal fungi on growth, mineral nutrition, antioxidant enzymes activity and fruit yield of tomato grown under salinity stress. *Scientia Horticulturae*. 127: 228-233.
- Abdulah R, Faried A, Kobayashi K, Yamazaki C, Suradji EW, Ito K, Suzuki K, Murakami M, Kuwano H, Koyama H. 2009. Selenium enrichment of broccoli sprout extract increases chemosensitivity and apoptosis of LNCaP prostate cancer cells. *BMC Cancer*. doi:10.1186/1471-2407-9-414
- Ademiluyi AO, Oboh G. 2008. Antioxidant properties of methanolic extracts of mistletoes (*Viscum album*) from cocoa and cashew trees in Nigeria. *African Journal of Biotechnology*. 7: 3138-3142.
- Aebi H. 1983. Catalase. In: *Methods of Enzymatic Analysis*. Verlag Chemie, Weinheim, Adamse. 3: pp. 273-277
- Aggarwal BB, Shishodia S. 2006. Molecular targets of dietary agents for prevention and therapy of cancer. *Biochem Pharmacol*. 71: 1397-1421.
- Aharoni A, Jongsma MA, Bouwmeester HJ. 2005. Volatile science? Metabolic engineering of terpenoids in plants. *Trends in Plant Science*. 10: 594-602.
- Ahmad P, Abdel Latef AA, Hashem A, Abd-Allah EF, Gucel S, Tran LSP. 2016. Nitric oxide mitigates salt stress by regulating levels of osmolytes and antioxidant enzymes in chickpea. *Frontiers in Plant Science*. doi: 10.3389/fpls.2016.00347.
- Ahmad P, Ozturk M, Sharma S, Gucel S. 2014. Effect of sodium carbonate-induced salinity-alkalinity on some key osmoprotectants, protein profile, antioxidant enzymes, and lipid peroxidation in two mulberry (*Morus alba* L.) cultivars. *Journal of Plant Interaction*. 9: 460-467.
- Ahmad P. 2010. Growth and antioxidant responses in mustard (*Brassica juncea* L.) plants subjected to combined effect of gibberellic acid and salinity. *Archives of Agronomy and Soil Science*. 56: 575-588. doi:10.1080/03650340903164231.
- Ahmed MA, Abd-El M, Osman HEH. 2011. Elicitation of trigonelline and 4-hydroxyisoleucine with hypoglycemic activity in cell suspension cultures of *Trigonella foenum graecum* L. *Open Conference Proceedings Journal*. 2: 80-87.

- Alcazar R, Altabella T, Marco F, Bortolotti C, Reymond M, Koncz C, Carrasco P, Tiburcio AF. 2010. Polyamines: molecules with regulatory functions in plant abiotic stress tolerance. *Planta*. 231: 1237-1249.
- Alcazar R, Marco F, Cuevas JC, Patron M, Fernando A, Carrasco P, Tiburcia AF, Altabella T. 2006. Involvement of polyamines in plant responses to abiotic stress. *Biotechnology Letters*. 28: 1867-1876.
- Alet AI, Sanchez DH, Cuevas JC, Del Valle S, Altabella T, Tiburcio AF, Marco F, Ferrando A, Espasandin FD, Gonzalez ME, Ruiz OA, Carrasco P. 2011. Putrescine accumulation in *Arabidopsis thaliana* transgenic lines enhances tolerance to dehydration and freezing stress. *Plant Signaling and Behavior*. 6: 278-286.
- Al-Hakimi AM, Hamada AM. 2011. Ascorbic acid, thiamine or salicylic acid induced changes in some physiological parameters in wheat grown under copper stress. *Plant Protection Science*. 47: 92-108.
- Ali R, Ma W, Lemtiri-Chlieh F, Tsaltas D, Leng Q, von Bodman S, Berkowitz GA. 2007. Death don't have no mercy and neither does calcium: *Arabidopsis* cyclic nucleotide gated channel 2 and innate immunity. *Plant Cell*. 19: 1081-1095.
- Al-Saikhan MS, Howard LR, Miller JC Jr. 1995. Antioxidant activity and total phenolics in different genotypes of potato (*Solanum tuberosum*, L.). *Journal of Food Science*. 60: 341-343.
- Alscher RG, Erturk N, Heath LS. 2002. Role of superoxide dismutases (SODs) in controlling oxidative stress in plants. *Journal of Experimental Botany*. 53: 1331-1341.
- Altuntas E, Ozgoz E, Taser OF. 2005. Some physical properties of fenugreek (*Trigonella foenum-graceum* L.) seeds. *J Food Eng*. 71: 37-43.
- Aly AA, Mohamed AA. 2012. The impact of copper ion on growth, thiol compounds and lipid peroxidation in two maize cultivars (*Zea mays* L.) grown *in vitro*. *Australian Journal of Crop Science*. 6(3): 541-549.
- Amaro CAB, Gonzalez-Cortazar M, Herrera-Ruiz M, Roman-Ramos R, Aguilar-Santamaria L, Tortoriello J, Jimenez-Ferrer E. 2014. Hypoglycemic and hypotensive activity of a root extract of *Smilax aristolochiifolia*, standardized on N-trans-feruloyl-tyramine. *Molecules*. 19: 11366-11384.

- Amici M, Bonfili L, Spina M, Cecarini V, Calzuola I, Marsili V, Angeletti M, Fioretti E, Tacconi R, Gianfranceschi GL, Eleuteri AM. 2008. Wheat sprout extract induces changes on 20S proteasomes functionality. *Biochimie*. 90: 790-801.
- Andarwulan N, Batari R, Sandrasari DA, Bolling B, Wijaya N. 2010. Flavonoid content and antioxidant activity of vegetables from Indonesia. *Food Chemistry*. 121: 1231-1235.
- Anuradha CV, Ravikumar P. 2001. Restoration on tissue antioxidants by fenugreek seeds (*Trigonella foenum graecum*) in alloxan-diabetic rats. *Indian Journal of Physiology and Pharmacology*. 45(4): 408-420.
- Apak R, Gorinstein S, Bohm V, Schaich KM, Ozyurek M. 2013. Guclu K Methods of measurement and evaluation of natural antioxidant capacity/activity. *Pure and Applied Chemistry*. 85: 957-998.
- Apel K, Hirt H. 2004. Reactive oxygen species: metabolism, oxidative stress, and signal transduction. *Annual Review of Plant Biology*. 55: 373-399.
- Arshi A, Abdin MZ, Iqbal M. 2006. Effects of CaCl₂ on growth performance, photosynthetic efficiency and nitrogen assimilation of *Cichorium intybus* L. grown under NaCl stress. *Acta Physiologiae Plantarum*. 28: 137-147.
- Arts IC, Hollman PC. 2005. Polyphenols and disease risk in epidemiologic studies. *American Journal of Clinical Nutrition*. 81 (S1): 317S-325.
- Aruoma OI. 1994. Nutrition and health aspects of free radicals and antioxidants. *Food and Chemical Toxicology*. 32: 671-683.
- Asada K. 2006. Production and scavenging of reactive oxygen species in chloroplasts and their functions. *Plant Physiology*. 141: 391-396.
- Asano N. 2009. Sugar-mimicking glycosidase inhibitors: bioactivity and application. *Cellular and Molecular Life Sciences*. 66: 1479-1492.
- Ashraf MPJC, Harris PJC. 2004. Potential biochemical indicators of salinity tolerance in plants. *Plant Science*. 166: 3-16.
- Aslam R, Bostan N, Nabgha-e-Amen, Maria M, Safdar W. 2011. A critical review on halophytes: Salt tolerant plants. *Journal of Medicinal Plants Research*. 5: 7108-7118.
- Attucci S, Carde JP, Raymond P, Saint Gès V, Spiteri A, Pradet A. 1991. Oxidative phosphorylation by mitochondria extracted from dry sunflower seeds. *Plant Physiology*. 95: 390-398.

- Baenas N, García-Viguera C, Moreno DA. 2014. Biotic elicitors effectively increase the glucosinolates content in brassicaceae sprouts. *Journal of Agricultural and Food Chemistry*. 62: 1881-1889.
- Baenas N, Garcia-Viguera C, Moreno DA. 2014. Elicitation: A tool for enriching the bioactive composition of foods. *Molecules*. 19(9): 13541-13563.
- Bahadoran Z, Mirmiran P, Azizi F. 2013. Dietary polyphenols as potential nutraceuticals in management of diabetes: A review. *Journal of Diabetes and Metabolic Disorders*. 12: 43-52.
- Bahadoran Z, Tohidi M, Nazeri P, Mehran M, Azizi F, Mirmiran P. 2012. Effect of broccoli sprouts on insulin resistance in type 2 diabetic patients: a randomized double-blind clinical trial. *International Journal of Food Sciences and Nutrition*. 63(7): 767-771.
- Balakumar T, Vincent VHB, Paliwal K. 1993. On the interaction of UV-B radiation (280-315 nm) with water stress in crop plants. *Physiologia Plantarum*. 87: 217-222.
- Ball L, Accotto GP, Bechtold U, Creissen G, Funck D, Jimenez A, Kular B, Leyland N, Mejia-Carranza J, Reynolds H, Karpinski S, Mullineaux PM. 2004. Evidence for a direct link between glutathione biosynthesis and stress defense gene expression in Arabidopsis. *The Plant Cell*. 16: 2448-2462.
- Baratta MT, Dorman HJD, Deans SG. 1998. Chemical composition, antimicrobial and antioxidative activity of laure, sage, rosemary, oregano and coriander essential oils. *Journal of Essential Oil Research*. 10: 618-627.
- Barker AV, Pilbeam DJ. 2007. Handbook of Plant Nutrition. Taylor & Francis Group, Boca New York, USA. pp: 121-144.
- Basch E, Ulbricht C, Kuo G, Szapary P, Smith M. 2003. Therapeutic applications of fenugreek. *Alternative Medicine Review*. 8: 20-27.
- Baskin JM, Baskin CC. 2004. A classification system for seed dormancy. *Seed Science Research*. 14: 1-16.
- Bast A, Haenen GR. 2013. Ten misconceptions about antioxidants. *Trends in Pharmacological Sciences*. 34: 430-436.
- Bates LS, Walderen RP, Teare ID. 1973. Rapid determination of free proline for water stress studies. *Plant and Soil*. 39: 205-207

- Batistic O, Kudla J. 2009. Plant calcineurin B-like proteins and their interacting protein kinases. *Biochimica et Biophysica Acta*. 1793: 985-992.
- Batistic O, Kudla J. 2012. Analysis of calcium signaling pathways in plants. *Biochimica et Biophysica Acta*. 1820: 1283-1293.
- Bauchet N, Barrier L, Famconneu B. 1998. Radical scavenging activity and antioxidant properties of tannins from *Guiera senegalensis* (Combretaceae). *Phytotherapy Research*. 12: 159-162.
- Beligni MV, Lamattina L. 1999. Nitric oxide counteracts cytotoxic processes mediated by reactive oxygen species in plant tissues. *Planta*. 208: 337-344.
- Beligni MV, Lamattina L. 2002. Nitric oxide interferes with plant photo-oxidative stress by detoxifying reactive oxygen species. *Plant, Cell and Environment*. 25: 737-748.
- Bellaire BA, Carmody J, Braud J, Gossett DR, Banks SW, Lucas MC, Fowler TE. 2000. Involvement of abscisic acid dependent and independent pathways in the upregulation of antioxidant enzyme activity during NaCl stress in cotton callus tissue. *Free Radical Research*. 33: 531-545.
- Benzie IFF, Strain JJ. 1996. The Ferric reducing ability of plasma (FRAP) as a measure of "antioxidant power": the FRAP assay. *Analytical Biochemistry*. 239: 70-76.
- Besson-Bard A, Pugin A, Wendehenne D. 2008. New insights into nitric oxide signaling in plants. *Annual Review of Plant Biology*. 59: 21-39.
- Bethke PC, Badger MR, Jones RL. 2004. Apoplastic synthesis of nitric oxide by plant tissues. *The Plant Cell*. 16: 332-341.
- Bewley JD, Black M. 1994. Seeds: Physiology of development and germination. Plenum Press New York, USA. pp: 127-128.
- Bewley JD. 1997. Seed germination and dormancy. *Plant Cell*. 9: 1055-1066.
- Bhattacharjee S. 2008. Calcium-dependent signaling pathway in the heat-induced oxidative injury in *Amaranthus lividus*. *Biologia Plantarum*. 52 (1): 137-140.
- Bhattacharjee S. 2008. Triadimefon pretreatment protects newly assembled membrane system and causes up-regulation of stress proteins in salinity stressed *Amaranthus lividus* L. during early germination. *Journal of Environmental Biology*. 29: 805-810.
- Bhattacharjee S. 2009. Involvement of calcium and calmodulin in oxidative and temperature stress of *Amaranthus lividus* L. during early germination. *Journal of Environmental Biology*. 30: 557-562.

- Billaud C, Adrian J. 2001. Fenugreek Composition, nutritional value and physiological properties. *Sciences des aliments*. 21(1): 3-26.
- Blois MS. 1958. Antioxidant determinations by the use of a stable free radical. *Nature*. 181: 199-1200.
- Blokhina O, Virolainen E, Fagerstedt KV. 2003. Antioxidants, oxidative damage and oxygen deprivation stress: a review. *Annals of Botany*. 91: 179-94.
- Bodi E, Fekete I, Andrási D, Kovács B. 2013. The role of selenium-enriched food sprouts with respect to our daily selenium needs. *European Chemical Bulletin*. 2(1): 46-48.
- Bordia A, Verma SK, Srivastava KC. 1997. Effect of ginger (*Zingiber officinale rose*) and fenugreek (*Trigonella foenum-graecum*) on blood lipids, blood sugar and platelet aggregation with coronary artery disease. *Prostaglandins Leukotrienes and Essential Fatty Acids*. 56: 379-384.
- Borell A, Carbonell L, Farras R, Puig-Parellada P, Tiburcio AF. 1997. Polyamines inhibit lipid peroxidation in senescing oat leaves. *Physiologia Plantarum*. 99: 385-390.
- Bramley PM. 2000. Is lycopene beneficial to human health? *Phytochemistry*. 54: 233-236.
- Brand-Williams W, Cuvelier ME, Berset C. 1995. Use of free radical method to evaluate antioxidant activity. *Lebensmittel Wissenschaft & Technologie*. 28: 25-30.
- Brul S, Coote P. 1999. Preservative agents in foods: Mode of action and microbial resistance. *International Journal of Food Microbiology*. 50: 1-17.
- Bueno P, Piqueras A, Kurepa J, Savouré A, Verbruggen N, Van Montagu M, Inze D. 1998. Expression of antioxidant enzymes in response to abscisic acid and high osmoticum in tobacco BY-2 cell cultures. *Plant Science*. 138: 27-34.
- Buyukokuroglu ME, Gulcin I, Oktay M, Kufrevioglu OI. 2001. *In vitro* antioxidant properties of dantrolene sodium. *Pharmacological Research*. 44: 491-494.
- Calliste CA, Kozłowski D, Duroux JL, Champavier Y, Chulia AJ, Trouillas P. 2010. A new antioxidant from wild nutmeg. *Food Chemistry*. 118: 489-496.
- Calliste CA, Trouillas P, Allais DP, Simon A, Duroux JL. 2001. Free radical scavenging activities measured by electron spin resonance spectroscopy and B16 cell antiproliferative behaviors of seven plants. *J. Agric. Food Chem*. 49: 3321-3327.

- Cao G, Sofic E, Prior RL. 1997. Antioxidant and prooxidant behavior of flavonoids: structure-activity relationships. *Free Radical Biology and Medicine*. 22: 749-760.
- Cavas L, Yurdakoc K. 2005. An investigation on the antioxidant status of the invasive alga *Caulerpa racemosa* var. *cylindracea* (Sonder) Verlaque, Huisman, et Boudoresque (Caulerpales, Chlorophyta). *Journal of Experimental Marine Biology and Ecology*. 325: 189-200.
- Ceriello A. 2006. Oxidative stress and diabetes-associated complications. *Endocrine Practice*. 12(1): 60-62.
- Cervato G, Carabelli M, Gervasio S, Cittera A, Cazzola R, Cestaro B. 2000. Antioxidant properties of oregano (*Origanum vulgare*) leaf extracts. *Journal of Food Biochemistry*. 24: 453-465.
- Cevallos-Casals BA, Cisneros-Zevallos L. 2010. Impact of germination on phenolic content and antioxidant activity of 13 edible seed species. *Food Chemistry*. 119: 1485-1490.
- Chakraborty P, Kumar S, Dutta D, Gupta V. 2009. Role of antioxidants in common health diseases. *Research Journal of Pharmacy and Technology*. 2: 238-244.
- Chanda S, Dave R. 2009. *In vitro* models for antioxidant activity evaluation and some medicinal plants possessing antioxidant properties: An overview. *African Journal of Microbiology Research*. 3(13): 981-996.
- Chandler SF, Dodds JH. 1993. The effect of phosphate, nitrogen and sucrose on the production of phenolics and solasodine in callus cultures of *Solanum laciniatum*. *Plant Cell Reports*. 2: 105-110.
- Chang KC, Harrold RL. 1988. Changes in selected biochemical components, *in vitro* protein digestibility and amino acids in two bean cultivars during germination. *Journal of Food Science*. 53(3): 783-787.
- Chang M, Liao L, Lin J, Liu Z, Hsu Y, Lee T. 2012. Modulation of antioxidant defense system and NADPH oxidase in *Pluchea indica* leaves by water deficit stress. *Botanical Studies*. 53: 45-54.
- Chatterjee A, Prakash SC. (Eds.). 1995. Treatise on Indian Medicinal Plants, Vol. 2. Council of Scientific and Industrial Research, New Delhi.
- Chaum S, Singh HP, Samphumphuang T, Kirdmanee C. 2012. Calcium-alleviated salt tolerance in indica rice (*Oryza sativa* L. spp. indica): Physiological and morphological changes. *Australian Journal of Crop Science*. 6: 176-1782.

- Cheeseman KH, Slater TF. 1993. An introduction to free radicals chemistry. *British Medical Bulletin*. 49: 481-493.
- Chelikani P, Fita I, Loewen PC. 2004. Diversity of structures and properties among catalases. *Cellular and Molecular Life Sciences*. 61(2): 192-208.
- Chen F, Nonogaki H, Bradford KJ. 2002. A gibberellin-regulated xyloglucan endotransglycosylase gene is expressed in the endosperm cap during tomato seed germination. *Journal of Experimental Botany*. 53: 215-223.
- Chinnici F, Bendini A, Gaianin A, Riponi C. 2004. Radical scavenging activities of peels and pulps cv. Golden delicious apple as related to their phenolic composition. *Journal of Agricultural and Food Chemistry*. 52: 4684-4689.
- Cho HY, Son SY, Rhee HS, Yoon SYH, Lee-Parsons CWT, Park JM. 2008. Synergistic effects of sequential treatment with methyl jasmonate, salicylic acid and yeast extract on benzophenanthridine alkaloid accumulation and protein expression in *Eschscholtzia californica* suspension cultures. *Journal of Biotechnology*. 135: 117-122.
- Cho MH, No HK, Prinyawiwatkul W. 2008. Chitosan treatments affect growth and selected quality of sunflower sprouts. *Journal of Food Science*. 73: S70-77.
- Chon S. 2013. Total polyphenols and bioactivity of seeds and sprouts in several legumes. *Current Pharmaceutical Design*. 19(34): 6112-6124.
- Conway WS, Sams CE, Wang CY, Abbot JA. 1994. Additive effects of postharvest calcium and heat treatments on reducing decay and maintaining quality in apples. *Journal of the American Society for Horticultural Science*. 119: 49-53.
- Cook NC, Samman S. 1996. Review: flavonoids-chemistry, metabolism, cardioprotective effects and dietary sources. *Journal of Nutritional Biochemistry*. 7(2): 66-76.
- Cooney RV, Harwood PJ, Custer LJ, Franke AA. 1994. Light-mediated conversion of nitrogen dioxide to nitric oxide by carotenoids. *Environmental Health Perspectives*. 102: 460-462.
- Crawford NM, Guo FQ. 2005. New insights into nitric oxide metabolism and regulatory functions. *Trends in Plant Sciences*. 4: 195-200.
- Croft KD. 1998. The chemistry and biological effects of flavonoids and phenolic acids. *Annals of New York Academy of Sciences*. 854: 435-442.

- Crupi P, Pichierri A, Milella RA, Perniola R, Antonacci D. 2014. Role of the physical elicitors in enhancing postharvest antioxidant capacity of table grape cv redglobe (*Vitis vinifera* L.). *Journal of Food Research*. 3. doi:10.5539/jfr.v3n2p61.
- D'Agostino L, DiPietro M, DiLuccia A. 2005. Nuclear aggregates of polyamines are supra molecular structures that play a crucial role in genomic DNA protection and conformation. *FEBS Journal*. 272: 3777-3787.
- da Silva AL, Dias DCFS, e Borges EEL, Ribeiro DM, da Silva LJ. 2015. Effect of sodium nitroprusside (SNP) on the germination of *Senna macranthera* seeds (DC. ex Collad.) H.S. Irwin & Baneby under salt stress. *Journal of Seed Science*. 37(4): 236-243.
- De Gara L, De Pinto MC, Arrigoni O. 1997. Ascorbate synthesis and ascorbate peroxidase activity during the early stage of wheat germination. *Plant Physiology*. 100: 894-900.
- De la Pena Moreno F, Monagas M, Blanch GP, Bartolome B, Ruiz del Castillo ML. 2010. Enhancement of anthocyanins and selected aroma compounds in strawberry fruits through methyl jasmonate vapor treatment. *European Food Research and Technology*. 230: 989-999.
- Dean JV, Harper JE. 1988. The conversion of nitrite to nitrogen oxide(s) by the constitutive NAD(P)H-nitrate reductase enzyme from soybean. *Plant Physiology*. 88: 389-395.
- Deepa N, Kaur C, George B, Singh B, Kapoor HC. 2007. Antioxidant constituents in some sweet pepper (*Capsicum annuum* L.) genotypes during maturity. *LWT- Food Science and Technology*. 40: 121-129.
- del Rio LA, Corpas FJ, Barroso JB. 2004. Nitric oxide and nitric oxide synthase activity in plants. *Phytochemistry*. 65: 783-792.
- Delledonne M, Murgia I, Ederle D, Sbicego PF, Biondani A, Polverari A, Lamb C. 2002. Reactive oxygen intermediates modulate nitric oxide signaling in the plant hypersensitive disease-resistance response. *Plant Physiology and Biochemistry*. 40: 605-610.
- Dewick PM. 2009. The Shikimate Pathway: Aromatic Amino Acids and Phenylpropanoids. In: *Medicinal Natural Products: A Biosynthetic Approach*. John Wiley & Sons, Ltd; Chichester, UK. doi: 10.1002/9780470742761.ch4

- Dewir YH, Chakrabarty D, Ali MB, Hahna EJ, Paek KY. 2006. Lipid peroxidation and antioxidant enzyme activities of *Euphorbia millii* hyperhydric shoots. *Environmental and Experimental Botany*. 58: 93-99.
- Dinis TCP, Madeira VMC, Almeida LM. 1994. Action of phenolic derivatives (acetaminophen, salicylate, and 5-aminosalicylate) as inhibitors of membrane lipid peroxidation and peroxy radical's scavengers. *Archives of Biochemistry and Biophysics*. 315: 161.
- Doblado R, Frias J, Vidal-Valverde C. 2007. Changes in vitamin C content and antioxidant capacity of raw and germinated cowpea (*Vigna sinensis* var. *carilla*) seeds induced by high pressure treatment. *Food Chemistry*. 101: 918-923.
- Dodd AN, Kudla J, Sanders D. 2010. The language of calcium signaling. *Annual Review of Plant Biology*. 61: 593-620.
- Doke N. 1983. Involvement of superoxide anion generation in hypersensitive response of potato tuber tissues to infection with an incompatible race of *Phytophthora infestans*. *Physiological Plant Pathology*. 23: 345-347.
- Dong HQ, Li M, Zhu F, Liu FL, Huang JB. 2012. Inhibitory potential of trilobatin from *Lithocarpus polystachyus* Rehd against α -glucosidase and α -amylase linked to type 2 diabetes. *Food Chemistry*. 130: 261-266.
- Dong YJ, Jinc SS, Liu S, Xu LL, Kong J. 2014. Effects of exogenous nitric oxide on growth of cotton seedlings under NaCl stress. *Journal of Soil Science and Plant Nutrition*. 14(1): 1-13.
- Du CX, Fan HF, Guo SR. 2010. Applying spermidine for differential responses of antioxidant enzymes in cucumber subjected to short-term salinity. *Journal of the American Society for Horticultural Science*. 135(1): 18-24.
- Du LQ, Poovaiah BW. 2005. Ca^{2+} /calmodulin is critical for brassinosteroid biosynthesis and plant growth. *Nature*. 437: 741-745.
- Du XL, Edelstein D, Rossetti L, Fantus IG, Goldberg H, Ziyadeh F, Wu J, Brownlee M. 2000. Hyperglycemia-induced mitochondrial superoxide overproduction activates the hexosamine pathway and induces plasminogen activator inhibitor-1 expression by increasing Sp1 glycosylation. *Proceedings of National Academy Sciences of USA*. 97:12222-6.

- Duenas M, Martinez-Villaluenga C, Limon RI, Penas E, Frias J. 2015. Effect of germination and elicitation on phenolic composition and bioactivity of kidney beans. *Food Research International*. 70: 55-63.
- Durgo K, Vukovi L, Rusak G, Osmak M, Colic JF. 2007. Effect of flavonoids on glutathione level, lipid peroxidation and cytochrome P450 CYP1A1 expression in human laryngeal carcinoma cell lines. *Food Technology and Biotechnology*. 45(1): 69-79.
- Ehrenschaft M, Brambl R. 1990. Respiration and mitochondrial biogenesis in germinating embryos of maize. *Plant Physiology*. 93: 295-304.
- El-Beltagi HS, Ahmed OK, Hegazy AE. 2015. Molecular role of nitric oxide in secondary products production in *Ginkgo biloba* Cell suspension culture. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*. 43(1): 12-18.
- El-Soud NHA, Khalil MY, Hussein JS, Oraby FSH, Farrag ARH. 2007. Antidiabetic effects of fenugreek alkaloid extract in streptozotocin induced hyperglycemic rats. *Journal of Applied Sciences Research*. 3(10):1073-1083.
- Enayde DA, Lima V, Maciel M. 2006. Polyphenol, ascorbic acid and total carotenoids content in common fruit and vegetables. *Brazilian Journal of Food Technology*. 9: 89-96.
- Evans JL, Goldfine ID, Maddux BA, Grodsky GM. 2002. Oxidative stress and stress-activated signaling pathways: a unifying hypothesis of type 2 diabetes. *Endocrine Reviews*. 23(5): 599-622.
- Evans RJ. 1997. Optimizing lipid stability with natural antioxidants. In: *Natural Antioxidants*. AOCS Press, Champaign, IL (USA). pp: 224–244.
- Evelin H, Kapoor R. 2014. Arbuscular mycorrhizal symbiosis modulates antioxidant response in salt-stressed *Trigonella foenum-graecum* plants. *Mycorrhiza*. 24: 197-208.
- Farag MA, Porzel A, Wessjohann LA. 2015. Unravelling the active hypoglycaemic agent trigonelline in *Balanites aegyptiaca* date fruit using metabolite fingerprinting by NMR. *Journal of Pharmaceutical and Biomedical analysis*. 115: 383-387.
- Fernandez-Orozco R, Frias J, Zielinski H, Piskula MK, Kozłowska H, Vidal-Valverde C. 2008. Kinetic study of the antioxidant compounds and antioxidant capacity during germination of *Vigna radiata* cv. emerald, *Glycine max* cv. Jutro and *Glycine max* cv. Merit. *Food Chemistry*. 111: 622-630.

- Ferrari S. 2010. Biological elicitors of plant secondary metabolites: Mode of action and use in the production of nutraceuticals. *Advances in Experimental Medicine and Biology*. 698: 152-166.
- Finch-Savage WE, Leubner-Metzger G. 2006. Seed dormancy and the control of germination. *New Phytologist*. 171: 501-523.
- Foresi N, Correa Aragunde N, Parisi G, Calo G, Salerno G, Lamattina L. 2010. Characterization of a nitric oxide synthase from the plant kingdom: NO generation from the green alga *Ostreococcus tauri* is light irradiance and growth phase dependent. *The Plant Cell*. 22: 3816-3830.
- Foyer CH, Fletcher JM. 2001. Plant antioxidants: colour me healthy. *Biologist*. 48: 115-120.
- Foyer CH, Lopez-Delgado H, Dat JF, Schott IM. 1997. Hydrogen peroxide and glutathione associated mechanisms of acclamatory stress tolerance and signaling. *Physiologia Plantarum*. 100: 241-254.
- Frahry G, Schopfer P. 2001. NADH-stimulated, cyanide-resistant superoxide production in maize coleoptiles analyzed with a tetrazolium based assay. *Planta*. 212: 175-183.
- Freeman BA, Crapo JD. 1982. Biology of disease: Free radicals and tissue injury. *Laboratory Investigation*. 47: 412-26.
- Fu J, Huang B. 2001. Involvement of antioxidants and lipid peroxidation in the adaptation of two cool-season grasses to localized drought stress. *Environmental and Experimental Botany*. 45: 105-114.
- Fujita M, Fujita Y, Noutoshi Y, Takahashi F, Narusaka Y, Yamaguchi-Shinozaki K, Shinozaki K. 2006. Crosstalk between abiotic and biotic stress responses: a current view from the points of convergence in the stress signaling networks. *Current Opinion in Plant Biology*. 9: 436-442.
- Galston AW, Kaur-Sawhney R, Altabella T, Tiburcio AF. 1997. Plant polyamines in reproductive activity and response to abiotic stress. *Botanica Acta*. 110: 197-207.
- Gan RY, Xu XR, Song FL, Kuang L, Li HB. 2010. Antioxidant activity and total phenolic content of medicinal plants associated with prevention and treatment of cardiovascular and cerebrovascular diseases. *Journal of Medicinal Plant Research*. 4: 2438-2444.
- Garcia AB, Engler JA, Iyer S, Gerats T, Van Montagu M, Caplan AB. 1997. Effects of osmoprotectants upon NaCl stress in rice. *Plant Physiology*. 115: 159-169.
- Garcia JM, Herrera S, Morilla A. 1996. Effects of postharvest dips in calcium chloride on strawberry. *Journal of Agricultural and Food Chemistry*. 44: 30-33.

- Garcia-Bailo B, El -Sohemy A, Haddad PS, Arora P, Benzaied F, Karmali M, Badawi A. 2011. Vitamins D, C, and E in the prevention of type 2 diabetes mellitus: modulation of inflammation and oxidative stress. *Biologics*. 5: 7-19.
- Garcia-Brugger A, Lamotte O, Vandelle E, Bourque S, Lecourieux D, Poinssot B, Wendehenne D, Pugin A. 2006. Early signalling events induced by elicitors of plant defenses. *Molecular Plant-Microbe Interactions*. 19: 711-724.
- Garcia-Legaz MF, Lopez-Gomez E, Beneyto JM, Navarro A, Sanchez-Blanco MJ. 2008. Physiological behaviour of loquat and anger rootstocks in relation to salinity and calcium addition. *Journal of Plant Physiology*. 165: 1049-1060.
- Garcia-Mata C, Gay R, Sokolovski S, Hills A, Lamattina L, Blatt MR. 2003. Nitric oxide regulates K⁺ and Cl⁻ channels in guard cells through a subset of abscisic acid-evoked signalling pathways. *Proceeding of the National Academy of Sciences. USA* 100:11116–21.
- Garg BK, Kathju S, Vyas SP, Lahiri AN. 1997. Alleviation of sodium chloride induced inhibition of growth and nitrogen metabolism of clusterbean by calcium. *Biologia Plantarum*. 39: 395-401.
- Garczarska M, Wojtyla L. 2008. Ascorbate and glutathione metabolism in embryo axes and cotyledons of germinating lupine seeds. *Biologia Plantarum*. 52(4): 681-686.
- Gazzani G, Papetti A, Massolini G, Daglia M. 1998. Anti- and pro-oxidant activity of water soluble components of some common diet vegetables and the effect of thermal treatment. *Journal of Agricultural and Food Chemistry*. 46: 4118-4122.
- German J. 1999. Food processing and lipid oxidation. *Advances in Experimental Medicine and Biology*. 459: 23-50.
- Ghamarian A, Abdollahi M, Su X, Amiri A, Ahadi A, Nowrouzi A. 2012. Effect of chicory seed extract on glucose tolerance test (GTT) and metabolic profile in early and late stage diabetic rats. *DARU Journal of Pharmaceutical Sciences*. 20: 56. doi:10.1186/2008-2231-20-56.
- Ghanta S, Chattopadhyay S. 2011. Glutathione as a signaling molecule : Another challenge to pathogens. *Plant Signaling & Behavior*. 6(6): 783-788.
- Giacco F, Brownlee M. 2010. Oxidative stress and diabetic complications. *Circulation Research*. 107(9): 1058-1070.

- Giannopolitis CN, Ries SK. 1977. Superoxide dismutase I. Occurrence in higher plants. *Plant Physiology*. 59: 309-314.
- Gill KS, Sharma PC. 1993. Mechanism of salt injury at seedling and vegetative growth stage in *Cajanus cajan* (L.) Millsp. *Plant Physiology and Biochemistry*. 20: 49-52.
- Gill SS, Tuteja N. 2010. Polyamines and abiotic stress tolerance in plants. *Plant Signaling and Behavior*. 5(1): 26-33.
- Gomez LD, Noctor G, Knight MR, Foyer CH. 2004. Regulation of calcium signaling and gene expression by glutathione. *Journal of Experimental Botany*. 55: 1851-1859.
- Gonclaves NB, de Carvalho VD, de A Gonclaves JR. 2000. Effects of calcium chloride and hot water treatment on enzyme activity and content of phenolic compounds in pineapples. *Pesquisa Agropecuaria Brasileira*. 35: 2075-2081.
- Gonzalez L, Gonzalez-Vilar M. 2001. Determination of relative water content In: *Handbook of Plant Ecophysiology*. Techniques, Reigosa Roger, MJ (Ed). Springer, Netherlands. pp: 207-212.
- Gould KS, Lamotte O, Klinguer A, Pugin A, Wendehenne D. 2003. Nitric oxide production in tobacco leaf cells: a generalized stress response? *Plant, Cell and Environment*. 26: 1851-1862.
- Gowda TSS, Dinesha R, Harsha R, Srinivasa L. 2010. Free radical scavenging activity of lutein-isolated from methi leaves (*Trigonella foenum graecum*). *International Journal of Pharmacy and Pharmaceutical Science*. 2: 2.113-117.
- Grattan SR, Grieve CM. 1999. Salinity-mineral nutrient relations in horticultural crops. *Scientia Horticulturae*. 78: 127-157.
- Griffith OW. 1980. Determination of glutathione and glutathione disulfide using glutathione reductase and 2-vinylpyridine. *Analytical Biochemistry*. 106: 207-212.
- Groppa MD, Benavides MP. 2008. Polyamines and abiotic stress: recent advances. *Amino Acids*. 34: 35-45.
- Gryniewicz G, Gadzikowska M. 2008. Tropane alkaloids as medicinally useful natural products and their synthetic derivatives as new drugs. *Pharmacological Reports*. 60(4):439-63.
- Guo Z, Tan J, Zhuo C, Wang C, Xiang B, Wang Z. 2014. Abscisic acid, H₂O₂ and nitric oxide interactions mediated cold-induced S-adenosyl methionine synthetase in *Medicago sativa* subsp.

- falcata* that confers cold tolerance through up-regulating polyamine oxidation. *Plant Biotechnology Journal*. doi: 10.1111/pbi.12166.
- Gupta AK, Kaur N. 2005. Sugar signalling and gene expression in relation to carbohydrate metabolism under abiotic stresses in plants. *Journal of Biosciences*. 30: 761-776.
- Gupta K, Dey A, Gupta B. 2013. Plant polyamines in abiotic stress responses. *Acta Physiologiae Plantarum*. 35: 2015-2036.
- Gupta KJ, Fernie AR, Kaiser WM, van Dongen JT. 2011. On the origins of nitric oxide. *Trends in Plant Science*. 16: 160-168.
- Gupta S, Agarwal VP, Gupta NK. 2012. Efficacy of putrescine and benzyladenine on photosynthesis and productivity in relation to drought tolerance in wheat (*Triticum aestivum* L.). *Physiology and Molecular Biology of Plants*. 18: 331-336.
- Gupta SK, Ghosal M, Choudhury D, Mandal P. 2014. Dynamic changes in antioxidant activity during floral development of *Couroupita guianensis*. *British Journal of Pharmaceutical Research*. 4: 676-694.
- Gurmani AR, Bano A, Khan SU, Din J, Zhang JL. 2011. Alleviation of salt stress by seed treatment with abscisic acid (ABA), 6-benzylaminopurine (BA) and chlormequat chloride (CCC) optimizes ion and organic matter accumulation and increases yield of rice (*Oryza sativa* L.). *Australian Journal of Crop Science*. 5(10): 1278-1285.
- Habib N, Ashraf M. 2014. Effect of exogenously applied nitric oxide on water relations and ionic composition of rice (*Oryza sativa* L.) plants under salt stress. *Pakistan Journal of Botany*. 46: 111-116.
- Habig WH, Jacoby WB. 1981. *Methods in Enzymology*. Academic Press, New York. pp: 398-405.
- Halliwell B, Gutteridge JMC, Cross CE. 1992. Free radicals, antioxidants and human disease. Where are we now? *Journal of Laboratory and Clinical Medicine*. 119: 598-620.
- Halliwell B. 1994. Free radicals, antioxidants and human disease: Curiosity, cause or consequence? *The Lancet*. 344: 721-724.
- Halliwell B. 2000. The antioxidant paradox. *The Lancet*. 355: 1179-1180.

- Hameed A, Farooq T, Hameed A, Ibrahim M, Sheikh MA, Basra SMA. 2015. Wheat seed germination, antioxidant enzymes and biochemical enhancements by sodium nitroprusside priming. *Agrochimica*. doi 10.12871/0021857201521.
- Hanafy KA, Krumenacker JS, Murad F. 2001. NO, nitrotyrosine, and cyclic GMP in signal transduction. *Medical Science Monitor*. 7: 801-819.
- Hao FS, Wang XC, Chen J. 2006. Involvement of plasma-membrane NADPH oxidase in nickel-induced oxidative stress in roots of wheat seedlings. *Plant Science*. 170: 151-158.
- Harborne JB. 1973. *Phytochemical methods*. Chapman and Hall, London Toppan Company Limited, Tokyo Japan.
- Harper JF, Harmon A. 2005. Plants, symbiosis and parasites: a calcium signalling connection. *Nature Reviews Molecular Cell Biology*. 6: 555-566.
- Hasegawa PM, Bressan RA, Zhu JK, Bohnert HJ. 2000. Plant cellular and molecular responses to high salinity. *Annual Review of Plant Physiology and Plant Molecular Biology*. 51: 463-499.
- Hashem A, Abd-Allah EF, El-Didamony G, Alwhibi Mona S, Egamberdieva D, Ahmad P. 2014. Alleviation of adverse impact of salinity on faba bean (*Vicia faba* L.) by arbuscular mycorrhizal fungi. *Pakistan Journal of Botany*. 46: 2003-2013.
- Hashimoto K, Kudla J. 2011. Calcium decoding mechanisms in plants. *Biochimie*. 93: 2054-2059.
- Hassimotto NMA, Genovese MI, Lajolo FM. 2005. Antioxidant activity of dietary fruits, vegetables, and commercial frozen fruit pulps. *Journal of Agricultural Food Chemistry*. 53: 2928-2935.
- Hayat S, Yadav S, Wani AS, Irfan M, Alyemini MN, Ahmad A. 2012. Impact of sodium nitroprusside on nitrate reductase, proline content, and antioxidant system in tomato under salinity stress. *Horticulture, Environment, and Biotechnology*. 53(5): 362-367.
- He L, Ban Y, Inoue H, Matsuda N, Liu J, Moriguchi T. 2008. Enhancement of spermidine content and antioxidant capacity in transgenic pear shoots overexpressing apple spermidine synthase in response to salinity and hyperosmosis. *Phytochemistry*. 69: 2133-2141.
- He X, Gao S. 2008. Changes of antioxidant enzyme and phenylalanine ammonia-lyase activities during *Chimonanthus praecox* seed maturation. *Zeitschrift für Naturforschung C*. 63: 569-573.

- He Y, Huang B. 2010. Differential responses to heat stress in activities and isozymes of four antioxidant enzymes for two cultivars of kentucky bluegrass contrasting in heat tolerance. *Journal of the American Society for Horticultural Science*. 135(2): 116-124.
- Hebbel RP, Leung A, Mohandas N. 1990. Oxidation-induced changes in microheological properties of the red cell membrane. *Blood*. 76: 1015-1022.
- Heinecke JW. 2003. Oxidative stress: New approaches to diagnosis and prognosis in atherosclerosis. *American Journal of Cardiology*. 91: 12-16.
- Hemeda HM, Klein BP. 1990. Effects of naturally occurring antioxidants on peroxidase activity of vegetable extracts. *Journal of Food Science*. 55: 184-185.
- Heo JH, Lee H, Lee KM. 2013. The possible role of antioxidant vitamin C in Alzheimer's disease treatment and prevention. *American Journal of Alzheimer's Disease & Other Dementias*. 28: 120-125.
- Hilal M, Parrado MF, Rosa M, Gallardo M, Orce L, Massa EM, Gonzalez JA, Prado FE. 2004. Epidermal lignin deposition in quinoa cotyledons in response to UV-B radiation. *Photochemistry and Photobiology*. 79: 205-210.
- Hirschi K. 2001. Vacuolar H⁺/Ca²⁺ transport: who's directing the traffic? *Trends in Plant Science*. 6: 100-104.
- Hogg N, Kalyanaraman B. 1999. Nitric oxide and lipid peroxidation. *Biochimica et Biophysica Acta*. 1411: 378-384.
- Holdsworth MJ, Bentsink L, Soppe WJ J. 2008. Molecular networks regulating Arabidopsis seed maturation, after ripening, dormancy and germination. *New Phytologist*. 179: 33-54.
- Horvath E, Szalai G, Janda T. 2007. Induction of abiotic stress tolerance by salicylic acid signaling. *Journal of Plant Growth Regulation*. 26(3): 290-300.
- Hou WC, Lin RD, Cheng KT, Hung YT, Cho CH, Chen CH, Hwang SY, Lee MH. 2003. Free radical scavenging activity of Taiwanese native plants. *Phytomedicine*. 10: 170-175.
- Howard LR, Smith RT, Wagner AB, Villalon B, Burns EE. 1994. Provitamin A and ascorbic acid content of fresh pepper cultivars (*Capsicum annuum*) and processed jalapenos. *Journal of Food Science*. 59: 362-365.

- Hu X, Wang W, Li C, Zhang J, Lin F, Zhang A, Jiang M. 2008. Cross-talks between Ca²⁺/CaM and H₂O₂ in abscisic acid-induced antioxidant defense in leaves of maize plants exposed to water stress. *Plant Growth Regulation*. 55: 183-198.
- Huang D, Ou B, Prior RL. 2005. The chemistry behind antioxidant capacity assays. *Journal of Agricultural and Food Chemistry*. 53: 1841-1856.
- Hussain SS, Ali M, Ahmad M, Siddique KHM. 2011. Polyamines: natural and engineered abiotic and biotic stress tolerance in plants. *Biotechnology Advances*. 29: 300-311.
- Igarashi K, Kashiwagi K. 2000. Polyamines: mysterious modulators of cellular functions. *Biochemical and Biophysical Research Communications*. 271: 559-564.
- Jaiswal J, Bhardwaj H, Srivastava S, Gautam H, Sharma S. 2014. Anti-diabetic activity of methanolic extract of *Calotropis gigantea* seeds on stz induced diabetic rats. *International Journal of Pharmacy and Pharmaceutical Sciences*. 6: 254-257.
- Jaleel CA, Gopi R, Gomathinayagam M, Panneerselvam R. 2008. Effects of calcium chloride on metabolism of salt-stressed *Dioscorea rotundata*. *Acta Biologica Cracoviensia Series Botanica*. 50(1): 63-67.
- Jaleel CA, Gopi R, Manivannan P, Panneerselvam R. 2007. Antioxidative potentials as a protective mechanism in *Catharanthus roseus* (L.) G. Don. plants under salinity stress. *Turkish Journal of Botany*. 31: 245-251.
- Jaleel CA, Manivannan P, Sankar B, Kishorekumar A, Gopi R, Somasundaram R, Panneerselvam R. 2007. Water deficit stress mitigation by calcium chloride in *Catharanthus roseus*: Effects on oxidative stress, proline metabolism and indole alkaloid accumulation. *Colloids and Surfaces B: Biointerfaces*. 60: 110-116.
- Jaleel CA, Manivannan P, Sankar B, Kishorekumar A, Panneerselvam R. 2007. Calcium chloride effects on salinity-induced oxidative stress, proline metabolism and indole alkaloid accumulation in *Catharanthus roseus*. *Comptes Rendus Biologies*. 330: 674-683.
- Janda T, Szalai G, Tari I, Páldi E. 1999. Hydroponic treatment with salicylic acid decreases the effects of chilling injury in maize (*Zea mays* L.) plants. *Planta*. 208: 175-180.
- Jani R, Udipi SA, Ghugre PS. 2009. Mineral content of complementary foods. *Indian Journal of Pediatrics*. 76: 37-44.

- Jiang M, Zhang J. 2002. Role of abscisic acid in water stress induced antioxidant defense in leaves of maize seedlings. *Free Radical Research*. 36: 1001-1015.
- Jiang MY, Zhang JH. 2002. Involvement of plasma membrane NADPH oxidase in abscisic acid and water stress-induced antioxidant defense in leaves of maize seedlings. *Planta*. 215: 1022-1030.
- Jiang MY, Zhang JH. 2003. Cross-talk between calcium and reactive oxygen species originated from NADPH oxidase in abscisic acid-induced antioxidant defence in leaves of maize seedlings. *Plant, Cell and Environment*. 26: 929-939.
- Jiang W, Huang B. 2001. Effects of calcium on antioxidant activities and water relations associated with heat tolerance in two cool-season grasses. *Journal of Experimental Biology*. 52: 341-349.
- Jimenez-Bremont JF, Marina M, Guerrero-Gonzalez ML, Rossi FR, Sanchez-Rangel D, Rodriguez-Kessler M, Ruiz OA, Garriz A. 2014. Physiological and molecular implications of plant polyamine metabolism during biotic interactions. *Frontiers in Plant Science*. 5: 95. doi: 10.3389/fpls.2014.00095
- Jin H, Zhang YJ, Jiang JX, Zhu LY, Chen P, Li J, Yao HY. 2013. Studies on the extraction of pumpkin components and their biological effects on blood glucose of diabetic mice. *Journal of Food and Drug Analysis*. 21: 184-189.
- Johansen JS, Harris AK, Rychly DJ, Ergul A. 2005. Oxidative stress and the use of antioxidants in diabetes: linking basic science to clinical practice. *Cardiovascular Diabetology*. 4(1): 5. doi:10.1186/1475-2840-4-5.
- Joshi N, Jain A, Arya K. 2013. Alleviation of salt stress in *Cucumis sativus* L. through seed priming with calcium chloride. *Indian Journal of Applied Research*. 3(11): 22-5.
- Juan M, Rivero RM, Romero L, Ruiz JM. 2005. Evaluation of some nutritional and biochemical indicators in selecting salt-resistant tomato cultivars. *Environmental and Experimental Botany*. 54: 193-201.
- Jung M, Park M, Lee HC, Kang Y, Kang ES, Kim SK. 2006. Antidiabetic agents from medicinal plants. *Current Medicinal Chemistry*. 13: 1203-1218.
- Kader MA, Lindberg S. 2010. Cytosolic calcium and pH signaling in plants under salinity stress. *Plant Signaling and Behavior*. 5(3): 233-238.
- Kagan VE, Tyurina YY. 1998. Recycling and redox cycling of phenolic antioxidants. *Annal of New York Academic Science*. 854: 425-434.

- Kang YY, Guo SR, Li J, Duan JJ. 2007. Effects of 24-epibrassinolide on antioxidant system in cucumber seedling roots under hypoxia stress. *Agricultural Sciences in China*. 6(3):281-289.
- Kannat SR, Chander R, Sharma A. 2007. Antioxidant potential of mint (*Mentha spicata* L.) in radiation processed lamb meat. *Food Chemistry*. 600: 451-458.
- Karim A, Nouman M, Munir S, Sattar S. 2011. Pharmacology and phytochemistry of Pakistani herbs and herbal drugs used for treatment of diabetes. *International Journal of Pharmacology*. 7: 419-439.
- Kasote DM, Katyare SS, Hegde MV, Bae H. 2015. Significance of antioxidant potential of plants and its relevance to therapeutic applications. *International Journal of Biological Sciences*. 11(8): 982-991.
- Kaur G, Sharma A, Guruprasad K, Pati PK. 2014. Versatile roles of plant NADPH oxidases and emerging concepts. *Biotechnology Advances*. 32: 551-563.
- Kaviarasan S, Naik GH, Gangabhairathi R, Anuradha CV, Priyadarsini KI. 2007. *In vitro* studies on antiradical and antioxidant activities of fenugreek (*Trigonella foenum graecum*) seeds. *Food Chemistry*. 103: 31-37.
- Kaya C, Ashraf M, Sonmez O, Tuna AL, Aydemir S. 2015. Exogenously applied nitric oxide confers tolerance to salinity-induced oxidative stress in two maize (*Zea mays* L.) cultivars differing in salinity tolerance. *Turkish Journal of Agriculture and Forest*. 39: 909-919.
- Kaya C, Higgs D, Saltali K, Gezeral O. 2002. Response of strawberry grown at high salinity and alkalinity to supplementary potassium. *Journal of Plant Nutrition*. 25(7): 1415-1427.
- Ke X, Cheng Z, Ma W, Gong M. 2013. Nitric oxide enhances osmoregulation of tobacco (*Nicotiana tobacum* L.) cultured cells under phenylethanoid glycosides (PEG) 6000 stress by regulating proline metabolism. *African Journal of Biotechnology*. 12(11): 1257-1266.
- Kennedy RA, Rumpho ME, Fox TC. 1992. Anaerobic metabolism in plants. *Plant Physiology*. 100: 1-6.
- Khan MIR, Iqbal N, Masood A, Per TS, Khan NA. 2013. Salicylic acid alleviates adverse effects of heat stress on photosynthesis through changes in proline production and ethylene formation. *Plant Signaling and Behavior*. doi: 10.4161/psb.26374.

- Khan MN, Siddiqui MH, Mohammad F, Naeem M, Masroor M, Khan A. 2010. Calcium chloride and gibberellic acid protect linseed (*Linum usitatissimum* L.) from NaCl stress by inducing antioxidative defence system and osmoprotectant accumulation. *Acta Physiologiae Plantarum*. 32: 121-132.
- Khan RA, Khan MR, Sahreen S, Ahmed M. 2012. Evaluation of phenolic contents and antioxidant activity of various solvent extracts of *Sonchus asper* (L.) Hill. *Chemistry Central Journal*. 6: 12.
- Khattak AB, Zeb A, Khan M, Bibi N, Khalil SA, Khattak IMS. 2007. Influence of germination techniques on phytic acid and polyphenols content of chickpea (*Cicer arietinum* L) sprouts. *Food Chemistry*. 104: 1074-1079.
- Kim HK, Choi HK, Verpoorte R. 2010. NMR-based metabolomic analysis of plants. *Nature Protocols*. 5: 536-549.
- Kim SK, Sohn EY, Joo GJ, Lee IJ. 2009. Influence of jasmonic acid on endogenous gibberellin and abscisic acid in salt-stressed chard plant. *Journal of Environmental Biology*. 30: 333-338.
- Kim SY, Lim JH, Park MR, Kim YJ, Park Tae TI, Seo YW, Choi KG, Yun SJ. 2005. Enhanced antioxidant enzymes are associated with reduced hydrogen peroxide in barley roots under saline stress. *Journal of Biochemistry and Molecular Biology*. 38(2): 218-224.
- Klepper LA. 1979. Nitric oxide (NO) and nitrogen dioxide (NO₂) emissions from herbicide-treated soybean plants. *Atmospheric Environment*. 13: 537-542.
- Kliebenstein DJ, Osbourn A. 2012. Making new molecules-evolution of pathways for novel metabolites in plants. *Current Opinion in Plant Biology*. 15: 415-23.
- Kone BC, Kuncewicz T, Zhang W, Yu ZY. 2003. Protein interactions with nitric oxide synthases: controlling the right time, the right place, and the right amount of nitric oxide. *American Journal of Physiology. Renal Physiology*. 285: 178-90.
- Kopyra M, Gwozd EA. 2003. Nitric oxide stimulates seed germination and counteracts the inhibitory effect of heavy metals and salinity on root growth of *Lupinus luteus*. *Plant Physiology and Biochemistry*. 41: 1011-1017.
- Korkina LG, Afanasev IB. 1997. Antioxidant and chelating properties of flavonoids. *Advances in Pharmacology*. 38: 151-163.
- Korkina LG. 2007. Phenylpropanoids as naturally occurring antioxidants: from plant defense to human health. *Cellular and Molecular Biology*. 53: 15-25.

- Krinsky NI. 1992. Mechanism of action of biological antioxidants. *Proceedings of the Society for Experimental Biology and Medicine*. 200: 248-54.
- Krishnaiah D, Sarbatly R, Nithyanandam R. 2011. A review of the antioxidant potential of medicinal plant species. *Food and Bioproducts Processing*. 89: 217-33.
- Kucera B, Cohn MA, Leubner-Metzger G. 2005. Plant hormone interactions during seed dormancy release and germination. *Seed Science Research*. 15: 281-307.
- Kumar KPS, Bhowmik D, Srivastava S, Paswan S, Dutta A. 2012. Diabetes epidemic in India-A comprehensive review of clinical features, management and remedies. *The Pharma Innovation*. 1(2): 17-33.
- Kumar S, Pandey AK. 2013. Chemistry and Biological Activities of Flavonoids: An Overview. *The Scientific World Journal*. doi.org/10.1155/2013/162750
- Kumarappan CT, Thilagam E, Mandal SC. 2012. Antioxidant activity of polyphenolic extracts of *Ichnocarpus frutescens*. *Saudi Journal of Biological Sciences*. 19: 349-355.
- Kurtzweil P. 1999. Questions keep sprouting about sprouts. *FDA Consumers*. 33(1):18-22.
- Kusano T, Berberich T, Tateda C, Takahashi Y. 2008. Polyamines: essential factors for growth and survival. *Planta*. 228: 367-381.
- Kusano T, Yamaguchi K, Berberich T, Takahashi Y. 2007. Advances in polyamine research. *Journal of Plant Research*. 120: 345-350.
- Lai HY, Lim YY. 2011. Evaluation of antioxidant activities of the methanolic extracts of selected ferns in Malaysia. *International Journal Environmental Science Development*. 2(6): 442-447.
- Laila O, Murtaza I. 2014. Seed sprouting: A way to health promoting treasure. *International Journal of Current Research and Review*. 6(23): 70-74.
- Lamattina L, Garcia-Mata C, Graziano M, Pagnussat G. 2003. Nitric oxide: the versatility of an extensive signal molecule. *Annual Review of Plant Biology*. 54: 109-136.
- Lamotte O, Courtois C, Dobrowolska G, Besson A, Pugin A, Wendehenne D. 2006. Mechanisms of nitric-oxide-induced increase of free cytosolic Ca²⁺ concentration in *Nicotiana plumbaginifolia* cells. *Free Radical Biology and Medicine*. 40: 1369-76.

- Larkindale J, Knight MR. 2002. Protection against heat stress induced oxidative damage in *Arabidopsis* involves calcium, abscisic acid, ethylene, and salicylic acid. *Plant Physiology*. 128: 682-695.
- Larson RA. 1995. Plant defenses against oxidative stress. *Archives of Insect Biochemistry Physiology*. 29: 175-186.
- Lecourieux D, Ranjeva R, Pugin A. 2006. Calcium in plant defence-signalling pathways. *New Phytologist*. 171: 249-269.
- Lee SH, An CS. 2005. Differential expression of three catalase genes in hot pepper (*Capsicum annuum* L.). *Molecular Cell*. 20: 247-255.
- Leopoldini M, Russo N, Chiodo S, Toscano M. 2006. Iron chelation by the powerful antioxidant flavonoid quercetin. *Journal of Agricultural Food Chemistry*. 54: 6343-6351.
- Li T, Hu Y, Du X, Tang H, Shen C, Wu J. 2014. Salicylic acid alleviates the adverse effects of salt stress in *Torreya grandis* cv. merrillii seedlings by activating photosynthesis and enhancing antioxidant systems. *Plosone*. 9:e109492. doi:10.1371/journal.pone.0109492.g006.
- Lin Y, Liu Z, Shi Q, Wang X, Wei M, Yang F. 2012. Exogenous nitric oxide (NO) increased antioxidant capacity of cucumber hypocotyls and radical under salt stress. *Scientia Horticulturae*. 142: 118-127.
- Liu JH, Kitashiba H, Wang J, Ban Y, Moriguchi T. 2007. Polyamines and their ability to provide environmental stress tolerance to plants. *Plant Biotechnology*. 24: 117-126.
- Liu S, Dong Y, Xu L, Kong J. 2014. Effects of foliar applications of nitric oxide and salicylic acid on salt-induced changes in photosynthesis and antioxidative metabolism of cotton seedlings. *Plant Growth Regulation*. 73: 67-68.
- Liu T, Stern A, Roberts LJ. 1999. The isoprostanes: Novel prostaglandin like products of the free radical catalyzed peroxidation of arachidonic acid. *Journal of Biomedical Science*. 6: 226-235.
- Liu TW, Wu FH, Wang WH, Chen J, Li ZJ, Dong XJ, Patton J, Pei ZM, Zheng HL. 2011. Effects of calcium on seed germination, seedling growth and photosynthesis of six forest tree species under simulated acid rain. *Tree Physiology*. 31: 402-413.
- Liu X, Huang B. 2000. Heat stress injury in relation to membrane lipid peroxidation in creeping bentgrass. *Crop Science*. 40: 503-510.

- Lobo V, Patil A, Phatak A, Chandra N. 2010. Free radicals, antioxidants and functional foods: Impact on human health. *Pharmacognosy Reviews*. 4(8): 118-126.
- Loukopoulos D. 2005. Combined therapy with deferiprone and desferrioxamine in thalassemia major. *Hematology Journal*. 90: 1305-1305.
- Lovell MA, Ehmann WD, Buffer BM, Markesberry WR. 1995. Elevated thiobarbituric acid reactive substances and antioxidant enzyme activity in the brain in Alzemers disease. *Neurology*. 45: 1594-1601.
- Lowry OH, Rosebrough NJ, Fair AL, Randall RJ. 1951. Protein measurement with folin phenol reagent. *The Journal of Biological Chemistry*. 193: 265-275.
- Luan S, Kudla J, Rodriguez-Concepcion M, Yalovsky S, Gruissem W. 2002. Calmodulins and calcineurin B-like proteins: Calcium sensors for specific signal response coupling in plants. *The Plant Cell*. 14: S389-400.
- Luo Q, Yu B, Liu Y. 2005. Differential sensitivity to chloride and sodium ions in seedlings of *Glycine max* and *Glycine soja* under NaCl stress. *Journal of Plant Physiology*. 162: 1003-1012.
- Ma R, Zhang M, Li B, Du G, Wang J, Chen J. 2005. The effects of exogenous Ca on endogenous polyamine levels and drought-resistant traits of spring wheat grown under arid conditions. *Journal of Arid Environments*. 63: 177-190.
- Madar Z, Shomer IJ. 1990. Polysaccharide composition of a gel fraction derived from fenugreek and its effect on starch digestion and bile acid absorption in rats. *J Agric Food Chem*. 38: 1535-1539.
- Madar Z. 1984. Fenugreek (*Trigonella foenum-graceum*) as a means of reducing postprandial glucose levels in diabetic rats. *Nutrition Reports International*. 29: 1267-1273.
- Maevskaya SN, Nikolaeva MK. 2013. Response of Antioxidant and Osmoprotective Systems of Wheat Seedlings to Drought and Rehydration. *Russian Journal of Plant Physiology*. 60(3): 343-350.
- Mahajan S, Tuteja N. 2005. Cold, salinity and drought stresses: An overview. *Archives of Biochemistry and Biophysics*. 444: 139-158.
- Maisarah AM, Nurul AB, Asmah R, Fauziah O. 2013. Antioxidant analysis of different parts of *Carica papaya*. *International Food Research Journal*. 20(3): 1043-1048.

- Mamaeva AS, Fomenkov AA, Nosov AV, Moshkov IE, Mur LAJ, Hall MA, Novikova GV. 2015. Regulatory role of nitric oxide in plants. *Russian Journal of Plant Physiology*. 62(4): 427-440.
- Manai J, Kalai T, Gouia H, Corpas FJ. 2014. Exogenous nitric oxide (NO) ameliorates salinity induced oxidative stress in tomato (*Solanum lycopersicum*) plants. *Journal of Soil Science and Plant Nutrition*. 14 (2): 433-446.
- Mandhania S, Madan S, Sawhney V. 2006. Antioxidant defence mechanism under salt stress in wheat seedlings. *Biologia Plantarum*. 50: 227-231.
- Manivannan A, Soundararajan P, Park YG, Jeong BR. 2016. Chemical elicitor-induced modulation of antioxidant metabolism and enhancement of secondary metabolite accumulation in cell suspension cultures of *Scrophularia kakudensis* Franch. *International Journal of Molecular Sciences*. doi:10.3390/ijms17030399.
- Manivannan P, Jaleel CA, Sankar B, Somasundaram R, Murali PV, Sridharan R, Panneerselvam R. 2007. Salt stress mitigation by calcium chloride in *Vigna radiata* (L.) Wilczek. *Acta Biologica Cracoviensia Series Botanica*. 49(2): 105-109.
- Mansour EH, El-Adawy TA. 1994. Nutritional potential and functional properties of heat-treated and germinated fenugreek seeds. *Lebensmittel-Wissenschaft & Technology*. 27(6): 578-572.
- Mao X, Zhang L, Xia Q, Sun Z, Zhao X, Cai H, Yang X, Xia Z, Tang Y. 2008. Vanadium-enriched chickpea sprout ameliorated hyperglycemia and impaired memory in streptozotocin-induced diabetes rats. *Biometals*. 21(5): 563-570.
- Marrs KA. 1996. The function and regulation of glutathione-S-transferases in plants. *Annual Review of Plant Physiology and Plant molecular Biology*. 47: 127-158.
- Martin-Tanguy J. 2001. Metabolism and function of polyamines in plants: recent development (new approaches). *Plant Growth Regulation*. 34: 135-148.
- Mathur M, Kamal R. 2012. Studies on trigonelline from *Moringa oleifera* and its *in vitro* regulation by feeding precursor in cell cultures. *Brazilian Journal of Pharmacognosy*. 22(5): 994-1001.
- Matysik J, Alia A, Bhalu B, Mohanty P. 2002. Molecular mechanisms of quenching of reactive oxygen species by proline under stress in plants. *Current Science*. 82: 525-532.
- Maughan SC, Pasternak M, Cairns N, Kiddle G, Brach T, Jarvis R, Haas F, Nieuwland J, Lim B, Muller C, Salcedo-Sora E, Kruse C, Orsel M, Hell R, Miller AJ, Bray P, Foyer CH, Murray JA,

- Meyer AJ, Cobbett CS. 2010. Plant homologs of the *Plasmodium falciparum* chloroquine-resistance transporter, PfCRT, are required for glutathione homeostasis and stress responses. *Proceeding of the National Academy of Sciences USA*; 107: 2331-2336.
- Mayer-Davis EJ, Costacou T, King I, Zaccaro DJ, Bell RA. 2002. Plasma and dietary vitamin E in relation to incidence of type 2 diabetes: The Insulin Resistance and Atherosclerosis Study (IRAS). *Diabetes Care*. 25(12): 2172-2177.
- Meghwal M, Goswami TK. 2012. A review on the functional properties, nutritional content, medicinal utilization and potential application of fenugreek. *Journal of Food Processing and Technology*. doi:10.4172/2157-7110.1000181
- Meriga B, Reddy BK, Rao KR, Reddy LA, Kishor PBK. 2004. Aluminium-induced production of oxygen radicals, lipid peroxidation and DNA damage in seedlings of rice (*Oryza sativa*). *Journal of Plant Physiology*. 161: 63-68.
- Metodiewa D, Koska C. 2000. Reactive oxygen species and reactive nitrogen species: Relevance to cyto (neuro) toxic events and neurologic disorders. *Neurotoxicity Research*. 1: 197-233.
- Michalak A. 2006. Phenolic compounds and their antioxidant activity in plants growing under heavy metal stress. *Polish Journal of Environmental Studies*. 15: 523-530.
- Minocha R, Majumdar R, Minocha SC. 2014. Polyamines and abiotic stress in plants: a complex relationship. *Frontiers in Plant Science*. 5: 6-22.
- Mitra A, Bhattacharya D. 2006. Dose-dependent effects of fenugreek composite in diabetes with dislipidaemia. *Internet Journal of Food Safety*. 8: 49-55.
- Mittler R. 2002. Oxidative stress, antioxidants and stress tolerance. *Trends in Plant Science*. 7: 405-410.
- Mittler R. 2002. Oxidative stress, antioxidants and stress tolerance. *Trends in Plant Science*. 7: 405-410.
- Moein MR, Moein S, Ahmadizadeh S. 2008. Radical scavenging and reducing power of *Salvia mirzayanii* subfractions. *Molecules*. 13: 2804-2813.
- Morgan JF, Klucas RV, Grayer RJ, Abian J, Becana M. 1997. Complexes of iron with phenolic compounds from soybean nodules and other legume tissues: prooxidant and antioxidant properties. *Free Radical Biology and Medicine*. 22: 861-70.

- Mori SA, Prance GT. 1978. Additional notes on the floral biology of Neotropical Lecythidaceae. *Brittonia*. 30: 113-130.
- Moschou PN, Wu J, Cona A, Tavladoraki P, Angelini R, Roubelakis- Angelakis KA. 2012. The polyamines and their catabolic products are significant players in the turnover of nitrogenous molecules in plants. *Journal of Experimental Botany*. 63: 5003-5015.
- Mukherjee SP, Choudhuri MA. 1983. Implications of water stress-induced changes in the leaves of indigenous ascorbic acid and hydrogen peroxide in *Vigna* seedlings. *Physiologia Plantarum*. 58: 166-170.
- Murillo-Amador B, Jones HG, Kaya C, Aguilar RL, Garcia-Hernandez JL, Troyo-Dieguez E, Avila-Serrano NY, Rueda-Puente E. 2006. Effects of foliar application of calcium nitrate on growth and physiological attributes of cowpea (*Vigna unguiculata* L. Walp.) grown under salt stress. *Environmental and Experimental Botany*. 58: 188-196.
- Nakano Y, Asada K. 1981. Hydrogen peroxide is scavenged by ascorbate specific peroxidase in spinach chloroplasts. *Plant and Cell Physiology*. 22: 860-867.
- Nakao M, Ono K, Takio S. 1999. The effect of calcium on flavanol production in cell suspension cultures of *Polygonum hydropiper*. *Plant Cell Reports*. 18: 759-763.
- Narender T, Puri A, Shweta Khaliq T, Saxena R, Bhatia G, Chandra R. 2006. 4-Hydroxyisoleucine an unusual amino acid as antidyslipidemic and antihyperglycemic agent. *Bioorganic and Medicinal Chemistry Letters*. 16(2): 293-296.
- Nasri N, Kaddour R, Mahmoudi H, Baatour O, Bouraoui N, Lachaal M. 2011. The effect of osmopriming on germination, seedling growth and phosphatase activities of lettuce under saline condition. *African Journal of Biotechnology*. 10: 14366-14372.
- Neill S, Desikan R, Hancock J. 2002. Hydrogen peroxide signaling. *Current Opinion in Plant Biology*. 5: 388-395.
- Neill SJ, Desikan R, Hancock JT. 2003. Nitric oxide signalling in plants. *New Phytologist*. 159: 11-35.
- Newmark HL. 1996. Plant phenolics as potential cancer prevention agents. In: *Dietary phytochemicals in cancer prevention and treatment*. Plenum Press, New York. pp: 25-34.

- Niki E. 1993. Antioxidant defenses in eukaryotic cells. In: *Free radicals: From basic science to medicine*. Basel, Switzerland: Birkhauser Verlag. pp: 365–73.
- Nimse SB, Pal D. 2015. Free radicals, natural antioxidants and their reaction mechanisms. *RSC Advances*. 5: 27986-28006.
- Nishikawa T, Edelstein D, Du XL, Yamagishi S, Matsumura T, Kaneda Y, Yorek MA, Beebe D, Oates PJ, Hammes HP, Giardino I, Brownlee M. 2000. Normalizing mitochondrial superoxide production blocks three pathways of hyperglycaemic damage. *Nature*. 404: 787-790.
- Nishikimi M, Rao NA, Yagi K. 1972. The occurrence of superoxide anion in the reaction of reduced phenazine methosulphate and molecular oxygen. *Biochemical Biophysical Research Communications*. 46(2): 849-854.
- Noctor G, Foyer CH. 1998. Ascorbate and glutathione: Keeping active oxygen under control. *Annual Review of Plant Physiology and Plant Molecular Biology*. 49: 249-279.
- Nonogaki H, Bassel GW, Bewley JD. 2010. Germination-Still a mystery. *Plant Science*. 179: 574-581.
- Nonogaki H, Chen F, Bradford KJ. 2007. Mechanisms and genes involved in germination sensu stricto. In: *Seed Development, Dormancy and Germination*. Blackwell Publishing, Oxford. pp: 264–304.
- Olson PD, Varner JE. 1993. Hydrogen peroxide and lignification. *The Plant Journal*. 4: 887-892.
- Olthof MR, van Dijk AE, Deacon CF, Heine RJ, van Dam RM. 2011. Acute effects of decaffeinated coffee and the major coffee components chlorogenic acid and trigonelline on incretin hormones. *Nutrition and Metabolism*. 8: 10.
- Oracz K, El-Maarouf-Bouteau H, Kranner I, Bogatek R, Corbineau F, Bailly C. 2009. The mechanisms involved in seed dormancy alleviation by hydrogen cyanide unravel the role of reactive oxygen species as key factors of cellular signalling during germination. *Plant Physiology*. 150: 494-505.
- Ornstein L. 1964. Disc Electrophoresis-I background and theory. *Annals of the New York Academy of Sciences*. 121(2): 321-349.
- Oyaizu M. 1986. Studies on products of browning reactions: antioxidative activities of products of browning reaction prepared from glucoamine. *Japanese Journal of Nutrition*. 4: 307-315.

- Ozdener Y, Guray H, Kutbay. 2008. Effect of salinity and temperature on the germination of *Spergularia marina* seeds and ameliorating effect of ascorbic and salicylic acids. *Journal of Environmental Biology*. 29: 959-964.
- Pagnussat GC, Lanteri ML, Lamattina L. 2003. Nitric oxide and cyclic GMP are messengers in the indole acetic acid-induced adventitious rooting process. *Plant Physiology*. 132: 1241-1248.
- Pagnussat GC, Simontacchi M, Puntarulo S, Lamattina L. 2002. Nitric oxide is required for root organogenesis. *Plant Physiology*. 129: 954-956.
- Palozza P, Krinsky NI. 1992. Antioxidant effects of carotenoids in vivo and in vitro: An overview. *Methods in Enzymology*. 213: 403-420.
- Pandey KB, Rizvi SI. 2009. Plant polyphenols as dietary antioxidants in human health and disease. *Oxidative Medicine and Cell Longevity*. 2: 270-278.
- Parida AK, Das AB, Mohanty P. 2004. Defense potentials to NaCl in a mangrove, *Bruguiera parviflora*: Differential changes of isoforms of some antioxidant enzymes. *Journal of Plant Physiology*. 161: 531-542.
- Parida AK, Das AB. 2005. Salt tolerance and salinity effects on plants: A review. *Ecotoxicology and Environmental Safety*. 60: 324-349.
- Patel DK, Prasad SK, Kumar R, Hemalatha S. 2012. An overview on antidiabetic medicinal plants having insulin mimetic property. *Asian Pacific Journal of Tropical Biomedicine*. 2: 320-330.
- Patra B, Schluttenhofer C, Wu Y, Pattanaik S, Yuan L. 2013. Transcriptional regulation of secondary metabolite biosynthesis in plants. *Biochimica et Biophysica Acta*. 1829: 1236-1247.
- Paul T, Banerjee S. 2013. *In vitro* evaluation of α -amylase inhibitory activity and antioxidant potential of *Pteris vittata* L. with special reference to its HPTLC profile. *International Journal of Pharma and Bio Sciences*. 4(2): 494-503.
- Pellegrini N, Re R, Yang M, Rice-Evans C. 1999. Screening of dietary carotenoids-rich fruit extracts for antioxidant activities applying 2,2, azinobis (3-ethylenebenzothiazoline-6-sulfonic acid) radical cation decolourization assay. *Methods in Enzymology*. 299: 379-389.
- Pereira GJG, Molina SMG, Lea PJ, Azevedo RA. 2002. Activity of antioxidant enzymes in response to cadmium in *Crotalaria juncea*. *Plant and Soil*. 239: 123-132.

- Perez-Balibrea S, Moreno DA, García-Viguera C. 2011. Improving the phytochemical composition of broccoli sprouts by elicitation. *Food Chemistry*. 129: 35-44.
- Petropoulos GA. 2002. Fenugreek - The genus *Trigonella*, Taylor and Francis, London and New York. pp: 255
- Pokorny J. 2007. Are natural antioxidants better and safer than synthetic antioxidants? *European Journal of Lipid Science and Technology*. 109: 629-642.
- Pompella A, Maellaro E, Casini AF, Comporti M. 1987. Histochemical detection of lipid peroxidation in the liver of bromobenzene poisoned mice. *American Journal of Pathology*. 129: 295-301.
- Poovaliah BW. 1986. Role of calcium in prolonging storage life of fruits and vegetables. *Food Technology*.40: 86-89.
- Prajapati AD, Sancheti VP, Shinde PM. 2014. Review article on fenugreek plant with its medicinal uses. *International Journal of Phytotherapy Research*. 4(4): 39-55.
- Prasana M. 2000. Hypolipidemic effect of fenugreek: A clinical study. *Indian Journal of Pharmaceutical*. 32(1): 34-36.
- Prior RL, Wu X, Schaich K. 2005. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural Food Chemistry*. 53: 4290-4302.
- Pulido R, Bravo L, Saura-Calixto F. 2000. Antioxidant activity of dietary polyphenols as determined by a modified ferric reducing/antioxidant power assay. *Journal of Agricultural and Food Chemistry*. 48: 3396-3402.
- Puri D. 1998. Therapeutic potentials of fenugreek. *Indian Journal of Physiology and Pharmacology*. 42(3): 423-424.
- Putchala MC, Ramani P, Sherlin HJ, Premkumar P, Natesan A. 2013. Ascorbic acid and its pro-oxidant activity as a therapy for tumours of oral cavity - a systematic review. *Archives of Oral Biology*. 58: 563-574.
- Qaderi A, Akbari Z, Kalateh-jari S, Fatehi F, Tolyat M, Jalali Moghadam M, Naghdi Badi H. 2016. Improving trigonelline production in hairy root culture of fenugreek (*Trigonella foenum-graecum*). *Journal of Medicinal Plants*. 15(59): 73-80.

- Quiroga M, Guerrero C, Botella MA, Barcel A, Amaya I, Medina MI, Alonso FJ, Forchetti SM, Tigier H, Valpuesta V. 2000. A tomato peroxidase involved in the synthesis of lignin and suberin. *Plant Physiology*. 122: 1119-1127.
- Rafat A, Philip K, Muniandy S. 2011. Antioxidant properties of indigenous raw and fermented salad plants. *International Journal of Food Properties*. 14: 599-608.
- Raju J, Gupta D, Rao AR, Yadava PK, Baquer NZ. 2001. *Trigonella foenum- graecum* (fenugreek) seed powder improves glucose homeostasis in alloxan diabetic rat tissues by reversing the altered glycolytic, gluconeogenic and lipogenic enzymes. *Mol Cell Biochem*. 224: 45-51.
- Ramma AL, Bahorun T, Soobrattee MA, Aruoma OI. 2002. Antioxidant activities of phenolic, proanthocyanidin, and flavonoid components in extracts of *Cassia fistula*. *Journal of Agricultural and Food Chemistry*. 50: 5042-5047.
- Ranal MA, De Santana DG. 2006. How and why to measure the germination process? *Revista Brasileira de Botanica*. 29: 1-11.
- Randhir R, Lin YT, Shetty K. 2004. Phenolics their antioxidant and antimicrobial activity in dark germinated fenugreek sprouts in response to peptide and phytochemical elicitors. *Asia Pacific Journal of Clinical Nutrition*. 13(3): 295-307.
- Randhir R, Lin YT, Shetty K. 2004. Stimulation of phenolics, antioxidant and antimicrobial activities in dark germinated mung bean sprouts in response to peptide and phytochemical elicitors. *Journal of Process Biochemistry*. 39: 637-646.
- Randhir R, Shetty K. 2005. Developmental stimulation of total phenolics and related antioxidant activity in light- and dark-germinated corn by natural elicitors. *Journal of Process Biochemistry*. 40: 1721-1732.
- Rao AL, Bharani M, Pallavi V. 2006. Role of antioxidants and free radicals in health and disease. *Advances in Pharmacology and Toxicology*. 7: 29-38.
- Rao KS, Chaudhury PK, Pradhan A. 2010. Evaluation of antioxidant activities and total phenolic content of *Chromolaena odorata*. *Food Chemistry. Toxicol.*48: 729-732.
- Rauser WE. 1999. Structure and functions of metal chelators produced by plants: the case for organic acids, amino acids, phytin and metallothioneins. *Cell Biochemistry and Biophysics*. 31: 19-48.

- Raven EL. 2000. Peroxidase-catalyzed oxidation of ascorbate. Structural, spectroscopic and mechanistic correlations in ascorbate peroxidase. *Subcellular Biochemistry*. 35: 317-349.
- Re R, Pellegrini N, Proteggente A, Pannala A, Yang M, Rice-Evans C. 1999. Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology Medicine*. 26: 1231-1237.
- Rekika D, Khanizadeh S, Deschenes M, Levasseur A, Charles MT, Tsao R, Yang R. 2005. Antioxidant capacity and phenolic content of selected strawberry genotypes. *Hortscience*. 40: 1777-1781.
- Rennenberg H. 1982. Glutathione metabolism and possible biological roles in higher plants. *Phytochemistry*. 21: 2771-2781.
- Reshmi GR, Rajalakshmi R. 2012. Drought and UV stress response in *Spilanthes acmella* Murr., (tooth-ache plant). *Journal of Stress Physiology and Biochemistry*. 8: 110-129.
- Reyburn H, Mtove G, Hendriksen I, von SL. 2009. Oral quinine for the treatment of uncomplicated malaria. *British Medical Journal*. doi: 10.1136/bmj.b2066.
- Rice-Evans C, Miller N, Paganga G. 1997. Antioxidant properties of phenolic compounds. *Trends in Plant Science*. 2: 152-59.
- Rice-Evans CA, Diplock AT. 1993. Current status of antioxidant therapy. *Free Radical Biology and Medicine*. 15: 77-96.
- Rice-Evans CA, Miller JN, Paganga G. 1996. Structure antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine*. 20: 933-956.
- Roberts EH. 1964. The distribution of oxidation-reduction enzymes and the effects of respiratory inhibitors and oxidising agents on dormancy in rice seed. *Physiologia Plantarum*. 17: 14-29.
- Rodriguez-Navarro A. 2000. Potassium transport in fungi and plants. *Biochimica et Biophysica Acta*. 1469: 1-30.
- Rosa M, Hilal M, Gonzalez JA, Prado FE. 2009. Low-temperature effect on enzyme activities involved in sucrose-starch partitioning in salt-stressed and salt-acclimated cotyledons of quinoa (*Chenopodium quinoa* Willd.) seedlings. *Plant Physiology and Biochemistry*. 47: 300-307.
- Rozan P, Kuo YH, Lambein F. 2001. Amino acids in seeds and seedlings of the genus *Lens*. *Phytochemistry*. 58: 281-289.

- Rozbeh F, Saeed S, Delfie M. 2011. The effect of NaCl seed priming on salt tolerance, antioxidant enzyme activity, proline and carbohydrate accumulation of Muskmelon (*Cucumis melo* L.) under saline condition. *African Journal of Biotechnology*. 6: 1363-1370.
- Ruan HH, Shen WB, Ye MB, Xu LL. 2002. Protective effects of nitric oxide on salt stress-induced oxidative damages to wheat (*Triticum aestivum*) leaves. *Chinese Science Bulletin*. 47: 677-681.
- Rubbo H, Radi R, Anselmi D, Kirk M, Barnes S, Butler J, Eiserich JP, Freeman BA. 2000. Nitric oxide reaction with lipid peroxy radicals spares alphanaphthol during lipid peroxidation. Greater oxidant protection from the pair nitric oxide/alphanaphthol than alpha-tocopherol/ascorbate. *Journal of Biological Chemistry*. 275: 10812-10818.
- Ruiz JM, Blumwald E. 2002. Salinity-induced glutathione synthesis in *Brassica napus*. *Planta*. 214: 965-969.
- Ruiz-Herrera J, Ruiz-Medrano R, Dominguez A. 1995. Selective inhibition of cytosine-DNA methylases by polyamines. *FEBS Letters*. 357: 192-196.
- Rund D, Rachmilewitz E. 2005. β -thalassemia. *New England Journal of Medicine*. 353: 1135-1146.
- Rybus-Zajac M, Kubis J. 2010. Effect of UV-B radiation on antioxidative enzyme activity in cucumber cotyledons. *Acta Biologica Cracoviensia Series Botanica*. 52(2): 97-102.
- Sabu MC, Kuttan R. Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property. *J Ethnopharmacol* 2002; 81:155–60.
- Sadasivam S, Manickam A. 1996. Biochemical Methods. Second Ed. New Age International (P) Ltd. and Tamil Nadu Agricultural University, Coimbatore. pp: 8-58.
- Sagi M, Fluhr R. 2006. Production of reactive oxygen species by plant NADPH oxidases. *Plant Physiology*. 141: 336-340.
- Saha P, Mukherjee A, Biswas AK. 2015. Modulation of NaCl induced DNA damage and oxidative stress in mungbean by pretreatment with sublethal dose. *Biologia Plantarum*. 59 (1): 139-146.
- Sakihama Y, Cohen MF, Grace SC, Yamasaki H. 2002. Plant phenolic antioxidant and prooxidant activities: phenolics-induced oxidative damage mediated by metals in plants. *Toxicology*. 177: 67-80.
- Salama ZA, El Baz FK, Alaa A, Gaafar A, Mohamed Fathy Zaki B. 2015. Antioxidant activities of phenolics, flavonoids and vitamin C in two cultivars of fennel (*Foeniculum vulgare* Mill.) in

responses to organic and bio-organic fertilizers. *Journal of the Saudi Society of Agricultural Sciences*. 14: 91-99.

Salazar R, Pozos ME, Cordero P, Perez J, Salinas MC, Waksman N. 2008. Determination of the antioxidant activity of plants from Northeast Mexico. *Pharmaceutical Biology*. 46: 166-170.

Saleethong P, Sanitchon J, Kong-Ngern K, Theerakulpisut P. 2013. Effects of exogenous spermidine (Spd) on yield, yield-related parameters and mineral composition of rice (*Oryza sativa* L. ssp. indica) grains under salt stress. *Australian Journal of Crop Science*. 9: 1293-1301.

Sams CE, Conway SW, Abbott JA, Lewis RJ, Benshalom N. 1993. Firmness and decay of apples following postharvest pressure infiltration of calcium and heat treatment. *Journal of the American Society for Horticultural Science*. 118: 623-627.

Sanders D, Pelloux J, Brownlee C, Harper JF. 2002. Calcium at the crossroads of signalling. *Plant Cell*. 14: S401-S417.

Sangronis E, Machado CJ. 2007. Influence of germination on the nutritional quality of *Phaseolus vulgaris* and *Cajanus cajan*. *Lebensmittel-Wissenschaft & Technology*. 40: 116-120.

Sarath G, Bethke PC, Jones R, Baird LM, Hou G, Mitchell RB. 2006. Nitric oxide accelerates seed germination in warm-season grasses. *Planta*. 223: 1154-1164.

Sartor V, Henderson PT, Schuster GB. 1999. Radical cation transport and reaction in RNA/DNA hybrid duplexes: effect of global structure on reactivity. *Journal of the American Chemical Society*. 121: 11027-11033.

Saxena M, Saxena J, Nema R, Singh D, Gupta A. 2013. Phytochemistry of medicinal plants. *Journal of Pharmacognosy and Phytochemistry*. 1(6): 168-182.

Scalfi L, Fogliano, V, Pentangelo A, Graziani, G, Giordano I, Ritieni A. 2000. Antioxidant activity and general fruit characteristics in different ecotypes of Corbarini small tomatoes. *Journal of Agricultural and Food Chemistry*. 48: 1363-1366.

Scandalios JG. 1993. Oxygen stress and superoxide dismutases. *Plant Physiology*. 101: 7-12.

Schaedle M, Bassham JA. 1977. Chloroplast glutathione reductase. *Plant Physiology*. 59: 1011-1012.

Schopfer P. 2001. Hydroxyl radical-induced cell-wall loosening in vitro and in vivo: implications for the control of elongation growth. *The Plant Journal*. 28: 679-688.

- Scialabba A, Bellani LM, Dell'Aquila A. 2002. Effects of ageing on peroxidase activity and localization in radish (*Raphanus sativus* L.) seeds. *Eur. J. Histochem.* 46: 351-358.
- Senthilkumar P, Sudha S, Prakash S. 2014. Antidiabetic activity of aqueous extract of *Padina boergesenii* in streptozotocin-induced diabetic rats. *International Journal of Pharmacy and Pharmaceutical Sciences.* 6: 418-422.
- Seydi AB. 2003. Determination of the salt tolerance of some barley genotypes and the characteristics affecting tolerance. *Turkish Journal of Agriculture.* 27: 253-260.
- Shabbeer S, Sobolewski M, Anchoori RK, Kachhap S, Davidson N, Hidalgo M. 2009. Fenugreek: A naturally occurring edible spice as an anticancer agent. *Cancer Biology & Therapy.* 18: 272-8.
- Shalata A, Mittova V, Volokita M, Guy M, Tal M. 2001. Response of cultivated tomato and its wild salt-tolerant relative *Lycopersicon pennelii* to salt-dependent oxidative stress. The root antioxidative system. *Physiologia Plantarum.* 112: 487-494.
- Shamsa F, Monsef H, Ghamooshi R, Verdianrizi M. 2008. Spectrophotometric determination of total alkaloids in some Iranian medicinal plants. *Thai Journal of Pharmaceutical Sciences.* 32: 17-20.
- Shannon MC. 1998. Adaptation of plant to salinity. *Advances in Agronomy.* 60: 75-119.
- Shao H, Song W, Chu L. 2008. Advances of calcium signals involved in plant anti-drought. *Comptes Rendus Biologies.* 331: 587-596.
- Sharma A, Dhanda S. 2015. Application of Calcium Chloride to Mitigate Salt Stress in *Vigna Radiata* L. Cultivars. *International Journal of Current Microbiology and Applied Sciences.* 4(2): 764-769.
- Sharma P, Dubey RS. 2005. Drought induces oxidative stress and enhances the activities of antioxidant enzymes in growing rice seedlings. *Plant Growth Regulation.* 46: 209-221.
- Sharma R, Yang Y, Sharma A, Awasthi S, Awasthi Y. 2004. Antioxidant role of glutathione S-transferases: protection against oxidant toxicity and regulation of stress-mediated apoptosis. *Antioxidants and Redox Signaling.* 6: 289-300.
- Sharma RD, Sarkar A, Hazra DK, Miehra B, Singh JB, Sharma SK, Maheshwari BB, Maheshwari PK. 1996. Use of fenugreek seed powder in the management of non-insulin dependent diabetes mellitus. *Nutrition Research.* 16: 1331-1339.

- Sharma VK, Kumar S, Patel HJ, Hugar S. 2010. Hypoglycemic activity of *Ficus glomerata* in alloxan induced diabetic rats. *International Journal of Pharmaceutical Sciences Review and Research*. 1(2): 18-22.
- Shen X, Zheng S, Metreveli NS, Epstein PN. 2006. Protection of cardiac mitochondria by overexpression of MnSOD reduces diabetic cardiomyopathy. *Diabetes*. 55: 798-805.
- Shetty K, Labbe RL. 1998. Food-borne pathogens, health and role dietary phytochemicals. *Asia Pacific Journal of Clinical Nutrition*. 7: 270-276.
- Shetty K. 2002. Botanical ingredients as nutraceuticals, In: *Proceedings of the Vita foods International Conference*, Geneva, Switzerland.
- Shetty P, Atallah MT, Shetty K. 2002. Effects of UV treatment on the proline linked pentose phosphate pathway for phenolics and L-DOPA synthesis in dark germinated *Vicia faba*. *Process Biochemistry*. 37: 1285-1295.
- Shi H, Chan Z. 2014. Improvement of plant abiotic stress tolerance through modulation of the polyamine pathway. *Journal of Integrative Plant Biology*. 56: 114-121.
- Shi H, Ye T, Chan Z. 2013. Comparative proteomic and physiological analyses reveal the protective effect of exogenous polyamines in the Bermuda grass (*Cynodon dactylon*) response to salt and drought stresses. *Journal of Proteome Research*. 12: 4951-4964.
- Shi H, Ye T, Zhong B, Liu X, Chan Z. 2014. Comparative proteomic and metabolomic analyses reveal mechanisms of improved cold stress tolerance in bermudagrass (*Cynodon dactylon* (L). Pers.) by exogenous calcium. *Journal of Integrative Plant Biology*. 56(11): 1064-1079.
- Shi S, Wang G, Wang Y, Zhang L, Zhang L. 2005. Protective effect of nitric oxide against oxidative stress under ultraviolet-B radiation. *Nitric Oxide*. 13: 1-9.
- Shin Y. 2012. Correlation between antioxidant concentrations and activities of Yuja (*Citrus junos* Sieb ex Tanaka) and other citrus fruit. *Food Science and Biotechnology*. 21: 1477-1482.
- Shinar E, Rachmilewitz EA. 1990. Oxidation denaturation of red blood cells in thalassemia. *Seminars in Hematology*. 27: 70-91.
- Siddhuraju P, Becker K. 2003. Studies on antioxidant activities of mucuna seed (*Mucuna pruriens* var *utilis*) extract and various nonprotein amino/imino acids through *in vitro* models. *Journal of the Science of Food and Agriculture*. 83: 1517-1524.

- Siddiqui MH, Al-Whaibi MH, Basalah MO. 2011. Interactive effect of calcium and gibberellin on nickel tolerance in relation to antioxidant systems in *Triticum aestivum* L. *Protoplasma*, 248: 503-511.
- Singh HP, Batish DR, Kaur G, Arora K, Kohli RK. 2008. Nitric oxide (as sodium nitroprusside) supplementation ameliorates Cd toxicity in hydroponically grown wheat roots. *Environmental and Experimental Botany*. 63: 158-167.
- Singh HP, Batish DR, Kaur S, Arora K, Kohli RK. 2006. α -Pinene inhibits growth and induces oxidative stress in roots. *Annals of Botany*. 98: 1261-1269.
- Singh HP, Kaur S, Batish DR, Sharma VP, Sharma N, Kohli RK. 2009. Nitric oxide alleviates arsenic toxicity by reducing oxidative damage in the roots of *Oryza sativa* (rice). *Nitric Oxide*. 20: 289-297.
- Sirova J, Sedlarova M, Piterkova J, Luhova L, Petrivalsky M. 2011. The role of nitric oxide in the germination of plant seeds and pollen. *Plant Science*. 181: 560-572.
- Sneeden WA, Formm H. 2001. Calmodulin as a versatile calcium signal transducer in plants. *New Phytologist*. 151: 35-66.
- Sowmya P, Rajyalakshmi P. 1999. Hypocholesterolemic effect of germinated fenugreek seeds in human subjects. *Plant Foods for Human Nutrition*. 53(4): 359-365.
- Sreenivasulu N, Ramanjulu S, Ramachandra-Kini K, Prakash HS, Shekar-Shetty H, Savitri HS, Sudhakar C. 1999. Total peroxidase activity and peroxidase isoforms as modified by salt stress in two cultivars of fox-tail millet with different salt tolerance. *Plant Science*. 141: 1-9.
- Srinivasan K. 2006. Fenugreek (*Trigonella foenum-graecum*): A review of health beneficial physiological effects. *Food Reviews International*. 22: 203- 224.
- Stahl W, Sies H. 2003. Antioxidant activity of carotenoids. *Molecular Aspects of Medicine*. 24: 345-351.
- Standl E, Schnell O. 2012. Alpha-glucosidase inhibitors 2012-cardiovascular considerations and trial evaluation. *Diabetes and Vascular Disease Research*. 9: 163-169.
- Stone MJ, Williams DH. 1992. On the evolution of functional secondary metabolites (natural products). *Molecular Microbiology*. 6(1): 29-34.

- Stratil P, Klejdus B, Kuban V. 2006. Determination of total content of phenolic compounds and their antioxidant activity in vegetables- Evaluation of spectrophotometric methods. *Journal of Agricultural and Food Chemistry*. 54: 607-616.
- Stuehr DJ, Santolini J, Wang ZQ, Wei CC, Adak S. 2004. Update on mechanism and catalytic regulation in the NO synthases. *Journal of Biological Chemistry*. 279: 36167-36170.
- Subhashini N, Nagarajan G, Kavimani S. 2011. Anti-inflammatory and *in vitro* antioxidant property of *Trigonella foneum graecum* seeds. *Journal of Pharmacological and Toxicological methods*. 6(4): 371-380.
- Sultana B, Anwar F, Ashraf M. 2009. Effect of extraction solvent/technique on the antioxidant activity of selected medicinal plant extracts. *Molecules*. 14: 2167-2180.
- Sultana B, Anwar F, Pirzybyiski R. 2007. Antioxidant activity of phenolic components present in barks of *Azadirachta indica*, *Terminalia arjuna*, *Acacia nilotica* and *Eugenia jambolana* Lam. *Trees. Food Chemistry*. 104: 1106-1114.
- Swamy KN, Anuradha S, Ramakrishna B, Siddulu N, Rao SSR. 2011. Cadmium toxicity is diminished by 24-epibrassinolide in seedlings of *Trigonella foenum-graecum* L. *Genetics and Plant Physiology*. 1: 163-175.
- Swieca M, Gawlik-Dziki U, Kowalczyk D, Złotek U. 2012. Impact of germination time and type of illumination on the antioxidant compounds and antioxidant capacity of *Lens culinaris* sprouts. *Scientia Horticulturae*. 140: 87-95.
- Szalai G, Kellos T, Galiba G, Kocsy G. 2009. Glutathione as an antioxidant and regulatory molecule in plants under abiotic stress conditions. *Journal of Plant Growth Regulation*. 28: 66-80.
- Sze H, Liang F, Hwang I, Curran AC, Harper JF. 2000. Diversity and regulation of plant Ca²⁺ pumps: insights from expression in yeast. *Annual Review of Plant Physiology and Plant Molecular Biology*. 51: 433-462.
- Szent-Giorgyi A. 1963. Lost in the twentieth century. *Annual Review of Biochemistry*. 36: 1-15.
- Tag H, Kalita P, Dwivedi P, Das AK, Namsa ND. 2012. Herbal medicines used in the treatment of diabetes mellitus in Arunachal Himalaya, northeast, India. *Journal of Ethnopharmacology*. 141: 786-795.

- Taguchi H, Muneto S, Shimabayashi Y. 1986. Content of quinolic acid trigonelline and N1-methyl nicotinamide in various food and thermal conversion of acid and nicotinamide. *Vitamins*. 60: 537-546.
- Takahashi T, Kakehi J. 2010. Polyamines: ubiquitous polycations with unique roles in growth and stress responses. *Annals of Botany*. 105: 1-6.
- Takaya Y, Kondo Y, Furukawa T, Niwa M. 2003. Antioxidant constituents of radish sprout (Kaiware-daikon), *Raphanus sativus* L. *Journal of Agricultural and Food Chemistry*. 51: 8061-8066.
- Tang W, Newton RJ. 2005. Polyamines reduce salt-induced oxidative damage by increasing the activities of antioxidant enzymes and decreasing lipid peroxidation in Virginia pine. *Plant Growth Regulation*. 46: 31-43.
- Tanou G, Molassiotis A, Diamantidis G. 2009. Hydrogen peroxide and nitric oxide induced systemic antioxidant prime-like activity under NaCl-stress and stress free conditions in citrus plants. *Journal of Plant Physiology*. 166: 1904-1913.
- Tanou G, Ziogas V, Belghazi M, Christou A, Filippou P, Job D, Fotopoulos V, Molassiotis A. 2014. Polyamines reprogram oxidative and nitrosative status and the proteome of citrus plants exposed to salinity stress. *Plant, Cell and Environment*. 37: 864-885.
- Tari I, Csiszar J, Horvath E, Poor P, Takacs Z, Szepesi A. 2015. The alleviation of the adverse effects of salt stress in the tomato plant by salicylic acid shows a time and organ-specific antioxidant response. *Acta Biologica Cracoviensia Series Botanica*. 57(1): 21-30.
- Tarling CA, Woods K, Zhang R, Brastianos HC, Brayer GD, Andersen RJ, Withers SG. 2008. The search for novel human pancreatic alphaamylase inhibitors: high-throughput screening of terrestrial and marine natural product extracts. *ChemBioChem*. 9(3): 433-438.
- Tateishi Y, Nakagawa T, Esaka M. 2005. Osmotolerance and growth stimulation of transgenic tobacco cells accumulating free proline by silencing proline dehydrogenase expression with double-stranded RNA interference technique. *Physiologia Plantarum*. 125: 224-234.
- Tayefi-Nasrabadi H, Dehghan G, Daeihassani B, Movafegi A, Samadi A. 2011. Some biochemical properties of guaiacol peroxidases as modified by salt stress in leaves of salt-tolerant and salt-sensitive safflower (*Carthamus tinctorius* L.cv.) cultivars. *African Journal of Biotechnology*. 10(5): 751-763.

- Thimmaiah SK. 2004. Standard Methods of Biochemical Analysis. Kalyani Publishers: New Delhi, India. pp: 304-305.
- Tian X, He M, Wang Z, Zhang J, Song Y, He Z, Dong Y. 2015. Application of nitric oxide and calcium nitrate enhances tolerance of wheat seedlings to salt stress. *Plant Growth Regulation*. 77: 343-356.
- Tiwari R, Rana CS. 2015. Plant secondary metabolites: a review. *International Journal of Engineering Research and General Science*. 3(5): 661-670.
- Torreçilla I, Leganes F, Bonilla I, Fernandez-Pinas F. 2000. Use of recombinant aequorin to study calcium homeostasis and monitor calcium transients in response to heat and cold shock in cyanobacteria. *Plant Physiology*. 23: 161-175.
- Trumpower BL. 1990. The protonmotive Q cycle: energy transduction by coupling of proton translocation to electron transfer by the cytochrome bc₁ complex. *Journal of Biological Chemistry*. 265: 11409-11412.
- Tuna AL, Kaya C, Ashraf M, Altunlu H, Yokas I, Yagmur B. 2007. The effects of calcium sulphate on growth, membrane stability and nutrient uptake of tomato plants grown under salt stress. *Environmental and Experimental Botany*. 59: 173-178.
- Tuteja N, Sopory SK. 2008. Chemical signaling under abiotic stress environment in plants. *Plant Signaling & Behavior*. 3: 525-536.
- Tuteja N. 2007. Mechanisms of high salinity tolerance in plants. *Methods in Enzymology*. 428: 419-438.
- Tuteja N. 2009. Integrated Calcium Signaling in Plants (Book chapter). In: *Signaling and Communication in Plants*. Springer-Verlag Berlin Heidelberg. pp: 29-49.
- Urbano G, Aranda P, Vilchez A, Aranda C, Cabrera L, Porres J, Lopez-Jurado M. 2005. Effects of germination on the composition and nutritive value of proteins in *Pisum sativum* L. *Food Chemistry*. 93: 671-679.
- Valko M, Rhodes CJ, Moncol J, Izakovic M, Mazur M. 2006. Free radical metals and antioxidants in oxidative stress-induced cancer. *Chemico-Biological Interaction*. 160: 1-40.
- Velioglu YS, Mazza G, Gao L, Oomah BD. 1998. Antioxidant activity and total phenolics in selected fruits, vegetables and grain products. *Journal of Agricultural and Food Chemistry*. 46: 4113-4117.

- Venkatesh R, Sood D. 2011. Review of the physiological implications of antioxidants in food. bachelor of science interactive qualifying project. Worcester Polytechnic Institute. pp. 9-17.
- Verma S, Dubey RS. 2003. Lead toxicity induces lipid peroxidation and alters the activities of antioxidant enzymes in growing rice plants. *Plant Science*. 164: 645-655.
- Verma S, Mishra SN. 2005. Putrescine alleviation of growth in salt stressed *Brassica juncea* by inducing antioxidative defense System. *Journal of Plant Physiology*. 162: 669-677.
- Vilas Boas EVB, Chitarra AB, Menezes JB. 1998. Modification of cell wall components in orange flesh melons subjected to postharvest calcium treatment. *Brazilian Archives of Biology and Technology*. 41: 467-473.
- Voigt B, Bewley JD. 1996. Developing tomato seeds when removed from the fruit produce multiple forms of germinative and post-germinative endo- β -mannanase. Responses to desiccation, abscisic acid and osmoticum. *Planta* 200: 71-77.
- Wallace DC. 1992. Disease of the mitochondrial DNA. *Annual Review of Biochemistry*. 61: 1175-1212.
- Wallace HM, Fraser AV, Hughes A. 2003. A perspective of polyamine metabolism. *Biochemical Journal*. 376: 1-14.
- Wang B, Zhang W, Duan X, Li X. 2009. *In vitro* antioxidative activities of extract and semi-purified fractions of the marine red alga, *Rhodomela confervoids* (Rhodomelaceae). *Food Chemistry*. 113: 1101-1105.
- Wang F, Shan Y. 2012. Sulforaphane retards the growth of UM-UC-3 xenografts, induces apoptosis, and reduces survivin in athymic mice. *Nutrition Research*. 32(5): 374-380.
- Wang GF, Li WQ, Li WY, Wu GL, Zhou CY, Chen KM. 2013. Characterization of rice NADPH oxidase genes and their expression under various environmental conditions. *International Journal of Molecular Sciences*. 14: 9440-9458.
- Wang SY, Lin HS. 2000. Antioxidant activity fruits and leaves of blackberry, raspberry and strawberry varies with cultivar and developmental stage. *Journal of Agricultural and Food Chemistry*. 47: 140-146.

- Wang SY. 2003. Antioxidant capacity of berry crops, culinary herbs and medicinal herbs. *Acta Horticulturae*. 620: 461-473.
- Watanabe M, Ayugase J. 2010. Effects of buckwheat sprouts on plasma and hepatic parameters in type 2 diabetic db/ dbmice. *Journal of Food Science*. 75: 294-299.
- Wei J, Miao H, Wang Q. 2011. Effect of glucose on glucosinolates, antioxidants and metabolic enzymes in brassica sprouts. *Scientia Horticulturae*. 129: 535-540.
- Wendehenne D, Gould K, Lamotte O, Durner J, Vandelle E, Lecourieux D, Courtois C, Barnavon L, Bentejac M, Pugin A. 2005. NO signalling functions in the biotic and abiotic stress responses. *BMC Plant Biology*. 5: S35.
- White PJ. 2000. Calcium channels in higher plants. *Biochimica et Biophysica Acta*. 1465: 171-189.
- White PJ, Broadley MR. 2003. Calcium in plants. *Annals of Botany*. 92: 487-511.
- Whiting DR, Guariguata L, Weil C, Shaw J. 2011. IDF diabetes atlas: global estimates of the prevalence of diabetes for 2011 and 2030. *Diabetes Research and Clinical Practice*. 94: 311-321.
- Wilkinson MD, McKibbin RS, Bailey PC, Flintham JE, Gale MD, Lenton JR, Holdsworth MJ. 2002. Use of comparative molecular genetics to study pre harvest sprouting in wheat. *Euphytica*. 126: 27-33.
- Williams GM, Jeffrey AM. 2000. Oxidative DNA damage: Endogenous and chemically induced. *Regulatory Toxicology and Pharmacology*. 32: 283-292.
- Wilson ID, Neill SJ, Hancock JT. 2008. Nitric oxide synthesis and signalling in plants. *Plant, Cell and Environment*. 31: 622-631.
- Wimalasekera R, Tebartz F, Scherer GFE. 2011. Polyamines, polyamine oxidases and nitric oxide in development, abiotic and biotic stresses. *Plant Science*. 181: 593-603.
- Wink M, Witte L. 1985. Quizalidizine alkaloids as nitrogen source for lupine seedlings and cell suspension cultures. *Zeitschrift für Naturforschung*. 40c: 767-775.
- Wojtyla L, Garnczarska M, Zalewski T, Bednarski W, Ratajczak L, Jurga S. 2006. A comparative study of water distribution, free radical production and activation of antioxidative metabolism in germinating pea seeds. *Journal of Plant Physiology*. 163: 1207-1220.
- Wolf G. 2005. The discovery of the antioxidant function of vitamin E: The contribution of Henry A. Mattill. *Journal of Nutrition*. 135: 363-6.

- Wong SP, Leong LP, Koh JHW. 2006. Antioxidant activities of aqueous extracts of selected plants. *Food Chemistry*. 99: 775-783.
- Woo RA, Melure KG, Lee PW. 1998. DNA dependent protein kinase acts upstream of p53 in response to DNA damage. *Nature*. 394: 700-704.
- Wu CH, Tewari RK, Hahn EJ, Paek KY. 2007. Nitric oxide elicitation induces the accumulation of secondary metabolites and antioxidant defense in adventitious roots of *Echinacea purpurea*. *Journal of Plant Biology*. 50(6): 636-643.
- Xia XJ, Wang YJ, Zhou YH, Tao Y, Mao WH, Shi K, Asami T, Chen Z, Yu JQ. 2009. Reactive oxygen species are involved in brassinosteroid-induced stress tolerance in cucumber. *Plant Physiology*. 150: 801-814.
- Xiong L, Ishitani M, Lee H, Zhu JK. 2001. The *Arabidopsis* LOS5/ABA3 locus encodes a molybdenum cofactor sulfuryase and modulates cold stress- and osmotic stress-responsive gene expression. *Plant Cell*. 13: 2063-2083.
- Xu C, Li X, Zhang L. 2013. The effect of calcium chloride on growth, photosynthesis, and antioxidant responses of *Zoysia japonica* under drought conditions. *PLoS ONE*. 8(7): e68214. doi:10.1371/journal.pone.0068214.
- Xue WL, Xuan-She L, Zhang J, Yong-Hui L, Zhi-Lun W, Rui-Juan Z. 2007. Effect of *Trigonella foenum-graecum* (fenugreek) extract on blood glucose, blood lipid and hemorheological properties in streptozotocin-induced diabetic rats. *Asia Pacific Journal of Clinical Nutrition*. 16(1): 422-426.
- Xue-Xuan X, Hong-Bo S, Yuan-Yuan M, Gang X Jun-Na S, Dong-Gang G, Cheng-Jiang, R. 2010. Biotechnological implications from abscisic acid (ABA) roles in cold stress and leaf senescence as an important signal for improving plant sustainable survival under abiotic-stressed conditions. *Critical Reviews in Biotechnology*. 30: 222-230.
- Yadav S. 2010. Effect of nitric oxide and brassinosteroids on the salinity induced changes in tomato (*Lycopersicon esculentum*) –A Thesis. Department of Botany, Aligarh Muslim University, India.
- Yadav S, Irfan M, Ahmad A, Hayat S. 2011. Causes of salinity and plant manifestations to salt stress: A review. *Journal of Environmental Biology*. 32: 667-685.

- Yamaguchi K, Takahashi Y, Berberich T, Imai A, Miyazaki A, Takahashi T, Michael A, Kusano T. 2006. The polyamine spermine protects against high salinity stress in *Arabidopsis*. *FEBS Letters*. 580: 67783-76788.
- Yamamoto Y, Kobayashi Y, Matsumoto H. 2001. Lipid peroxidation is an early symptom triggered by aluminium, but not the primary cause of elongation inhibition in pea roots. *Plant Physiology*. 125: 99-208.
- Yamasaki H, Sakihama Y, Takahashi S. 1999. An alternative pathway for nitric oxide production in plants: new featured of an old enzyme. *Trends in Plant Science*. 4: 128-129.
- Yang J, Guo J, Yuan J. 2008. *In vitro* antioxidant properties of rutin. *LWT Food Science and Technology*. 41(6): 1060-1066.
- Yang L, Han R, Sun Y. 2013. Effects of Exogenous Nitric Oxide on Wheat Exposed to Enhanced Ultraviolet-B Radiation. *American Journal of Plant Sciences*. 4: 1285-1290.
- Yang Y, Meier F, Ann Lo J, Yuan W, Sze VLP, Chung HJ, Yuk HG. 2013. Overview of recent events in the microbiological safety of sprouts and new intervention technologies. *Comprehensive Reviews in Food Science and Food Safety*. 12: 265-280.
- Yao Y, Chen F, Wang M, Wang J, Ren G. 2008. Antidiabetic activity of mung bean extracts in diabetic KK-Ay mice. *Journal of Agricultural and Food Chemistry*. 56(19): 8869-8673.
- Yasmin H, Kaisar MA, Sarker Md, Moklesur R, Rahman MS, Rashid MA. 2009. Preliminary anti-bacterial activity of some indigenous plants of Bangladesh. *Journal of Pharmaceutical Sciences*. 8(1): 61-65.
- Ye G, Metreveli NS, Donthi RV, Xia S, Xu M, Carlson EC, Epstein PN. 2004. Catalase protects cardiomyocyte function in models of type 1 and type 2 diabetes. *Diabetes*. 53: 1336-1343.
- Ye XS, Pan SQ, Kuc J. 1990. Activity, isozyme pattern, and cellular localization of peroxidase as related to systemic resistance to tobacco to blue mold (*Peronospora tobaciana*) and to tobacco mosaic virus. *Phytopathology*. 80: 1295-1299.
- Yeap SW, Ali NM, Yusof HM, Alitheen NB, Beh BK, Ho WY, Koh SP, Long K. 2012. Antihyperglycemic effects of fermented and non-fermented mung bean extracts on alloxan-induced diabetic mice. *Journal of Biomedicine and Biotechnology*. 2: 1-7.

- Yoshinari O, Sato H, Igarashi K. 2009. Anti-diabetic effects of pumpkin and its components, trigonelline and nicotinic acid on Goto-Kakizaki rats. *Bioscience, Biotechnology and Biochemistry*. 73: 1033-1041.
- Yoshinari O, Takenake A, Igarashi K. 2013. Trigonelline ameliorates oxidative stress in type 2 diabetic Goto-Kakizaki rats. *Journal of Medicinal Food*. 16: 34-41.
- Young IS, Woodside JV. 2001. Antioxidants in health and disease. *Journal of Clinical Pathology*. 54: 176-186.
- Zehra A, Gul B, Ansari R, Khan MA. 2012. Role of calcium in alleviating effect of salinity on germination of *Phragmites karka* seeds. *South African Journal of Botany*. 78: 122-128.
- Zeng CL, Liu L, Wang BR, Wu XM, Zhou Y. 2011. Physiological effects of exogenous nitric oxide on *Brassica juncea* seedlings under NaCl stress. *Biologia Plantarum*. 55: 345-348.
- Zhang LG, Wang YD, Zhao LQ, Shi SY, Zhang LX. 2006. Involvement of nitric oxide in light-mediated greening of barley seedlings. *Journal of Plant Physiology*. 163: 818-826.
- Zhang LP, Mehta SK, Liu ZP, Yang ZM. 2008. Copper-induced proline synthesis is associated with nitric oxide generation in *Chlamydomonas reinhardtii*. *Plant and Cell Physiology*. 49(3): 411-419.
- Zhang W, Curtin C, Kikuchi M, Franco C. 2002. Integration of jasmonic acid and light irradiation for enhancement of anthocyanin biosynthesis in *Vitis vinifera* suspension cultures. *Plant Science*. 162: 459-468.
- Zhang Y, Munday R, Jobson HE, Munday CM, Lister C, Wilson P, Fahey JW, Mhaweche-Fauceglia P. 2006. Induction of GST and NQO1 in cultured bladder cells and in the urinary bladders of rats by an extract of broccoli (*Brassica oleraceaitalica*) sprouts. *Journal of Agricultural Food Chemistry*. 54(25): 9370-9376.
- Zhang YY, Wang LL, Liu YL, Zhang Q, Wei QP, Zhang WH. 2006. Nitric oxide enhances salt tolerance in maize seedlings through increasing activities of proton pump and Na⁺/H⁺ antiport in the tonoplast. *Planta*. 224: 545-555.
- Zhao H, Fan W, Dong J, Lu J, Chen J, Shan L, Lin Y, Kong W. 2008. Evaluation of antioxidant activities and total phenolic contents of typical malting barley varieties. *Food Chemistry*. 107: 296-304.

- Zhao H, Yang H. 2008. Exogenous polyamines alleviate the lipid peroxidation induced by cadmium chloride stress in *Malus hupehensis* Rehd. *Scientia Horticulturae*. 116: 442-447.
- Zhao J, Davis LC, Verpoorte R. 2005. Elicitor signal transduction leading to production of plant secondary metabolites. *Biotechnology Advances*. 23: 283-333.
- Zheng C, Jianga D, Liu F, Dai T, Liu W, Jing Q, Cao W. 2009. Exogenous nitric oxide improves seed germination in wheat against mitochondrial oxidative damage induced by high salinity. *Environmental and Experimental Botany*. 67: 222-227.
- Zhou B, Guo Z. 2009. Calcium is involved in the abscisic acid-induced ascorbate peroxidase, superoxide dismutase and chilling resistance in *Stylosanthes guianensis*. *Biologia Plantarum*. 53(1): 63-68.
- Zhou ZS, Guo K, Elbaz AA, Yang ZM. 2009. Salicylic acid alleviates mercury toxicity by preventing oxidative stress in roots of *Medicago sativa*. *Environmental and Experimental Botany*. 65: 27-34.
- Zhu JK. 2001. Plant salt tolerance. *Trends in Plant Science*. 6: 66-71.
- Zia T, Hasnain SN, Hasan SK. 2001. Evaluation of the oral hypoglycaemic effect of *Trigonella foenum-graecum* L. (methi) in normal mice. *Journal of Ethnopharmacology*. 75: 191-195.
- Ziegler J, Facchini PJ. 2008. Alkaloid biosynthesis: metabolism and trafficking. *Annual Review of Plant Biology*. 59: 735-769.