

TABLE OF CONTENTS

Topics	Page no.
Abstract	i-iii
Preface	iv
Acknowledgment	v
Table of Contents	vi-ix
List of Tables	x
List of Figures	xi-xiii
List of Schemes	xiv-xv
List of Appendices	xvi
Abbreviations	xvii-xviii
Chapter I: General Introduction	
Section A Introduction	1
1.1 Ionic Liquids (ILs)	1-3
1.2 Schiff bases	3-4
1.3 IL-supported Schiff bases	5
1.4 Transition metal complexes of IL-supported Schiff bases	5-6
1.5 Literature Review	6-9
1.6 Objectives of this research work	9-10
References	11-13
Section B Chemicals, Instruments, and Methods	15
1.7 Chemicals and Solvents	14-15
1.8 Instruments used	16
1.8.1 Mass measurements	16
1.8.2 Elemental Analysis	16-17
1.8.3 Magnetic Susceptibility Measurements	17-18
1.8.4 Melting point Apparatus	18
1.8.5 Powder X-ray Diffraction (PXRD)	19
1.8.6 FT-IR Spectrometer	19-20
1.8.7 UV-Visible Spectrometer	20

1.8.8 NMR Spectrometer	20
1.8.9 Mass Spectrometer	21-22
1.8.10 Methods of synthesis of compounds	23
1.8.10.1 Preparation of Ionic Liquid (IL)-I	23
1.8.10.2 Preparation of Ionic Liquid (IL)-II	23
1.8.10.3 Preparation of IL (I)-supported Schiff base (Ligand A)	23-24
1.8.10.4 Preparation of IL (II)-supported Schiff base (Ligand B)	24
1.8.10.5 Preparation of IL-supported Schiff base (Ligand A) metal complexes	24-25
1.8.10.6 Preparation of IL-supported Schiff base (ligand B) metal complexes	25
References	26

Chapter II: Synthesis and characterization of pyridinium IL-supported Schiff base Pd(II) complex: an efficient catalyst for Suzuki reaction at room temperature under aerobic conditions

2.1 Introduction	27
2.2 Experimental	28
2.2.1 Reagents and chemicals	28
2.2.2 Instrumentation	28
2.2.3 Synthesis	28
2.2.3.1 Pyridinium IL-supported Schiff base (3)	28-32
2.2.3.2 Pyridinium IL-supported Schiff base Pd(II) complex	33-35
2.2.4 General procedure for the Suzuki reaction	35
2.2.5 Recovery and Recyclability of pyridinium IL-supported Schiff base Pd(II) complex (4)	36
2.3 Results and Discussions	36-49
2.4 Conclusions	50
References	51-52

Chapter III: Synthesis and characterization of a novel pyridinium iodide-supported Schiff base and its metal complexes as potential ACHN inhibitors

3.1 Introduction	53-55
3.2 Experimental	56
3.2.1 General methods and materials	55
3.2.2 Synthesis	56
3.2.2.1 Pyridinium IL (3)	56
3.2.2.2 IL-supported Schiff base (5)	56-57
3.2.2.3 Metal complexes of IL-supported Schiff base (6)	57-58
3.2.3 Biological studies	58
3.2.3.1 Cytotoxicity activity	58-59
3.2.3.2 ROS Assay	59-60
3.3 Results and Discussions	60
3.3.1 Electronic spectra and magnetic moment measurements	60-62
3.3.2 Vibrational spectra	62-65
3.3.3 NMR spectra	66-67
3.3.4 HRMS	67-68
3.3.5 MALDI	68-70
3.3.6 PXRD	70-73
3.3.7 Biological studies	73
3.3.7.1 Cytotoxicity activity	73-75
3.3.7.2 ROS (Reactive Oxygen Species) production	75-76
3.4 Conclusions	77
References	78-80

Chapter IV: Anti-ACHN potency of novel pyridinium IL-supported Schiff base of O-vanillin and its Cu(II) complex: A combined experimental and computational study

4.1 Introduction	81-82
4.2 Experimental	82
4.2.1 Materials and Reagents	82

4.2.2 Measurements	83
4.2.3 Synthesis of the Ligand	83-84
4.2.4 Synthesis of the Cu(II) complex (5)	84
4.2.5 Computational Study	85
4.2.6 Cytotoxicity of the Ligand and the Cu(II) complex	85
4.3 Results and Discussions	85
4.3.1 Electronic spectra and magnetic susceptibility measurements	85-86
4.3.2 Vibrational spectra	86-87
4.3.3 NMR spectra	87-88
4.3.4 Mass spectra	89-90
4.3.5 PXRD	90-92
4.3.6 Electronic properties using DFT	92-94
4.3.7 Cytotoxicity	94-95
4.4 Conclusions	96
References	97-98
Chapter V: Concluding remarks	99-100
Appendix	101-102
Bibliography	103-110
Index	111-112