

Contents

1. Introduction	1
2. Literature Review	9
3. Materials and Methods	40
3.1. Plant materials	40
3.1.1. Host plant	40
3.1.1.1. Selection of brinjal varieties	40
3.1.1.2. Collection of selected varieties	40
3.1.1.3. Cultivation of selected varieties	40
3.1.1.4. Raising of seedlings	40
3.1.1.5. Transplantation	43
3.1.1.6. Maintenance of brinjal varieties	43
3.1.2. Collection of plants for botanicals	43
3.2. Microorganisms	43
3.2.1. Source of microorganisms	43
3.2.2. Verification of Koch's postulates	45
3.2.3. Maintenance of stock cultures	46
3.3. Major chemicals used	46
3.4. Chemical fungicides used	47
3.5. Media and solutions used	48
3.6. Inoculation technique	51
3.6.1. Detached leaf	51
3.6.2. Whole plant	52
3.7. Disease assessment	52
3.7.1. Detached leaf	52
3.7.2. Whole plant	52
3.8. Morphology and physiology of the pathogen	53
3.8.1. Microscopy	53
3.8.2. Assessment of mycelial growth	53
3.8.3. Assessment of spore germination	53
3.8.3.1. Preparation of spore suspension	53
3.8.3.2. Spore germination	54
3.9. Rabbit for raising antisera	54

3.10.	Antigen preparation	56
	3.10.1. Brinjal leaf antigen	56
	3.10.2. Fungal antigen	56
3.11.	Antisera	57
	3.11.1. Raising of antisera	57
	3.11.2. Collection of sera	57
3.12.	Determination of titre value	57
3.13.	Serological experiments	58
	3.13.1. Immunodiffusion	58
	3.13.1.1. Agarose coated slide preparation	58
	3.13.1.2. Diffusion	58
	3.13.1.3. Staining of slides	59
	3.13.2. Immunoelectrophoresis	59
	3.13.2.1. Slide preparation	59
	3.13.2.2. Electrophoresis	59
	3.13.2.3. Diffusion	60
	3.13.3. Indirect enzyme linked immunosorbent assay (Indirect ELISA)	60
	3.13.4. Immunogold labelling followed by silver enhancement	61
3.14.	Application of chemicals and botanicals as elicitors on brinjal plants	61
3.15.	Estimation of phenol	62
	3.15.1. Extraction and estimation of orthodihydroxy phenol from leaves after chemical treatment	62
	3.15.2. Extraction and estimation of total phenol from leaves after chemical treatment	62
3.16.	Bioassay of fungicides	62
3.17.	Evaluation of biocontrol agents	63
	3.17.1. Dual culture test	63
	3.17.2. Evaluation of cell free culture filtrates	63
	3.17.3. Evaluation of crude culture filtrates	63
	3.17.4. <i>In vivo</i> evaluation on whole plants	64
3.18.	Evaluation of botanicals	64

3.18.1. Extraction	64
3.18.2. Spore germination bioassay	64
3.18.3. Agar cup bioassay	65
3.18.4. TLC plate bioassay	65
3.18.4.1. Preparation of TLC plates	65
3.18.4.2. Developing TLC plates	65
3.18.4.3. Bioassay	66
3.18.5. Bioassay by poisoned food technique	66
3.18.6. <i>In vivo</i> bioassay on whole plants	66
3.19. Statistical analysis	66
4. Experimental	67
4.1. Pathogenicity test of <i>C. gloeosporioides</i> in different brinjal varieties	67
4.1.1. Pathogenicity test following detached leaf inoculation technique	67
4.1.2. Pathogenicity test following whole plant inoculation technique	70
4.2. Observation of morphology of <i>C. gloeosporioides</i>	76
4.3. Culture conditions affecting growth and sporulation of <i>C. gloeosporioides</i>	76
4.3.1. Mycelial growth of <i>C. gloeosporioides</i> in different solid media	80
4.3.2. Mycelial growth of <i>C. gloeosporioides</i> after different periods of incubation	82
4.3.3. Mycelial growth of <i>C. gloeosporioides</i> at different pH	82
4.3.4. Mycelial growth of <i>C. gloeosporioides</i> at different temperature	86
4.3.5. Assessment of mycelial growth of <i>C. gloeosporioides</i> on different carbon sources	88
4.3.6. Assessment of mycelial growth of <i>C. gloeosporioides</i> on different nitrogen sources	89

4.3.7. Condition affecting sporulation of <i>C. gloeosporioides</i>	91
4.3.7.1. Spore germination, germ tube elongation and appressoria formation of <i>C. gloeosporioides</i> after different period of incubation	94
4.3.7.2 Spore germination and germ tube elongation of <i>C. gloeosporioides</i> at different pH	98
4.3.7.3. Spore germination and germ tube elongation of <i>C. gloeosporioides</i> at different temperature	100
4.4. Experiment on serological studies	102
4.4.1. Relationship between different brinjal varieties and test pathogen <i>C. gloeosporioides</i> by agar gel double diffusion	102
4.4.2. Serological relationship between different brinjal varieties and test pathogen <i>C. gloeosporioides</i> by immunoelectrophoresis	104
4.4.3. Indirect enzyme linked immunosorbent assay t (Indirec ELISA) between <i>C. gloeosporioides</i> and different brinjal varieties	110
4.4.4. Immunogold labelling for cellular location of antigens and cross- reactive antigens	116
4.5. Alteration of disease reaction following application of various chemicals in selected brinjal varieties against <i>C. gloeosporioides</i>	121
4.5.1. Various chemical treatments for Induction of resistance	121
4.5.2. Changes in orthodihydroxy phenol in healthy leaves and leaves inoculated with <i>C. gloeosporioides</i>	126
4.5.3. Changes in total phenol in healthy leaves and leaves inoculated with <i>C. gloeosporioides</i>	129

4.6. <i>In vitro</i> bioassay of some commonly used fungicides against <i>C. gloeosporioides</i>	129
4.6.1. Determination of MIC	132
4.7. Evaluation of some known biocontrol agents for controlling <i>C. gloeosporioides</i>	134
4.7.1. <i>In vitro</i> screening of some strains of <i>Trichoderma</i> and <i>Pseudomonas</i>	134
4.7.2. <i>In vivo</i> effect of crude culture filtrate of fungal antagonists	143
4.8. Screening of potential antifungal properties from different plant extracts against <i>C. gloeosporioides</i>	143
4.8.1. Slide germination bioassay to screen potential botanicals for controlling <i>C. gloeosporioides</i>	145
4.8.2. Agar cup method for detection of antifungal activity of selected plant extracts on the growth of <i>C. gloeosporioides</i>	148
4.8.3. TLC plate bioassay for detection of antifungal properties of selected plant extracts	149
4.8.4. Antifungal effect of selected plant extracts on growth of <i>C. gloeosporioides</i> following poisoned food technique	150
4.8.5. Foliar application of plant extracts, for controlling anthracnose caused by <i>C. gloeosporioides</i> in brinjal plants	155
5. Discussion	158
6. Summary	179
7. References	184