

A C K N O W L E D G E M E N T

The present thesis embodies the results of research carried out by the author at the Department of Chemistry under the supervision of Dr. Bhim Prasad Pradhan, M.Sc., Ph.D., Reader in Chemistry, University of North Bengal, Dist. Darjeeling.

At the very first opportunity the author offers his heartfelt gratitude and grateful thanks to Dr. B.P. Pradhan to whom he is ever grateful for his unstinted help, sincerest guidance, constructive interpretations, valuable suggestions and keen interest throughout the research programme.

The author is indebted to Dr. J.N. Shoolery, NMR Applications Laboratory, Varian Palo Alto, California, U.S.A. for most of the ^1H NMR and ^{13}C NMR spectra; to Prof. Hiroyuki Ageta, Showa College of Pharmaceutical Sciences, Tokyo, Japan, for kindly arranging some of the mass spectra, ^1H NMR spectra, ^{13}C NMR spectra and GLC recorded in the thesis. The author is also indebted to Prof. Peter Weyerstahl, Institut für Organische Chemie, Technische Universität, Berlin for kindly running some of the ^1H NMR and ^{13}C NMR spectra of compounds recorded in the thesis. The author is also indebted to Inger Wahlberg, Svenska Tobako AB, Swedish Tobako Co, Stockholm, Sweden for the mass, ^1H NMR and ^{13}C NMR spectra recorded in the thesis. The author's thanks are also due to Allan Duffield, Biomedical Mass Spectra Unit, University of New South Wales, Australia for the mass spectra

(II)

and to P.M. Scopes, Department of Chemistry, University of London, Westfield College, London for the ^1H NMR spectra.

Thanks are also due to Director, Central Drug Research Institute, Lucknow for mass spectra, optical rotations and elemental analysis and to the Director, T.I.F.R., Bombay for ^1H NMR and ^{13}C NMR recorded in the thesis.

The author also acknowledges with thanks to Prof. K.K. Bala Subramaniam, Department of Chemistry, I.I.T., Madras for a few of the ^1H NMR spectra recorded herein.

The author acknowledges his indebtedness to all the teachers in the Department of Chemistry, for their valuable advice and suggestions. The author also acknowledges thanks to his fellow research workers Sri S. Chakraborty and Miss T. Roy, in his laboratory, to the non-teaching staff and to all research scholars for their kind co-operation, help and encouragement. The author also expresses thanks to Dr. Prabir Roy, Dr. R.K. Poddar, Dr. A. Kumar, Sri T. Pandit, Sri J. Bhattacharjee, Sri B. Bhattacharjee, Sri S. Ghosh, Sri M. Saha, Sri P. Ghosh and Md. A. Hasan for their kind help and co-operation. The author acknowledges thanks to the Forest Range Officer, Sukna and D.F.O. Darjeeling for kindly supplying the plant materials.

The author is thankful to the University Grants Commission, New Delhi for the award of a Teacher - Fellowship as well as to the authorities of the University of North Bengal for providing Laboratory and Library facilities and to the Governing Body of

(III)

Dinhata College, Dinhata for granting academic leave and grateful to his colleagues and friends for their constant inspiration.

The author acknowledges thanks and gratitude to his wife Mrs. Shefali Ghosh for her sincerest inspiration, encouragement and patience. The author also expresses deep affection and love to his daughters Swati and Sudeshna for their constant inspiration and patience. The author also expresses thanks to his brothers, sisters, brothers-in-law and sisters-in-law for their constant inspiration and encouragement.

Finally, the author pays deep regards to his father Sri Ramdas Ghosh, his father-in-law Sri Gopi Raman Ghosh, his mother Smt. Usharani Ghosh and to his mother-in-law late Smt. Sanjucta Ghosh.

Rajat Kanti Ghosh
(Rajat Kanti Ghosh)
Teacher Fellow
Department of Chemistry,
University of North Bengal,
West Bengal.