

Contents

Page No.

Acknowledgement	i
Abbreviations	ii
List of Tables	vi
List of Figures	viii
List of Plates	ix
1. Introduction	1
2. Literature Review	6
3. Materials and methods	52
3.1 Plant materials	52
3.1.1 Host plants	52
3.1.2 Selection of suitable tea seed varieties	52
3.1.2.1 Collection of suitable varieties of tea seeds and storage	52
3.1.2.2 Raising of seedlings	52
3.1.2.3 Transplantation and maintenance of the seedlings	56
3.1.2.4 Collection of infected seeds for study of seed mycoflora	56
3.1.3 Screening of tea seed samples for seed mycoflora	56
3.1.3.1 Agar Plate Method	56
3.1.3.2 Standard Blotter Method	57
3.2 Source of Fungal culture	57
3.2.1 Antagonists used during the study	58
3.2.2 Cultures obtained from seed mycoflora	58
3.3 Detection of major pathogen from seed mycoflora	58
3.4 Verification of Koch's Postulates by seed coating method	61
3.5. Pathogenicity of <i>Rhizoctonia solani</i> by sclerotial disc method and assessment of disease severity	62
3.6 Maintenance of stock cultures	63
3.7 Major chemicals used	63
3.8 Media and solutions used	64

3.9 Morphology and physiology of the pathogen	67
3.9.1 Microscopy	67
3.9.2 Assessment of mycelial growth	68
3.10 Serological studies	68
3.10.1 Immunization of Rabbit for raising antisera	68
3.10.2 Antigen preparation	69
3.10.2.1 Antigen from tea root tissue	69
3.10.2.2 Antigen from fungal mycelia	70
3.10.3 Antisera	71
3.10.3.1 Raising of antisera	71
3.10.3.2 Collection of sera	71
3.10.3.3 Optimization of titre value	72
3.10.4 Immunodiffusion	72
3.10.4.1 Coating of slides with agarose	72
3.10.4.2 Diffusion of slides in humid chamber	73
3.10.4.3 Staining of slides after diffusion	73
3.10.5 Immuno-electrophoresis	73
3.10.5.1 Slide preparation	73
3.10.5.2 Electrophoresis	74
3.10.5.3 Diffusion of slides in humid chamber	74
3.10.6 Indirect Enzyme Linked Immunosorbent Assay (Indirect ELISA)	75
3.10.7 Immunogold labeling followed by silver enhancement and light microscopy	76
3.11 <i>In vitro</i> Evaluation of biocontrol agents against <i>R. solani</i>	77
3.11.1 <i>In vitro</i> antagonistic activity of fungal bioagents against <i>R. Solani</i> following dual culture technique	77
3.11.2 Evaluation of inhibitory effect of culture filtrates of different antagonistic fungi tested against growth of <i>R. solani in vitro</i> .	77
3.12 <i>In vitro</i> evaluation of botanicals against <i>R. Solani</i>	78
3.12.1 Collection of plants for extraction of botanicals	78
3.12.2 Extraction of Botanicals	80
3.12.3 Agar Cup Bioassay	80

3.12.4 Bioassay by Poisoned food technique	81
3.13 Assessment of incidence of <i>R. solani</i> in seeds pretreated with botanical, with 25% culture filtrate of <i>T. harzianum</i> and with a combined formulation of the botanical and culture filtrate	82
3.14 Effect of seed treatment on germination percentage and vigour index	82
3.14.1 Seed treatment with <i>Polyalthia longifolia</i> leaf extract	82
3.14.2 Seed treatment with culture filtrate (25% concentration) of <i>T. harzianum</i>	83
3.14.3. Seed treatment with sporulating culture of <i>T. harzianum</i>	83
3.15 <i>In vivo</i> evaluation of antagonist against <i>R. solani</i>	84
3.15.1 Preparation of inoculums of <i>R. solani</i>	84
3.15.2. Preparation of mass culture of antagonist	84
3.16 Statistical analysis	85
4. Experimental	86
Chapter I: Studies on tea seed mycoflora and pathogenicity of <i>Rhizoctonia solani</i>	86
4.1. Introduction	86
4.2. Isolation of tea seed mycoflora	86
4.3. Percent incidence of different fungi in the seven seed varieties	87
4.3.1 Percent incidence of fungi in unsterilized seeds with seed coat	88
4.3.2 Percent incidence of fungi in unsterilized seeds without seed coat	89
4.3.3 Percent incidence of fungi in sterilized seeds with seed coat	90
4.3.4 Percent incidence of fungi in surface sterilized seeds without seed coat	90
4.4. Koch's postulates and establishment of <i>Rhizoctonia solani</i> as pathogen of tea seeds	91
4.5. Pathogenicity of <i>Rhizoctonia solani</i> in different varieties of tea seedlings	92
Chapter II: Studies on morphology and physiology of <i>R. solani</i>	95
4.6 Introduction	95
4.7 Observation of the morphology of <i>R. solani</i> and other fungi	95
4.8 Growth and Sclerotia formation of <i>R. solani</i> in solid media	96
4.9 Mycelia growth of <i>R. solani</i> in different liquid media	103

4.10 Effect of different pH on mycelia growth of <i>R. solani</i>	106
4.11 Effect of different incubation temperatures on mycelial growth of <i>R. solani</i>	108
4.12 Assessment of mycelia growth and Sclerotia formation of <i>R. solani</i> on different carbon sources	110
4.13 Assessment of mycelial growth and sclerotia formation of <i>R. solani</i> on different nitrogen sources	114
Chapter III: Serological studies for detection of level of cross reactive antigens, responsible for determining susceptibility in different varieties of tea	117
4.14 Introduction	117
4.15 Relationship between different tea varieties and <i>Rhizoctonia solani</i> by agar gel double diffusion	117
4.16 Serological relationship between different tea varieties and pathogen <i>R. solani</i> by immunoelectrophoresis	122
4.17 Indirect enzyme linked immunosorbent assay (Indirect ELISA) between <i>R. solani</i> and different tea varieties	124
4.18 Immunogold labeling for cellular location of antigens and cross-reactive antigens	128
Chapter IV: Evaluation of some known fungal biocontrol agents for controlling <i>Rhizoctonia solani</i>, a pathogen of tea seedlings	131
4.19 Introduction	131
4.20 <i>In vitro</i> evaluation of some known antagonistic fungi against the control of <i>R. solani</i>	131
4.21: Evaluation of inhibitory effect of culture filtrates of different antagonistic fungi tested against growth of <i>R. solani in vitro</i>	135
Chapter V: <i>In vitro</i> evaluation of some botanicals against <i>R. solani</i>	137
4.22: Introduction	137
4.23: Agar cup assay of the plant extracts against <i>R. solani</i>	137
4.24 Evaluation on selected plant extracts following poisoned food technique	138
Chapter VI: <i>In vivo</i> evaluation of selected bio-control agents and botanicals	143
4.25 Introduction	143

4.26 Seed treatment and assessment of pathogen population	143
4.27 Effect of seed treatment on percent germination and vigour index	143
4.28 <i>In vivo</i> evaluation of antagonist against <i>R. solani</i>	146
5. Discussion	148
6. Summary	168
7. References	173