

C O N T E N T S

Page

PART - I

PHOTOCHEMICAL SYNTHESIS OF THE NATURALLY
OCCURRING TRITERPENE LACTONE, 3 β -HYDROXY
LUPAN-28, 13 β -OLIDE AND CHIROPTICAL (CD)
MEASUREMENT OF THIS AND RELATED LACTONES

CHAPTER - I

A short review on the mechanism of intramolecular cyclization of alcohols by oxidation with Pb(IV) acetate or by hypohalite reaction.

1

CHAPTER - II

A short review on the triterpene lactones of lupane series ..

29

CHAPTER - III

Photochemical synthesis of the naturally occurring triterpene lactone, 3 β -hydroxy lupan-28, 13 β -olide, stereochemistry of isopropyl group at C-19 and the chiroptical measurements (CD) of this and related lactones. ..

63

Section A : Photochemical synthesis of the naturally occurring triterpene lactone, 3 β -hydroxy lupan-28, 13 β -olide.

66

Section B : Stereochemistry of isopropyl group at C-19 ..

78

Section C : Circular dichroism studies of this and related lactones.

79

CHAPTER - IV

Experimental	..	82
References	..	100

PART - II

LEAD (IV) ACETATE OXIDATION OF TRITERPENOID
3-KETOHYDRAZONES

CHAPTER - I

A short review on the lead (IV) acetate oxidation of steroid and triterpenoid keto hydrazones.		108
--	--	-----

CHAPTER - II

Lead (IV) acetate oxidation of triterpenoid 3-keto hydrazones.	..	115
Section A : Lead (IV) acetate oxidation of Lupanone hydrazone.	..	116
Section B : Lead (IV) acetate oxidation of friedelin hydrazone	..	122
Section C : Product distribution	..	126
Section D : Mechanistic studies on olefin formation	..	127
(a) Mercury (II) oxide reaction of hydrazones	..	127
(b) Bamford-Stevens reaction of tosyl hydrazones	..	129

CHAPTER - III

Experimental	..	133
References	..	155

PART - IIIPARTIAL SYNTHESIS OF METHYL 2 α , 3 α -DIHYDROXY
LUPAN-28-OATE FROM BETULINIC ACIDCHAPTER - I

A short review on the triterpenoids 2,3-dihydroxy 28-carboxylic acids ..	157
---	-----

CHAPTER - II

Partial synthesis of methyl 2 α , 3 α -dihydroxy lupan-28-oate ..	177
Section A : Introduction ..	177
Section B : Partial synthesis of methyl 2 α , 3 α - dihydroxy lupan-28-oate ..	178
Section C : Benzilic acid rearrangement of the α -diketone during autoxidation for a prolonged period ..	184

CHAPTER - III

Experimental ..	187
References ..	200

PART - IVREINVESTIGATION ON THE BENZENE EXTRACT OF
THE BARK OF BISCHOFIA JAVANICA (EUPHORBIACEAE)CHAPTER - I

Morphological feature of the plants of Euphorbiaceae family ..	204
---	-----

CHAPTER - II

Isolation of betulinic acid as acidic constituent and epi-friedelanol acetate, friedelin, β -sitosterol, friedelanol and a nor triterpene dihydroxy ketone as neutral constituents from benzene extract of the bark of <i>Bischofia javanica</i> Blume ..	207
Section A : Extraction ..	207
Section B : Chromatography of the neutral part ..	208
Section C : Examination of fraction No. 1 and isolated of epi-friedelanol acetate ..	208
Section D : Examination of the fraction No. 2 and isolation of friedelin ..	209
Section E : Examination of fraction No. 4 isolation and identification of β -sitosterol ..	210
Section F : Examination of fraction No. 5 isolation and identification of friedelanol ..	210
Section G : Examination of fraction No. 6 isolation of an unsaturated pentacyclic nor triterpene dihydroxy ketone ..	211
Section H : Examination of acid fraction : isolation and identification of betulinic acid ..	213

CHAPTER - III

Experimental ..	215
References ..	224