

## A C K N O W L E D G E M E N T

Investigations presented in this thesis were carried out by the author at the Department of Chemistry, University of North Bengal, RajaRammohunpur, Dist. Darjeeling.

The author takes this opportunity to express his deep sense of gratitude and thankfulness to Bimal K. Das, D.Sc., Reader in Chemistry, North Bengal University, for his valuable suggestions, guidance and continued interest during the progress of the work.

The author sincerely thanks Prof. S. K. Chakraborty, Prof. A. K. Ghosh and Prof. S. C. Roy, Department of Chemistry, North Bengal University for their interest and encouragement.

The author wishes to express his gratitude and indebtedness to:

Prof. M. Eto, Department of Agricultural Chemistry, Kyushu University, Fukuoka, Japan, for helping the author to get analytically pure sample of salithion, and a number of reprints.

Prof. J. N. Shoolery, Varian, NMR Application Laboratory, Palo Alto, California, U. S. A. for NMR spectra of some of the compounds, and also for valuable suggestions for the interpretation of the NMR spectral data.

Prof. G. Thyagarajan, Director, R.R.L., Hyderabad for valuable discussions on pesticidal activity.

Dr. D. K. Hazra, Reader in Chemistry, North Bengal University for extending sincerest co-operation in taking mass spectra, temperature dependant <sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of some of the compounds.

Dr. B. Nandi, Department of Mycology and Plant Pathology, Burdwan University for the gift of the pure culture of the fungi.

Dr. H. Yoshioka, Pesticide Research Division, Sumitomo Chemical Co. Ltd., Japan, for the generous gift of salithion.

Prof. S. D. Faust, Department of Environment Science, Rutgers State University of New Jersey, USA, for sending us several reprints, and also for valuable suggestions.

Prof. T. Roy Fukuto, Division of Toxicology and Physiology, Department of Entomology, University of California, Riverside, California, USA, for sending us several reprints.

Dr. S. L. Dutta, Dr. S. Saha for excellent technical help.

The author in this opportunity expresses his gratefulness to Mr. P. Guhathakurata, Mr. A. Sen, Mr. N. N. Halder, Mr. A. Nanda, Mr. L. Bagchi, Mr. D. Dasgupta, Mr. J. Saha, Dr. M. Pramanik, Dr. P. Roy, Dr. A. Sanyal and Dr. A. Bhattacharjee for their co-operation and constant encouragement.

The author is grateful to the authorities of North Bengal University for extending laboratory and other facilities and

to University Grants Commission, New Delhi for awarding a fellowship.

The author would like to thank Mr. C. Dasak for his painstaking assistance in drawing the figures and to Mr. J. N. Sarkar for typing the manuscript.

The author would like to express his thanks to his brothers, sisters and other members of his family for their co-operation and constant encouragement.

The author gratefully acknowledges the inspiration and encouragement of his sisters, Bon, Bapi and his wife, Bubu during the progress of the work.

Finally the author express his sincere regards to his parents whose kind blessings ceaselessly showered on the author during his works.

Kallol Kumar Mukherjee  
(KALLOL KUMAR MUKHERJEE)

Department of Chemistry,  
University of North Bengal,  
Rajarammohunpur,  
Darjeeling (India).